



825H Soil Compactor



825H Soil Compactor

Dimensions

All dimensions are approximate.



1	Height to Top of Cab	3755 mm	12.3 ft
2	Height to Top of Exhaust Pipe	3647 mm	12 ft
3	Height to Top of Hood	2692 mm	8.8 ft
4	Height to Rear Bumper	941 mm	3.1 ft
5	Height to Bottom of Ladder	502 mm	1.6 ft

6	Center Line of Rear Axle to Edge of Rear Bumper	2687 mm	8.8 ft
7	Center Line of Rear Axle to Hitch	1850 mm	6.1 ft
8	Wheelbase	3700 mm	12.1 ft
9	Length with Blade on Ground	8443 mm	27.7 ft
10	Ground Clearance	414 mm	1.4 ft

825H Soil Compactor

Optional Equipment (with approximate change in operating weight)

Optional equipment may vary. Consult your Caterpillar dealer for specifics.

	kg	lb
Bulldozer Arrangement		
Includes hydraulic lift cylinders and lines, push arms and dozer	5289	11,660
Counterweight	2227	4,910
Electrical		
Lights, cab auxiliary	3	7
Fast Fuel Adapter	4	9
Fenders, front and rear roading	604	1,333
Guards, Drive Shaft		
Use with counterweight	20	44
Use without counterweight	58	127
Operator Environment		
Mirror, internal (panoramic)	5	10
Mirror, internal (rearview)	3	7
Radio, AM/FM, weatherband, cassette	2	4
Sliding cab window	13	28
Visor, front	5	10
Wiper, intermittent (rear)	1	2

	kg	lb
Power Train		
Differential, No-SPIN rear	2	4
Cooler, axle oil	183	403
Starting Aids		
Heater, engine coolant	2	4
Heater, 220-volt	1	3
Miscellaneous Attachments		
Oil change, high speed	1	3
Precleaner, turbine/trash	14	30
Product Link	1	3
Sound suppression	103	227
Special application end bits	15	32
Antifreeze	0	0
Wheels		
High density compaction wheels	86	189
High Impact	354	780