



Buckets

for Hydraulic Excavators

Technical Specifications

Capacity based on ISO 7451.

Bucket weights do not include tips, unless otherwise indicated.

Bucket part numbers shown include adapters, tips ordered separately unless otherwise indicated.

Not all attachments available in all regions. Consult your Cat® dealer for specific configurations available in your region.

Table of Contents

Pin-on/Cat® Pin Grabber Buckets	2
313D2 GC, 313D2, 315F	2
M314F	2
M315D2, M317D2	2
318D2	2
M320D2	2
M322D2, M322D2 MH, M324D2 MH	2
A-Family (320 SLR, 326D2 SLR, 330 SLR)	2
B-Family (320 GC, 320, 320D3, 323, 323D3, 325F CR, 336 SLR)	3
CB-Family (326D2, 330F)	3
DB-Family (326D2 ME, 330F ME, 336 GC, 336)	3
TB-Family (336 GC ME, 336 ME, 340D2 ME, 349F)	3
UB-Family (349F ME)	3
WB2-Family (374F ME)	4
JC-Family (390F ME)	4
Ground Engaging Tools	4
Cat Advansys™ Tips	4
K Series Tips	4
J Series Tips	5
Sidecutters and Protectors	5

Buckets for Hydraulic Excavators Technical Specifications

Pin-on/Cat® Pin Grabber Buckets

Can be used pinned on to the machine or with a Cat Pin Grabber Coupler.

313D2 GC, 313D2, 315F

Part No.	Width		Capacity		Adapters		Weight	
	mm	in	m ³	yd ³	GET	Qty.	kg	lb
Utility Duty								
441-6080*	900	36	0.53	0.69	J250	5	411	906
General Duty								
484-0191*	900	36	0.53	0.69	J250	5	428	942
438-9799*	900	36	0.53	0.69	J250	5	411	905
432-8367*	900	36	0.53	0.69	J250	6	440	970
358-8616	900	36	0.53	0.69	J250	6	403	888
507-0131*	1000	39	0.60	0.78	J250	5	452	996
370-3249*	1050	42	0.65	0.85	J250	6	493	1087
420-3377*	1050	42	0.65	0.85	J250	6	497	1097
527-1253*	1100	43	0.70	0.92	J250	6	501	1105
Severe Duty								
396-8956*	1050	42	0.65	0.85	J300	5	559	1233

*Tips included

M314F

Part No.	Width		Capacity		Adapters		Weight	
	mm	in	m ³	yd ³	GET	Qty.	kg	lb
General Duty								
385-5644	450	18	0.20	0.27	J250	3	292	644
385-5645	600	24	0.31	0.40	J250	3	339	747
423-0430*	1000	39	0.60	0.79	J250	5	474	1044
385-5647	1000	39	0.60	0.79	J250	5	440	970
385-5648	1100	43	0.68	0.89	J250	6	471	1038
385-5649	1210	48	0.76	1.00	J250	6	500	1102

*Tips included

M315D2, M317D2

Part No.	Width		Capacity		Adapters		Weight	
	mm	in	m ³	yd ³	GET	Qty.	kg	lb
General Duty								
387-5718	750	30	0.49	0.64	K80	3	466	1027
387-5719	1100	43	0.80	1.04	K80	4	580	1279
387-5720	1200	48	0.91	1.19	K80	5	625	1378

318D2

Part No.	Width		Capacity		Adapters		Weight	
	mm	in	m ³	yd ³	GET	Qty.	kg	lb
General Duty								
418-5278*	1100	43	0.80	1.04	J300	5	657	1448
433-0313*	1200	47	0.80	1.05	J300	6	677	1492
Severe Duty								
394-2345*	1050	42	0.76	1.00	J350	5	730	1609

*Tips included

M320D2

Part No.	Width		Capacity		Adapters		Weight	
	mm	in	m ³	yd ³	GET	Qty.	kg	lb
General Duty								
388-9586	600	24	0.39	0.50	K80	3	458	1010
466-8140*	1200	48	1.00	1.31	J300	5	692	1526
388-9590	1200	48	0.98	1.29	K80	5	669	1475
389-0254	1300	51	1.07	1.41	K80	5	698	1539
388-9591	1400	55	1.18	1.54	K80	5	730	1609

*Tips included

M322D2, M322D2 MH, M324D2 MH

Part No.	Width		Capacity		Adapters		Weight	
	mm	in	m ³	yd ³	GET	Qty.	kg	lb
General Duty								
422-6976	1200	48	1.19	1.56	K80	5	768	1693
422-6978	1400	55	1.43	1.87	K80	5	808	1781

MH – for use with Material Handling configuration

A-Family (320 SLR, 326D2 SLR, 330 SLR)

Part No.	Width		Capacity		Adapters		Weight	
	mm	in	m ³	yd ³	GET	Qty.	kg	lb
Ditch Cleaning								
441-6077	1200	48	0.57	0.74	BOCE Included		386	852

BOCE – Bolt-on Cutting Edge

SLR – for use with Super Long Reach configuration

(continued on next page)

Buckets for Hydraulic Excavators Technical Specifications

Pin-on/Cat® Pin Grabber Buckets (continued)

Can be used pinned on to the machine or with a Cat Pin Grabber Coupler.

B-Family (320 GC, 320, 320D3, 323, 323D3, 325F CR, 336 SLR)

Part No.	Width		Capacity		Adapters		Weight	
	mm	in	m ³	yd ³	GET	Qty.	kg	lb
Utility Duty								
442-8268*	1150	46	0.90	1.18	J350	5	750	1653
General Duty								
393-5791*	1150	46	0.90	1.18	J350	5	782	1725
418-5269*	1150	46	0.90	1.18	J350	5	799	1761
558-7998*	1200	48	1.19	1.56	J350	5	870	1918
377-5394*	1250	50	1.00	1.31	J350	5	816	1800
416-6436*	1250	50	1.00	1.31	J350	5	891	1965
377-5395*	1400	56	1.14	1.49	J350	6	882	1945
Heavy Duty								
347-6859*	1200	48	1.19	1.56	K90	4	907	2000
Severe Duty								
540-4105*	1100	43	1.00	1.31	100	4	1042	2297
Clean-up								
439-7308	1800	72	1.60	2.09	BOCE Included		979	2157

*Tips included

BOCE – Bolt-on Cutting Edge

SLR – for use with Super Long Reach configuration

CB-Family (326D2, 330F)

Part No.	Width		Capacity		Adapters		Weight	
	mm	in	m ³	yd ³	GET	Qty.	kg	lb
General Duty								
370-5824*	1400	55	1.54	2.02	J400	6	1165	2568
Heavy Duty								
540-4098*	1350	55	1.54	2.02	100	6	1312	2892
540-4095*	1450	57	1.57	2.05	100	6	1329	2930
528-4595*	1550	60	1.76	2.30	110	5	1440	3175
Severe Duty								
528-4596*	1300	51	1.36	1.78	110	4	1395	3075

*Tips included

DB-Family (326D2 ME, 330F ME, 336 GC, 336)

Part No.	Width		Capacity		Adapters		Weight	
	mm	in	m ³	yd ³	GET	Qty.	kg	lb
General Duty								
540-4079*	1500	60	1.87	2.44	100	5	1365	3009
Heavy Duty								
528-4568*	1500	61	1.88	2.46	110	5	1682	3708
528-4569*	1650	67	2.12	2.77	110	5	1780	3924
559-4170*	1800	73	2.36	3.09	110	5	1848	4074
Severe Duty								
525-4049*	1400	55	1.64	2.14	130	4	1805	3979
525-4050*	1550	61	1.90	2.48	130	4	1948	4295

*Tips included

ME – for use with Mass Excavation configuration

TB-Family (336 GC ME, 336 ME, 340D2 ME, 349F)

Part No.	Width		Capacity		Adapters		Weight	
	mm	in	m ³	yd ³	GET	Qty.	kg	lb
General Duty								
512-0223*	1950	77	3.06	4.00	J550	5	2468	5441
Heavy Duty								
518-9358*	1650	65	2.41	3.15	130	5	2503	5518
519-2233*	1650	65	2.41	3.15	130	5	2488	5485
528-8132*	1950	77	3.08	4.03	130	5	2821	6219
Severe Duty								
519-2235*	1650	65	2.41	3.15	130	5	2584	5697

*Tips included

ME – for use with Mass Excavation configuration

UB-Family (349F ME)

Part No.	Width		Capacity		Adapters		Weight	
	mm	in	m ³	yd ³	GET	Qty.	kg	lb
General Duty								
394-3977*	1550	62	2.61	3.41	J550	4	2368	5221
399-0334*	1950	77	3.43	4.48	J550	5	2846	6274

*Tips included

ME – for use with Mass Excavation configuration

(continued on next page)

Buckets for Hydraulic Excavators Technical Specifications

Pin-on/Cat® Pin Grabber Buckets (continued)

Can be used pinned on to the machine or with a Cat Pin Grabber Coupler.

WB2-Family (374F ME)

Part No.	Width		Capacity		Adapters		Weight	
	mm	in	m ³	yd ³	GET	Qty.	kg	lb
Severe Duty								
519-5394*	2200	87	4.60	6.02	170	4	5248	11570

*Tips included

ME – for use with Mass Excavation configuration

JC-Family (390F ME)

Part No.	Width		Capacity		Adapters		Weight	
	mm	in	m ³	yd ³	GET	Qty.	kg	lb
General Duty								
528-8138*	2550	100	6.00	7.85	170	6	6065	13371
528-8163	2600	102	6.50	8.50	170	6	5985	13195

*Tips included

ME – for use with Mass Excavation configuration

Ground Engaging Tools

Part numbers include tip and retainer unless otherwise indicated.

Cat Advansys™ Tips

	100	110	130	170
Double Spike	505-4105	505-4115	381-4092	368-3871
General Duty	505-4106	505-4116	381-4088	368-3872
Heavy Duty	505-4002	505-4012	368-3791	368-3867
Heavy Duty Long Life (ARM)	505-4003	505-4013	368-3857	387-6856
Leveling Edge Conversion (LEC)	505-4005			
Penetration	505-4101	505-4111	381-4093	368-3868
Penetration Long Life (ARM)	505-4102	505-4112	368-3858	387-6866
Penetration Plus	505-4103	505-4113	381-4089	368-3869
Spike	505-4104	505-4114	381-4090	368-3870
Wide	505-4100	505-4110	381-4091	368-3866

K Series Tips

	K80	K90
Double Spike	229-6968	217-4895
Extra Duty	229-6964	217-4891
General Duty	229-6969	217-4896
Penetration	229-6965	217-4892
Penetration Plus	229-6966	217-4893
Spike	229-6967	217-4894
Wide	229-6963	217-4890

(continued on next page)

Buckets for Hydraulic Excavators Technical Specifications

Ground Engaging Tools *(continued)*

Part numbers include tip and retainer unless otherwise indicated.

J Series Tips

	J250	J300	J350	J400	J460	J550
Abrasion, Heavy Duty	8E-3755	8E-3756				198-8486
Double Spike			135-9357	135-9408	138-6458	
General Duty			1U-3352	7T-3402	9W-8452	
Long	9J-3169	9J-3167				198-8478
Long, Heavy Duty	8E-3750	8E-3751				198-8479
Penetration	100-6462	3G-3237	9J-4359	6Y-7409	9W-8459	198-8487
Penetration Long Life (ARM)			119-9359	124-7409		
Penetration Plus		195-9180	168-1359	168-1409	159-0459	195-9185
Short	9J-3178	9J-3175				198-8485
Spike			168-1350	159-0400	159-0450	
Twin Sharp	229-7137					169-4150
Wide	101-2927	4T-2215	107-3350	107-3400	107-3450	8J-9840

Sidcutters and Protectors

Machine Model or Linkage Family	Sidebar Protectors	Sidcutters		
	4 Piece Set	GD	HD	SD
311, 312, 313, 314		380-1203		380-1203
315, 316, M313-M318		380-1204	380-1204	380-1204
318		380-1204	380-1204	380-1204
B, CB, DB	357-2691	7Y-0366	357-2698	357-2698
M320, M322	195-7216	380-1204	380-1204	
TB, UB, VB, HB	357-2687		357-2685	357-2685
VB2, WB2, HB2	329-5956		357-2686	357-2686
JC	357-2688		357-2686	357-2686

For more complete information on Cat products, dealer services, and industry solutions, visit us on the web at www.cat.com

GEJQ3369-00 (10-2018)
(India, Indonesia, SE Asia)

© 2018 Caterpillar
All rights reserved

Materials and specifications are subject to change without notice. Featured machines in photos may include additional equipment. See your Cat dealer for available options.

CAT, CATERPILLAR, SAFETY.CAT.COM, their respective logos, "Caterpillar Yellow" and the "Power Edge" trade dress, as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission.

