



Buckets

for Hydraulic Excavators

Technical Specifications

Capacity based on ISO 7451.

Bucket weights do not include tips, unless otherwise indicated.

Bucket part numbers shown include adapters, tips ordered separately unless otherwise indicated.

Not all attachments available in all regions. Consult your Cat® dealer for specific configurations available in your region.

Table of Contents

Pin-on/Cat® Pin Grabber Buckets	2
311F RR, 312E, 312F, 312F GC, 314F	2
315F, 316F	2
A-Family (320 SLR, 320E RR SLR, 326F SLR, 330F SLR)	2
B-Family (320 GC, 320, 323, 325F CR, 336 SLR, 340F UHD)	2
CB-Family (330 GC, 330, 340F UHD)	2
DB-Family (330F ME, 336 GC, 336, 340F)	2
Ground Engaging Tools	3
Cat Advansys™ Tips	3
J Series Tips	3
Sidecutters and Protectors	3

Buckets for Hydraulic Excavators Technical Specifications

Pin-on/Cat® Pin Grabber Buckets

Can be used pinned on to the machine or with a Cat Pin Grabber Coupler.

311F RR, 312E, 312F, 312F GC, 314F

Part No.	Width		Capacity		Adapters		Weight	
	mm	in	m ³	yd ³	GET	Qty.	kg	lb
General Duty								
250-6385*	780	31	0.45	0.59	30	5	394	869
432-8967*	800	32	0.45	0.59	J250	5	394	868
250-6388*	875	34	0.52	0.68	30S	5	415	915
432-8418*	900	35	0.52	0.68	J250	5	420	925
438-9799*	900	36	0.53	0.69	J250	5	411	905
432-8968*	950	37	0.57	0.75	J250	5	438	965
433-0356*	1000	39	0.63	0.82	J250	5	458	1009

Heavy Duty

433-1516*	800	32	0.45	0.59	J300	4	438	966
433-1517*	900	35	0.52	0.68	J300	4	466	1027

Skeleton - Heavy Duty

487-4261*	900	35	0.52	0.68	J300	4	422	930
-----------	-----	----	------	------	------	---	-----	-----

Tamping

491-3930	1800	71					453	998
491-3929	1800	71					436	962

*Tips included

315F, 316F

Part No.	Width		Capacity		Adapters		Weight	
	mm	in	m ³	yd ³	GET	Qty.	kg	lb
General Duty								
431-6569*	950	37	0.65	0.85	J300	5	578	1274
431-6570*	1100	43	0.80	1.04	J300	6	629	1387

*Tips included

A-Family (320 SLR, 320E RR SLR, 326F SLR, 330F SLR)

Part No.	Width		Capacity		Adapters		Weight	
	mm	in	m ³	yd ³	GET	Qty.	kg	lb
Ditch Cleaning								
441-6077	1200	48	0.57	0.74	BOCE Included		386	852

BOCE – Bolt-on Cutting Edge

SLR – for use with Super Long Reach configuration

B-Family (320 GC, 320, 323, 325F CR, 336 SLR, 340F UHD)

Part No.	Width		Capacity		Adapters		Weight	
	mm	in	m ³	yd ³	GET	Qty.	kg	lb
General Duty								
255-0395*	970	38	0.80	1.00	35S	5	689	1519
255-0398*	1090	43	0.90	1.20	35S	5	728	1605
Tamping								
491-3932	2200	87					891	1965
491-3931	2200	87					868	1913

*Tips included

SLR – for use with Super Long Reach configuration

UHD – for use with Ultra High Demolition configuration

CB-Family (330 GC, 330, 340F UHD)

Part No.	Width		Capacity		Adapters		Weight	
	mm	in	m ³	yd ³	GET	Qty.	kg	lb
General Duty								
554-3113*	1300	51	1.10	1.44	100	5	1022	2253
554-3117*	1650	65	1.50	1.96	100	6	1196	2637
Heavy Duty								
554-3115*	1450	57	1.30	1.70	100	6	1237	2727

*Tips included

UHD – for use with Ultra High Demolition configuration

DB-Family (330F ME, 336 GC, 336, 340F)

Part No.	Width		Capacity		Adapters		Weight	
	mm	in	m ³	yd ³	GET	Qty.	kg	lb
General Duty								
540-4081*	1400	55	1.40	1.83	100	5	1202	2650
540-4082*	1500	57	1.50	1.96	100	5	1239	2732
540-4083*	1550	61	1.60	2.09	100	6	1301	2868
Heavy Duty								
332-5402*	1540	61	1.50	2.00	J460N	5	1712	3774

*Tips included

ME – for use with Mass Excavation configuration

Buckets for Hydraulic Excavators Technical Specifications

Ground Engaging Tools

Part numbers include tip and retainer unless otherwise indicated.

Cat Advansys™ Tips

	100
Double Spike	505-4105
General Duty	505-4106
Heavy Duty	505-4002
Heavy Duty Long Life (ARM)	505-4003
Leveling Edge Conversion (LEC)	505-4005
Penetration	505-4101
Penetration Long Life (ARM)	505-4102
Penetration Plus	505-4103
Spike	505-4104
Wide	505-4100

J Series Tips

	J250	J300
Long	9J-3169	9J-3167
Long, Heavy Duty	8E-3750	8E-3751
Wide	101-2927	4T-2215
Short	9J-3178	9J-3175
Abrasion, Heavy Duty	8E-3755	8E-3756
Penetration	100-6462	3G-3237
Penetration Plus		195-9180
Twin Sharp	229-7137	

Sidcutters and Protectors

Machine Model or Linkage Family	Sidebar Protectors	Sidcutters		
	4 Piece Set	GD	HD	SD
311, 312, 313, 314		380-1203		380-1203
315, 316, M313-M318		380-1204	380-1204	380-1204
318		380-1204	380-1204	380-1204
B, CB, DB	357-2691	7Y-0366	357-2698	357-2698
M320, M322	195-7216	380-1204	380-1204	
TB, UB, VB, HB	357-2687		357-2685	357-2685
VB2, WB2, HB2	329-5956		357-2686	357-2686
JC	357-2688		357-2686	357-2686

For more complete information on Cat products, dealer services, and industry solutions, visit us on the web at www.cat.com

GEJQ4373-00 (10-2018)
(Jpn)

© 2018 Caterpillar
All rights reserved

Materials and specifications are subject to change without notice. Featured machines in photos may include additional equipment. See your Cat dealer for available options.

CAT, CATERPILLAR, SAFETY.CAT.COM, their respective logos, "Caterpillar Yellow" and the "Power Edge" trade dress, as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission.

