



C2, D AND M SERIES COMPACT WHEEL LOADER PARTS REFERENCE GUIDE

LET'S DO THE WORK.™



PROTECT YOUR INVESTMENT WITH GENUINE CAT® PARTS

Thank you for selecting the Cat® Compact Wheel Loader.

This guide is designed to provide you with a quick reference for the parts and part numbers you need to keep your Cat Compact Wheel Loader running at peak efficiency.

MAINTENANCE

Proactive preventative maintenance extends the life of your machine and protects your investment. Only Caterpillar knows Cat equipment’s filtration and lubrication requirements and offers parts to match your machine’s maintenance cycles.

SCHEDULED MAINTENANCE PARTS	
	GREASES
	PLANNED MAINTENANCE PARTS

REPLACEMENT PARTS

Proper maintenance minimizes the need for repair and replacement. In the event that replacement parts are required, the use of genuine Cat parts helps maximize machine performance and maintains high resale value.

WEAR PARTS
GROUND ENGAGING TOOLS
REPAIR PARTS
MIRRORS, LIGHTS AND FUSES
CAB GLASS AND ACCESSORIES
BATTERIES
ENGINE PARTS
HYDRAULIC QUICK DISCONNECTS
LINKAGE PIN AND BEARING PARTS

SALES MODEL	SERIAL NUMBER
901C2	YKY001-UP
902C2	YKT001-UP
903C2	MW8001-UP
903D	MZY0001-UP
906M	H660001-UP Z660001-UP
907M	H770001-UP Z770001-UP
908M	H880001-UP Z880001-UP
910M	H220001-UP
914M	H240001-UP
918M	H260001-UP

GREASES

Previous Cat Product Name	STANDARD MAINTENANCE GREASES		
	Cat Ultra 5 Moly #1	Cat Ultra 5 Moly #2	Cat Advanced 3 Moly
Current Cat Product Name	Cat Extreme Application Grease 1	Cat Extreme Application Grease 2	Cat Prime Application Grease
Grade (NLGI)	1	2	2
Melting Point C° (F°)	260 (500)	260 (500)	260 (500)
Ambient Temperature C° (F°)	-35 to +40 (-31 to +104)	-30 to +50 (-22 to +122)	-20 to +40 (-4 to +104)
Base Oil Type	Mineral	Mineral	Mineral
Color	Dark Grey	Dark Grey	Dark Grey
Cartridge (390 g / 14 oz)	452-5996	452-6001	452-6006
Plastic Pail (5 kg / 11 lb)	–	–	–
Plastic Pail (16 kg / 35 lb)	452-5999	452-6004	452-6009
Keg (55 kg / 120 lb)	452-5998	452-6003	452-6008
Drum (180 kg / 400 lb)	452-5997	452-6002	452-6007



GREASES FOR UNIQUE APPLICATIONS AND ENVIRONMENTS			
Cat Arctic Platinum	Cat Desert Gold	Cat Multipurpose	Hammer Paste
Cat Extreme Application Grease - Arctic	Cat Extreme Application Grease - Desert	Cat Utility Grease	
0	2	2	2
230 (446)	280 (536)	260 (500)	230 (446)
-35 to +40 (-31 to +104)	-30 to +50 (-22 to +122)	-30 to +40 (-22 to +104)	-20 to +1100 (-4 to +2012)
Semi-Synthetic	Mineral	Mineral	Mineral
Dark Grey	Dark Grey	Blue	Bronze
452-7459	452-6016	452-6011	130-6951
–	–	–	133-8807
452-6020	452-6019	452-6014	–
452-7461	452-6018	452-6013	–
452-7460	452-6017	452-6012	–



PLANNED MAINTENANCE PARTS C2, D and M Series

COMPACT WHEEL LOADERS		INITIAL 150 HOURS							
		Transfer Drive Oil Change	Front Differential and Final Drive Oil Change	Rear Differential and Final Drive Oil Change	Transfer Drive	Front Differential Plug / O-Ring	Front Final Drive Plug / O-Ring	Rear Differential Plug / O-Ring	Rear Final Drive Plug / O-Ring
		Oil Quantity TDTO	Oil Quantity	Oil Quantity	Plug / O-Ring	Plug / O-Ring	Plug / O-Ring	Plug / O-Ring	Plug / O-Ring
Sales Model	Serial # Prefix								
901C2	YKY	0.4 L (0.1 gal)*	Diff = 5.2 L (1.4 gal)* Hub = 0.4 L (0.1 gal)* each	Diff = 5.2 L (1.4 gal)* Hub = 0.4 L (0.1 gal)* each	Fill Plug 442-3605 Level Plug 521-7167 Drain Plug 327-4124 (seals included)	Fill and Level 521-7167 Drain Plug 441-7641 (seals included)	521-7167 (seal included)	Fill and Level 521-7167 Drain Plug 441-7641 (seals included)	521-7167 (seal included)
902C2	YKT								
903C2	MW8								
903D	MZY								

*Dry fill capacity

COMPACT WHEEL LOADERS		INITIAL 500 HOURS							
		Transfer Drive Oil Change	Front Differential and Final Drive Oil Change	Rear Differential and Final Drive Oil Change	Transfer Drive	Front Differential Plug / O-Ring	Front Final Drive Plug / O-Ring	Rear Differential Plug / O-Ring	Rear Final Drive Plug / O-Ring
		Oil Quantity TDTO	Oil Quantity	Oil Quantity	Plug / O-Ring	Plug / O-Ring	Plug / O-Ring	Plug / O-Ring	Plug / O-Ring
Sales Model	Serial # Prefix								
906M	H66, Z66	1.3 L (0.34 gal)*	Diff = 8 L (2.11 gal)* Hub = 0.8 L (0.21 gal)* each	Diff = 8 L (2.11 gal)* Hub = 0.8 L (0.21 gal)* each	Drain and Fill: QTY 2 152-6144 6V-6228 O-Ring	Drain and Fill: QTY 2 152-6144 Plug 6V-6228 O-Ring	Drain and Fill: QTY 1 152-6144 Plug 6V-6228 O-Ring	Drain and Fill: QTY 2 152-6144 Plug 6V-6228 O-Ring	Drain and Fill: QTY 1 152-6144 Plug 6V-6228 O-Ring
907M	H77, Z77								
908M	H88, Z88								
910M	H22	3.2 L (0.85 gal)*	Diff = 7.5 L (1.98 gal)* Hub = 1.3 L (0.34 gal)* each	Diff = 7.5 L (1.98 gal)* Hub = 1.3 L (0.34 gal)* each	Drain: 385-3599 (seal included) Fill: 499-2184 (seal included) Level Chk: 464-9487 6V-3922 O-Ring	385-3599 (seal included) QTY 3 385-3600 (seal included)	385-3599 (seal included) QTY 1	385-3599 (seal included) QTY 2 385-3600 (seal included)	385-3599 (seal included) QTY 1
914M	H24		Diff = 7.5 L (1.98 gal)* Hub = 2.3 L (0.61 gal)* each	Diff = 7.5 L (1.98 gal)* Hub = 2.3 L (0.61 gal)* each					
918M	H26		17 L (4.49 gal)*	17 L (4.49 gal)*					

*Dry fill capacity

COMPACT WHEEL LOADERS		EVERY 500 HOURS													
		Transfer Drive Oil Change	Front Differential and Final Drive Oil Change	Rear Differential and Final Drive Oil Change	Engine Oil / Filter Change		Lubricate Machine	Fuel Filter Change			Engine Air Filter	Hydraulic Filter Change	Hydraulic Tank	Cabin Air	
		Oil Quantity TDTO	Oil Quantity	Oil Quantity	Filter Element	Oil Quantity DEO-ULS™	Prime Application Grease	Primary	Secondary	Transfer Pump Filter	Primary Element	Filter Element	Breather	Fresh Air Element	Recirculating Element
901C2	YKY	Sampling Only			377-6969	7 L (1.85 gal)*	452-6006	156-1200	-	-	146-7472	5I-8670	9G-5127	499-5883	420-0173
902C2	YKT					9 L (2.38 gal)*		363-5819		1G-7206	121-3661				
903C2	MW8														
903D	MZY														
906M	H66, Z66				377-6969	11.2 L (2.96 gal)*	452-6006	363-5819	-	463-2166	110-6326	421-5479	-	270-9018	313-2458
907M	H77, Z77														
908M	H88, Z88														
910M	H22				7W-2326	8.8 L (2.32 gal)*	452-6006	479-4133	360-8960	-	528-0585	421-5479	-	270-9018	313-2458
914M	H24														
918M	H26														

*Dry fill capacity

PLANNED MAINTENANCE PARTS C2, D and M Series

COMPACT WHEEL LOADERS		EVERY 1,000 HOURS								
		Transfer Drive Oil Change	Front Differential and Final Drive Oil Change	Rear Differential and Final Drive Oil Change	Transfer Drive	Front Differential Plug / O-Ring	Front Final Drive Plug / O-Ring	Rear Differential Plug / O-Ring	Rear Final Drive Plug / O-Ring	Engine Air Filter
		Oil Quantity TDTO	Oil Quantity	Oil Quantity	Plug / O-Ring	Plug / O-Ring	Plug / O-Ring	Plug / O-Ring	Plug / O-Ring	Secondary Element
Sales Model	Serial # Prefix									
906M	H66, Z66	1.3 L (0.34 gal)*	Diff = 8 L (2.11 gal)* Hub = 0.8 L (0.21 gal)* each	Diff = 8 L (2.11 gal)* Hub = 0.8 L (0.21 gal)* each	Drain and Fill: QTY 2 152-6144 Plug 6V-6228 O-Ring	Drain and Fill: QTY 2 152-6144 Plug 6V-6228 O-Ring	Drain and Fill: QTY 1 152-6144 Plug 6V-6228 O-Ring	Drain and Fill: QTY 2 152-6144 Plug 6V-6228 O-Ring	Drain and Fill: QTY 1 152-6144 Plug 6V-6228 O-Ring	110-6331
907M	H77, Z77									
908M	H88, Z88									
910M	H22	3.2 L (0.85 gal)*	Diff = 7.5 L (1.98 gal)* Hub = 1.3 L (0.34 gal)* each	Diff = 7.5 L (1.98 gal)* Hub = 1.3 L (0.34 gal)* each	Drain: 385-3599 Plug (seal included) QTY 3 Fill: 499-2184 (seal included) Level Check: 464-9487 Plug 6V-3922 O-Ring	385-3599 (seal included) QTY 3 385-3600 (seal included)	385-3599 (seal included) QTY 1	385-3599 (seal included) QTY 2 385-3600 (seal included)	385-3599 (seal included) QTY 1	-
914M	H24		Diff = 7.5 L (1.98 gal)* Hub = 2.3 L (0.61 gal)* each	Diff = 7.5 L (1.98 gal)* Hub = 2.3 L (0.61 gal)* each						
918M	H26		17 L (4.49 gal)*	17 L (4.49 gal)*						

1,000 hour and 1,500 hour services include the 500 hour interval parts
 *Changed every 1,000 hours after the initial 500 hour change (i.e., 1,500 hours, 2,500 hours, etc.)

COMPACT WHEEL LOADERS		EVERY 1,500 HOURS														
		Transfer Drive Oil Change	Front Differential and Final Drive Oil Change	Rear Differential and Final Drive Oil Change	Transfer Drive	Front Differential Plug / O-Ring	Front Final Drive Plug / O-Ring	Rear Differential Plug / O-Ring	Rear Final Drive Plug / O-Ring	Engine Air Filter	Engine Crankcase		DEF Fluid Filter			
		Oil Quantity TDTO	Oil Quantity	Oil Quantity	Plug / O-Ring	Plug / O-Ring	Plug / O-Ring	Plug / O-Ring	Plug / O-Ring	Secondary Element	Breather Element	Breather Seal	Filter Element			
Sales Model	Serial # Prefix															
901C2	YKY	0.4 L (0.1 gal)*	Diff = 5.2 L (1.4 gal)* Hub = 0.4 L (0.1 gal)* each	Diff = 5.2 L (1.4 gal)* Hub = 0.4 L (0.1 gal)* each	Fill Plug 442-3605 Level Plug 521-7167 Drain Plug 327-4124 (seals included)	Fill and Level 521-7167 Drain Plug 441-7641 (seals included)	521-7167 (seal included)	Fill and Level 521-7167 Drain Plug 441-7641 (seals included)	521-7167 (seal included)	146-7473	383-0563	-	-			
902C2	YKT										421-1888	436-0839				
903C2	MW8															
903D	MZY															
906M	H66, Z66	-	-	-	-	-	-	-	-	-	-	-				
907M	H77, Z77															
908M	H88, Z88															
910M	H22															
914M	H24												346-6688	339-1048	339-1048	495-1507
918M	H26															

1,000 hour and 1,500 hour services include the 500 hour interval parts
 *Changed every 1,000 hours after the initial 500 hour change (i.e., 1,500 hours, 2,500 hours, etc.)

PLANNED MAINTENANCE PARTS C2, D and M Series

COMPACT WHEEL LOADERS		EVERY 2,000 HOURS					EVERY 3,000 HOURS					
		Hydraulic Tank	Hydraulic Oil Change			Brake Fluid Change (If Equipped)	Engine Coolant Change	Water Temperature Regulator	DPF Filter	Belt Change		
		Sales Model	Serial # Prefix	Breather	Hydo Advanced Quantity	Hydraulic Tank Drain	Filter O-Ring	Oil Quantity TDTO	Coolant Quantity	Thermostat and Gasket	Filter Element	Drive
901C2	YKY	-	24 L (6.34 gal)	9S-4181 (Standard Drain Plug) 7M-8485 (Drain O-Ring) 095-1538 (Fill O-Ring)	253-0509	-	9 L (2.38 gal)	392-0266 383-0335	-	436-1068: Catalyst Filter 437-3518: DPF Filter	454-5033	-
902C2	YKT						11 L (2.91 gal)	477-7762 383-0335			489-5774	484-7920
903C2	MW8											
903D	MZY											
906M	H66, Z66	258-2829	70 L (18.49 gal)	286-1016 (Standard Drain Plug) 101-4639 (Eco Drain) 2M-8780 (Drain O-Ring)	8C-3082 4F-4097 (QTY 2)	0.2 L (0.05 gal)	-	-	-	436-1068: Catalyst Filter 437-3518: DPF Filter	437-2564	241-2894
907M	H77, Z77											
908M	H88, Z88											
910M	H22		98 L (25.89 gal)	286-1016 (Standard Drain Plug) 101-4639 (Eco Drain) 2M-8780 (Drain O-Ring)	-	-	-	497-3995	-	-	171-2321	298-5872
914M	H24											
918M	H26											

2,000 hour service includes the 500 hour and 1,000 hour interval parts

COMPACT WHEEL LOADERS		EVERY 5,000 HOURS	EVERY 6,000 HOURS	EVERY 10,000 HOURS	EVERY 12,000 HOURS
		DEF Injector	Engine Coolant Extender Add	DEF Manifold Filter	Engine Coolant Change
		Sales Model	Serial # Prefix	Injector	Coolant Extender Qty (L)
906M	H66, Z66	-	0.34 L (0.09 gal) (depending on S•O•S SM Coolant Sampling Results)	-	17 L (4.49 gal)
907M	H77, Z77				
908M	H88, Z88				
910M	H22	471-6029	0.4 L (0.11 gal) (depending on S•O•S SM Coolant Sampling Results)	461-9113	21.5 L (5.55 gal)
914M	H24				
918M	H26				

All maintenance requirements should be performed at the specified intervals, even when it aligns with another maintenance cycle.
At 12,000 hours, maintenance cycles from 6,000 hours, 2,000 hours, 1,500 hours, 1,000 hours and 500 hours should also be addressed.





GROUND ENGAGING TOOLS C2, D and M Series

901C2 (YKY) Cutting Edges	Bucket Width		
	1550 mm / 5' 1"	1690 mm / 5'6"	1690 mm / 5'6"
Standard Single Piece Cutting Edge			
Standard	231-3974	231-3973	246-4806
Hardware			
Bolts	231-3917 (QTY 6)	231-3917 (QTY 7)	231-3917 (QTY 7)
Nuts	8T-4132 (QTY 6)	8T-4132 (QTY 7)	8T-4132 (QTY 7)

902C2 (YKT) Cutting Edges	Bucket Width	
	1690 mm / 5'6"	1850 mm / 6'1"
Standard Single Piece Cutting Edge		
Standard	231-3973	246-4807
Hardware		
Bolts	231-3917 (QTY 7)	231-3917 (QTY 7)
Nuts	8T-4132 (QTY 7)	8T-4132 (QTY 7)

903C2, 903D (MW8, MZY) Cutting Edges	Bucket Width				
	1790 mm / 5' 10"	1890 mm / 6'2"	2198 mm / 7'2"	2503 mm / 8'2"	2649 mm / 8'8"
Standard Single Piece Cutting Edge					
Standard	132-4723	132-4724	195-5124	296-7602	469-4306
Hardware					
Bolts	159-2953 (QTY 13)	159-2953 (QTY 13)	159-2953 (QTY 11)	159-2953 (QTY 13)	159-2953 (QTY 13)
Nuts	8T-4778 (QTY 13)	8T-4778 (QTY 13)	8T-4778 (QTY 11)	8T-4778 (QTY 13)	8T-4778 (QTY 13)

906M/907M/908M (H66, H77, H88, Z66, Z77, Z88) Cutting Edges	Bucket Width				
	1890 mm / 6'2"	1890 mm / 6'2"	2045 mm / 6'8"	2080 mm / 6'10"	2080 mm / 6'10"
Standard Single Piece Cutting Edge					
Standard	132-4724	512-6333	135-9397	132-4725	517-7948
Hardware					
Bolts	159-2953 (QTY 13)	4F-3654	159-2953 (QTY 11)	159-2953 (QTY 13)	4F-3654
Nuts	8T-4778 (QTY 13)	3K-2889	8T-4778 (QTY 11)	8T-4778 (QTY 13)	3K-2889

910M/914M/918M (H22, H24, H26) Cutting Edges	Bucket Width			
	2300 mm / 7' 6"	2400 mm / 7'10"	2401 mm / 7'10"	2549 mm / 8'3"
Standard Single Piece Cutting Edge				
Standard	521-8053	436-9689	559-1166	494-5878
3 Piece Cutting Edge (single piece edge recommended for all current and new buckets)				
Centre	4T-2911	9W-8620	9W-8620	—
End	4T-2918 (QTY 2)	4T-2914 (QTY 2)	4T-2914 (QTY 2)	—
Segmented Cutting Edge (for use with adapters and tips)				
Standard	128-2873 (QTY 7)	128-2873 (QTY 7)	128-2873 (QTY 7)	—
Hardware				
Bolts	4F-7827 (QTY 8, 14 for Segmented)	4F-7827 (QTY 8, 14 for Segmented)	4F-7827 (QTY 8, 14 for Segmented)	4F-7827 (QTY 8)
Nuts	2J-3506 (QTY 8, 14 for Segmented)	2J-3506 (QTY 8, 14 for Segmented)	2J-3506 (QTY 8, 14 for Segmented)	2J-3506 (QTY 8)

GROUND ENGAGING TOOLS C2, D and M Series (CONTINUED)

Tips (J200)	901C2
General Duty	132-4720
Bolt (10 x 2.75)	246-4349 (QTY 7)
Nut	8T-4778 (QTY 7)
Tips (J200)	902C2
General Duty	132-4720
Bolt (10 x 2.75)	246-4349 (QTY 7)
Nut	8T-4778 (QTY 7)
Tips (J200)	903C2
General Duty	132-4720
Bolt (10 x 2.75)	246-4349 (QTY 7)
Nut	8T-4778 (QTY 7)
Tips (J200)	906M/907M/908M
General Duty	132-4720
Bolt (10 x 2.75)	246-4349 (QTY 7)
Nut	8T-4778 (QTY 7)

Tips (J200)	910M/914M/918M
Set of 8 Long Tips (Includes Hardware)	100-7924
General Duty (Long)	1U-3202
Pin	8E-6208
Retainer	8E-6209
Set of 8 Bolt-on Adapters (Includes Hardware)	9W-9642
Adapter (CTR)	9J-4207 (QTY 6)
Bolt (10 x 2.75)	5J-4771 (QTY 12)
Nut	2J-3506 (QTY 12)
Adapter (LH)	1U-2208
Adapter (RH)	1U-2209
Bolt (9 x 2.75)	6F-0196 (QTY 2)
Nut	2J-3505 (QTY 2)

No adapters required on 90x buckets, teeth bolt directly to bucket

MIRRORS, LIGHTS AND FUSES C2, D and M Series

Mirrors	901C2/902C2/ 903C2/903D	QTY	906M/907M/908M	QTY	910M/914M/918M	QTY
Mirror External and Adjustable	461-2958	2	201-9985	2	201-9985	2
Mirror Interior	433-6342	1	257-8403	1	257-8403	1

Lights	901C2/902C2/ 903C2/903D	QTY	906M/907M/908M	QTY	910M/914M/918M	QTY
Lamp 12V (Dome / Miniature)	-	-	210-8754	1	210-8754	1
Dome Light Assembly Standard	261-2426	1	084-4277	1	084-4277	1
Lamp 12V Halogen Bulb (Flood- Front & Rear Working)	270-4055	4	9W-0607	4	9W-0607	4
Lamp 12V Halogen Bulb (Headlamp) (Roading)	142-9572	2	9W-3324	2	9W-3324	2
Lamp 12V Halogen Bulb (Front Turn Signal) (Roading)	275-0712	2	226-4560	2	226-4560	2
Lamp 12V Halogen Bulb (Front Position) (Roading)	275-0713	4	226-4561	2	226-4561	2
Lamp 12V Halogen Bulb (Rear Turn Signal) (Roading)	108-7605	2	9W-3326	2	9W-3326	2
Lamp 12V Halogen Bulb (Stop & Tail) (Roading)	9W-3326	2	108-7605	2	108-7605	2
Lamp 12V LED Lamp (Flood- Front & Rear Working)	589-0437	4	589-0437	4	589-0437	4
Lamp Lense Rear	344-7953	2	344-7953	2	344-7953	2
Fog Lamp Bulb	-	-	9W-3326	1	9W-3326	1
Fog Lamp Lense	-	-	344-7954	1	344-7954	1
Reversing Lamp Bulb	275-0712	1	9W-3326	1	9W-3326	1
Reversing Lamp Lense	304-7167	1	344-7955	1	344-7955	1
Lamp 12V (License Plate Holder) (Roading)	6S-7100	1	195-9712	1	195-9712	1
Lamp 12V (Warning Beacon)	272-2004	1	9X-8118	1	9X-8118	1

Fuses	Part Number
Fuse (5 amp Mini Fuse)	141-2759
Fuse (10 amp Mini Fuse)	113-8490
Fuse (15 amp Mini Fuse)	113-8491
Fuse (20 amp Mini Fuse)	113-8492
Fuse (25 amp Mini Fuse)	113-8493

Fuses	Part Number
Fuse (30 amp Mini Fuse)	124-3548
Fuse (50 amp Mini Fuse)	396-8366
Fuse (60 amp Mini Fuse)	390-1306
Fuse (100 amp Mini Fuse)	378-1012

CAB GLASS AND ACCESSORIES C2, D and M Series

Description	901C2/902C2/ 903C2/903D	QTY	906M/907M/908M	QTY	910M/914M/918M	QTY
Wiper Blade Front	134-1935	1	6V-7419	1	6V-7419	1
Wiper Blade Rear	421-7029	1	6V-5853	1	6V-5853	1
Window - Front Upper Central	467-5558	1	256-9643	1	256-9643	1
Window - Front Upper Left	567-3701	1	259-5494	1	259-5494	1
Window - Front Upper Right	567-3700	1	259-5493	1	259-5493	1
Window - Front Lower Left	-	-	293-0543	1	293-0543	1
Window - Front Lower Right	-	-	293-0545	1	293-0545	1
Window Assembly - Right Door Fixed GI Assembly	-	-	273-6167	1	-	-
Window Assembly - Right Door Sliding	508-7566	1	303-3004	1	303-3004	1
Windowy - Lower Door Right	441-2559	1	273-6171	1	398-8786	1
Window Assembly - Left Door Fixed GI Assembly	-	-	260-0528	1	-	-
Window Assembly - Left Door Sliding	508-7567	1	303-3003	1	303-3003	1
Windowy - Lower Door Left	441-2558	1	273-6170	1	398-8785	1
Window - Rear Main	515-6097	1	266-7068	1	266-7068	1
Window - Rear Side Corner Left	420-0070	1	266-7070	1	266-7070	1
Window - Rear Side Corner Right	421-7027	1	266-7069	1	266-7069	1
Seat Belt 50.8 mm (2")	521-2502	1	260-9831	1	260-9831	1
Seat Belt 76.2 mm (3")	521-2503	1	223-7937	1	223-7937	1
Door Handle - Outer Assembly	252-1862	2	252-1862	2	252-1862	2
Washer Bottle Cover/Cap	421-4966	1	299-7836	1	254-5683	1
Filter - Cab Air Recirculation	420-0173	1	313-2458	1	313-2458	1
Filter - Cab Fresh Air	499-5883	1	270-9018	1	270-9018	1
Engine Hood	416-2363	1	449-1881	1	457-8680	1
Rear Grill / Rear Bezel Assembly	-	-	443-5100	1	492-8695	1
Engine Hood Handle	-	-	299-4696	1	-	-
Engine Hood Latch	369-3697 Latch 285-7702 Cover	1 1	462-2538	1	9X-2299	2
Engine Door - Right	-	-	-	-	464-0294	1
Engine Door - Left	-	-	-	-	464-0293	1
Rear Door Screen	-	-	-	-	502-3007	1
Fender - Front Right	433-7931 (901C2/902C2/903C2) 542-6822 (903D)	1	262-1691	1	434-9397	1
Fender - Front Left	433-7931 (901C2/902C2/903C2) 542-6822 (903D)	1	262-1691	1	434-9396	1
Fender - Front Assembly	-	-	262-1692	1	434-9387	1
Fender - Rear Right	416-5048	1	275-5589	1	523-9349	1
Fender - Rear Left	416-5049	1	275-5589	1	523-9346	1
Fender - Rear Assembly	-	-	257-7743	1	399-6505	1
Fender - Trim Right	463-9826 rear	1	-	1	524-3477	1
Fender - Trim Left	463-9826 rear	1	-	1	524-3476	1

BATTERIES C2, D and M Series

Sales Model	Serial Number Prefix	Description	Part Number	Quantity
901C2	YKY001-Up	Standard	153-5656	1
		Heavy Duty	-	-
902C2	YKT001-Up	Standard	230-6368	1
		Heavy Duty	-	-
903C2	MW8001-Up	Standard	230-6368	1
		Heavy Duty	-	-
903D	MZY001-Up	Standard	230-6368	1
		Heavy Duty	230-6368	2



ENGINE PARTS C2, D and M Series

Description	901C2	QTY	901C2/902C2/ 903C2/903D	QTY	906M/907M/ 908M	QTY	910M/914M/ 918M	QTY
Engine Belt Alternator	454-5033	1	489-5774	1	5L-3979	1	198-1118	1
Engine Belt AC Compressor	484-7920	1	484-7920	1	241-2894	1	298-5872	1
Alternator As.	383-0592	1	438-3519	1	397-9953	1	560-6101	1
Fuel Injector As.	464-7050	3	477-7735	4	436-1096	4	418-3229	4
Fuel Transfer Pump As.	370-4008	1	370-4008	1	560-4925	1	446-5393	1
Fuel Transfer Pump Filter	-	1	1G-7206	1	463-2166	1	-	-
Water Pump As.	383-0433	1	477-7577	1	387-9903	1	397-5684	1
Starter Motor	438-3525	1	438-3525	1	385-5044	1	321-8965	1
Turbocharger	-	-	-	-	436-1920	1	556-7918	1
Thermostat - Engine Coolant	392-0266	1	477-7762	1	389-5308	1	497-3995	1
Thermostat Gasket	383-0335	1	383-0335	1	388-7547	1	-	-
Filter - Air Intake (Primary)(Standard)	146-7472	1	121-3661	1	110-6326	1	528-0585	1
Filter - Air Intake (Secondary)	146-7473	1	146-7473	1	110-6331	1	346-6688	1
Filter - Engine Oil	377-6969	1	377-6969	1	377-6969	1	7W-2326	1
Filter - Closed Circuit Breather	383-0563	1	421-1888	1	421-1888	1	339-1048	1
Filter - Closed Circuit Breather Seal	-	1	436-0839	1	436-0839	1	362-2915	-
Filter - DEF Pump	-	-	-	-	-	-	461-9113	1
Filter - DPF Filter	-	1	480-6760	1	437-3518	1	471-7077	1
Catalyst - (Oxidation) (SCR)	-	-	-	-	436-1068	1	-	-
Oil Fill Cap	436-0817	1	436-0817	1	387-9856	1	359-1309	1
Oil Fill Cap Seal	383-0217	1	383-0217	1	383-0217	1	113-1504	1
Oil Drain Plug	438-3492	1	439-4832	1	389-5163	1	7C-0351	1
Oil Drain Plug Seal	389-5287	1	389-5287	1	430-8499	1	335-7585	1


HYDRAULIC QUICK DISCONNECTS C2, D and M Series

Description	901C2/902C2/903C2/903D	Comments
QD Coupling - I/C Size 12.5 ORFS Male Push to Connect	193-8334	3 Valve. Standard, SSL Coupler
QD Coupling - I/C Size 12.5 ORFS Female Push to Connect	193-8335	3 Valve. Standard, SSL Coupler
Description	906M/907M/908M	Comments
QD Coupling - I/C Size 12.5 ORFS Male Push to Connect	193-8334	SSL Coupler Standard Flow Machines
QD Coupling - I/C Size 12.5 ORFS Female Push to Connect	193-8335	SSL Coupler Standard Flow Machines
QD Coupling - I/C Size 12.5 STOR Male Push to Connect	373-6967	SSL Coupler High Flow Machines
QD Coupling - I/C Size 12.5 STOR Female Push to Connect	373-6968	SSL Coupler High Flow Machines
QD Coupling - I/C Size 10 STOR Male Push to Connect	373-7037	SSL Coupler High Flow Case Drain
QD Coupling - I/C Size 10 STOR Male Push to Connect	153-2996	Horizontal Coupler Standard Flow Machines
QD Coupling - I/C Size 10 STOR Female Push to Connect	153-2997	Horizontal Coupler Standard Flow Machines
QD Coupling - I/C Size 12.5 STOR Male Push to Connect	426-4044	Horizontal Coupler High Flow
QD Coupling - I/C Size 12.5 STOR Female Push to Connect	426-4046	Horizontal Coupler High Flow
QD Coupling - I/C Size 16 STOR Male Push to Connect	426-4045	Horizontal Coupler High Flow
QD Coupling - I/C Size 16 STOR Female Push to Connect	426-4047	Horizontal Coupler High Flow
QD Coupling - I/C Size 6.3 ORFS Male Push to Connect	426-4048	Horizontal Coupler High Flow
QD Coupling - I/C Size 6.3 ORFS Female Push to Connect	426-4049	Horizontal Coupler High Flow
QD Coupling - I/C Size 10 ORFS Male Push to Connect	426-4050	Horizontal Coupler High Flow Case Drain
Description	910M/914M	Comments
QD Coupling - I/C Size 19 STOR Male Screw to Connect	439-1589	3 and 4 Valve
QD Coupling - I/C Size 19 STOR Female Screw to Connect	439-1588	3 and 4 Valve
QD Coupling - I/C Size 12.5 ORFS Male Push to Connect	195-6526	All Configurations
QD Coupling - I/C Size 12.5 ORFS Female Push to Connect	195-6525	All Configurations
Description	918M	Comments
QD Coupling - I/C Size 19 STOR Male Screw to Connect	439-1589	3 and 4 Valve Standard Flow
QD Coupling - I/C Size 19 STOR Female Screw to Connect	439-1588	3 and 4 Valve Standard Flow
QD Coupling - I/C Size 19 STOR Male Screw to Connect	439-1591	4 Valve High Flow
QD Coupling - I/C Size 25 STOR Female Screw to Connect	439-1590	4 Valve High Flow
QD Coupling - I/C Size 12.5 ORFS Male Push to Connect	195-6526	All Configurations
QD Coupling - I/C Size 12.5 ORFS Female Push to Connect	195-6525	All Configurations
QD Coupling - I/C Size 12.5 STOR Male Push to Connect	106-0406	4 Valve High Flow
QD Coupling - I/C Size 12.5 STOR Female Push to Connect	106-0401	4 Valve High Flow



LINKAGE PIN AND BEARING PART NUMBERS C2, D and M Series

See part numbers on following pages



LINKAGE PIN, BEARINGS, SEALS AND GREASE FITTINGS PART NUMBERS C2, D and M Series

Linkage Pins										
Sales Model	Serial # Prefix	A - Loader Arm	B - Loader Arm	C - Tilt Link	D - Tilt Lever	E - Tilt Lever	F - Tilt Lever	G - Tilt Cylinder	K - Lift Cylinder	Y - Tilt Cylinder
901C2, 902C2, 903C2	YKY, YKT, MW8	397-4479 Pin (QTY 2)	397-4480 Pin (QTY 2) 397-4481 Pin (QTY 2)	397-4480 Pin 397-4481 Pin	397-4481 Pin	305-2496 Pin	397-4482 Pin	231-9146 Pin	305-2496 Pin (QTY 2)	397-4483 Pin (QTY 2)
903D	MZY	548-9789 Pin (QTY 2)	397-4481 Pin (QTY 2)	397-4481 Pin	548-9790 Pin	397-4481 Pin	548-9791 Pin	231-9146 Pin	305-2496 Pin (QTY 2)	397-4483 Pin (QTY 2)
906M, 907M, 908M	H66, Z66, H77, Z77, H88, Z88	242-5593 Pin (QTY 2)	9R-4677 Pin (QTY 2)	–	242-5597 Pin	242-5598 Pin	242-5599 Pin	242-5594 Pin	242-5595 Pin (QTY 2)	242-5596 Pin (QTY 2)
910M, 914M, 918M	H22, H24, H26	392-3013 Pin (QTY 2)	392-8632 Pin (QTY 2)	434-4385 Pin	434-4385 Pin	392-3012 Pin	392-3010 Pin	518-0073 Pin	399-4554 Pin (QTY 2)	392-3011 Pin (QTY 2)
Bearings										
Sales Model	Serial # Prefix	A - Loader Arm	B - Loader Arm	C - Tilt Link	D - Tilt Lever	E - Tilt Lever	F - Tilt Lever	G - Tilt Cylinder	K - Lift Cylinder	Y - Tilt Cylinder
901C2, 902C2, 903C2	YKY, YKT, MW8	397-4454 Bearing (QTY 2)	397-4455 Bearing (QTY 2)	397-4455 Bearing	397-4455 Bearing	–	265-8724 Bushing (QTY 2)	–	397-4455 Bearing (QTY 2)	–
903D	MZY	548-9794 Bearing (QTY 2)	397-4455 Bearing (QTY 2)	397-4455 Bearing	548-9797 Bearing	–	265-8724 Bushing (QTY 2)	–	397-4455 Bearing (QTY 2)	–
906M, 907M, 908M	H66, Z66, H77, Z77, H88, Z88	242-5667 Bearing (QTY 2)	324-9501 Bearing (QTY 2)	–	–	–	242-5602 Bearing (QTY 2)	–	–	–
910M, 914M, 918M	H22, H24, H26	417-5823 Bushing (QTY 2)	417-5824 Bushing (QTY 2)	–	419-0477 Bushing	–	417-5825 Bushing (QTY 2)	–	417-5826 Bushing (QTY 2)	–
Seals and Grease Fittings										
Sales Model	Serial # Prefix	A - Loader Arm	B - Loader Arm	C - Tilt Link	D - Tilt Lever	E - Tilt Lever	F - Tilt Lever	G - Tilt Cylinder	K - Lift Cylinder	Y - Tilt Cylinder
901C2, 902C2, 903C2	YKY, YKT, MW8	227-9151 Seal (QTY 4) 3B-8489 Grease Fitting (QTY 2)	227-9144 Seal (QTY 4) 3B-8489 Grease Fitting (QTY 2)	227-9144 Seal (QTY 2) 3B-8489 Grease Fitting	227-9144 Seal (QTY 2) 3B-8489 Grease Fitting	3B-8489 Grease Fitting	227-9160 Seal (QTY 2) 3B-8489 Grease Fitting	3B-8489 Grease Fitting	227-9144 Seal (QTY 4) 3B-8489 Grease Fitting (QTY 2)	3B-8489 Grease Fitting (QTY 2)
903D	MZY	227-9151 Seal (QTY 4) 3B-8489 Grease Fitting (QTY 2)	227-9144 Seal (QTY 4) 3B-8489 Grease Fitting (QTY 2)	227-9144 Seal (QTY 2) 3B-8489 Grease Fitting	227-9144 Seal (QTY 2) 3B-8489 Grease Fitting	3B-8489 Grease Fitting	227-9160 Seal (QTY 2) 3B-8489 Grease Fitting	3B-8489 Grease Fitting	227-9144 Seal (QTY 4) 3B-8489 Grease Fitting (QTY 2)	3B-8489 Grease Fitting (QTY 2)
906M, 907M, 908M	H66, Z66, H77, Z77, H88, Z88	3B-8489 Grease Fitting (QTY 2)	3B-8489 Grease Fitting (QTY 2)	–	–	–	3B-8489 Grease Fitting	3B-8489 Grease Fitting	–	–
910M, 914M, 918M	H22, H24, H26	3B-8489 Grease Fitting (QTY 2)	3B-8489 Grease Fitting (QTY 2)	3B-8489 Grease Fitting	3B-8489 Grease Fitting	3B-8489 Grease Fitting	3B-8489 Grease Fitting	3B-8489 Grease Fitting	3B-8489 Grease Fitting (QTY 2)	3B-8489 Grease Fitting (QTY 2)
Retention Hardware										
Sales Model	Serial # Prefix	A - Loader Arm	B - Loader Arm	C - Tilt Link	D - Tilt Lever	E - Tilt Lever	F - Tilt Lever	G - Tilt Cylinder	K - Lift Cylinder	Y - Tilt Cylinder
901C2, 902C2, 903C2	YKY, YKT, MW8	227-3561 Plate (QTY 2) 8T-4137 Bolt (QTY 4) 8T-4121 Washer (QTY 4)	8T-4178 Bolt (QTY 2) 8T-4133 Nut (QTY 4) 227-3561 Plate (QTY 2) 8T-4137 Bolt (QTY 4) 8T-4137 Bolt (QTY 4) 8T-4121 Washer (QTY 4)	8T-4178 Bolt 8T-4133 Nut (QTY 2) 227-3561 Plate 8T-4137 Bolt (QTY 2) 8T-4137 Bolt (QTY 2) 8T-4121 Washer (QTY 2)	27-3561 Plate 8T-4137 Bolt (QTY 2) 8T-4121 Washer (QTY 2)	227-3561 Plate 8T-4137 Bolt (QTY 2) 8T-4121 Washer (QTY 2)	253-4248 Plate 8T-4192 Bolt (QTY 2) 8T-4223 Washer (QTY 2)	227-3561 Plate 8T-4137 Bolt (QTY 2) 8T-4121 Washer (QTY 2)	227-3561 Plate (QTY 2) 8T-4137 Bolt (QTY 4) 8T-4121 Washer (QTY 4)	227-3561 Plate (QTY 2) 8T-4137 Bolt (QTY 4) 8T-4121 Washer (QTY 4)
903D	MZY	227-3561 Plate (QTY 2) 8T-4137 Bolt (QTY 4) 8T-4121 Washer (QTY 4)	227-3561 Plate (QTY 2) 8T-4137 Bolt (QTY 4) 8T-4121 Washer (QTY 4)	227-3561 Plate 8T-4137 Bolt (QTY 2) 8T-4137 Bolt (QTY 2) 8T-4121 Washer (QTY 2)	227-3561 Plate (QTY 2) 8T-4137 Bolt (QTY 4) 8T-4121 Washer (QTY 4)	227-3561 Plate (QTY 2) 8T-4137 Bolt (QTY 4) 8T-4121 Washer (QTY 4)	253-4248 Plate 8T-4192 Bolt (QTY 2) 8T-4223 Washer (QTY 2)	227-3561 Plate 8T-4137 Bolt (QTY 2) 8T-4121 Washer (QTY 2)	227-3561 Plate (QTY 2) 8T-4137 Bolt (QTY 4) 8T-4121 Washer (QTY 4)	227-3561 Plate (QTY 2) 8T-4137 Bolt (QTY 4) 8T-4121 Washer (QTY 4)
906M, 907M	H66, Z66, H77, Z77	292-4872 Washer (QTY 8) 300-2133 Plate (QTY 2) 8T-4195 Bolt (QTY 4) 8T-4121 Washer (QTY 4)	475-9433 Shim (QTY 4) 475-9442 Shim (QTY 4) 3B-5317 Cotter Pin	–	7X-2545 Bolt 8T-0389 Locknut	8T-5436 Bolt 8T-0389 Locknut	475-9433 Shim (QTY 4) 475-9442 Shim (QTY 3) 300-8583 Plate 8T-4195 Bolt (QTY 2) 8T-4121 Washer (QTY 2)	300-8583 Plate 8T-4195 Bolt (QTY 2) 8T-4121 Washer (QTY 2)	300-2133 Plate (QTY 2) 8T-4136 Bolt (QTY 4) 8T-4121 Washer (QTY 4)	300-8583 Plate (QTY 2) 8T-4195 Bolt (QTY 4) 8T-4121 Washer (QTY 4)
908M	H88, Z88	292-4872 Washer (QTY 10) 300-2133 Plate (QTY 2) 8T-4195 Bolt (QTY 4) 8T-4121 Washer (QTY 4)	475-9433 Shim (QTY 4) 475-9442 Shim (QTY 4) 3B-5317 Cotter Pin	–	7X-2545 Bolt 8T-0389 Locknut	8T-5436 Bolt 8T-0389 Locknut	475-9433 Shim (QTY 4) 475-9442 Shim (QTY 3) 300-8583 Plate 8T-4195 Bolt (QTY 2) 8T-4121 Washer (QTY 2)	300-8583 Plate 8T-4195 Bolt (QTY 2) 8T-4121 Washer (QTY 2)	300-2133 Plate (QTY 2) 8T-4195 Bolt (QTY 4) 8T-4121 Washer (QTY 4)	300-8583 Plate (QTY 2) 8T-4136 Bolt (QTY 4) 8T-4121 Washer (QTY 4)
910M, 914M	H22, H24	292-4872 Washer (QTY 12) 430-2639 Plate (QTY 2) 8T-4956 Bolt (QTY 4) 8T-4223 Washer (QTY 4)	292-4872 Washer (QTY 12) 7X-0618 Washer (QTY 2) 8T-4192 Bolt (QTY 2)	292-4872 Washer (QTY 2) 136-1122 Spacer 375-1442 Retaining Ring 7X-0618 Washer 8T-4956 Bolt	292-4872 Washer (QTY 2) 136-1122 Spacer 375-1442 Retaining Ring 7X-0618 Washer 8T-4956 Bolt	328-0722 Plate 8T-4139 Bolt (QTY 2) 8T-4223 Washer (QTY 2)	328-0722 Plate 8T-4139 Bolt (QTY 2) 8T-4223 Washer (QTY 2)	8T-4192 Bolt 7X-0618 Washer	328-0722 Plate (QTY 2) 8T-4139 Bolt (QTY 4) 8T-4223 Washer (QTY 4)	430-2639 Plate (QTY 2) 8T-4956 Bolt (QTY 4) 8T-4223 Washer (QTY 4)
918M	H26	292-4872 Washer (QTY 12) 430-2639 Plate (QTY 2) 8T-4956 Bolt (QTY 4) 8T-4223 Washer (QTY 4)	292-4872 Washer (QTY 12) 7X-0618 Washer (QTY 2) 8T-4192 Bolt (QTY 2)	136-1122 Spacer 375-1442 Retaining Ring 7X-0618 Washer 8T-4956 Bolt	136-1122 Spacer 375-1442 Retaining Ring 7X-0618 Washer 8T-4956 Bolt	328-0722 Plate 8T-4139 Bolt (QTY 2) 8T-4223 Washer (QTY 2)	328-0722 Plate 8T-4139 Bolt (QTY 2) 8T-4223 Washer (QTY 2)	8T-4192 Bolt 7X-0618 Washer	328-0722 Plate (QTY 2) 8T-4139 Bolt (QTY 4) 8T-4223 Washer (QTY 4)	430-2639 Plate (QTY 2) 8T-4956 Bolt (QTY 4) 8T-4223 Washer (QTY 4)

LET'S DO THE WORK.™

PEBJ0130-03

November 2020

(N. AM., EU, Japan, Aus-NZ HRC Regions)

© 2020 Caterpillar. All Rights Reserved. CAT, CATERPILLAR, LET'S DO THE WORK, their respective logos, "Caterpillar Corporate Yellow," the "Power Edge" and Cat "Modern Hex" trade dress, as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission.

