

| Model Frame Style | Applicable U.S. Patent No(s). |
|-----------------------|--|
| Badman | 7,222,959; D728,005; D728,006; D729,304 |
| Ballistic Crosshair | 8,403,477; D548,268 |
| Ballistic M Frame 3.0 | D561,815 |
| Batwolf | D620,970; D659,179 |
| Big Taco | D676,479 |
| Blender | D469,458; D678,934 |
| Bottle Rocket | D705,339 |
| Bottlecap | D543,572 |
| Breadbox | D702,757 |
| C Six | D584,335 |
| Canteen | D707,284 |
| Carbon Blade | D740,346 |
| Carbon Prime | D789,440; D783,708 |
| Carbon Shift | D763,946; D783,708 |
| Catalyst | D748,188 |
| Caveat | 8,403,477 |
| Chainlink | D752,678; D785,700 |
| Collected | 8,403,477 |
| Commit Av | D601,613; D622,755 |
| Commit Sq | D601,613; D622,755 |
| Compulsive Squared | D622,302; D599,835 |
| Conductor 6 | D748,190 |
| Conductor 8 | D748,190 |
| Conquest | 8,403,477 |
| Crankcase | D661,339 |
| Crankshaft | D717,363; D739457 |
| Crosshair | D548,268 |
| Crosshair | D700,932 |
| Crosshair (Titanium) | D548,268 |
| Crosshair 2.0 | D655,741 |
| Crosshair S | D548,268 |
| Crossrange | D798,374; D798,946; D800,828; D815,186 |
| Crossrange Patch | D798,946; D800,828; D843,436 |
| Crossrange R | D798,374; D800,828; D815,186 |
| Crossrange Shield | D798,946; D800,828; D827,690; D855,686 |
| Crossrange XL | D798,374; D798,946; D800,828; D815,186 |
| Daisy Chain | 8,403,477 |
| Dangerous | D615,581 |
| Diecutter | 9,709,817 |
| Disclosure | 8,403,477; D675,667 |
| Disguise | D648,772 |
| Dispatch | 7,874,669; 8,123,351 |
| Dispatch II | D653,699 |
| Distress | 8,403,477 |
| Double Edge | D821,487; D828,437 |
| Drop Point | D821,487; D828,437 |
| Enduring Edge | 7,347,545; 7,594,723; D590,432; D591,787 |

| Model Frame Style | Applicable U.S. Patent No(s). |
|--------------------------------|--|
| Enduring Pace | 7,347,545; 7,594,723; D591,787 |
| Enduro | D714,858 |
| Eternal | D577,759 |
| EV Zero Ascend | D799,587 |
| EV Zero Blades | D799,587 |
| EV Zero Path | D774,590; D799,587 |
| EV Zero Pitch | D798,945; D799,587 |
| EV Zero Range | D767,008; D799,587 |
| EV Zero Stride | D799,587; D802,651 |
| Eyepatch | D561,813 |
| Eyepatch 2 | D649,579 |
| Fast Jacket | 8,262,219; 8,668,330; D640,725 |
| Feedback | 8,403,477 |
| Field Jacket | 9,717,631; D841,080; D841,081; D842,370 |
| Flak 2.0 | D727,407; D724,648; D730,431; D748,175 |
| Flak 2.0 XL | D727,407; D724,648; D730,431; D748,175 |
| Flak Beta | D799,585; D809,042; D818,519; D829,271 |
| Flak Draft | D783,698; D810,183; D818,522; D821,486 |
| Flak Jacket | D564,571 |
| Flak XS | D727,407; D724,648; D730,431; D748,175 |
| Flight Jacket | 9,717,631; D842,355; D842,363; D842,364; D842,365 |
| Fuel Cell | D610,604; D616,919; D620,970 |
| Full Metal Jacket Pocket Watch | D703,571 |
| Garage Rock | D700,933; D724,135 |
| Gascan | D547,794; D554,689; D556,818 |
| Gascan 3D Glasses | 8,547,635; D547,794; D554,689; D556,818 |
| Gascan S | D554,689 |
| Gauge 6 | D810,815 |
| Gauge 8 | D810,815 |
| Given | 8,403,477 |
| Half Jacket 2.0 | 8,262,219; D675,664; D687,481 |
| Half Jacket XL | 8,262,219; D675,664; D687,481 |
| Half Wire 2.0 | D581,447 |
| Half X | D564,568 |
| Hijinx | D575,323 |
| Holbrook Metal | 8,875,346; D823,374 |
| Holbrook Mix | D823,374 |
| Holbrook R | D850,522 |
| Holston | D770,560; D842,922; D846,018 |
| Hyperlink | D763,944; D769,963; D770,560 |
| Industrial M-Frame Strike | D556,239; D561,815 |
| Inmate | D579,480, D579,968 |
| Jawbreaker | 7,954,942; 8,911,076; D719,209; D725,690; D725,695; D725,696 |
| Jawbreaker (Vented) | D752,669 |
| Jupiter | D581,450 |
| Jupiter Squared | D659,182; D676,898 |
| Jury | 8,240,846; D652,442 |

| Model Frame Style | Applicable U.S. Patent No(s). |
|--------------------------------------|--|
| Kickback | 8,403,477 |
| Latch | D763,951; D770,560; D778,341; 9,709,817; D820,347 |
| Latch Alpha | D763,951; 9,709,817; D850,521 |
| Latch Borderline | D763,951; D770,560; D778,341; 9,709,817; D820,347 |
| Latch Key | D763,951; D770,560; D778,341; 9,709,817; D842,368 |
| Latch Square | D763,951; D770,560; D778,341; 9,709,817 |
| M Frame 2.0 Standard Issue Ballistic | D561,815 |
| M2 Frame | 8,262,219; D744,565; D745,921; D798,371 |
| M2 Frame XL | 8,262,219; D744,565; D745,921; D798,371 |
| Madman | D728,004; D731,581 |
| Mainlink | D763,944; D769,963; D770,560 |
| Mainlink XL | D763,944; D769,963; D770,560 |
| M-Frame Helo | D700,934; 9,463,117 |
| Minute 2.0 | D575,323 |
| Miss Conduct | D629,036 |
| Miss Conduct Squared | D629,036 |
| Monster Dog | D496,680; D513,275 |
| Necessity | D648,773 |
| Oil Rig | D557,326; D572,745 |
| Pit Boss | D557,326; D572,745 |
| Pit Boss 2.0 | 7,367,669, 8,262,19 |
| Pit Bull | D664,590 |
| Pitchman R | 8,875,346; D745,083; D761,898 |
| Plaintiff | D705,339 |
| Plaintiff | D705,340 |
| Quarter Jacket | D724,649; 8,911,076 |
| Racing Jacket '12 | 7,954,942; 8,408,695; 8,911,076; D640,727; D646,708 |
| Racing Jacket '12 | 7,954,942; 8,408,695; 8,911,076; D640,727; D646,708 |
| Radar Edge | 7,347,545; 7,594,723; D581,443 |
| Radar EV | D728,002; D746,355; D746,368 |
| Radar EV Advancer | D728,002; D746,355; D746,368 |
| Radar EV XS | D728,002; D746,355; D746,368 |
| Radar Pace | 7,347,545; 7,594,723; D768,748; D756,446; D759,151; D763,828; D764,568 |
| Radar Path | 7,347,545; 7,594,723; D569,412; D568,917; D581,443; D581,444 |
| Radar Path (Vented) | 7,347,545; 7,594,723; D573,621; D581,443; D581,444 |
| Radar Pitch | 7,347,545; 7,594,723; D569,412; D571,838; D581,443; D581,444 |
| Radar Pitch (Vented) | 7,347,545; 7,594,723; D569,412; D574,405; D581,443; D581,444 |
| Radar Range | 7,347,545; 7,594,723; D569,412; D568,918; D581,443; D581,444 |
| Radar Range (Vented) | 7,347,545; 7,594,723; D574,025; D581,443; D581,444 |
| Radar Straight Stem Path | 7,347,545; 7,594,723; D568,917; D581,443 |
| Radar XL | 7,347,545; 7,594,723; D568,917; D581,443; D581,444 |
| Radarlock Edge | 8,661,562; D568,917; D659,180 |
| Radarlock Edge (Vented) | 8,661,562; D573,621; D659,180 |
| Radarlock Path | 8,661,562; D568,917; D659,180 |
| Radarlock Path (Vented) | 8,661,562; D573,621; D659,180 |

| Model Frame Style | Applicable U.S. Patent No(s). |
|--------------------------------|---|
| Radarlock Pitch | 8,661,562; D571,838; D659,180 |
| Radarlock Pitch (Vented) | 8,661,562; D574,405; D659,180 |
| Radarlock XL (Vented) | 8,661,562; D574,405; D659,180 |
| Radarlock XL Straight (Vented) | 8,661,562; D574,405; D659,180 |
| Remedy | 8,403,477 |
| Ridgeline | D821,487 |
| Sanctuary | 8,403,477 |
| Scalpel | 8,262,219; D610,603; D612,413; D616,920 |
| SI Ballistic M Frame Alpha | D768,747; D783,080 |
| SI Ballistic Shock Tube | D797,182 |
| SI Speed Jacket | D778,340; D783,698 |
| Sliver | D746,367; D771,739 |
| Sliver XL | D746,367; D771,739 |
| Sliver Edge | D746,367 |
| Sliver Foldable | D746,367; D771,739 |
| Sliver Round | D746,367; D771,739 |
| Sliver Stealth | D746,367; D771,739 |
| Split Jacket | 7,954,942; 8,408,695; 8,911,076 D615,580; D622,304 |
| Split Jacket (Vented) | 7,954,942; 8,408,695; 8,911,076; D615,580; D622,304 |
| Square Wire | D703,733 |
| Straight Jacket | D565,089 |
| Straight Link | D783,081; D785,079 |
| Stringer | D770,559 |
| Style Switch | D728,664 |
| Sutro | D847,897 |
| Tailend | D728,007 |
| Tailend | D753,758 |
| Tailhook | D728,007 |
| Tailpin | D728,007 |
| Taper | D737,364 |
| Targetline | D831,733; D841,084 |
| Ten | D659,181 |
| Thinlink | D769,963; D770,560 |
| Tiebreaker | 8,403,477 |
| TinCan | 8,875,346; D745,083; D761,898 |
| TinCan Carbon | 8,875,346; D745,083; D761,898 |
| TinFoil | 8,875,346; D745,083; D761,898 |
| TinFoil Carbon | 8,875,346; D745,083; D761,898 |
| Tombstone | 9,188,792; D729,305 |
| Triggerman | D763,945; D763,950 |
| Trillbe | D778,339; D783,707 |
| Trillbe X | D783,707 |
| Turbine | D749,670; D763,947 |
| Turbine Rotor | D749,670 |
| Turbine XS | D749,670; D749,670 |
| Twenty | D710,435 |
| Two Face | D692,047 |

| Model Frame Style | Applicable U.S. Patent No(s). |
|-------------------|-------------------------------|
| Two Face XL | D692,047 |
| Valve | D740,348 |
| Water Jacket | 5,760,868 |