



Assembly Instructions & User's Manual

Member's Mark 5-SHELF STORAGE RACK


Item Number: 990332027

Model Number: 12-00005-MM

Customer Assistance (spare/replacement parts): 1-888-549-1029


or Email: help@armadillotough.com

9 AM-5 PM EST, Monday-Friday, excluding US holidays



CONFIGURATION I

48" X 24" X 72" (121.92 cm X 60.96 cm X 182.88 cm)



CONFIGURATION II



96" X 24" X 36" (243.84 cm X 60.96 cm X 91.44 cm)

**THIS ASSEMBLY MANUAL CONTAINS IMPORTANT SAFETY INFORMATION.
PLEASE READ AND KEEP FOR FUTURE REFERENCE.**



Assembly Instructions & User's Manual

Table of Contents

Quality Statement.....	3
Important Safety Information.....	3
Before Assembly.....	3
Care & Use.....	3
Configuration I / Components / Tools.....	4
Configuration I: Step 1 – Step 11.....	5
Configuration II / Components / Tools.....	8
Configuration II: Step 1 – Step 4.....	9
 Warning.....	11
 Danger.....	11
Limited Warranty Information.....	11

Scan for easy 3D instructions

Tap. Zoom. Rotate with official
interactive instructions on the BILT app.



BILT®





Assembly Instructions & User's Manual

Quality Statement

Question or Comments? We would love to hear about your Member's Mark experience!

Visit us at: [Samsclub.com/membersmarkhelp](https://www.samsclub.com/membersmarkhelp)

Important Safety Information

- Please read all instructions carefully before assembling this product.
- Where applicable, and for your safety, assembly by two adults is recommended.
- Use only vendor-supplied hardware to assemble this item. Using unauthorized hardware could jeopardize the structural integrity of the item.
- Hardware may loosen overtime. Periodically check that all connections are tight.
- The unit should be placed standing on a level surface.
- Do not use the unit for anything other than the manufacturer's intended purpose.
- Evenly distribute the weight on each level and always keep the heavy loads on the bottom.
- **DO NOT STAND ON ANY PART OF THIS UNIT OR USE IT AS A LADDER.**

Before Assembly

- Remove all parts and hardware from the box. Place all items on a carpeted or scratch-free work surface, as this will avoid damaging parts during assembly.
- The shipping box can provide an ideal work surface if none is available.
- Use the components lists on next page to identify, inventory and separate each of the components included.
- To avoid accidentally discarding small components, do not dispose of any packaging or contents of the shipping carton until assembly is complete.
- **DO NOT USE** power tools unless it is explicitly identified in this manual as required for use during assembly. Power tools can damage the fasteners, hardware and/or components.


Care & Use

- Use a soft clean cloth that will not scratch the surface when dusting.
- Using solvents of any kind on your product may damage the finish.
- Do not use any harsh abrasives or chemicals to clean any metal surfaces as it may damage the protective coating.
- Metal will rust if the finish is scratched or if your product is exposed to excessive humidity, particularly in salt water locations.



Assembly Instructions & User's Manual

Configuration I









48"W x 24"L x 72"H (121.92 cm x 60.96 cm x 182.88 cm)

Maximum Capacity per Shelf: 800 lbs (362.9 kg).


Maximum Capacity per Unit: 4000 lbs (1814.4 kg).

Components

A - Post	B - Beam	C - Brace	D - Shelf	E - Post Insert	F - Post Cap
					
8	10	10	5	4	18

Tools

Rubber Mallet (Not Included)






Assembly Instructions & User's Manual

Configuration I


STEP 1

Note: Posts are directional. The slot must point down.




Repeat for the opposite side.


STEP 2



STEP 3



STEP 4







Assembly Instructions & User's Manual

Configuration I

STEP 5




STEP 6




STEP 7

! To create proper structure, the top and bottom rivets from the Beam (part B) and Brace (part C) must be installed into the top and bottom key holes of the posts (part A) on either side of the post insert (part E).



STEP 8

! To create proper structure, the top and bottom rivets from the Beam (part B) and Brace (part C) must be installed into the top and bottom key holes of the posts (part A) on either side of the post insert (part E).







Assembly Instructions & User's Manual

Configuration I


STEP 9




STEP 10



STEP 11




STEP 12





Assembly Instructions & User's Manual

Configuration II









96"W x 24"L x 36"H (243.84 cm x 60.96 cm x 91.44 cm)

Maximum Capacity per Shelf: 800 lbs (362.9 kg).


Maximum Capacity per Unit: 4000 lbs (1814.4 kg).

Components

A - Post	B - Beam	C - Brace	D - Shelf	E - Post Insert	F - Post Cap
					
8	10	10	5	4	18

Tools

Rubber Mallet (Not Included)






Assembly Instructions & User's Manual

Configuration II


STEP 1

Note: Posts are directional. The slot must point down.




Repeat for the opposite side.


STEP 2



STEP 3



STEP 4







Assembly Instructions & User's Manual

Configuration II


STEP 5




STEP 6



STEP 7



STEP 8





Assembly Instructions & User's Manual

⚠ Warning

- The product is not recommended for outdoor use.
- Do not alter the product in any way as it could compromise the performance of the unit as intended and will void all warranties.
- Load small stable items on the top shelves, heavier and bulkier items should be stored on the lower shelves. Load unit placing objects from the bottom to top. This will ensure stability of overall unit.

⚠ Danger

- Recommend two people to move the storage rack. Failure to do so can result in back or other injury.
- The maximum weight of all items combined per shelf (evenly distributed) is not to exceed 800 lbs (362.9 kg).
- The entire unit maximum weight capacity (evenly distributed) is 4000 lbs (1814.4 kg).
- The concentrated load capacity is 100 lbs (45.4 kg) per sq ft.

Limited Warranty Information

This product is covered by the Sam's Club Member Satisfaction Guarantee. Please visit samsclub.com for more information.

This product component has a limited lifetime warranty against defects in material and/or workmanship. If you have any questions regarding the warranty or spare / replacement parts, please call our toll-free number 1-888-549-1029 or email us at help@armadillotough.com

NOTE: Please consider recycling all applicable packaging material.

Distributed by Sam's West Inc.
2101 SE Simple Savings Dr.
Bentonville, Arkansas 72716-0745
Made in Cambodia

Need Assistance? Visit us at: samsclub.com/membersmarkhelp