




AQUA MARINA

EN

INFLATABLE STANDUP PADDLE BOARD **USER MANUAL**

BT-26PAE





For your own safety and that of your equipment, make sure to take the following precautions. Failure to follow warning notices and instruction may result in property damage, serious injury or death.

GENERAL PADDLING INFORMATION

This manual has been compiled to help you operate your Inflatable Stand Up Paddle Board (Hereinafter referred to as SUP) with safety and pleasure. It contains details of the SUP, the equipment supplied, and information on their operation. Please read it carefully and familiarize yourself with the SUP before using it.

SAFETY

There is a risk of serious injury or death from drowning. Paddle sports can be very dangerous and physically demanding. The user of this product acknowledges, understands, and assumes the risks involved in paddle sports. Observe the following warning labels and safety standards carefully whenever using this product.

WARNING LABELS



MANDATORY INSTRUCTION

- Wear personal flotation device
- Read instructions first
- Fully inflate all air chambers
- Numbers of users
- Max. load capacity
- Safe distance to shore 500ft (150 m)



PROHIBITION INSTRUCTION

- Do not use in white water
- Do not use in breaking waves
- Do not use in offshore current
- Do not use in offshore wind
- Not for children 14 years old and below



ATTENTION / DANGER / WARNING

- Design working pressure
- No protection against drowning



MANDATORY INSTRUCTION

- Swimmers only

VN-ORP

Item No.:

ORPC VIETNAM COMPANY LIMITED
Lot CN 7.2D, DEEP C 2A Industrial Zone,
Dinh Vu - Cat Hai Economic Zone,
Dong Hai Ward, Hai Phong City, Vietnam




PRODUCT SERIAL NUMBER

- Item No.
- Manufacturer information

SPECIFICATIONS

Model	Size	Net Weight	Max. Payload
BT-26PAE	11'0" x 33" x 6" / 335 x 84 x 15 cm	19.4 lbs / 8.8 kg	330 lbs / 150 kg


ACCESSORIES

 Cargo bungee cord Heavy-duty carry handle EVA deck High pressure recessed valve LeashD-ring Fin Box Actual configuration may vary upon different models.	Zip Backpack	
	High Pressure Pump	
	Slide-in Center Fin	
	Leash	
	Paddle	
	Phone Dry Bag	
	Cargo Bungee Cords	
	Repair Kit	

INSTRUCTION FOR ASSEMBLING AND DISASSEMBLING


INFLATION

1




Open the valve cap by twisting counter-clockwise. Ensure the valve is clear from debris, sand or dirt before releasing.


2



Push valve button in and turn 90 degrees.




Valve button popping up to the "UP position" for inflation.




Valve button locked in "DOWN position" for deflation.


3



Attach - Attach the pump hose to the pump and secure it tightly.



Connect - Attach the end of the pump hose to the valve and twist 45° clockwise to lock in place.





Save Effort - As pressure builds, keep arms extended and bend the knees to power for less effort.

Note: Gauge will not respond until reaching 4psi. Just keep pumping for 2-3 minutes!



4



Max. Pressure - Keep pumping the board until you reach 15-18 psi.
After inflation, return the valve cover and tighten in clockwise direction to lock in place.



12psi minimum for proper inflatable boards operation and 15psi maximum. Over inflation will void your warranty.

Warning:


Do not leave your board under direct sunlight as this may cause over-inflation. Please keep the board under shade when not in use with a working pressure NO MORE THAN 10psi, or leave your board in a cool dry place. Remember to check the air pressure before and after use, and deflate your board when necessary.

PRECAUTION & TIPS


- Do not use air compressors as this voids warranty of board.
- Before long trips, ensure the board has been inflated and has maintained pressure for a minimum of 24 hours.

FIN INSTALLATION

Slide-in Center Fin System





SLIDE - Slide in the large center fin to the fin box.




INSERT - Insert the push-in pin.

DEFLATION




Valve Open - Open the valve cap and twist the valve button for "DOWN POSITION". Ensure the valve is clear from debris, sand or dirt before releasing.

Deflate (by hands) - Roll the board from nose to tail to squeeze the air out.




Roll - Roll the board around the pump. Make sure the pump is settled in the middle.

or




Roll - Follow the folding line indication for first fold, and roll the board from nose to tail.




Pack - Use the webbing strap to secure the neatly rolled board in place, but do not overtighten the strap. Place the accessories in the pocket.

PADDLE ASSEMBLY



HOW TO WEAR A SAFETY LEASH



HOW TO TAKE CARE OF ISUP BOARD

DO'S

CLEANING

Clean the board after each use with freshwater and mild soap.



KEEP IT DRY

Dry the board after each use, especially before storing to avoid mould damage.



FREQUENT USE

Use the board frequently as long-term storage may cause adhesive failure.



REGULAR MAINTENANCE

Regularly check for cracks, scrapes, or any other issues and repair if necessary.



DON'TS

DON'T USE AN AIR COMPRESSOR

You can easily over-inflate the board by using an air compressor and void the warranty.



NO DRAGGING

Don't drag the board as sharp debris may puncture it.



AVOID DIRECT SUNLIGHT

Keep the board under shade when not in use with a working pressure less than 50%-60% of the max. air pressure.



AVOID TEMPERATURE EXTREMES

Keep the boards sheltered away from temperature extremes and humidity. Store at room temperature between 0°C - 40°C.



FAQs (Frequently Asked Questions)


Q: How much air should I pump into my board, and how long does it take to inflate?

A: The maximum pressure is 15 psi. Exceeding this limit may cause over-inflation and damage. Inflation takes approximately 5-8 minutes, depending on the board size and weather conditions.

Q: When detaching the pump from the board, the air starts to release from the valve. How do I stop this from happening?

A: The air is releasing as the valve spring pin has been left in the deflating position. Simply push down and turn the pin until it lifts up into the inflation position and stops air from releasing; continue to inflate the board until up to pressure.

HOW TO REPAIR A CUT OR PUNCTURE IN YOUR INFLATABLE BOARD




SUPPLIES REQUIRED


- Glue (AQUASEAL® is recommended)
 - Acetone or Methyl Ethyl Ketone (M.E.K.)
 - Hairdryer
 - Brush
 - Tape
 - Spatula or spoon
 - Towel
- (Not provided in the SUP board package)



1




2




3


1. Clean the area around the cut or puncture using acetone or M.E.K.
2. Draw the outline of the patch using chalk or pencil (do not use ink).
Cut the patch, cover the cut or puncture with approximately 2.5cm (1 inch) overlap on all sides.
3. Apply tape along the outline of the patch. This will prevent the glue from spreading outside the patch area.



4




5



6

4. Apply glue on both the board and patch using a brush or other applicator. Make sure the glue is spread evenly and completely over the board and patch. Let the glue dry for 1 minute.
5. Apply the patch starting on one side and move towards the other side. Be careful not to trap any air bubbles.
6. Use a hairdryer to gently heat the area to ensure a good bond between the patch and the board.
Use a metal spatula or spoon and firm pressure to ensure a good bond and to remove any air bubbles.



**Allow the glue to cure with the board
un-inflated for 24 hours prior to use.**

EMBRACE SUMMER WITH YOUR INFLATABLE SUP: ESSENTIAL TIPS

As you enjoy your time on the water in summer, it's important to keep in mind a few essential tips. Protect your board from sun exposure, stay hydrated, and plan your outings to avoid peak heat. These small steps will help ensure your paddling experience is safe and enjoyable all season.

CARE FOR YOUR SUP

AVOID PROLONGED SUN EXPOSURE

Direct sunlight can cause your SUP to overinflate, leading to potential damage. Store your SUP in the shade or cover it with a sunshade when not in use.

LOWER INFLATION PRESSURE

- In hot weather, it's advisable to keep your SUP's inflation pressure between 10-12 psi. This reduces the risk of damage due to thermal expansion.
- Regularly check the pressure, especially after prolonged sun exposure.

PROTECT THE FINS

- Fins are crucial for stability. Avoid dragging your SUP or standing on it with the fins down, as this can cause damage.
- Install the fins **just before entering the water** to avoid unnecessary wear.



MAINTAIN YOUR SUP

- Rinse your SUP with fresh water after each use, especially around the valve and fin areas, to prevent salt and sand buildup.
- Store it partially deflated in a cool, dry place to prevent mold and extend its lifespan.

CARE FOR YOURSELF

STAY HYDRATED

Extended exposure to the sun can lead to dehydration. Always carry plenty of water and drink regularly. Wear protective gear and apply sunscreen to avoid sunburn.

MIND THE WATER AND WEATHER

- Even in summer, water temperatures can be cool, especially in the morning or evening. Test the water before diving in, and avoid prolonged exposure to cold water.
- Always check the weather forecast to steer clear of storms or high winds.

PLAN YOUR ACTIVITIES WISELY

Avoid the midday heat (from noon to 3 PM) when planning your SUP sessions. Early mornings or late afternoons offer cooler temperatures and a more enjoyable experience.

CARE FOR THE ENVIRONMENT

KEEP WATERWAYS CLEAN

Never leave trash behind. Take all your waste back to shore to keep the waterways pristine and beautiful for everyone.

PROTECT AQUATIC LIFE

Be mindful of delicate ecosystems like coral reefs and wildlife habitats. Avoid paddling over sensitive areas to minimize disruption to the natural environment.

With these tips in mind, you can confidently navigate your summer SUP adventures, ensuring both safety and sustainability. Enjoy your time on the water, and remember to stay cool and protected!

WARRANTY

**1
YEAR**

AM warrants this product to be free from major defects in material or workmanship to the original purchaser for a period of **1-year** (board ONLY) from the date of purchase. This warranty is subject to the following limitations.

1. The warranty is valid only when this product is used for normal recreational activities and does not cover products used in rental or school operations.
2. AM will make the final warranty determination, which may require inspection and/or photos of the equipment, which clearly show the defect(s). If necessary, this information must be sent to the AM distributor in your country with prepaid postage. Product can be returned only if a return authorization number is given in advance by the AM distributor. The return authorization number must be clearly labelled on the outside of the package, or it will be refused.
3. If a product is deemed to be defective by AM, the warranty covers the repair or replacement of the defective product only. AM will not be responsible for any costs, losses, or damages incurred as a result of loss or misuse of this product.
4. This warranty does not cover damage caused by misuse, abuse, neglect, normal wear and tear including, but not limited to punctures, damage due to excessive heat exposure, damage caused by improper handling and storage, damage caused by use in waves or shore break, board breakage caused by filling or crashing in surf conditions, or damage caused by anything other than defects in material and workmanship.
5. This product must not be modified and/or fitted with a motor except AM BlueDrive power fin.
6. This product must not be used in excess of the manufacturers recommended maximum load capacity.
7. This warranty is void if any unauthorized repair, change or modification has been made to any part of the equipment.
8. The warranty for any repaired or replacement equipment is good from the date of the original purchase only.
9. The original purchase receipt must accompany all warranty claims. The name of the retailer and date of purchase must be clear and legible.
10. There are no warranties that extend beyond the warranty specified here in.



WARNING

This product is designed in accordance with standards for a specific use. Any modifications or transformations higher than that indicated by the manufacturer could result in serious risks for the user and will void the warranty.