

Every patient should be safe, comfortable and well-entertained



Hospitality TV sales:

1-888-727-2664 | 1-866-SAM4BIZ samsung.com/business samsung.com/b2bhospitalitytvs

youtube.com/samsungbizusa



NC Series Hospitality TVs

LED TVs designed specifically for today's healthcare industry

Entertainment is the ultimate bedside manner, and the global leader in flat-panel technology delivers. Offering the most advanced TV solutions for the healthcare industry, Samsung's NC Series TVs have been manufactured with hospital-specific features, such as an interchangeable pillow speaker interface and compatibility with many interactive patient education systems. Patients enjoy stunning Samsung picture quality, while you enjoy cost savings from LED technology that uses up to 50% less energy. $\textsc{Pro:Idiom}^{\scriptscriptstyle{\text{TM}}}$ decoding gives patients an expanded lineup of HD channels. Facility managers benefit from the side-mounted USB ports for convenient set-up and the on-site warranty program. And Samsung's REACH 3.1 management solution makes content management simple. It's the platform that makes everyone feel better.

Key features



UL-Listed for hospital use

Samsung NC Series televisions are specifically engineered to meet the stringent requirements for use in hospital environments.



Universal pillow speaker interface

An easy-to-use interface for multiple styles of pillow speakers is built right into the TV. This eliminates the hassle of lost remotes and changing batteries.



Samsung LYNK™ SINC 3.0 interactive content management system

This IP-based content management solution delivers enhanced HTML and rich text with protocols to communicate between Samsung Interactive TVs and hotel property management software. Facility managers can completely customize the in-room entertainment with EPG (Electronic Program Guide), Weather API, Flight Information and Real Time Messaging, and by unlocking rich content from the Samsung Hospitality Widget Library (Facebook, Twitter, AccuWeather, Google Maps™).



Samsung LYNK™ REACH 3.1 content management solution

The Samsung REACH 3.1 (Remote Enhanced Active Control for Hospitals) Management Solution is used in conjunction with an existing coaxial-based infrastructure. It provides centralized TV controls, basic static content management capabilities and an Interactive Program Guide (IPG). Management will be able to easily update and change information using a Windows®-based system.



SMART TV offers interactive patient engagement systems

SMART TV offers advanced interactive patient engagement systems, which aid in providing maximum patient satisfaction and superior levels of service excellence. The systems deliver on-demand, condition-specific educational content, hospital information, analytics, surveys, service recovery features and more to the patient's bedside. Customizable user interfaces are offered by healthcare system integrators.

Samsung Healthcare Series Hospitality TVs

Samsung Hospitality TVs are loaded with features that provide premier patient satisfaction, while making your job easier.

Healthcare Features

Channel remapping

The Channel Editor lets you edit the channels stored in the TV's memory. Using Channel Editor, you can change the channel numbers and names, and sort the channels in your desired channel number order. You can also apply the video mute to channels you select. The video mute blanks out the video from a channel and outputs only the sound while displaying a speaker icon on the screen.

Channel Bank Editor

The Channel Bank Editor lets you control the channels the patients (or the guest) have access to. The Channel Bank Editor provides three banks of channels and lets you select which channels will be available from each bank. You can control access to channels by setting the item of Channel Bank Service Level in Hospitality Option Menu.

Clock on timer and alarm key

Allows the guest to program the TV to turn on as a wake-up alarm.

Closed captioning

A text display of all audio content, including spoken dialog and non-speech information such as the identity of the speakers and symbols for sound effects and music.

Hospital channel list

Guest master channel listing of program content. This will display content in analog or HD.

Hospital logo display with time out setting

Display hospital logo bitmap files as a greeting startup display.

Hospital mode plug & play

Interactive stand-alone mode available.

Lockout controls

The hospital manager can enable front panel and menu display lock-outs.

OSD language

Choose English/French/Spanish.

Picture-in-picture

Display one program while another is being displayed on the full TV screen at the same time.

Power on status setting

Settings include power always on, last option or standby.

Multi-code remote

Eliminates interference when two or more TVs are used in close proximity to each other.

Samsung LYNK™ SINC 3.0 interactive content management system (NC693 models)

IP-based solution designed to provide enhanced HTML and rich text, dynamic content management capabilities. Offers EPG (Electronic Program Guide), Weather API, Flight Information and Real Time Messaging. Incorporates use of Samsung Hospitality Widget Library (Facebook, Twitter, AccuWeather, Google Maps). For the hotelier with IP-enabled infrastructure and Samsung's Interactive TVs. The Samsung Hospitality Displays Smart Widget Solution provides you with the ability to deliver customized content to your guests via the TV screen, providing a high degree of customer satisfaction.

Samsung LYNK™ REACH 3.1 content management solution

The Samsung LYNK™ REACH 3.1 (Remote Enhanced Active Control for Hospitals) Management Solution is used in conjunction with an existing coaxial-based infrastructure. It provides centralized TV controls, basic static content management capabilities and an Interactive Program Guide (IPG). Samsung REACH delivers content and information on such topics as your hospital, menus, meetings and events, local attractions, and other simple patient convenience features. Facility managers will be able to easily update and change information using a Windows®-based system.

Sleep timer

Allows patient to set TV turn-off time in 30-minute intervals up to 180 minutes.

USB cloning

A quick and easy way to copy the ideal settings off one television to others in the facility. Saves time and helps provide a consistent viewing experience for all televisions.

Connections

Samsung Smart View

View digital content from any of your DLNA-connected Samsung devices. Samsung Smart View lets you wirelessly access and share content between your Samsung devices regardless of where you are. And there's no need for any cables or connected devices. It's also equipped with cloud technology, so you can upload content to a central web storage account and access it wherever you are.

ConnectShare[™] (USB 2.0)

Connect a thumb drive or digital camera quickly and easily. User-friendly interface allows access to videos, a music playlist and pictures via the remote.

Hospital TV (RJ-12/IR pass through)

Allows you to connect an interactive STB/SBB (Set Top Box/Set Back Box).

Hospital TV RJ45

Connection to hospital LAN using custom H-browser or Samsung LYNK™ SINC.

Interactive compatibility system



Remote Jack Panel (RJP) compatibility

GLINK teleadapt

WiFi[®]

With built-in WiFi, no additional equipment is needed to connect with an existing wireless router in your hospital network and start accessing Samsung Apps or other Smart TV features

Picture Quality and Audio

Auto volume limiter

During initial product setup, minimum and maximum volume levels can be locked to help minimize disturbance to other hospital patients.

Dual core processor

Dual Core makes multitasking fast. Browse the web faster and quickly. Hospital personnel can easily download apps to the TV.

Full HD 1080p, MPEG4

Samsung NC Series TVs feature 1920 x 1080 Full HD resolution, and are compatible with MPEG4.

Music mode (input: HDMI/PC/AV/component)

Allows audio feedback when picture is muted.

Music mode backlight on/off

Shows a background display.

Slim direct-lit LED technology

Direct-lit LED technology provides the brilliance and energy savings advantages of LED technology, along with the uniform brightness typical of CCFL displays. And it does it all with an efficiency that makes it a more affordable technology. In fact, it's possible to upgrade your rooms to LED technology for a cost comparable to CCFL technology. When you add the energy savings of up to 50% that LED offers over CCFL, you end up with the perfect solution for both you and your patients.

Warranty

2-year parts and 2-year labor warranty backed by Samsung Healthcare Hotline 1-866-894-0524. Optional professional installation, accessories and extended warranty are available.

Samsung Healthcare Series TVs





Digital Rights Management (DRM)

Pro:Idiom™ HD Content Decryption DRM Pro:Idiom

The NC Series is equipped with Pro:Idiom™ MPEG4 technology, making the TVs compatible with most major VOD/PPV systems. You can offer your patients premium HDTV content from cable, satellite or video-on-demand services with no optional cards or external box needed. IPTV-IP Pro:Idiom available with SINC 3.0 and H-Browser.


Samsung LYNK™ HD Content Decryption (IP/RF) DRM



Samsung's software-based DRM technology is integrated into the entire Samsung Hospitality TV line. Samsung LYNK offers a robust solution to unlock premium HDTV content from content providers such as cable, satellite and VOD providers, with maximum efficiency and security. IPTV-IP LYNK available with SINC 3.0 and H-Browser.

Verimatrix™ HD Content Decryption DRM (IP) verimatrix

IPTV-IP Multicast DRM is used in conjunction with Samsung LYNK™ SINC. In-viewing IPTV channel offers reliable access to unlock premium HDTV content from content providers such as cable and satelite providers. IPTV-IP LINK available with SINC 3.0 and H-Browser 3.0.




Connectivity

HG32NC693DF


- 1. HDMI In 2
- 2. HDMI In 1
- 3. LAN
- 4. Ant In (Air / Cable)
- 5. HDMI In 4 (DVI)
- 6. HDMI In 3 (ARC)
- 7. Digital Audio Out (Optical)
- 8. Data
- 9. DVI Audio In
- 10. Audio Out
- 11. Ex-Link
- 12. Component / AV In 1
- 13. Pillow Out






HG40NC693DF

- 1. HDMI In 2
- 2. HDMI In 1
- 3. LAN
- 4. Ant In (Air / Cable)
- 5. HDMI In 4 (DVI
- 6. HDMI In 3 (ARC)
- 7. Digital Audio Out (Optical)
- 8. Data
- 9. DVI Audio In
- 10. Audio Out
- 11. Ex-Link
- 12. Component / AV In 1
- 13. Pillow Out





Samsung Healthcare Series Hospitality TVs

		HG32NC693DF	HG40NC693DF
Display	Backlight	Slim Direct-Lit LED	Slim Direct-Lit LED
	Screen Size (Diagonal)	32"	40"
	HD/FHD	FHD	FHD
	Resolution	1920 x 1080	1920 x 1080
Video	Picture Engine	HyperReal Engine	HyperReal Engine
	Wide Color Enhancer Plus	Yes	Yes
	Film Mode	Yes	Yes
Audio	Dolby	Dolby MS10	Dolby MS10
Auulu	DTS Studio Sound / DNSe+	DTS Studio Sound	DTS Studio Sound
	DTS Premium Sound / DTS Premium Sound 5.1	DTS Premium Sound 5.1	DTS Premium Sound 5.1
	Auto Volume Leveler	Yes	Yes
	Speaker Type	Down Firing + Full Range	Down Firing + Full Range
	Sound Output (RMS)	10W x 2	10W x 2
	Variable Speaker Output	4W (Mono, 8Ω)	4W (Mono, 8Ω)
Features	Smart Hub	Yes	Yes
	Apps	Yes	Yes
	Web Browser	Yes	Yes
	Samsung SMART View	Yes	Yes
	Wireless LAN Built-in	Yes	Yes
	AllShare - Contents Sharing	Yes	Yes
	AllShare - Screen Mirroring	Yes	Yes
	ConnectShare™ (USB 2.0)	Movie	Movie
	Wake On LAN	Yes	Yes
	Soft AP	Yes	Yes
	USB HID Support	Yes	Yes
	OSD Language	English, Spanish, French	English, Spanish, French
	Digital Clean View	Yes	Yes
	HDMI 1.4 A / Return Ch. Support (ARC)	Yes	Yes
	Auto Channel Search	Yes	Yes
	Auto Power Off	Yes	Yes
	EPG	Yes	Yes
	Caption (Subtitle)	Yes	Yes
	Wake-up Timer	Yes	Yes
	Game Mode	Yes	Yes
	Picture-In-Picture	Yes	Yes
	Sleep Timer	Yes	Yes
althcare	Hospitality Home Menu	Yes	Yes
Features			
	Samsung LYNK™ REACH Server Compatibility	Yes	Yes
	Samsung LYNK™ SINC Compatibility	Yes	Yes
	H.Browser Compatibility	Yes	Yes
	Hospitality Plug&Play (Easy Set-up)	Yes	Yes
	RJ 12 / IR Pass Through	Yes	Yes
	Power on Mode	Yes	Yes
	USB Cloning	Yes	Yes
	Logo Display with Time Out Setting (BMP/Movie)	Yes	Yes
	Welcome Message	Yes	Yes
	Music Mode (Input: PC/AV/Component/HDMI)	Yes	Yes
	Music Mode Backlight On/Off	Yes	Yes
	Auto Source Mode	Yes	Yes
	Energy Saving Mode(BLU Control)	Yes	Yes
	Clock Back Up Supply	Yes	Yes
	Software Clock	Yes	Yes
	Multi Code Remote Control	Yes	Yes
	Smoovie Compatibility	Yes	Yes
	Samsung LYNK™ DRM	Yes	Yes
	Pro:Idiom	Yes	Yes

Samsung Healthcare Series Hospitality TVs

US Co Co Eth Dig RF RS Pill Val	HDMI (Side/Rear) USB (Side/Rear) Component in (Y/Pb/Pr) (Side/Rear) Composite in (AV) (Side/Rear) Ethernet (LAN) (Side/Rear) Digital Audio Out (Optical) (Side/Rear) Audio Out (Mini Jack) (Side/Rear) RF in (Terrestrial/Cable input) (Side/Rear) RS232C Pillow Speaker Jack (Side/Rear)	2/2 1/0 0/1 0/1 (Common Use for Component Y) N/A 0/1 1/0	2/2 1/0 0/1 0/1 (Common Use for Component Y) 1/0 0/1 1/0
Co Co Eth Dig Au RF RS Pill Var Var	Component In (Y/Pb/Pr) (Side/Rear) Composite In (AV) (Side/Rear) Ethernet (LAN) (Side/Rear) Digital Audio Out (Optical) (Side/Rear) Audio Out (Mini Jack) (Side/Rear) RF In (Terrestrial/Cable input) (Side/Rear) RS232C	0/1 0/1 (Common Use for Component Y) N/A 0/1 1/0	0/1 0/1 (Common Use for Component Y) 1/0 0/1
Co Eth Dig Au RF RS Pill Var Var RJ	Composite In (AV) (Side/Rear) Ethernet (LAN) (Side/Rear) Digital Audio Out (Optical) (Side/Rear) Audio Out (Mini Jack) (Side/Rear) RF In (Terrestrial/Cable input) (Side/Rear) RS232C	0/1 (Common Use for Component Y) N/A 0/1 1/0	0/1 (Common Use for Component Y) 1/0 0/1
Eth Dig Au RF RS Pill Var Var RJ	Ethernet (LAN) (Side/Rear) Digital Audio Out (Optical) (Side/Rear) Audio Out (Mini Jack) (Side/Rear) FI In (Terrestrial/Cable input) (Side/Rear) RS232C	N/A 0/1 1/0	1/0 0/1
Dig Au RF RS Pill Var Var RJ	Digital Audio Out (Optical) (Side/Rear) Audio Out (Mini Jack) (Side/Rear) RF In (Terrestrial/Cable input) (Side/Rear) RS232C	0/1 1/0	0/1
Au RF RS Pill Var Val RJ	Audio Out (Mini Jack) (Side/Rear) RF In (Terrestrial/Cable input) (Side/Rear) RS232C	1/0	The state of the s
RF RS Pill Var Val RJ	RF In (Terrestrial/Cable input) (Side/Rear) RS232C	177	1/0
RS Pill Var Var RJ	RS232C	0/1	
Pill Vai Vai RJ			0/1
Var Var RJ	Pillow Speaker Jack (Side/Rear)	Yes Common Use for Component RJ12)	Yes Common Use for Component RJ12)
Var RJ		Yes	Yes
RJ	Variable Audio Out (Side/Rear)	No	No
	Variable Audio Out Volume Control (Side/Rear)	No	No
D.II	RJ12 for External Control (Side/Rear)	0/1	0/1
KJI	RJP Jack (Remote Jack Pack) (Side/Rear)	0/1	0/1
System DT	DTV Tuner	ATSC / Clear QAM	ATSC / Clear QAM
Ana	Analog Tuner	Yes	Yes
Design Fro	Front Color	Black	Black
Dimensions Set	Set Dimension (WxHxD) (mm / inches)	721.4 x 428.5 x 64.9 / 28.4" x 16.87" x 2.56"	906.6 x 532.9 x 65.1 / 35.69" x 20.98" x 2.56"
Pa	Package Dimension (WxHxD) (mm / inches)	899 x 506 x 113 / 35.39" x 19.92" x 4.45"	1100 x 616 x 120 / 43.31" x 24.25" x 4.72"
Weight Set	Set Weight (kg / lbs.)	5 / 11.02 lbs.	7.8 / 17.19 lbs.
Pa	Package Weight (kg / lbs.)	6.6 / 14.55 lbs.	9.4 / 20.72 lbs.
VESA VE	VESA Mount (mm)	200 x 200	200 x 200
VE	VESA Screw Size	M8	M8
Power Po	Power Supply (V)	AC110-120V 60Hz	AC110-120V 60Hz
Mu	Multi Voltage	AC110-220V	AC110-220V
UPC UP	UPC	887276684406	887276684413
Accessory Min	Mini Wall Mount Support	Yes	Yes
Ves	Vesa Wall Mount Support	Yes	Yes
Por	Power Cable (Hospital Grade)	Yes	Yes



Learn more **Product support** 1-866-SAM4BIZ

samsung.com/business insights.samsung.com samsung.com/b2bhospitalitytvs

Follow us

youtube.com/samsungbizusa @SamsungBizUSA

SAMSUNG