Revision Date: 30 May 2015

Page 1 of 7

Universal: under Directive 2001/58/EC; and other international



SAFETY DATA SHEET

PRODUCT
Product Name: TT-MINOIL 3, TT-MINOIL 4, TT-MINOIL 5
Product Description: Highly Refined Mineral Oil
Intended Use: Lubricant, Compressor Lubricant, Refrigeration Lubricant

COMPANY IDENTIFICATION
Supplier CARRIER INTERAMERICA CORP
SUITE 225
6500 NEW VENTURE GEAR DRIVE
EAST SYRACUSE, NY 13057 U.S.A.

Emergency telephone numbers USA – Chemtrec: 800-424-9300 All Others – Chemtrec: +1-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

This material is not considered to be hazardous according to regulatory guidelines see Section 15.

+305-590-3109

HEALTH HAZARDS

Low order of toxicity. Excessive exposure may result in eye, skin, or respiratory irritation. High-pressure injection under skin may cause serious damage.

Note: This material should not be used for any other purpose than the intended use in Section 1 without expert advice. Health studies have shown that chemical exposure may cause potential human health risks which may vary from person to person.

SECTION 3: COMPONENT INFORMATION				
Chemical Name	CAS#	EINECs/ELINKs #	Percent (% wt)	Symbols /Risk Phrases
Highly Refined Heavy Naphthenic Distillate	64742-44-5 64742-52-5	265-146-1 265-155-0	>99.9%	IK (None Required)
Proprietary additives	04742-32-3	205-155-0	<0.1%	IK (None Required)
Reportable Hazardous Substance(s) or Complex Substance(s)				
None				

Explanation of symbols:

IK = No Classification Required,

INGREDIENT COMMENTS

If no EU or no CAS numbers are given for classified components the raw material supplier has applied for / will apply for exemption, have not sent the complete information yet, or there could be no obligation to give the EU or CAS numbers.

SECTION 4: FIRS	ST AID MEASURES
Inhalation:	Remove from further exposure. For those providing assistance, avoid exposure to yourself or others. Use adequate respiratory protection. If respiratory irritation, dizziness, nausea, or unconsciousness occurs, seek immediate medical assistance. If breathing has stopped, assist ventilation with a mechanical device or use mouth-to-mouth resuscitation.
Skin:	Wash with soap and water. Remove and launder contaminated clothing before reuse. If irritation develops get medical attention.
Eye :	Flush thoroughly with water. If irritation occurs, get medical assistance.
Ingestion:	First aid is normally not required. Seek medical attention if discomfort occurs.

Revision Date: 30 May 2015
Page 2 of 7
Universal: under Directive 2001/58/EC; and other international



SECTION 5 : FIRE FIGHTING PROCEDURES		
EXTINGUISHING MEDIA	Appropriate Extinguishing Media: Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish flames.	
	Inappropriate Extinguishing Media: Straight streams of water	
FIRE FIGHTING	Fire Fighting Instructions: Evacuate area. Prevent run-off from fire control or dilution from entering streams, sewers or drinking water supply. Fire-fighters should use standard protective equipment and in enclosed spaces, self-contained breathing apparatus (SCBA). Use water spray to cool fire exposed surfaces and to protect personnel. Hazardous Combustion Products: Smoke, Fume, Carbon Monoxide, Aldehydes,	
FLAMMABILITY PROPERTIES	Flash Point ASTM D92 (open cup typical) °C (°F) >166 (330)	
	Flammable Limits (Approximate volume % in air): LEL: N/D UEL: N/D Autoignition Temperature: °C (°F) 343 (660) typical	

SECTION 6 : SPILL OR LEAK HANDLING PROCEDURES			
SPILL MANAGEMENT	Land Spill: Stop leak if you can do so without risk. Recover by pumping or with suitable absorbent.		
	Water Spill: Stop leak if you can do so without risk. Confine the spill immediately with booms. Warn other shipping. Remove from the surface by skimming or with suitable absorbents. Seek the advice of a specialist before using dispersants.		
	Water spill and land spill recommendations are based on the most likely spill scenario for this material; however, geographic conditions, wind, temperature, (and in the case of a water spill) wave and current direction and speed may greatly influence the appropriate action to be taken. For this reason, local experts should be consulted. Note: Local regulations may prescribe or limit action to be taken.		
ENVIRONMENTAL PRECAUTIONS	Large Spills: Dyke far ahead of liquid spill for later recovery and disposal. Prevent entry into waterways, sewers, basements or confined areas.		

SECTION 7: HANDLING AND STORAGE	
HANDLING	Prevent small spills and leakage to avoid slip hazard. Static Accumulator: This material is a static accumulator.
	Static Accumulator. This material is a static accumulator.
STORAGE	Do not store in open or unlabelled containers.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION				
Exposure limits/standards for materials that can be formed when handling this product: When mists / aerosols can occur, the following are recommended: 5 mg/m³ - ACGIH TLV, 10 mg/m³ - ACGIH STEL. 8 hours.				
Note: Information about recommer	nded monitoring procedures can be obtained from the relevant agency(ies)/institute(s)			
ENGINEERING CONTROLS	The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Control measures to consider:			
	No special requirements under ordinary conditions of use and with adequate ventilation			
PERSONAL PROTECTION	Personal protective equipment selections vary based on potential exposure conditions such as applications, handling practices, concentration and ventilation. Information on the selection of protective equipment for use with this material, as provided below, is based upon intended, normal usage.			
Respiratory Protection:	Respiratory Protection: If engineering controls do not maintain airborne contaminant concentrations at a level which is adequate to protect worker health, an approved respirator may be appropriate. Respirator selection, use, and maintenance must be in accordance with regulatory requirements, if applicable. Types of respirators to be considered for this material include:			
	No special requirements under ordinary conditions of use and with adequate ventilation.			
	For high airborne concentrations, use an approved supplied-air respirator, operated in positive			

Revision Date: 30 May 2015
Page 3 of 7
Universal: under Directive 2001/58/EC; and other international



	pressure mode. Supplied air respirators with an escape bottle may be appropriate when oxygen levels are inadequate, gas/vapour warning properties are poor, or if air purifying filter capacity/rating may be exceeded.
Hand Protection:	Any specific glove information provided is based on published literature and glove manufacturer data. Glove suitability and breakthrough time will differ depending on the specific use conditions. Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions. Inspect and replace worn or damaged gloves. The types of gloves to be considered for this material include:
	No protection is ordinarily required under normal conditions of use.
Eye Protection:	If contact is likely, safety glasses with side shields are recommended.
Skin and Body Protection:	Any specific clothing information provided is based on published literature or manufacturer data. The types of clothing to be considered for this material include:
	No skin protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid skin contact.
Specific Hygiene Measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.
ENVIRONMENTAL CONTROLS	See Sections 6, 7, 12, 13.

SECTION 9 : PHYS	SICAL & CHEMICAL I	PROPERTIES		
Typical pl	hysical and chemical	oroperties are giv	ven below. Consult the Supplie	er in Section 1 for additional data.
General Information	o <u>n</u>		HEALTH, SAFETY, AND EN	VIRONMENTAL INFORMATION
Physical State	Liquid		Specific Gravity at 20°C	0.91
Color	Clear pale yello	W	Flash Point typical °C (°F)	>205 (401) See Section 5
Odor	Petroleum	•	Flammable Limits	LEL: N/D UEL: N/D
Odor Threshold	ND		Autoignition Temperature:	330 °C
			Boiling Point °C (°F)	>260 °C
OTHER INFORMAT	<u> ION</u>		Vapor Density (Air=1)	>10
Pour Point °C (°F)	-28 (-20) or be	ow	Vapor Pressure	< 0.001 mm Hg at 20°C
Freezing Point	ND		Evaporation Rate (N-Butyl Acetate = 1):	ND
Viscosity	cSt at 40°C			
BVA 3 and 3D	29.7		Solubility in Water	Nil
BVA 4 and 4D	60.15		Oxidizing Properties	See Sections 3, 15, 16.
BVA 5 and 5D	96.8			

SECTION 10: STABILITY & REACTIVITY	
STABILITY:	Material is stable under normal conditions.
CONDITIONS TO AVOID:	Excessive heat. High energy sources of ignition.
MATERIALS TO AVOID:	Strong oxidizers
HAZARDOUS DECOMPOSITION PRODUCTS:	Material does not decompose at ambient temperatures.
HAZARDOUS POLYMERIZATION:	Will not occur.

Revision Date: 30 May 2015

Page 4 of 7

Universal: under Directive 2001/58/EC; and other international



SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXIXITY Tests on similar materials show a low order of acute oral and dermal toxicity

This product meets the IP346 European Labeling Requirement Exemption

Potential acute health effects

Inhalation: No known significant effects or critical hazards. Ingestion: No known significant effects or critical hazards. Skin contact: No known significant effects or critical hazards. Eye contact: No known significant effects or critical hazards.

Route of Exposure Conclusion / Remarks

INHALATION

Minimally Toxic. Based on test data for structurally similar materials. Negligible hazard at ambient/normal handling temperatures. Based on

assessment of the components.

INGESTION

Minimally Toxic. Based on test data for structurally similar materials.

Skin

Minimally Toxic. Based on test data for structurally similar materials.

Negligible irritation to skin at ambient temperatures. Based on test data for

structurally similar materials.

Eye

Irritation: Data available. May cause mild, short-lasting discomfort to eyes. Based on test data for

structurally similar materials.

CHRONIC/OTHER EFFECTS

For the product itself:

Repeated and/or prolonged exposure may cause irritation to the skin, eyes, or respiratory tract.

Contains:

Highly refined white mineral and synthetic base oils: Not expected to cause significant health effects under conditions of normal use, based on laboratory studies with the same or similar materials. Not mutagenic or genotoxic. Not sensitizing in test animals and humans.

CARCINOGENIC EFFECTS:

Contains no carcinogens. Similar compounds essentially non-toxic. No component of this product at levels greater than 0.1% is identified as a carcinogen by ACGIH or the International Agency for Research on Cancer (IARC). No component of this product present at levels greater than 0.1% is identified as a carcinogen by the U.S. National Toxicology Program (NTP) or the U.S. Occupational Safety and Health Act (OSHA), NTP or IARC.

MUTAGENIC EFFECTS: No component of this product at levels greater than 0.1% is classified by established regulatory criteria as a mutagen.

TERATOGENIC EFFECTS/DEVELOPMENTAL TOXICITY: No component of this product at levels greater than 0.1% is classified by established regulatory criteria as teratogenic or embryotoxic.

REPRODUCTION TOXICITY: No component of this product at levels greater than 0.1% is classified by established regulatory criteria as a reproductive toxin.

Additional information is available by request.

OVER - EXPOSURE SIGNS/SYMPTOMS

Skin No known significant effects or critical hazards.
Ingestion No known significant effects or critical hazards.
No known significant effects or critical hazards.

Revision Date: 30 May 2015

Page 5 of 7

Universal: under Directive 2001/58/EC; and other international



SECTION 12: ECOLOGICAL INFORMATION

No specific ecological data are available for this product. Please refer to Section 6 for information regarding accidental releases and Section 15 for regulatory reporting requirements.

ECOTOXICITY

Material -- Not expected to be harmful to aquatic organisms.

MOBILITY

Not known

BIOACCUMULATION POTENTIAL

Base oil component -- Potential to bioaccumulate is low.

ECOLOGICAL DATA

Care should be taken to minimize release of this product into the environment

Environmental Fate & Distribution Persistence & Degradation Toxicity Effect on Effluent Treatment No Data Available
No Data Available
Product may be partially
removed in biological
treatment processes.

Other Typical (not a specification)

Acute Toxicity to Fish:

Effect Concentration on Algae:
Ready Biodegradability:
Respiration Inhibition:
Adsorption/Desorption:
Abiotic Degradability-Hydrolysis:

No Data Available

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal recommendations based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

DISPOSAL RECOMMENDATIONS

Product is suitable for burning in an enclosed controlled burner for fuel value or disposal by supervised incineration at very high temperatures to prevent formation of undesirable combustion products.

REGULATORY DISPOSAL INFORMATION

European Waste Code: 13 02 06

NOTE: These codes are assigned based upon the most common uses for this material and may not reflect contaminants resulting from actual use. Waste producers need to assess the actual process used when generating the waste and its contaminants in order to assign the proper waste disposal code(s).

This material is considered as hazardous waste pursuant to Directive 91/689/EEC on hazardous waste, and subject to the provisions of that Directive unless Article 1(5) of that Directive applies.

Empty Container Warning Empty Container Warning (where applicable): Empty containers may contain residue and can be dangerous. Do not attempt to refill or clean containers without proper instructions. Empty drums should be completely drained and safely stored until appropriately reconditioned or disposed. Empty containers should be taken for recycling, recovery, or disposal through suitably qualified or licensed contractor and in accordance with governmental regulations. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION. THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.

Revision Date: 30 May 2015

Page 6 of 7

Universal: under Directive 2001/58/EC; and other international



SECTION 14: TRANSPORT INFORMATION

LAND (ADR/RID): Not Regulated for Land Transport

INLAND WATERWAYS (ADNR): Not Regulated for Inland Waterways Transport

SEA (IMDG): Not Regulated for Sea Transport according to IMDG-Code

AIR (IATA): Not Regulated for Air Transport

US DOT Classification: Not Regulated US DOT Shipping Classification 65 Petroleum Oil Nobin Marine Pollutant: Not a Pollutant Special Provisions for transport: None Identified	ICAO/IATA Classification Proper shipping name: Not regulated IATA Class UN number: Not regulated. Packing Group: Not regulated.
ADR/RID Classification UN number: Not regulated. Proper shipping name: Not regulated. ADR/RID Class: Not regulated. Packing Group: Not regulated.	IMO/IMDG Classification Proper shipping name: Not regulated IMDG Class: Not regulated UN number: Not regulated. Packing Group: Not regulated. Marine Pollutant: Not pollutant.

USA: No special warning labels are required under OSHA 29CFR 1910.1200. OSHA hazard warnings are not applicable for this

product; therefore no OSHA Warnings would appear on the label. No EPA hazard classification code.

SECTION 15: Regulatory Information Product Component Ingredients

Material is not dangerous as defined by the EU Dangerous Substances/Preparations Directives.

EU LABELING: Not regulated according to EC Directives Material is not dangerous as defined by the EU Dangerous Substances/Preparations Directives.

Classification and labeling have been performed according to EU Directives 67/548/EEC, 1999/45/EC and 2001/58/EC (including amendments) and the intended use.

- Consumer applications.

United States

EPA SARA Title III Chemical Listings

Section 302 Extremely Hazardous Substances: None. Section 304 CERCLA Hazardous Substances: None.

Canada

WHMIS (Canadian Workplace Hazardous Materials Information System)

This product when tested as a whole is not a controlled substance within the meaning of the Hazardous Products Act.

NATIONAL LEGISLATION / REGULATIONS

Ozone depleting chemicals: No ozone depleting chemicals are present or used in manufacture.

REGULATORY STATUS AND APPLICABLE LAWS AND REGULATIONS

Complies with the following national/regional chemical inventory requirements: AICS, IECSC, DSL, EINECS, ENCS, KECI, PICCS, TSCA

Germany: Water Hazardous Class (WGK): 1 (low hazard to water)

Detail	
U.S. Regulations	US INVENTORY (TSCA 8b): Listed on inventory.
	SARA Title III Section 302 Extremely Hazardous Substances (40 CFR Part 355):: This product is not
	regulated under Section 302 of SARA and 40 CFR Part 355.
	SARA Title III Sections 311/312 Hazardous Categorization (40 CFR Part 370):: Defined as non-hazardous by
	OSHA under 29 CFR 1910.1200(d).
	SARA 313 toxic chemical notification and release reporting: No products were found.
	1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

Revision Date: 30 May 2015

Page 7 of 7

Universal: under Directive 2001/58/EC; and other international



	CERCLA Sections 102a/103 Hazardous Substances (40 CFR Part 302.4):: This material is not regulated under CERCLA Sections 103 and 107.	
State	No products were found.	ı
Regulations	California prop. 65: No products were found	

SECTION 16: OTHER INFORMATION

This product safety data sheet was prepared in compliance with Commission Directive 2001/58/EC, 91/155/EEC, 67/548/EEC and 1999/45/EC as well as their relevant amendments, on the approximation of laws, regulations and administrative provisions relative to the classification, packaging and labeling of dangerous substances and preparations.

N/D = Not determined, N/A = Not applicable

KEY TO THE RISK CODES CONTAINED IN SECTION 2 AND 3 OF THIS DOCUMENT (for information only): THIS SAFETY DATA SHEET CONTAINS THE FOLLOWING REVISIONS: (none)

Date of ISSUE/Printing February 2010

Hazardous Material Information System and National Fire Protection Association (U.S.A.)						
Degree of Hazard	NFPA	HMIS		HAZARD RATINGS		
Health	1	1		0	Insignificant	
Fire	1	1		1	Slight	
Reactivity	0	0		2	Moderate	
Personal Protection		В		3	High	

The information and recommendations contained herein are, to the best of our knowledge and belief, accurate and reliable as of the date issued. You can contact us to insure that this document is the most current available. The information and recommendations are offered for the user's consideration and examination. It is the user's responsibility to satisfy itself that the product is suitable for the intended use. If buyer repackages this product, it is the user's responsibility to insure proper health, safety and other necessary information is included with and/or on the container. Appropriate warnings and safe-handling procedures should be provided to handlers and users. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part, is not permitted.