

Cat[®] RHH800


AUTOMATED PLOW SYSTEM

Specifications

Technical Data

Plow Length	2384 mm	7.82 ft
Plow Heights	600-855 mm	1.97-2.81 ft
	820-1120 mm	2.70-3.67 ft
	1085-1385 mm	3.56-4.54 ft
	1350-1650 mm	4.43-5.41 ft
Mechanical Height Adjustment	255-300 mm	0.83-0.98 ft
Maximum Cutting Depth	190 mm	0.62 ft

Weights	4400-6400 kg	9,700-14,109 lb
Bottom Bit Positions		
	Position 1	+24 mm +0.08 ft
	Position 2	-5 mm -0.02 ft
	Position 3	-18 mm -0.06 ft
Position 4	-37 mm	-0.12 ft
Maximum Drive Power	2 × 400 kW	2 × 536 hp




Dimensions – Plow Body Setup Option 1 (All dimensions are approximate.)

1	930 mm	3.05 ft
2	2384 mm	7.82 ft
3	579 mm	1.90 ft
4	—	—

5	—	—
6	855 mm	2.81 ft
7	822 mm	2.70 ft
8	337 mm	1.11 ft


RHH800 Automated Plow System



Dimensions – Plow Body Setup Option 2 (All dimensions are approximate.)

1	930 mm	3.05 ft	5	312 mm	1.02 ft
2	2384 mm	7.82 ft	6	1120 mm	3.67 ft
3	579 mm	1.90 ft	7	822 mm	2.70 ft
4	229 mm	0.75 ft	8	337 mm	1.11 ft


RHH800 Automated Plow System



Dimensions – Plow Body Setup Option 3 (All dimensions are approximate.)

1	930 mm	3.05 ft	5	312 mm	1.02 ft
2	2384 mm	7.82 ft	6	1385 mm	4.54 ft
3	579 mm	1.90 ft	7	822 mm	2.70 ft
4	494 mm	1.62 ft	8	337 mm	1.11 ft

RHH800 Automated Plow System



Dimensions – Plow Body Setup Option 4 (All dimensions are approximate.)

1	930 mm	3.05 ft	5	312 mm	1.02 ft
2	2384 mm	7.82 ft	6	1650 mm	5.41 ft
3	579 mm	1.90 ft	7	822 mm	2.70 ft
4	759 mm	2.49 ft	8	337 mm	1.11 ft

For more complete information on Cat® products, dealer services, and industry solutions, visit us on the web at www.cat.com

AEHQ7134 (08-13)

© 2013 Caterpillar
All Rights Reserved
Printed in U.S.A.

Materials and specifications are subject to change without notice. Featured machines in photos may include additional equipment. See your Cat dealer for available options.

CAT, CATERPILLAR, SAFETY.CAT.COM, their respective logos, "Caterpillar Yellow" and the "Power Edge" trade dress, as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission.

