
A Caterpillar Company

Powering the Future Through Sustainable, Innovative Energy Solutions





TURBINE DESIGN FEATURES

The Saturn® gas turbine is the foundation upon which Solar Turbines has grown into one of the leading manufacturers of industrial gas turbines. The Saturn 20 features high reliability and durability plus low life cycle costs and the experience of over 60 years of service in locations around the globe.



DIGITAL INTEGRATION

InSight Platform™, Solar's proprietary digital technology foundation, is integrated throughout this product and ready to connect in the field. InSight Platform provides an entire ecosystem of tools and capabilities that provide real-time diagnostics and analytics to Solar's Customer Service network, and performance metrics to the equipment owners and operators.



PACKAGE DESIGN FEATURES

The power and speed of the Saturn 20 are designed to drive Solar's extensive line of midstream and upstream centrifugal gas compressors, either directly or via a speed increasing gearbox. With the Saturn, Solar began the legacy of offering compact packages which incorporate all major support systems such as fuel system, lubrication system, start system and control system – all of which are fully tested prior to shipment.



CUSTOMER SERVICES

Solar's worldwide service organization is dedicated to your success. Our culture of customer care is the foundation of our commitment to the highest quality customer experience. With more than 60 service locations around the world, we are committed to ensuring reliable, efficient performance that precisely fits your requirements.


A Caterpillar Company

Powering the Future Through Sustainable, Innovative Energy Solutions

Typical Performance

Output Power	1185 kW (1590 hp)
Heat Rate	14 670 kJ/kW-hr (10,370 Btu/hp-hr)
Exhaust Flow	23 410 kg/hr (51,615 lb/hr)
Exhaust Temp.	520°C (970°F)

Nominal rating per ISO at 15°C (59°F), sea level No inlet/exhaust losses
Relative humidity 60%
Natural gas fuel with LHV = 35 MJ/Nm³
(940 Btu/scf)
Optimum power turbine speed
Without driven accessories
Engine efficiency: 24.5%
Ratings above are typical new equipment ratings. Please contact Solar Turbines sales to obtain project specific data.




Typical Package Dimensions

Length: 6.8 m (22' 6") Width: 1.6 m (5' 6") Height: 2.3 m (7' 6")

Package Weight, Approx: 7550 kg (61,640 lb)

Dry weight, unenclosed height, does not include ancillary equipment





Solar Turbines Incorporated P.O. Box 85376 San Diego, CA 92186-5376

Telephone: (+1) 619-544-5352 Email: infocorp@solarturbines.com Internet: www.solarturbines.com

