



Anmerkung / REMARKS
b SPACE REQUIRED FOR MEASURING TORSIONAL VIBRATIONS, AND/OR FOR REMOVAL OF THE VIBRATION DAMPER AND/OR LUBOIL PUMP
e SPACE REQUIRED FOR REMOVAL OF PISTON AND CYLINDER LINER
REDUCED REMOVAL HEIGHT PISTON AND LINER 2300mm
k SPACE REQUIRED FOR TERMINAL SET
o SPACE REQUIRED FOR TURBOCHARGER SHAFT
p SPACE REQUIRED FOR CHARGE AIR COOLER REMOVING

Gewicht abhängig vom Generator
WEIGHT DEPENDING ON GENERATOR

CATERPILLAR		Modell Drawing Model 6M32E_GENSET 1.5 6M32E_GENSET 1.2
Überflächen Surfaces ISO 1802	Allgemeinskizzen General. Sketches ISO 2768 - mK	Drawing Control W 882
Benennung Name Aggregat - Einbauzeichnung DIESEL GEN SET INSTALLATION DRAW ING		Verstärkt Reinforced Material
Arzt-Stand Charge Level	Freigabe-Nr. Release No.	UKZ Doc Code
Zeichnungs-Nr. Drawing No.		Blatt Sheet 1 von 1 1
6M32E GENSET		

CATERPILLAR MOTOREN GmbH & Co. KG RESERVES THE RIGHT TO
MODIFY AND AMEND DATA AT ANY TIME. ANY LIABILITY FOR
ACCURACY OF INFORMATION PROVIDED IS EXCLUDED.
WE WILL SUPPLY FURTHER BINDING DATA IN CONNECTION WITH A CORRESPONDING ORDER.
ALL RIGHTS RESERVED. NO PART OF THIS PUBLICATION
MAY BE REPRODUCED OR COPIED IN ANY FORM,
WITHOUT PRIOR WRITTEN PERMISSION OF CATERPILLAR MOTOREN GmbH & Co. KG.