







GET THE BEST VALUE!

BACKED BY OUR GLOBAL DEALER NETWORK

Determining the best value for your money doesn't just end after the initial purchase. Value means simple operation that allows experienced operators as well as new-comers to optimize compaction performance and get the quality results that you expect. It means service personel can easily perform routine procedures in a timely manner and get unmatched 24/7 parts, service, and application support through your local Cat® Dealer.

And in the end, it means the durability of Cat Utility Compactors will get you the highest payback on your machine or fleet of machines when it's time to sell.

That's Cat Value!

SIMPLE. PRODUCTIVE.

MAKE EFFICIENT USE OF YOUR TIME



Performing multiple duties with a single machine is what makes Cat Utility Compactors so attractive.

APPLICATIONS

Shoulder-work, driveway approaches, longitudinal joints, and base repair are just a few of the tasks that enable these versatile machines to add value to every job site. Their quick starting capability and easy on/off access combine with simple controls that allow operators to quickly complete the task at hand.

PERFORMANCE

The high compaction performance that these machines exhibit can be enhanced with additional ballast options, while excellent drum edge visibility, standard drum offset, and the optional dual propel levers enable operators to work within close proximity of obstacles in order to eliminate hand-work.















	CB2.5	CB2.7	CB2.7 with Ballast	CB2.9	CB2.9 with Ballast	CC2.6
Gross Power – C1.5 Engine	22.9 kW / 30.7 mhp					
Operating Weight (with ROPS/FOPS)	2250 kg (4,960 lb)	2510 kg (5,533 lb)	2910 kg (6,415 lb)	2700 kg (5,952 lb)	3100 kg (6,830 lb)	2260 kg (4,982 lb)
Shipping Weight (with ROPS/FOPS)	2130 kg (4,696 lb)	2380 kg (5,247 lb)	2780 kg (6,129 lb)	2580 kg (5,688 lb)	2980 kg (6,570 lb)	2140 kg (4,718 lb)
Maximum Operating Weight	2428 kg (5,353 lb)	2688 kg (5,926 lb)	3088 kg (6,808 lb)	2878 kg (6,345 lb)	3278 kg (7,230 lb)	2438 kg (5,375 lb)
Compaction Width	1000 mm (39 in)	1200 mm (47 in)	1200 mm (47 in)	1300 mm (51 in)	1300 mm (51 in)	12005 mm (47 in)
Drum Offset	40 mm (1.5 in)	40 mm (1.5 in)	40 mm (1.5 in)	40 mm (1.5 in)	40 mm (1.5 in)	40 mm (1.5 in)
Drum Diameter	720 mm (28 in)	720 mm (28 in)	720 mm (28 in)	720 mm (28 in)	720 mm (28 in)	720 mm (28 in)
Static Linear Load	11.7 kg/cm (65.5 lb/in)	10.9 kg/cm (61.1 lb/in)	12.6 kg/cm (70.6 lb/in)	10.8 kg/cm (60.5 lb/in)	12.4 kg/cm (69.5 lb/in)	10.0 kg/cm (56 lb/in)
Amplitude	0.56 mm (0.022 in)					
Frequency	60/48 Hz (3,600/2,880 vpm)					
Centrifugal Force Maximum	28.9 kN (6,497 lbF)	30.0 kN (6,744 lbF)	30.0 kN (6,744 lbF)	34.9 kN (7,846 lbF)	34.9 kN (7,846 lbF)	30.0 kN (6,744 lbF)
Overall Length	2575 mm (101 in)	2575 mm (101 in)	2575 mm (101 in)	2575 mm (101 in)	2575 mm (101 in)	2575 mm (101 in)
Overall Width	1112 mm (44 in)	1312 mm (52 in)	1312 mm (52 in)	1412 mm (56 in)	1412 mm (56 in)	1312 mm (52 in)
Height with canopy	2700 mm (106 in)	2700 mm (106 in)	2700 mm (106 in)	2700 mm (106 in)	2700 mm (106 in)	2700 mm (106 in)
Fuel Tank Capacity	60 L (15.9 gal)					
Water Tank Capacity	200 L (52.8 gal)					



MADE FOR YOU.

THE RIGHT FIT



CUSTOM PAINT

Representing your brand is an important asset that shouldn't go unnoticed. The fine work and quality services that you provide to your customers deserves recognition and there's no better way to promote that great effort than with custom paint options that represent your business.

ADDTIONAL MODELS

Caterpillar offers a complete line of Utility Compactors to help meet your specific application with weight ranges from 1.4 to 4.4 metric tons and drum widths of 900 to 1400 mm (39 - 55 in). Contact your local Cat Dealer for more information.

EASY TRANSPORT

Moving machines between work sites can be challenging and is often taken for granted. Whether you're better suited for drive-on, drive-off transports or have lifting capabilities available, these new utility compactors offer versatility. The robust hitch design and single-point lift option helps optimize the alternatives available to you in order to deliver the machines on-time—when and where they're needed.



front and rear bumper option helps prevent inadvertant contact with objects, while folding drum scrapers eliminate wear when moving around the job site.

Protect your investment. The



Get the desired compaction results with additional ballast options.



Put it where you want it with the "Single Point Lifting" option.

MORE OPTIONS

It's a given, project requirements continually change. Cat Utility Compactors provide multiple options that help meet the unique conditions that each job site offers.

- Ballast (Steel)
- Battery Disconnect Switch
- Bio-Hydraulic Oil
- Bumpers
- Canopy (Folding)
- Cup Holders
- Custom Paint

- Dual Propel Levers
- Edge-Cutter Ready
- LED Lighting
- ROPS (Folding)
- Deluxe Suspension Seat
- Sliding Seat
- Traction Control

SERVICE AND SUPPORT

Whether it's maintaining your equipment, improving your operator's skills, or updating your crew's techniques, Caterpillar and your Cat Dealer are there to support your efforts and improve your bottom line.

BACKING YOU EVERY DAY

Buy from Caterpillar and you're buying more than just a piece of equipment. You're also buying into a service and support operation that no competitor can match. Every Cat dealer knows that all you care about is your machine being there when you need to use it; downtime is not an option. That's why we have the industry's best and most reliable dealer network, bringing you the tools, technologies and know-how to keep your machine productive and efficient.

CAT FINANCIAL

Cat Financial is structured to meet your needs. Because we understand paving, we can offer better approval rates, more flexible terms and payments, and solutions that suit you and your business.





