



MINI EXCAVATOR PARTS REFERENCE GUIDE

LET'S DO THE WORK.™




PROTECT YOUR INVESTMENT WITH GENUINE CAT® PARTS

Thank you for selecting the Cat® mini excavator.

This guide is designed to provide you with a quick reference for the parts and part numbers you need to keep your Cat mini excavator running at peak efficiency.



MAINTENANCE

Proactive preventative maintenance extends the life of your machine and protects your investment. Only Caterpillar knows Cat equipment's filtration and lubrication requirements and offers parts kits to match your machine's maintenance cycles.

SCHEDULED MAINTENANCE PARTS	
	GREASES
	PLANNED MAINTENANCE KITS

REPLACEMENT PARTS

Proper maintenance minimizes the need for repair and replacement. In the event that replacement parts are required, the use of genuine Cat parts helps maximize machine performance and maintains high resale value.

WEAR PARTS	
	UNDERCARRIAGE
	GROUND ENGAGING TOOLS
REPAIR PARTS	
	CAB GLASS
	HOODS/DOORS/CAPS
	CAB ACCESSORIES, MIRRORS AND LIGHTS
	ENGINE PARTS
	CYLINDER PARTS
	HYDRAULIC QUICK DISCONNECTS

GREASES

Previous Cat Product Name	STANDARD MAINTENANCE GREASES		
	Cat Ultra 5 Moly #1	Cat Ultra 5 Moly #2	Cat Advanced 3 Moly
Current Cat Product Name	Cat Extreme Application Grease 1	Cat Extreme Application Grease 2	Cat Prime Application Grease
Grade (NLGI)	1	2	2
Melting point (deg C)	260	260	260
Ambient Temperature (deg C)	-35 to +40	-30 to +50	-20 to +40
Base Oil Type	Mineral	Mineral	Mineral
Color	Dark Gray	Dark Gray	Dark Gray
Cartridge (390 g / 14 oz)	452-5996	452-6001	452-6006
Plastic Pail (5 kg / 11 lb)	-	-	-
Plastic Pail (16 kg / 35 lb)	452-5999	452-6004	452-6009
Keg (55 kg / 120 lb)	452-5998	452-6003	452-6008
Drum (180 kg / 400 lb)	452-5997	452-6002	452-6007

GREASES FOR UNIQUE APPLICATIONS AND ENVIRONMENTS			
Cat Arctic Platinum	Cat Desert Gold	Cat Multipurpose	Hammer Paste
Cat Extreme Application Grease - Arctic	Cat Extreme Application Grease - Desert	Cat Utility Grease	
0	2	2	2
230	280	260	230
-35 to +40	-30 to +50	-30 to +40	-20 to +1100
Semi-Synthetic	Mineral	Mineral	Mineral
Dark Grey	Dark Grey	Blue	Bronze
508-2184	452-6016	452-6011	130-6951 (standard) 317-8491 (autolube)
-	-	-	133-8807
508-2187	452-6019	452-6014	-
508-2186	452-6018	452-6013	-
508-2185	452-6017	452-6012	-



PLANNED MAINTENANCE KITS

MINI EXCAVATORS (UNDER 3 TONS)		INITIAL 50 HOURS				INITIAL 100 HOURS				INITIAL 250 HOURS	INITIAL 500 HOURS		
		Fuel Filter Change		Hydraulic Filter Change (No Oil Change)	Engine Oil/Filter Change		Engine Oil/Filter Change		Final Drive Oil Change (Each Side)	Hydraulic Filter Change (No Oil Change)	Final Drive Oil Change (Each Side)	Hydraulic Oil Change	Hydraulic Filter Change (No Oil Change)
		Sales Model	Serial # Prefix	In-Line Element	Filter Element	Filter Element	Oil Qty (L)	Oil Filter Element	Oil Qty (L)	Oil Qty (L) GO	Filter Element	Oil Qty (L) GO	Oil Qty (L) Hydo Adv
300.9D	LJM, LJ2	372-7361 (pre)	372-1101	376-9707	2.5	—	—	—	—	—	—	13.8	—
300.9D VPS	TGP, DW2	372-7361 (pre)	372-1101	376-9707	2.5	—	—	—	—	—	—	13.8	—
301.5	MNH	—	—	—	—	—	—	—	—	0.6	—	—	520-0183
301.6	MY6	—	—	—	—	—	—	—	—	0.6	—	—	520-0183
301.7 CR	JH7	—	—	—	—	—	—	—	—	0.6	—	—	520-0183
301.8	H8X	—	—	—	—	—	—	—	—	0.6	—	—	520-0183
302 CR	RHM	—	—	—	—	—	—	—	—	0.6	—	—	520-0183
302.2D	LJG, LJ5	—	—	—	—	376-9707	3.4	0.5	379-2889	—	—	—	—
302.4D	LJN, LJ6	—	—	—	—	376-9707	3.4	0.6	379-2889	—	—	—	—
302.7D CR	LJL, LJ7	—	—	—	—	376-9707	3.4	0.6	379-2889	—	—	—	—

MINI EXCAVATORS (UNDER 3 TONS)		EVERY 250 HOURS		EVERY 500 HOURS						EVERY 1,000 HOURS							
		Engine Oil/Filter Change		Hydraulic Filter Change (No Oil Change)	Air Filter		Cabin*		Engine Oil/Filter Change		Fuel Filter Change		Coolant Change*	Hydraulic System	Hydraulic Oil Change	Final Drive Oil Change (Each Side)	Engine
		Sales Model	Serial # Prefix	Filter Element	Oil Qty (L)	Filter Element	Primary Element	Secondary Element	Air Filter	A/C Heater Filter	Filter Element	Oil Qty (L)	In-Line Element	FWS Element	Coolant (L)	Breather	Oil Qty (L) Hydo Adv
300.9D	LJM, LJ2	376-9707	2.5	372-1101	139-4834	234-9828	—	—	—	—	372-7361 (pre)	372-7352 (main)	2.9	—	13.8	—	373-5727
300.9D VPS	TGP, DW2	376-9707	2.5	372-1101	139-4834	234-9828	—	—	—	—	372-7361 (pre)	372-7352 (main)	2.9	—	13.8	—	373-5727
301.5	MNH	—	—	—	533-3117	533-3118	—	—	220-1523	3.5	1G-7206	156-1200	—	—	—	0.6	—
301.6	MY6	—	—	—	533-3117	533-3118	523-2670	547-9987	220-1523	3.5	1G-7206	156-1200	—	—	—	0.6	—
301.7 CR	JH7	—	—	—	533-3117	533-3118	—	—	220-1523	3.5	1G-7206	156-1200	—	—	—	0.6	—
301.8	H8X	—	—	—	533-3117	533-3118	523-2670	547-9987	220-1523	3.5	1G-7206	156-1200	—	—	—	0.6	—
302 CR	RHM	—	—	—	533-3117	533-3118	523-2670	547-9987	220-1523	3.5	1G-7206	156-1200	—	—	—	0.6	—
302.2D	LJG, LJ5	—	—	379-2889	139-4834	234-9828	395-1261	—	376-9707	3.4	372-7361 (pre)	156-1200 (main)	3.5	379-2856	19	0.5	379-2652
302.4D	LJN, LJ6	—	—	379-2889	139-4834	234-9828	395-1261	—	376-9707	3.4	372-7361 (pre)	156-1200 (main)	3.5	379-2856	19	0.6	379-2652
302.7D CR	LJL, LJ7	376-9707	3.4	379-2889	139-4834	234-9828	381-2913	—	—	—	386-0647 (pre)	156-1200 (main)	4.5	379-2856	30	0.6	379-2652

* Only needed for machines built before Feb. 2014

PLANNED MAINTENANCE KITS

MINI EXCAVATORS (OVER 3 TONS)		INITIAL 250 HOURS		INITIAL 500 HOURS		EVERY 500 HOURS										
		Final Drive Oil Change (Each Side)		Hydraulic Filter Change (No Oil Change)		Final Drive Oil Change (Each Side)		Hydraulic Filter Change (No Oil Change)		Engine Oil/Filter Change		Engine Air Filters		Cabin*		
		Sales Model	Serial # Prefix	Oil Qty (L) GO	Filter Element	Oil Qty (L) GO	Filter Element	Filter Element	Oil Qty (L)	Primary Element	Secondary Element	Fresh Air Filter	Recirculation Filter	A/C Heater Filter Element		
303E CR SB	HHM, SGE	1	304-7196	—	304-7196	377-6969	6	146-7472	146-7473	—	284-5686	0.6				
303.5E CR	JX2, RKY	1	304-7196	—	304-7196	377-6969	7	134-8726	140-2334	—	284-5686	0.6				
303.5E2 CR	BG8, JWY	1	421-5481	—	—	377-6969	7	415-2592	415-2593	—	575-9920	0.6				
304E2 CR	CJ2, ME4	1	421-5481	—	—	377-6969	9.5	415-2592	415-2593 454-5034 [^]	—	575-9920	0.6				
304.5E2 CR XTC	FXT	1	421-5481	—	—	377-6969	9.5	415-2592	454-5034	—	575-9920	0.6				
305E2 CR	DJX, H5M	1	421-5481	—	—	377-6969	9.5	415-2592	415-2593 454-5034 [^]	—	575-9920	—				
305.5E2 CR	EJX, CR5	1	421-5481	—	—	377-6969	9.5	415-2592	415-2593 454-5034 [^]	—	575-9920	—				
305.5E2 FB	WE2	1.3	362-1163	—	—	377-6969	9.7	134-8726	140-2334	386-6124	435-2997	—				
306E2 FB	E2W	1.3	362-1163	—	377-6969	377-6969	9.5	134-8726	140-2334	386-6124	435-2997	—				
306 / 306.5	6G6, GW6	—	—	1	—	377-6969	11	526-3118	526-3122	518-9395	—	538-6396				
307.5	GW7	—	—	1	—	377-6969	11	526-3118	526-3122	518-9395	—	538-6396				
308 CR	GX8	—	—	1	—	377-6969	11	526-3118	526-3122	518-9395	—	538-6396				
308 SR	GK8	—	—	1	—	377-6969	11	526-3118	526-3122	518-9395	—	538-6396				
308 CR	GG8, GW8	—	—	1	—	377-6969	11	526-3118	526-3122	518-9395	—	538-6396				
308.5	GZ8	—	—	1	—	377-6969	11	526-3118	526-3122	518-9395	—	538-6396				
309 CR	GG9, GW9	—	—	1	—	377-6969	11	526-3118	526-3122	518-9395	—	538-6396				
310	GWT	—	—	1	—	377-6969	11	526-3118	526-3122	518-9395	—	538-6396				

MINI EXCAVATORS (OVER 3 TONS)		EVERY 500 HOURS		EVERY 1,000 HOURS			EVERY 1,500 HOURS		EVERY 2,000 HOURS				EVERY 6,000 HOURS	
		Fuel Filter Change		Engine		A/C Compressor	Final Drive Oil Change (Each Side)	Engine	Engine Crankcase	Hydraulic Filter Change	Hydraulic Oil Change	Final Drive Oil Change (Each Side)	Fuel Cap	Hydraulic Oil Change**
		Sales Model	Serial # Prefix	In-Line Element	FWS Element	V-Belt	V-Belt	Oil Qty (L) GO	Breather Element	Breather***	Filter Element	Oil Qty (L) Hydo Adv	Oil Qty (L) GO	Filter
303E CR SB	HHM, SGE	—	156-1200	439-7575	—	1	—	—	—	33	—	—	—	—
303.5E CR	JX2, RKY	—	156-1200	472-3144	272-7881	1	—	—	—	33	—	—	—	—
303.5E2 CR	BG8, JWY	—	156-1200	9L-1126	415-2652	1	—	—	421-5481	33	—	—	—	—
304E2 CR	CJ2, ME4	1G-7206 [^]	156-1200	389-1590	415-2652	1	421-1888 [^]	—	421-5481	33	—	—	—	—
304.5E2 CR XTC	FXT	1G-7206	363-5819	389-1590	415-2652	1	421-1888	—	421-5481	33	—	—	—	—
305E2 CR	DJX, H5M	1G-7206 [^]	156-1200	389-1590	415-2652	1	421-1888 [^]	—	421-5481	48	—	—	—	—
305.5E2 CR	EJX, CR5	1G-7206 [^]	156-1200	389-1590	415-2652	1	421-1888 [^]	—	421-5481	48	—	—	—	—
305.5E2 FB	WE2	—	156-1200	389-1590	415-2652	—	—	—	362-1163	57	1.3	—	—	—
306E2 FB	E2W	—	156-1200	389-1590	415-2652	—	—	—	362-1163	58	1.3	—	—	—
306 / 306.5	6G6, GW6	1G-7206	541-6956	472-3144	548-5700	—	—	418-0969	529-0121	—	1	349-7059	—	39
307.5	GW7	1G-7206	541-6956	472-3144	548-5700	—	—	421-1888	519-9926	—	1	349-7059	—	55
308 CR	GX8	1G-7206	541-6956	565-3289 or 036-2176	4N-9891	—	—	421-1888	519-9926	—	1	349-7059	—	55
308 SR	GK8	1G-7206	541-6956	565-3289 or 036-2176	4N-9891	—	—	421-1888	519-9926	—	1	349-7059	—	55
308 CR	GG8, GW8	1G-7206	541-6956	565-3289 or 036-2176	4N-9891	—	—	421-1888	519-9926	—	1	349-7059	—	55
308.5	GZ8	1G-7206	541-6956	565-3289 or 036-2176	4N-9891	—	—	421-1888	519-9926	—	1	349-7059	—	55
309 CR	GG9, GW9	1G-7206	541-6956	565-3289 or 036-2176	4N-9891	—	—	421-1888	519-9926	—	1	349-7059	—	55
310	GWT	1G-7206	541-6956	565-3289 or 036-2176	4N-9891	—	—	421-1888	519-9926	—	1	349-7059	—	55

1,000 hour cycle includes 500 hour part numbers. 1,500 Hour cycle includes 500 hour part numbers. 2,000 hour planned maintenance cycle includes 500 hour and 1,000 hour part numbers.

* Closed cab

** Every 2,000 hours of partial/50% hammer use

*** Only on HRC (Tier 4 or Stage V)

[^] Only for Tier 4 engines

UNDERCARRIAGE

Machine Model		Under 3 tons		
Sales Model	Serial # Prefix	Rollers	Sprockets	Rubber Belt Track
300.9D	LJM, LJ2	372-5958	372-5983	367-4063
300.9D VPS	TGP, DW2			
301.5	MNH	535-9003	535-9004	535-9001
301.6	MY6	535-9003	535-9004	535-9001
301.7 CR	JH7	501-5035	535-9004	535-9002
301.8	H8X	501-5035	535-9004	535-9002
302 CR	RHM	501-5035	501-5037	521-4087
302.2D	LJG, LJ5	381- 3040	426-2641	390-2334
302.4D	LJN, LJ6	386-0791	386-0584	390-2335
302.7D CR	LJL, LJ7	386-0791	386-0584	430-3220

Machine Model		Over 3 tons						
Sales Model	Serial # Prefix	Rollers	Sprockets	Rubber Belt Track	Steel Track Assembly	Steel Track Shoe	Rubber Track Pads	Steel Track Assembly w/Pads
303E CR	HHM, SGE	266-8793	193-7091	153-5982	163-7538	158-4684 (weld-on)	184-2184 (2 stud style pad) 212-5118 (nut & clip style pad)	-
303.5E CR	JX2, RKY	266-8793	436-2488	382-3844	263-9252	158-4684 (weld-on)	184-2184 (2 stud style pad) 212-5118 (nut & clip style pad)	-
303.5E2 CR	BG8, JWY	468-7455	436-2488	382-3844	263-9252	158-4684 (weld-on)	184-2184 (2 stud style pad) 212-5118 (nut & clip style pad)	-
304E2 CR	CJ2, ME4	468-7455	436-2488	473-6511	396-6223	396-6233 (shoe) 396-9400 (bolt) 396-9401 (nut)	397-2382 (pad) 398-1441 (bolt) 398-1442 (washer)	-
304.5E2 CR XTC	FXT	468-7455	436-2488	473-6511	-	-	-	-
305E2 CR	DJX, H5M	422-0837	260-6341	465-9224	263-9239	158-4777 (shoe)	163-7093 (pad assembly)	263-9242
305.5E2 CR	EJX, CR5					158-4775 (bolt)	3B-4508 (washer)	
305.5E2 FB	WE2	422-0837	333-5622	-	333-5631	333-5653 (shoe)	163-7093 (pad assembly)	-
306E2 FB	E2W					333-5651 (bolt)	3B-4508 (washer)	
306 / 306.5	6G6, GW6	527-2758	527-2756	527-2809	527-2793	527-2786 (std shoe) 527-2792 (link) 527-2796 (bolt) 527-2797 (nut)	527-2793 Pad Group 536-6497 (pad assembly) 536-6501 (washer) 536-6502 (nut)	527-2798
307.5	GW7	507-1285	514-0898	-	514-0887 (std) 514-0892 (wide)	522-0652 (std shoe) 522-1046 (wide shoe) 136-2401 (bolt) 136-2402 (nut)	522-1713 Pad Group 170-4419 (pad assembly) 159-6529 (washer) 096-4876 (nut)	514-0876
308 SR	GK8	507-1285	514-0898	-	514-0888 (std) 514-0893 (wide)	522-0652 (std shoe) 522-1046 (wide shoe) 136-2401 (bolt) 136-2402 (nut)	514-0904 Pad Group 170-4419 (pad assembly) 159-6529 (washer) 096-4876 (nut)	514-0877
308 CR	GG8, GW8	507-1285 (single flange) 127-3807 (center flange)	514-0898	465-9223	514-0888 (std) 514-0893 (wide)	522-0652 (std shoe) 522-1046 (wide shoe) 136-2401 (bolt) 136-2402 (nut)	514-0904 Pad Group 170-4419 (pad assembly) 159-6529 (washer) 096-4876 (nut)	514-0877
308 CR	GX8	507-1285	514-0898	-	514-0888 (std) 514-0893 (wide)	522-0652 (std shoe) 522-1046 (wide shoe) 136-2401 (bolt) 136-2402 (nut)	514-0904 Pad Group 170-4419 (pad assembly) 159-6529 (washer) 096-4876 (nut)	514-0877
308.5	GZ8	507-1285	514-0898	-	514-0888 (std) 514-0893 (wide)	522-0652 (std shoe) 522-1046 (wide shoe) 136-2401 (bolt) 136-2402 (nut)	514-0904 Track Group 170-4419 (pad assembly) 159-6529 (washer) 096-4876 (nut)	514-0877
309 CR (Std UC)	GG9, GW9	507-1285 (single flange) 127-3807 (center flange)	514-0898 511-3173	465-9223	514-0888 (std) 514-0893 (wide)	522-0652 (std shoe) 522-1046 (wide shoe) 136-2401 (bolt) 136-2402 (nut)	514-0904 Track Group 170-4419 (pad assembly) 159-6529 (washer) 096-4876 (nut)	514-0877
309 CR (Long UC)		507-1285 (single flange) 127-3807 (center flange)	514-0898 511-3173	-	514-0875 (std) 514-0894 (wide)	514-0901 (std shoe) 514-0902 (wide shoe) 518-4658 (bolt) 136-2402 (nut)	514-1724 Track Group 170-4419 (pad assembly) 159-6529 (washer) 096-4876 (nut)	514-0878
310	GWT	507-1285	511-3173	-	514-0875 (std) 514-0894 (wide)	514-0901 (std shoe) 514-0902 (wide shoe) 518-4658 (bolt) 136-2402 (nut)	522-1724 Track Group 170-4419 (pad assembly) 159-6529 (washer) 096-4876 (nut)	514-0878

GROUND ENGAGING TOOLS

Machine Model		Blade Cutting Edges	
Sales Model	Serial # Prefix	Weld-On	Bolt-On
303E CR	HHM, SGE	154-5078	-
303.5E CR	JX2, RKY	444-0705 (straight), 260-6326 (angle)	-
303.5E2 CR	BG8, JWY	444-0705 (straight), 260-6326 (angle)	End bit 522-6328, 522-6329 cutting edge
304E2 CR	CJ2, ME4	444-0706 (straight), 344-8052 (angle)	End bit 522-6328, 522-6330 cutting edge
305E2 CR	DJX, H5M	433-3945 (straight), 191-6758 (angle)	End bit 522-6328, 522-6331 cutting edge
305.5E2 CR	EJX, CR5	433-3945 (straight), 191-6758 (angle)	End bit 522-6328, 522-6331 cutting edge
305.5E2 FB	WE2	260-8866	-
306E2 FB	E2W	260-8866	-

Athens 303.5 to 305.5 now have bolt-on cutting edges. They are NOT retrofitable.

Machine Model		Blade Cutting Edges				
Sales Model	Serial # Prefix	MP Bucket Back (Blade)	72" MP Bucket Clamp (Rear Edge)	78" MP Bucket Clamp (Rear Edge)	72" MP Bucket Clamp (Front Edge)	78" MP Bucket Clamp (Front Edge)
304.5E2 CR XTC	FXT	154-5077 (72") 199-8316 (78")	154-5078 (weld-on)	199-8317 (weld-on)	135-9396 (bolt-on)	135-9397 (bolt-on)
Sales Model	Serial # Prefix	Bolt-On Standard Width		Bolt-On Wide Width		
306 / 306.5	6G6, GW6	522-6331 Cutting Edge, 522-6328 (2) bit end		522-6331 Cutting Edge, 522-6328 (2) bit end		
307.5	GW7	143-3088 cutting edge, 4T-6229 (2) bit end		143-3088 cutting edge, 520-7437 (2) bit end		
308 CR	GX8, GG8, GW8	143-3088 cutting edge, 4T-6229 (2) bit end		143-3088 cutting edge, 520-7437 (2) bit end		
308 SR	GK8	143-3088 cutting edge, 4T-6229 (2) bit end		143-3088 cutting edge, 520-7437 (2) bit end		
308.5	GZ8	143-3088 cutting edge, 4T-6229 (2) bit end		143-3088 cutting edge, 520-7437 (2) bit end		
309 CR	GG9, GW9	143-3088/143-3089 cutting edge, 195-7193 (2) bit end, 4T-6229 (2) bit end use/91 ln.		143-3088 / 143-3089 cutting edge, 520-7437 (2) bit end /518-0417 (2) bit end		
310	GWT	143-3089 cutting edge, 195-7189 (2) bit end		143-3089 cutting edge, 518-0417 (2) bit end		

Bucket Teeth		
Description	J200 (3-5.5 ton)	J225 (5.5-6 ton) (7-9 ton) (10 ton)
Long	1U-3202	6Y-3222
Retainer	8E-6209	8E-6259
Light Duty Long	449-2154	-
Short	-	6Y-6221
Wide	109-9200	186-3010
Penetration	1U-3209	6Y-8229
Sharp – Corner	9W-8208	6Y-7228
Sharp – Center	9W-8209	6Y-7229
Sharp – Twin	135-8208	135-8228
Heavy Duty Long	-	8E-4222
Heavy Duty Abrasion	-	6Y-6223
Abrasion	4T-2203	-
Heavy Duty Pin	8E-6208	132-4762
Heavy Duty Retainer – Assembly	8E-6209	149-5733



CAB GLASS

Sales Model	Serial # Prefix	Front Window	Top Window (Roof)	Right Window	Rear Window	Left Window	Door Window
300.9D	LJM, LJ2	458-3308	-	-	-	-	-
300.9D VPS	TGP, DW2						
301.5	MNH	-	-	-	-	-	-
301.6	MY6	525-9440 (upper) 525-9441 (lower)	548-1519	Window Group: 552-7793 Sliding Glass: 525-9444 Sliding Glass: 525-9445 Rear: 525-9446	525-9447	525-9443	548-1522 (upper) 548-1523 (lower)
301.7 CR	JH7	-	-	-	-	-	-
301.8	H8X	525-9440 (upper) 525-9441 (lower)	548-1519	Window Group: 552-7793 Sliding Glass: 525-9444 Sliding Glass: 525-9445 Rear: 525-9446	525-9447	525-9443	548-1522 (upper) 548-1523 (lower)
302 CR	RHM	525-9440 (upper) 525-9441 (lower)	548-1519	Window Group: 552-7793 Sliding Glass: 525-9444 Sliding Glass: 525-9445 Rear: 525-9446	525-9447	525-9443	548-1522 (upper) 548-1523 (lower)
302.2D 302.4D	LJG, LJ5 LJN, LJ6	376-2082 (upper) 376-2081 (lower)	376-2075	390-2332 (lower) 390-2330 (rear) 390-2331 (front)	376-2077	376-2078	376-2076
302.7D CR	LJL, LJ7	370-1492 (upper) 370-1491 (lower)	370-1486	384-2501 (top 2 piece slider) 370-1490 (lower)	370-1488	370-1489	370-1487
303E CR 303.5E CR	HHM, SGE JX2, RKY	288-6841 (upper) 281-1149 (lower)	271-5317	314-8295 (front) 314-8294 (rear)	281-1154	281-1155	280-7561
303.5E2 CR 304E2 CR 304.5E2 CR XTC 305E2 CR 305.5E2 CR	BG8, JWY CJ2, ME4 FXT DJX, H5M EJX, CR5	519-2855 (Upper) NEW STYLE FRAME AND GLASS ASSEMBLY 568-6497 GLASS ONLY 568-6492 Laminate Glass 568-6493 432-2778 (Lower)	428-7920	465-4035 (front) 428-7917 (rear)	428-7918	428-7919	436-1743 (top) 428-7908 (bottom)
305.5E2 FB 306E2 FB	WE2 E2W	274-3529 (Upper main) 274-3530 (Upper small) 274-8203 (Lower)	274-8207	425-3048 (front) 425-2870 (rear)	274-8206	274-8205	274-3578 (top) 274-3579 (bottom)
306 / 306.5	6G6, GW6	496-1130 (upper) 496-1131 (lower)	496-1140	496-1136	496-1135	496-1134	496-1133 (upper) 496-1132 (lower)
307.5	GW7	496-1130 (upper) 496-1131 (lower)	496-1140	496-1136	496-1135	496-1134	496-1133 (upper) 496-1132 (lower)
308 CR	GX8	496-1130 (upper) 496-1131 (lower)	496-1140	496-1136	496-1135	496-1134	496-1133 (upper) 496-1132 (lower)
308 SR	GK8	496-1130 (upper) 496-1131 (lower)	496-1140	496-1136	496-1135	496-1134	496-1133 (upper) 496-1132 (lower)
308 CR	GG8, GW8	496-1130 (upper) 496-1131 (lower)	496-1140	Window Assembly: 544-1668 Sliding Glass: 544-1669	496-1135	Window Assembly: 496-1138 Sliding Glass: 523-9141	496-1133 (upper) 496-1132 (lower)
308.5	GZ8	496-1130 (upper) 496-1131 (lower)	496-1140	496-1136	496-1135	496-1134	496-1133 (upper) 496-1132 (lower)
309 CR	GG9, GW9	496-1130 (upper) 496-1131 (lower)	496-1140	Window Assembly: 544-1668 Sliding Glass: 544-1669	496-1135	Window Assembly: 496-1138 Sliding Glass: 523-9141	496-1133 (upper) 496-1132 (lower)
310	GWT	496-1130 (upper) 496-1131 (lower)	496-1140	496-1136	496-1135	496-1134	496-1133 (upper) 496-1132 (lower)

HOODS/DOORS/CAPS

Sales Model	Serial # Prefix	Hood Assembly	Cover Assembly – Right	Battery Disconnect Cover	Cover Assembly – Fender	Fuel Cover	Fuel Tank Cap	Hydraulic Tank Cap	Radiator Cap
300.9D	LJM, LJ2	373-5766	372-7453 (left)	-	372-7453 (left)	372-7455	372-1130	372-1091	372-1137
300.9D VPS	TGP, DW2		372-7454 (right)		372-7454 (right)				
301.5	MNH	538-2850	-	538-2942	538-2855	538-2857	265-8579	4I-3745	140-4238
301.6	MY6	538-2850	-	538-2942	538-2855	538-2857	265-8579	4I-3745	140-4238
301.7 CR	JH7	538-2850	-	538-2942	538-2855	538-2857	265-8579	4I-3745	140-4238
301.8	H8X	538-2850	-	538-2942	538-2855	538-2857	265-8579	4I-3745	140-4238
302 CR	RHM	538-2850	-	538-2942	538-2855	538-2857	265-8579	4I-3745	140-4238
302.2D 302.4D	LJG, LJ5 LJN, LJ6	394-1030	-	394-5521	395-1248 (left) 395-1249 (right)	-	399-2975	399-2949	394-0979
302.7D CR	LJL, LJ7	457-0495	-	386-0834	539-0317 (left) 539-0316 (right)	386-0769	376-4061	386-0621 Plug 379-2856 Bleeder Valve	379-2768
303E CR	HHM, SGE	341-0426	396-1802	339-1545	351-8526 (left) 341-0514 (right)	396-1803	265-8575*	4I-3745	247-5086
303.5E CR	JX2, RKY	377-7881	377-7886	339-1545	367-0984 (left) 367-0980 (right)	377-7883	265-8575*	4I-3745	247-5086
303.5E2 CR 304E2 CR 304E2 CR XTC	BG8, JWY CJ2, ME4 FXT	377-7881	377-7886	426-3377	426-3377 (left) 367-0980 (right)	426-3330	265-8575*	4I-3745	247-5086
305E2 CR 305.5E2 CR	DJX, H5M EJX, CR5	377-7811 Non Vented 520-1036 Vented	377-7822	426-3377	426-3366 (left) 397-0990 (right)	426-3371	265-8575*	4I-3745	245-9212
305.5E2 FB 306E2 FB	WE2 E2W	WE2-S/N 1-528: E2W-S/N 1-1748 455-1955 WE2-S/N 529-UP: E2W-S/N 1749-UP: 455-0449	388-2783 (left) 388-2770 (right)	514-4280	-	453-7421 (upper) 453-7425 (lower)	086-1781	4I-3745	360-2732

*Can be replaced with 349-7057 pad lock loop

Sales Model	Serial # Prefix	Hood Group	Counterweight Door – Rear	Counterweight Door – Left	Counterweight Door – Right	Side Door – Right*	Side Door – Left	Fuel Tank Cap	Hydraulic Tank Cap	Radiator Cap
307.5	GW7	550-7640	510-7327	510-9236	510-7331	517-8271	547-8215	349-7059	4I-3745	546-5782
308 CR	GX8	550-7640	510-7327	510-9236	510-7331	510-9956	547-8215	349-7059	4I-3745	546-5782
	GG8, GW8	550-7640	510-7327	510-9236	510-7331	510-9956	547-8215	349-7059	4I-3745	546-5782
308 SR	GK8	550-7640	510-7327	510-9236	510-7331	510-9956	547-8215	349-7059	4I-3745	546-5782
308.5	GZ8	550-7640	510-7327	510-9236	510-7331	510-9956	547-8215	349-7059	4I-3745	546-5782
309 CR	GG9, GW9	550-7640	510-7327	510-9236	510-7331	510-9956	547-8215	349-7059	4I-3745	546-5782
310	GWT	550-7640	510-7327	510-9236	510-7331	510-9956	547-8215	349-7059	4I-3745	546-5782

*Confirm is at service level





CAB ACCESSORIES, MIRRORS & LIGHTS

Sales Model	Serial # Prefix	Window Wiper/Rain Guard	Mirrors	Lights
300.9D	LJM, LJ2	-	-	372-7443 (boom)
300.9D VPS	TGP, DW2			373-9772 (beacon kit)
301.5	MNH	-	438-9121 (LH mirror assembly) 542-4858 (RH mirror assembly) 454-3607 (mirror)	234-4327 (cab and boom) 479-8445 (LED option) 309-1325 beacon
301.6	MY6	552-7858 (blade)	438-9121 (LH mirror assembly) 542-4858 (RH mirror assembly) 454-3607 (mirror)	234-4327 (cab and boom) 479-8445 (LED option) 309-1325 beacon
301.7 CR	JH7	-	438-9121 (LH mirror assembly) 542-4858 (RH mirror assembly) 454-3607 (mirror)	234-4327 (cab and boom) 479-8445 (LED option) 309-1325 beacon
301.8	H8X	552-7858 (blade)	438-9121 (LH mirror assembly) 542-4858 (RH mirror assembly) 454-3607 (mirror)	234-4327 (cab and boom) 479-8445 (LED option) 309-1325 beacon
302 CR	RHM	552-7858 (blade)	438-9121 (LH mirror assembly) 542-4858 (RH mirror assembly) 454-3607 (mirror)	234-4327 (cab and boom) 479-8445 (LED option) 309-1325 beacon
302.2D 302.4D	LJG, LJ5 LJN, LJ6	399-3017 (blade) 399-3016 (wiper)	381-2750 (left) 381-2751 (right) 381-2880 (kit L&R)	212-9347 (cab and boom) 309-1325 (beacon) 479-8445 (LED option)
302.7D CR	LJL, LJ7	381-2985 (blade) 381-2993 (wiper)		
303E CR 303.5E CR	HHM, SGE JX2, RKY	275-8631 (blade) 275-8630 (arm)	156-6617 (cab - L & R) 4Y-3307 (rear) 281-3998 (canopy - R) 201-2638 (canopy - L)	418-5542 (cab & canopy) 212-9347 (boom) 479-8445 (LED option)
303.5E2 CR 304E2 CR 304E2 CR XTC 305E2 CR 305.5E2 CR	BG8, JWY CJ2, ME FXT DJX, H5M EJX, CR5	8Y-4615 (blade) 362-2620 (arm)	4Y-3307 (rear) 454-3607 (cab - L & R) 281-3998 (canopy - R) 201-2638 (canopy - L)	214-2968 (cab & canopy) 214-2968 (boom) 479-8445 (LED option)
305.5E2 FB 306E2 FB	WE2 E2W	274-3539 (blade) 274-3538 (arm) Guard for KC9, TMX, FJX, W8S: 419-1268 (visor) 419-1269 (bracket)	132-5166 (right)	418-5542 (cab) 212-9347 (boom and chassis)* 479-8445 (LED option)
306 / 306.5	6G6, GW6	518-7719	438-9121 (LH mirror assembly) 454-3607 (mirror) 162-3548 (rear mirror group) 394-9460 (mirror group rearview travel)	388-3782 (basic) 479-8445 (LED option) 548-5734 (rear) 309-1325 (beacon)
307.5	GW7	518-7719	438-9121 (LH mirror assembly) 454-3607 (mirror) 162-3548 (rear mirror group) 394-9460 (mirror group rearview travel)	388-3782 (basic) 479-8445 (LED option) 548-5734 (rear) 309-1325 (beacon)
308 CR	GX8	518-7719	438-9121 (LH mirror assembly) 454-3607 (mirror) 162-3548 (rear mirror group) 394-9460 (mirror group rearview travel)	388-3782 (basic) 479-8445 (LED option) 548-5734 (rear) 309-1325 (beacon)
308 SR	GK8	518-7719	38-9121 (LH mirror assembly) 454-3607 (mirror) 162-3548 (rear mirror group) 394-9460 (mirror group rearview travel)	388-3782 (basic) 479-8445 (LED option) 548-5734 (rear) 309-1325 (beacon)
308 CR	GG8, GW8	518-7719	438-9121 (LH mirror assembly) 454-3607 (mirror) 162-3548 (rear mirror group) 394-9460 (mirror group rearview travel)	388-3782 (basic) 479-8445 (LED option) 548-5734 (rear) 309-1325 (beacon)
308.5	GZ8	518-7719	438-9121 (LH mirror assembly) 454-3607 (mirror) 162-3548 (rear mirror group) 394-9460 (mirror group rearview travel)	388-3782 (basic) 479-8445 (LED option) 548-5734 (rear) 309-1325 (beacon)
309 CR	GG9, GW9	518-7719	438-9121 (LH mirror assembly) 454-3607 (mirror) 162-3548 (rear mirror group) 394-9460 (mirror group rearview travel)	388-3782 (basic) 479-8445 (LED option) 548-5734 (rear) 309-1325 (beacon)
310	GWT	518-7719	438-9121 (LH mirror assembly) 454-3607 (mirror) 162-3548 (rear mirror group) 394-9460 (mirror group rearview travel)	388-3782 (basic) 479-8445 (LED option) 548-5734 (rear) 309-1325 (beacon)

*Notice that the service parts do not work in all applications and Japan is reverting back to 233-0099

ENGINE PARTS

Machine Model		Under 3 tons							
Sales Model	Serial # Prefix	Starter Motor	Battery	Alternator	Water Pump	Fuel Injector Pump	Fuel Priming Pump	Fuel Injector	Glow Plug
300.9D	LJM, LJ2	373-9707	369-9955	373-9708	373-5732	373-9735	372-7340	373-9726	379-2660
300.9D VPS	TGP, DW2								
301.5	MNH	340-8308 20R-3887*	483-8978	394-3494	153-5963	313-2039	—	252-9229 363-8565	307-8672
301.6	MY6	—	483-8979	394-3494	153-5963	313-2039	—	363-8565	307-8672
301.7 CR	JH7	340-8308 20R-3887*	483-8978	394-3494	153-5963	313-2039	—	252-9229 363-8565	307-8672
301.8	H8X	—	483-8978, 483-8979	394-3494	153-5963	313-2039	—	363-8565	307-8672
302 CR	RHM	340-8308 20R-3887*	483-8978, 483-8979	394-3494	153-5963	313-2039	—	252-9229 363-8565	307-8672
302.2D 302.4D	LJG, LJ5 LJN, LJ6	373-9707	369-9956	399-2921	379-2664	379-2666	372-7340	379-2667	379-2660
302.7D CR	LJL, LJ7	373-9707	369-9956	386-0607	379-2664	379-2666	372-7340	379-2667	379-2660

*Reman part number



Machine Model		Over 3 tons												
Sales Model	Serial # Prefix	Starter Motor	Battery	Alternator	Water Pump	Fuel Injector Pump	Fuel Priming Pump	Turbo-charger	Fuel Injector	Glow Plug	DPF Filter Kit	DOC Filter Kit	Crankcase Breather	
303E CR	HHM, SGE	439-7578	153-5656	439-6444	439-6458	439-6393	370-4008	—	439-7615	439-7618	—	—	—	
303.5E CR	JX2, RKY	383-0589	153-5656	383-0592	383-0433	386-6939	370-4008	—	383-0544	383-0538	—	—	—	
303.5E2 CR	BG8, JWY	383-0589	153-5656	383-0592	383-0433	386-6939	370-4008	—	464-7050	383-0538	—	—	—	
304E2 CR	CJ2, ME4	383-0589	153-5656	383-0592	383-0433 (T4i) 477-7577 (T4f)	383-0536 (T4i) T4f: 477-7689 (high pressure) 477-7729 (transfer)	370-4008	—	383-0544 (T4i) 477-7735 (T4f)	383-0538	(T4i) 477-7660 (T4f)	(T4i) 486-5208 (T4f)	(T4i) T4f: 421-1888 (element) 436-0839 (seal)	
304.5E2 CR XTC	FXT	383-0589	153-5656	383-0592	477-7577	477-7689 (high pressure) 477-7729 (transfer)	370-4008	—	477-7735	383-0538	477-7660	486-5208	421-1888 (element) 436-0839 (seal)	
305E2 CR	DJX, H5M	383-0589	153-5656	383-0592	383-0433 (T4i) 477-7577 (T4f)	383-0536 (T4i) T4f: 477-7689 (high pressure) 477-7729 (transfer)	370-4008	—	383-0544 (T4i) 477-7735 (T4f)	383-0538	(T4i) 477-7660 (T4f)	(T4i) 486-5208 (T4f)	(T4i) T4f: 421-1888 (element) 436-0839 (seal)	
305.5E2 CR	EJX, CR5	383-0589	153-5656	383-0592	383-0433 (T4i) 477-7577 (T4f)	383-0536 (T4i) T4f: 477-7689 (high pressure) 477-7729 (transfer)	370-4008	—	383-0544 (T4i) 477-7735 (T4f)	383-0538	(T4i) 477-7660 (T4f)	(T4i) 486-5208 (T4f)	(T4i) T4f: 421-1888 (element) 436-0839 (seal)	
305.5E2 FB	WE2	383-0589	9X-3404	383-0592	383-0433	383-0536	149-2685 (manual) 370-4008 (electric)	—	383-0544	383-0538	—	—	—	
306E2 FB	E2W	383-0589	9X-3404	383-0592	383-0433	383-0536	149-2685 (manual) 370-4008 (electric)	466-2681	383-0544	383-0538	—	—	—	
306 / 306.5	6G6, GW6	383-0589	153-5656	383-0592	477-7577	477-7689	370-4008	490-5915	477-7984	383-0538	572-3837	—	421-1888	
307.5	GW7	383-0589	Maint Free Wet 115-2422, 9X3404 Maint Free 263-9574	383-0592	477-7577	466-2682 (HRC) 477-7689 (LRC)	370-4008	490-5913 (HRC) 466-2681 (LRC)	466-2684 (HRC) 477-7735 (LRC)	383-0538	436-1067	—	421-1888	
308 CR	GX8	385-0544	230-6368	385-5043	387-9093	436-1091	370-4008	436-1920	436-1096	387-9899	437-1572	—	421-1888	
	GG8, GW8	385-0544	263-9574	385-5043	387-9093	436-1091	370-4008	436-1920	436-1096 (HRC) 572-3836 (Stage V)	387-9899	437-1572 (HRC) 572-3838 (Stage V)	—	421-1888	
308 SR	GK8	385-0544	230-6368	385-5043	387-9093	436-1091	370-4008	436-1920	436-1096	387-9899	437-1573	—	421-1888	
308.5	GZ8	385-0544	Maint Free Wet 115-2422, 9X3404 Maint Free 263-9574	385-5043	387-9093	436-1091 (HRC) 397-9878 (LRC)	370-4008	436-1920 (HRC) 397-9979 (LRC)	436-1096 (HRC) 572-3836 (Stage V) 393-2941 (LRC)	387-9899	437-1572 (HRC) 572-3838 (Stage V)	—	421-1888	
309 CR	GG9, GW9	385-0544	263-9574	385-5043	387-9093	436-1091	370-4008	436-1920	436-1096	387-9899	437-1572 (HRC) 572-3838 (Stage V)	—	421-1888	
310	GWT	385-0544	Maint Free Wet 115-2422, 9X3404 Maint Free 263-9574	385-5043	387-9093	436-1091 (HRC) 397-9878 (LRC)	370-4008	436-1920 (HRC) 397-9979 (LRC)	436-1096 (HRC) 572-3836 (Stage V) 393-2941 (LRC)	387-9899	437-1572 (HRC) 572-3838 (Stage V)	—	421-1888	

*Reman part number

CYLINDER PARTS

Machine Model		Guards			Boom	Stick	Bucket/Thumb	Boom Swing	Straight Blade		Undercarriage
Sales Model	Serial # Prefix	Boom	Stick	Blade	Cylinder & Lines Group	Cylinder & Lines Group	Cylinder & Lines Group	Cylinder & Lines Group	Cylinder Group		Cylinder & Lines Group
300.9D	LJM, LJ2	-	-	372-7452	576-4650* (cylinder assembly)	576-4071* (cylinder assembly)	576-4697* (cylinder assembly)	575-1262* (cylinder assembly)	576-6401* (cylinder assembly)		576-9330* (cylinder assembly)
300.9D VPS	TGP, DW2										
301.5	MNH	551-1081	551-1082	551-1082	561-2215 561-2216	561-2217 561-2218	528-6482 268-8222 (thumb)	517-7272	517-7273		517-7274
301.6	MY6	551-1081	551-1082	551-1082	561-2215 561-2216	561-2217 561-2218	528-6482 268-8222 (thumb)	517-7272	517-7273		517-7274
301.7 CR	JH7	551-1081	551-1082	551-1082	561-2215 561-2216	561-2217 561-2218	528-6482 268-8222 (thumb)	517-7272	517-7273		517-7274
301.8	H8X	551-1081	551-1082	551-1082	561-2215 561-2216	561-2219 561-2220	517-7271 268-8222 (thumb)	517-7272	517-7273		517-7274
302 CR	RHM	551-1081	551-1082	551-1082	561-2215 561-2216	561-2219 561-2220	517-7271 268-8222 (thumb)	517-7272	517-7273		517-7274
302.2D	LJG, LJ5	395-1259 (cover) 395-1228 (plate)	-	60 mm & 82.5 mm bore 452-9274	426-2644 (cylinder assembly) 426-2647 (rod) 395-1270 (seal kit)	528-6560 (cylinder assembly) 420-0859 (rod) 395-1270 (seal kit)	466-0284* (cylinder group)	570-8327* (cylinder assembly)	60 mm bore: 571-9427* (cylinder assembly)	82.5 mm bore: 452-9275 (cylinder assembly) 395-1287 (rod) 395-1270 (seal kit)	395-1254 (cylinder assembly) 395-1290 (rod) 395-1275 (seal kit)
302.4D	LJN, LJ6	395-1259 (cover) 395-1228 (plate)	-	415-4622	420-0852 (cylinder assembly) 420-0860 (rod) 395-1274 (seal kit)	528-6560 (cylinder assembly) 420-0859 (rod) 395-1270 (seal kit)	466-0284* (cylinder group)	570-8327* (cylinder assembly)	378-8222 (cylinder assembly) 384-2380 (rod) 384-2381 (seal kit)		-
302.7D CR	LJL, LJ7	384-2489 (cover) 384-2414 (plate)	-	415-4622	378-8228 (cylinder assembly) 384-2446 (rod) 384-2448 (seal kit)	378-8229 (cylinder assembly) 384-2449 (rod) 384-2452 (seal kit)	466-0284* (cylinder group)	378-8223 (cylinder assembly) 384-2453 (rod) 384-2454 (seal kit)	378-8222 (cylinder assembly) 384-2380 (rod) 384-2381 (seal kit)		-
306	6G6	363-5746 (rod cover) 172-2596 (tube qty 2)	-	432-1447	536-7968	536-7970	278-1969	536-7973	539-4692 (straight) 397-6962 (angling)		527-2825 (cylinder assembly) 527-2816 (seal) 095-1608 (seal – O-ring) 095-1795 (ring back up)
307.5	GW7	-	-	550-1904	110 mm bore 524-0074 524-0075	515-5487 515-5488	520-5009	512-2552	374-1857		510-3607 (cylinder assembly) 514-0913 (seal – lip type) 520-5133 (seal – O-ring)
308 CR	GX8	-	393-8266 377-6628	550-1904	110 mm bore 524-0074 524-0075	524-0076 (35 in stroke) 524-0077 (34.8 in stroke)	521-2883 (742 mm stroke) 524-0084 (720 mm stroke)	512-2552	374-1857		510-3607 (cylinder assembly) 514-0913 (seal – lip type) 520-5133 (seal – O-ring)
	GG8, GW8	567-7742	-	550-1904	515-5481 515-5482 526-3982 (VAB) 519-8850 (VAB)	524-0076 (35 in stroke) 524-0077 (34.8 in stroke)	521-2883 305-6716 (thumb)	515-5483	374-1857		510-3607 (cylinder assembly) 514-0913 (seal – lip type) 520-5133 (seal – O-ring)
308 SR	GK8	564-7742	393-8266 377-6628	550-1904	524-0078 524-0079 524-0080 offset 524-0081 offset lock valve	524-0082 (33.5 in stroke) 524-0083 (33.5 in stroke)	524-0084	-	374-1857		510-3607 (cylinder assembly) 514-0913 (seal – lip type) 520-5133 (seal – O-ring)
308.5	GZ8	-	-	550-1904	110 mm bore 524-0074 524-0075	524-0076 (35 in stroke) 524-0077 (34.8 in stroke)	521-2883	512-2552	374-1857		510-3607 (cylinder assembly) 514-0913 (seal – lip type) 520-5133 (seal – O-ring)
309 CR	GG9, GW9	567-7742	-	566-7904 (2)	515-5481 515-5482 526-3982 (VAB) 519-8850 (VAB)	524-0076 (35 in stroke) 524-0077 (34.8 in stroke)	521-2883 305-6716 (thumb)	515-5483	120 mm bore 374-1857	90 mm bore 566-5630 (left) 566-5629 (right)	510-3607 (cylinder assembly) 514-0913 (seal – lip type) 520-5133 (seal – O-ring)
310	GWT	-	-	566-7904 (2)	4 in bore 515-5490 (left) 518-9056 (right) 3.7 in bore 515-5489 (left) 518-9055 (right)	563-8695 563-8696	515-5493 305-6716 (thumb)	-	90 mm bore 566-5630 (left) 566-5629 (right)	90 mm bore 566-5630 (left) 566-5629 (right)	510-3607 (cylinder assembly) 514-0913 (seal – lip type) 520-5133 (seal – O-ring)

CYLINDER PARTS

Machine Model		Guards		Boom		Stick	Bucket	Boom Swing	Straight Blade		Angle Blade
Sales Model	Serial # Prefix	Boom	Blade	Non-Lowering Control Valve	Lowering Control Valve	Tube / Rod / Seal Kit	Tube / Rod / Seal Kit	Tube / Rod / Seal Kit	Tube / Rod / Seal Kit		Tube / Rod / Seal Kit
303E CR	HHM, SGE	363-5744	—	422-0708 (tube) 422-0709 (rod) 422-0728 (seal kit)		422-0718 (tube) 422-0719 (rod) 281-2322 (seal kit)	422-0721 (tube) 422-0722 (rod) 240-0453 (seal kit)	422-0724 (tube) 422-0725 (rod) 279-7940 (seal kit)	422-0726 (tube) 278-9475 (rod) 281-2322 (seal kit)		—
303.5E CR	JX2, RKY	363-5744	290-8288 290-8290 290-8293	301-6892 (tube) 278-8626 (rod) 278-8641 (seal kit)		284-0884 (tube) 278-9122 (rod) 279-7940 (seal kit)	383-3206 (tube) 278-9164 (rod) 251-9845 (seal kit)	382-1147 (tube) 278-1983 (rod) 279-0639 (seal kit)	278-9474 (tube) 278-9475 (rod) 278-8641 (seal kit)		286-7323 (tube) 286-7324 (rod) 283-9122 (seal kit)
303.5E2 CR	BG8, JWY	363-5744	432-1451 432-1453 436-7891	469-0671 (tube) 469-0669 (rod) 469-0676 (seal kit)	469-0724 (tube) 469-0669 (rod) 469-0676 (seal kit)	469-0679 (tube) 469-0677 (rod) 469-0682 (seal kit)	469-0685 (tube) 469-0683 (rod) 469-0689 (seal kit)	469-0726 (tube) 469-0727 (rod) 469-0729 (seal kit)	469-0714 (tube) 469-0712 (rod) 469-0717 (seal kit)		469-0720 (tube) 469-0718 (rod) 469-0723 (seal kit)
304E2 CR	CJ2, ME4	363-5744	432-1451 432-1453 436-7891	478-7049 (tube) 478-7047 (rod) 478-7051 (seal kit)	S/N 1-1254 469-0698 (tube) 469-0690 (rod) 469-0697 (seal kit) S/N 1255-UP: 482-8677 (tube) 478-7047 (rod) 482-8678 (seal kit)	469-0701 (tube) 469-0699 (rod) 469-0704 (seal kit)	469-0707 (tube) 469-0705 (rod) 469-0711 (seal kit)	469-0726 (tube) 469-0727 (rod) 469-0729 (seal kit)	469-0714 (tube) 469-0712 (rod) 469-0717 (seal kit)		469-0720 (tube) 469-0718 (rod) 469-0723 (seal kit)
304.5E2 CR XTC	FXT	363-5744	—	478-7049 (tube) 478-7047 (rod) 478-7051 (seal kit)	482-8677 (tube) 478-7047 (rod) 482-8678 (seal kit)	469-0701 (tube) 469-0699 (rod) 469-0704 (seal kit)	469-0707 (tube) 469-0705 (rod) 469-0711 (seal kit)	469-0726 (tube) 469-0727 (rod) 469-0729 (seal kit)	Blade Lift 469-0714 (tube) 507-8286 (rod) 507-8289 (seal kit)		Blade Tilt 461-0530 (tube – RH) 461-0537 (tube – LH) 461-0531 (rod) 461-0536 (seal kit)
305E2 CR	DJX, H5M	363-5746	432-1445 432-1447 432-1450	461-0866 (tube) 461-0627 (rod) 461-0642 (seal kit – rod) 461-0643 (seal kit – piston) 460-9937 (bushing kit)	461-0637 (tube) 461-0627 (rod) 461-0642 (seal kit – rod) 461-0643 (seal kit – piston) 460-9937 (bushing kit)	460-9940 (tube) 460-9938 (rod) 461-0023 (seal kit – rod) 451-5100 (seal kit – piston) 375-0752 (bushing kit)	461-0028 (tube) 461-0025 (rod) 375-0749 (seal kit – rod) 375-0750 (seal kit – piston) 375-0752 (bushing kit)	461-0799 (tube) 461-0797 (rod) 461-0668 (seal kit – rod) 461-0669 (seal kit – piston) 461-0800 (bushing kit)	461-0705 (tube) 461-0701 (rod) 461-0668 (seal kit – rod) 461-0669 (seal kit – piston) 461-0309 (bushing kit)		461-0805 (tube) 461-0803 (rod) 461-0859 (seal kit – rod) 461-0860 (seal kit – piston) 461-0857 (bushing kit)
305.5E2 CR	EJX, CR5	363-5746	432-1445 432-1447 432-1450	461-0866 (tube) 461-0627 (rod) 461-0642 (seal kit – rod) 461-0643 (seal kit – piston) 460-9937 (bushing kit)	461-0637 (tube) 461-0627 (rod) 461-0642 (seal kit – rod) 461-0643 (seal kit – piston) 460-9937 (bushing kit)	461-0649 (tube) 461-0646 (rod) 461-0668 (seal kit – rod) 461-0669 (seal kit – piston) 461-0666 (bushing kit)	461-0676 (tube) 461-0674 (rod) 461-0680 (seal kit – rod) 461-0681 (seal kit – piston) 375-0752 (bushing kit)	461-0799 (tube) 461-0797 (rod) 461-0668 (seal kit – rod) 461-0669 (seal kit – piston) 461-0800 (bushing kit)	461-0705 (tube) 461-0701 (rod) 461-0668 (seal kit – rod) 461-0669 (seal kit – piston) 461-0309 (bushing kit)		461-0805 (tube) 461-0803 (rod) 461-0859 (seal kit – rod) 461-0860 (seal kit – piston) 461-0857 (bushing kit)
305.5E2 FB	WE2	431-4489	—	452-3451 (tube) 452-3450 (rod) 375-0731 (seal kit – rod) 375-0732 (seal kit – piston) 375-0734 (bushing kit)		455-0420 (tube) 375-0735 (rod) 375-0740 (seal kit – rod) 375-0741 (seal kit – piston) 375-0743 (bushing kit)	452-3456 (tube) 452-3454 (rod) 452-3459 (seal kit – rod) 452-3460 (seal kit – piston) 375-0752 (bushing kit)	—	S/N 1-136 392-4558 (tube) 392-4556 (rod) 392-4561 (seal kit – rod) 392-4562 (seal kit – piston) 392-4564 (bushing kit)	S/N 137-UP 477-4233 (tube) 392-4556 (rod) 392-4561 (seal kit – rod) 392-4562 (seal kit – piston) 392-4564 (bushing kit)	—
306E2 FB	E2W	431-4489	—	452-3451 (tube) 452-3450 (rod) 375-0731 (seal kit – rod) 375-0732 (seal kit – piston) 375-0734 (bushing kit)		471-5683 (tube) 471-5681 (rod) 471-5685 (seal kit – rod) 392-4586 (seal kit – piston) 375-0743 (bushing kit)	438-2559 (tube) 375-0744 (rod) 375-0749 (seal kit – rod) 375-0750 (seal kit – piston) 375-0752 (bushing kit)	—	S/N 1-1594 392-4558 (tube) 392-4556 (rod) 392-4561 (seal kit – rod) 392-4562 (seal kit – piston) 392-4564 (bushing kit)	S/N 1595-UP 477-4233 (tube) 392-4556 (rod) 392-4561 (seal kit – rod) 392-4562 (seal kit – piston) 392-4564 (bushing kit)	—

HYDRAULIC QUICK DISCONNECTS

Machine Model			
Sales Model	Serial # Prefix	Primary Auxiliary	Secondary Auxiliary
300.9D	LJM, LJ2	374-0430 (male) 374-0428 (female)	—
300.9D VPS	TGP, DW2		
301.5	MNH	153-2996 (male) 153-2997 (female)	152-8181 (male) 204-5098 (female)
301.6	MY6	153-2996 (male) 153-2997 (female)	152-8181 (male) 204-5098 (female)
301.7 CR	JH7	153-2996 (male) 153-2997 (female)	152-8181 (male) 204-5098 (female)
301.8	H8X	153-2996 (male) 153-2997 (female)	152-8181 (male) 204-5098 (female)
302 CR	RHM	153-2996 (male) 153-2997 (female)	152-8181 (male) 204-5098 (female)
302.2D 302.4D 302.7D CR	LJG, LJ5 LJN, LJ6 LJL, LJ7	397-2571 (male) 397-2572 (female)	152-8181 (male) 204-5098 (female)
303E CR	HHM, SGE	153-2995 (male) 153-2994 (female)	153-2996 (male) 153-2997 (female)
303.5E CR 303.5E2 CR 304E2 CR 304E2 CR XTC	JX2, RKY BG8, JWY CJ2, ME4 FXT	153-2995 (male) 153-2994 (female)	153-2996 (male) 153-2997 (female)
305E2 CR, 305.5E2 CR	DJX, H5M EJX, CR5	153-2995 (male) 153-2994 (female)	153-2996 (male) 153-2997 (female)
305.5E2 FB 306E2 FB	WE2 E2W	153-2995 (male) 153-2994 (female)	—
306	6G6	153-2995 (male) 153-2994 (female)	153-2996 (male) 153-2997 (female)
307.5	GW7	153-2996 (male) 153-2997 (female)	153-2995 (male) 153-2994 (female)
308 CR	GX8	ISJ machines are not shipped with Quick Disconnects	ISJ machines are not shipped with Quick Disconnects
308 SR	GK8	ISJ machines are not shipped with Quick Disconnects	ISJ machines are not shipped with Quick Disconnects
308 CR	GG8, GW8	153-2996 (male) 153-2997 (female)	153-2995 (male) 153-2994 (female)
308.5	GZ8	153-2996 (male) 153-2997 (female)	153-2995 (male) 153-2994 (female)
309 CR	GG9, GW9	153-2996 (male) 153-2997 (female)	153-2995 (male) 153-2994 (female)
310	GWT	153-2996 (male) 153-2997 (female)	153-2995 (male) 153-2994 (female)

LET'S DO THE WORK.™

PEBJ0150-03

December 2019

© 2019 Caterpillar. All Rights Reserved. CAT, CATERPILLAR, LET'S DO THE WORK, their respective logos, "Caterpillar Yellow," the "Power Edge" and Cat "Modern Hex" trade dress, as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission.

