

2020 Cat CVA Planned Maintenance Schedule - Small Wheel Loader See Contract for applicable Intervals. Extreme Duty Intervals are only available on select contracts.				
Sales Model		926M	930M	938M
Interval	Serial Number	LTE	KTG	J3R
250 Hour Extreme Duty Interval	Eng Oil Filter Element	X	X	X
	In-line Fuel Filter	X	X	X
	Fuel Water Separator Primary	X	X	X
	Fuel Filter Secondary	X	X	X
	SOS bottles (x2) incl sampling cost	X	X	X
	Customer Machine Inspection (Cat Inspect App)	Requested	Requested	Requested
500 Hrs	Eng Oil Filter Element	X	X	X
	Fuel In-line	X	X	X
	Fuel Primary	X	X	X
	Fuel Secondary	X	X	X
	Customer Provided T/A-1 Inspection (CAT app)	Requested	Requested	Requested
750 Hour Extreme Duty Interval	Eng Oil Filter Element	X	X	X
	In-line Fuel Filter	X	X	X
	Fuel Water Separator Primary	X	X	X
	Fuel Filter Secondary	X	X	X
	SOS bottles (x2) incl sampling cost	X	X	X
	Customer Machine Inspection (Cat Inspect App)	Requested	Requested	Requested
1,000 Hrs	Eng Oil Filter Element	X	X	X
	Fuel In-line	X	X	X
	Fuel Primary	X	X	X
	Fuel Secondary	X	X	X
	Engine Air Primary Element	X	X	X
	Engine Air Secondary Element	X	X	X
	Fresh Air Element	X	X	X
	Recirculating Element	X	X	X
	Customer Provided T/A-1 Inspection (CAT app)	Requested	Requested	Requested
1250 Hour Extreme Duty Interval	Eng Oil Filter Element	X	X	X
	In-line Fuel Filter	X	X	X
	Fuel Water Separator Primary	X	X	X
	Fuel Secondary	X	X	X
	SOS bottles (x2) incl sampling cost	X	X	X

	Customer Machine Inspection (Cat Inspect App)	Requested	Requested	Requested
1,500 Hrs	Eng Oil Filter Element	X	X	X
	Fuel In-line	X	X	X
	Fuel Primary	X	X	X
	Fuel Secondary	X	X	X
	Eng Crankcase Breather Element	X	X	X
	Customer Provided T/A-1 Inspection (CAT app)	Requested	Requested	Requested
2,000 Hrs	Eng Oil Filter Element	X	X	X
	Fuel In-line	X	X	X
	Fuel Primary	X	X	X
	Fuel Secondary	X	X	X
	Engine Air Primary Element	X	X	X
	Engine Air Secondary Element	X	X	X
	Fresh Air Element	X	X	X
	Recirculating Element	X	X	X
	Serpentine Belt	X	X	X
	Hydraulic Oil Filter	X	X	X
	Transmission Oil Filter	X	X	X
	Customer Provided T/A-1 Inspection (CAT app)	Requested	Requested	Requested
2,500 Hrs	Eng Oil Filter Element	X	X	X
	Fuel In-line	X	X	X
	Fuel Primary	X	X	X
	Fuel Secondary	X	X	X
	Customer Provided T/A-1 Inspection (CAT app)	Requested	Requested	Requested
3,000 Hrs	Eng Oil Filter Element	X	X	X
	Fuel In-line	X	X	X
	Fuel Primary	X	X	X
	Fuel Secondary	X	X	X
	Engine Air Primary Element	X	X	X
	Engine Air Secondary Element	X	X	X
	Fresh Air Element	X	X	X
	Recirculating Element	X	X	X
	Eng Crankcase Breather Element	X	X	X
	Customer Provided T/A-1 Inspection (CAT app)	Requested	Requested	Requested
	Eng Oil Filter Element	X	X	X
	Fuel In-line	X	X	X

3,500 Hrs	Fuel Primary	X	X	X
	Fuel Secondary	X	X	X
	Customer Provided T/A-1 Inspection (CAT app)	Requested	Requested	Requested
4,000 Hrs	Eng Oil Filter Element	X	X	X
	Fuel In-line	X	X	X
	Fuel Primary	X	X	X
	Fuel Secondary	X	X	X
	Engine Air Primary Element	X	X	X
	Engine Air Secondary Element	X	X	X
	Fresh Air Element	X	X	X
	Recirculating Element	X	X	X
	Serpentine Belt	X	X	X
	Hydraulic Oil Filter	X	X	X
	Transmission Oil Filter	X	X	X
	Customer Provided T/A-1 Inspection (CAT app)	Requested	Requested	Requested
4,500 Hrs	Eng Oil Filter Element	X	X	X
	Fuel In-line	X	X	X
	Fuel Primary	X	X	X
	Fuel Secondary	X	X	X
	Eng Crankcase Breather Element	X	X	X
	Customer Provided T/A-1 Inspection (CAT app)	Requested	Requested	Requested
5,000 Hrs	Eng Oil Filter Element	X	X	X
	Fuel In-line	X	X	X
	Fuel Primary	X	X	X
	Fuel Secondary	X	X	X
	Engine Air Primary Element	X	X	X
	Engine Air Secondary Element	X	X	X
	Fresh Air Element	X	X	X
	Recirculating Element	X	X	X
	Diesel Exhaust Fluid Injector	X	X	X
	Diesel Exhaust Fluid Pump Filter	X	X	X
	Customer Provided T/A-1 Inspection (CAT app)	Requested	Requested	Requested

## EXCLUSIONS

Ensure that all safety information, warnings, and instructions are read and understood before any operation or any maintenance procedures are performed. The user is responsible for the performance of maintenance, including all adjustments, the use of proper lubricants, fluids, filters, and the replacement of components due to normal wear and aging. Failure to adhere to proper maintenance intervals and procedures may result in diminished performance of the product and/or accelerated wear of components. Use mileage, fuel consumption, service hours, or calendar time, WHICH EVER OCCURS FIRST, to determine the maintenance intervals. **Products that operate in severe operating conditions may require more frequent maintenance. This chart is not intended to be a comprehensive list of all maintenance activities that may be recommended or required and does not contain fluids schedules or requirements associated with the above maintenance activities.**

\* Seat Belts are recommended to be replaced every 3 years.

This marketing tool does not represent a contract or obligation of any kind between Caterpillar Financial Aftermarket Solutions Corporation or its affiliates, and the equipment owner. For details on any Cat® Customer Value Agreement (CVA), including a complete description of the terms, conditions, and/or exclusions, contact a participating Cat dealer.

All graphics and lists in this marketing tool are provided solely for general information purposes and are not intended to be a solicitation or an offer to purchase any product or service.

To the extent that the above publication(s), bulletin(s), and/or any designated contract(s) are ambiguous or inconsistent with the CVA contract language, the terms of the CVA contract shall govern.

© 2019 Caterpillar. All Rights Reserved. CAT, CATERPILLAR, LET'S DO THE WORK, their respective logos, "Caterpillar Corporate Yellow," the "Power Edge" and Cat "Modern Hex" trade dress as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission.

