

		2020 Cat CVA Planned Maintenance Schedule - Skid Steer Loader							
		See Contract for applicable Intervals. Extreme Duty Intervals are only available on select contracts.							
Sales Model		226D/D3	232D/D3	236D/D3	242D/D3	246D/D3	262D/D3	272D2/D3	272D2 XHP / 272D3 XE
Interval	Serial Number Prefix	HRD, D5R, DX8	DPR,D5Z, HRS, PWN	BGZ, AZ6, F9C, GK6, KXL	DZT,HSX, ME6, NXL, R2L	BYF, KC6, PF6, AH6, GM6	DTB, BT2, MXJ, W6E, ZB2	BL2, HX2	MD2, GJ2
250 Hours Extreme Duty Interval	Engine Oil Filter Element	X	X	X	X	X	X	X	X
	Engine Air Primary Element	X	X	X	X	X	X	X	X
	In-line Fuel Filter	X	X	X	X	X	X	X	X
	FWS Element	X	X	X	X	X	X	X	X
	Seal Kit-Bowl	X	X	X	X	X	X	X	X
	SOS bottles (x2) incl sampling cost	X	X	X	X	X	X	X	X
	Customer Machine Inspection (Cat Inspect App)	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested
500 Hours	Engine Oil Filter Element	X	X	X	X	X	X	X	X
	Engine Air Primary Element	X	X	X	X	X	X	X	X
	Engine Air Secondary Element	X	X	X	X	X	X	X	X
	In-line Fuel Filter	X	X	X	X	X	X	X	X
	FWS Element	X	X	X	X	X	X	X	X
	Breather Element	X	X	X	X	X	X	X	X
	Fresh Air Element	X	X	X	X	X	X	X	X
	Recirculating Element	X	X	X	X	X	X	X	X
	Customer Provided T/A-1 Inspection (CAT app)	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested
750 Hours Extreme Duty Interval	Engine Oil Filter Element	X	X	X	X	X	X	X	X
	Engine Air Primary Element	X	X	X	X	X	X	X	X
	In-line Fuel Filter	X	X	X	X	X	X	X	X
	FWS Element	X	X	X	X	X	X	X	X
	Seal Kit-Bowl	X	X	X	X	X	X	X	X
	SOS bottles (x2) incl sampling cost	X	X	X	X	X	X	X	X
	Customer Machine Inspection (Cat Inspect App)	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested
1,000 Hours	A/C Compressor Belt	X	X	X	X	X	X	X	X
	Engine V-Belt	X	X	X	X	X	X	X	X
	Hydraulic Filter Element	X	X	X	X	X	X	X	X
	Seal (Housing)	X	X	X	X	X	X	X	X
	Seal (Housing)	X	X	X	X	X	X	X	X
	Seal (Plug)	X	X	X	X	X	X	X	X
	Engine Oil Filter Element	X	X	X	X	X	X	X	X
	Engine Air Primary Element	X	X	X	X	X	X	X	X
	Engine Air Secondary Element	X	X	X	X	X	X	X	X
	In-line Fuel Filter	X	X	X	X	X	X	X	X
	FWS Element	X	X	X	X	X	X	X	X
	Breather Element	X	X	X	X	X	X	X	X
	Fresh Air Element	X	X	X	X	X	X	X	X
	Recirculating Element	X	X	X	X	X	X	X	X
	Customer Provided T/A-1 Inspection (CAT app)	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested
1250 Hours Extreme Duty Interval	Engine Oil Filter Element	X	X	X	X	X	X	X	X
	Engine Air Primary Element	X	X	X	X	X	X	X	X
	In-line Fuel Filter	X	X	X	X	X	X	X	X
	FWS Element	X	X	X	X	X	X	X	X
	Seal Kit-Bowl	X	X	X	X	X	X	X	X
	SOS bottles (x2) incl sampling cost	X	X	X	X	X	X	X	X
	Customer Machine Inspection (Cat Inspect App)	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested
	Crankcase Breather Element	X	X	X	X	X	X	X	X
	Engine Oil Filter Element	X	X	X	X	X	X	X	X
	Engine Air Primary Element	X	X	X	X	X	X	X	X

Closed Cab Only

Closed Cab Only

Closed Cab Only

Closed Cab Only

Closed Cab Only

1,500 Hours	Engine Air Secondary Element	X	X	X	X	X	X	X	X	Closed Cab Only Closed Cab Only
	In-line Fuel Filter	X	X	X	X	X	X	X	X	
	FWS Element	X	X	X	X	X	X	X	X	
	Breather Element	X	X	X	X	X	X	X	X	
	Fresh Air Element	X	X	X	X	X	X	X	X	
	Recirculating Element	X	X	X	X	X	X	X	X	
	Customer Provided T/A-1 Inspection (CAT app)	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	
2,000 Hours	A/C Compressor Belt	X	X	X	X	X	X	X	X	Closed Cab Only Closed Cab Only
	A/C Receiver/Dryer	X	X	X	X	X	X	X	X	
	Engine V-Belt	X	X	X	X	X	X	X	X	Closed Cab Only Closed Cab Only
	Hydraulic Filter Element	X	X	X	X	X	X	X	X	
	Seal (Housing)	X	X	X	X	X	X	X	X	
	Seal (Housing)	X	X	X	X	X	X	X	X	
	Seal (Plug)	X	X	X	X	X	X	X	X	
	Engine Oil Filter Element	X	X	X	X	X	X	X	X	
	Engine Air Primary Element	X	X	X	X	X	X	X	X	
	Engine Air Secondary Element	X	X	X	X	X	X	X	X	
	In-line Fuel Filter	X	X	X	X	X	X	X	X	
	FWS Element	X	X	X	X	X	X	X	X	
	Breather Element	X	X	X	X	X	X	X	X	
	Fresh Air Element	X	X	X	X	X	X	X	X	
	Recirculating Element	X	X	X	X	X	X	X	X	
	Customer Provided T/A-1 Inspection (CAT app)	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	
2,500 Hours	Engine Oil Filter Element	X	X	X	X	X	X	X	X	Closed Cab Only Closed Cab Only
	Engine Air Primary Element	X	X	X	X	X	X	X	X	
	Engine Air Secondary Element	X	X	X	X	X	X	X	X	
	In-line Fuel Filter	X	X	X	X	X	X	X	X	
	FWS Element	X	X	X	X	X	X	X	X	
	Breather Element	X	X	X	X	X	X	X	X	
	Fresh Air Element	X	X	X	X	X	X	X	X	
	Recirculating Element	X	X	X	X	X	X	X	X	
	Customer Provided T/A-1 Inspection (CAT app)	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	
3,000 Hours	A/C Compressor Belt	X	X	X	X	X	X	X	X	Closed Cab Only
	Engine V-Belt	X	X	X	X	X	X	X	X	
	Crankcase Breather Element	X	X	X	X	X	X	X	X	Closed Cab Only Closed Cab Only
	Hydraulic Filter Element	X	X	X	X	X	X	X	X	
	Seal (Housing)	X	X	X	X	X	X	X	X	
	Seal (Housing)	X	X	X	X	X	X	X	X	
	Seal (Plug)	X	X	X	X	X	X	X	X	
	Engine Oil Filter Element	X	X	X	X	X	X	X	X	
	Engine Air Primary Element	X	X	X	X	X	X	X	X	
	Engine Air Secondary Element	X	X	X	X	X	X	X	X	
	In-line Fuel Filter	X	X	X	X	X	X	X	X	
	FWS Element	X	X	X	X	X	X	X	X	
	Breather Element	X	X	X	X	X	X	X	X	
	Fresh Air Element	X	X	X	X	X	X	X	X	
	Recirculating Element	X	X	X	X	X	X	X	X	
	Customer Provided T/A-1 Inspection (CAT app)	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	
	Engine Oil Filter Element	X	X	X	X	X	X	X	X	
	Engine Air Primary Element	X	X	X	X	X	X	X	X	
	Engine Air Secondary Element	X	X	X	X	X	X	X	X	
	In-line Fuel Filter	X	X	X	X	X	X	X	X	

3,500 Hours	FWS Element	X	X	X	X	X	X	X	X	Closed Cab Only Closed Cab Only
	Breather Element	X	X	X	X	X	X	X	X	
	Fresh Air Element	X	X	X	X	X	X	X	X	
	Recirculating Element	X	X	X	X	X	X	X	X	
	Customer Provided T/A-1 Inspection (CAT app)	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	
4,000 Hours	A/C Compressor Belt	X	X	X	X	X	X	X	X	Closed Cab Only Closed Cab Only            Closed Cab Only Closed Cab Only
	A/C Receiver/Dryer	X	X	X	X	X	X	X	X	
	Engine V-Belt	X	X	X	X	X	X	X	X	
	Hydraulic Filter Element	X	X	X	X	X	X	X	X	
	Seal (Housing)	X	X	X	X	X	X	X	X	
	Seal (Housing)	X	X	X	X	X	X	X	X	
	Seal (Plug)	X	X	X	X	X	X	X	X	
	Engine Oil Filter Element	X	X	X	X	X	X	X	X	
	Engine Air Primary Element	X	X	X	X	X	X	X	X	
	Engine Air Secondary Element	X	X	X	X	X	X	X	X	
	In-line Fuel Filter	X	X	X	X	X	X	X	X	
	FWS Element	X	X	X	X	X	X	X	X	
	Breather Element	X	X	X	X	X	X	X	X	
	Fresh Air Element	X	X	X	X	X	X	X	X	
	Recirculating Element	X	X	X	X	X	X	X	X	
	Customer Provided T/A-1 Inspection (CAT app)	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	
4,500 Hours	Crankcase Breather Element	X	X	X	X	X	X	X	X	Closed Cab Only Closed Cab Only
	Engine Oil Filter Element	X	X	X	X	X	X	X	X	
	Engine Air Primary Element	X	X	X	X	X	X	X	X	
	Engine Air Secondary Element	X	X	X	X	X	X	X	X	
	In-line Fuel Filter	X	X	X	X	X	X	X	X	
	FWS Element	X	X	X	X	X	X	X	X	
	Breather Element	X	X	X	X	X	X	X	X	
	Fresh Air Element	X	X	X	X	X	X	X	X	
	Recirculating Element	X	X	X	X	X	X	X	X	
	Customer Provided T/A-1 Inspection (CAT app)	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	
5,000 Hours	A/C Compressor Belt	X	X	X	X	X	X	X	X	Closed Cab Only          Closed Cab Only Closed Cab Only
	Engine V-Belt	X	X	X	X	X	X	X	X	
	Hydraulic Filter Element	X	X	X	X	X	X	X	X	
	Seal (Housing)	X	X	X	X	X	X	X	X	
	Seal (Housing)	X	X	X	X	X	X	X	X	
	Seal (Plug)	X	X	X	X	X	X	X	X	
	Engine Oil Filter Element	X	X	X	X	X	X	X	X	
	Engine Air Primary Element	X	X	X	X	X	X	X	X	
	Engine Air Secondary Element	X	X	X	X	X	X	X	X	
	In-line Fuel Filter	X	X	X	X	X	X	X	X	
	FWS Element	X	X	X	X	X	X	X	X	
	Breather Element	X	X	X	X	X	X	X	X	
	Fresh Air Element	X	X	X	X	X	X	X	X	
	Recirculating Element	X	X	X	X	X	X	X	X	
	Customer Provided T/A-1 Inspection (CAT app)	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	

EXCLUSIONS

Ensure that all safety information, warnings, and instructions are read and understood before any operation or any maintenance procedures are performed.

The user is responsible for the performance of maintenance, including all adjustments, the use of proper lubricants, fluids, filters, and the replacement of components due to normal wear and aging. Failure to adhere to proper maintenance intervals and procedures may result in diminished performance of the product and/or accelerated wear of components. Use mileage, fuel

## EXCLUSIONS CONTINUED

consumption, service hours, or calendar time, WHICH EVER OCCURS FIRST, to determine the maintenance intervals.

**Products that operate in severe operating conditions may require more frequent maintenance. This chart is not intended to be a comprehensive list of *all* maintenance activities that may be recommended does not contain fluids schedules or requirements associated with the above maintenance activities.**

- \* Valve lash checks are recommended every 1,000 hours
- \*\* Coolant is recommended to be replaced every 2 years, unless extended by utilizing Extended Life Coolant (ELC) additive.
- \*\*\* The maintenance manual recommends cleaning or replacing the DPF with a new or remanufactured DPF every 3000 hours
- \*\*\*\* Seat Belts are recommended to be replaced every 3 years.

This marketing tool does not represent a contract or obligation of any kind between Caterpillar Financial Aftermarket Solutions Corporation or its affiliates, and the equipment owner. For details on any Cat® Customer Value Agreement (CVA), including a complete description of the terms, conditions, and/or exclusions, contact a participating Cat dealer.

All graphics and lists in this marketing tool are provided solely for general information purposes and are not intended to be a solicitation or an offer to purchase any product or service.

To the extent that the above publication(s), bulletin(s), and/or any designated contract(s) are ambiguous or inconsistent with the CVA contract language, the terms of the CVA contract shall govern.

© 2019 Caterpillar. All Rights Reserved. CAT, CATERPILLAR, LET'S DO THE WORK, their respective logos, "Caterpillar Corporate Yellow," the "Power Edge" and Cat "Modern Hex" trade dress as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission.

