

2020 Cat CVA Planned Maintenance Schedule - Micro Hydraulic Excavator See Contract for applicable Intervals. Extreme Duty Intervals are only available on select contracts.														
Sales Model		300.9D	301.4C	301.7D	301.7D CR	302.2D	302.4D	302.7D CR	301.5	301.6	301.7 CR	301.8	302 CR	
Interval	Serial Number Prefix	LJM, LJ2, TGP, DW2	LJK, LJ3	LJH, LJ4	LJD, LJ8	LJG, LJ5	LJN, LJ6	LJL, LJ7	MNH	MY6	JH7	H8X	RHM	
Initial 50 Hrs	Fuel In-line Element	X	-	-	-	-	-	-	-	-	-	-	-	
	Hydraulic Filter Element	X	-	-	-	-	-	-	-	-	-	-	-	
	Engine Oil Filter Element	X	-	-	-	-	-	-	-	-	-	-	-	
Initial 100 Hrs	Engine Oil Filter Element	-	X	X	X	X	X	X	-	-	-	-	-	
	Hydraulic Oil Filter Element	-	X	X	X	X	X	X	-	-	-	-	-	
250 Hrs	Engine Oil Filter Element	X	X	-	-	-	-	X	-	-	-	-	-	
	Final Drive Oil Cat GO SYN (SAE 75W-140)	-	-	-	-	-	-	-	X	X	X	X	X	
250 Hours Extreme Duty Interval	Engine Oil Filter Element	-	-	-	-	-	-	-	X	X	X	X	X	
	Engine Air Primary Element	-	-	-	-	-	-	-	X	X	X	X	X	
	In-Line Fuel Filter	-	-	-	-	-	-	-	X	X	X	X	X	
	FWS Element	-	-	-	-	-	-	-	X	X	X	X	X	
	SOS bottles (x2) incl sampling cost	-	-	-	-	-	-	-	X	X	X	X	X	
	Customer Machine Inspection (Cat Inspect App)	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	
500 Hrs	Hydraulic Oil Filter Element	X	X	X	X	X	X	X	X	X	X	X	X	
	Engine Oil Filter Element	X	X	X	X	X	X	X	X	X	X	X	X	
	Engine Air Primary Element	X	X	X	X	X	X	X	X	X	X	X	X	
	Engine Air Secondary Element	X	X	X	X	X	X	X	X	X	X	X	X	
	Cab Air Filter	Canopy	X	X	Canopy	X	X	X	Canopy	X	Canopy	X	X	
	Air Conditioner Heater Filter: Kit	Canopy	X	X	Canopy	X	X	X	Canopy	X	Canopy	X	X	
	Fuel In-line Element	X	X	X	X	X	X	X	X	X	X	X	X	
	FWS Element	X	X	X	X	X	X	X	X	X	X	X	X	
	750 Hrs	Engine Oil Filter Element	X	X	X	X	X	X	X	-	-	-	-	
Customer Provided T/A-1 Inspection (CAT app)	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested		
750 Hours Extreme Duty Interval	Engine Oil Filter Element	-	-	-	-	-	-	-	X	X	X	X	X	
	Engine Air Primary Element	-	-	-	-	-	-	-	X	X	X	X	X	
	In-Line Fuel Filter	-	-	-	-	-	-	-	X	X	X	X	X	
	FWS Element	-	-	-	-	-	-	-	X	X	X	X	X	
	SOS bottles (x2) incl sampling cost	-	-	-	-	-	-	-	X	X	X	X	X	
	Customer Machine Inspection (Cat Inspect App)	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	
1,000 Hrs	Final Drive Oil Cat GO SYN (SAE 75W-140)	X	X	X	X	X	X	X	X	X	X	X	X	
	Hydraulic System Breather	X	X	X	X	X	X	X	X	X	X	X	X	
	Engine V-Belt	X	X	X	X	X	X	X	X	X	X	X	X	
	Hydraulic Oil Filter Element	X	X	X	X	X	X	X	X	X	X	X	X	
	Engine Air Primary Element	X	X	X	X	X	X	X	X	X	X	X	X	
	Engine Air Secondary Element	X	X	X	X	X	X	X	X	X	X	X	X	
	Cab Air Filter	Canopy	X	X	Canopy	X	X	X	Canopy	X	Canopy	X	X	
	Air Conditioner Heater Filter: Kit	Canopy	X	X	Canopy	X	X	X	Canopy	X	Canopy	X	X	
	A/C Compressor Belt	Canopy	X	X	Canopy	X	X	X	Canopy	X	Canopy	X	X	
	Engine Oil Filter Element	X	X	X	X	X	X	X	X	X	X	X	X	
	Fuel In-line Element	X	X	X	X	X	X	X	X	X	X	X	X	
	FWS Element	X	X	X	X	X	X	X	X	X	X	X	X	
	1,250 Hrs	Engine Oil Filter Element	X	X	X	X	X	X	X	X	X	X	X	
	Customer Provided T/A-1 Inspection (CAT app)	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	
1,250 Hours Extreme Duty Interval	Engine Oil Filter Element	-	-	-	-	-	-	-	X	X	X	X	X	
	Engine Air Primary Element	-	-	-	-	-	-	-	X	X	X	X	X	
	In-Line Fuel Filter	-	-	-	-	-	-	-	X	X	X	X	X	
	FWS Element	-	-	-	-	-	-	-	X	X	X	X	X	
	SOS bottles (x2) incl sampling cost	-	-	-	-	-	-	-	X	X	X	X	X	
	Customer Machine Inspection (Cat Inspect App)	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	
1,500 Hrs	Hydraulic Oil Filter Element	X	X	X	X	X	X	X	X	X	X	X	X	
	Engine Air Primary Element	X	X	X	X	X	X	X	X	X	X	X	X	
	Engine Air Secondary Element	X	X	X	X	X	X	X	X	X	X	X	X	
	Cab Air Filter	Canopy	X	X	Canopy	X	X	X	Canopy	X	Canopy	X	X	
	Air Conditioner Heater Filter: Kit	Canopy	X	X	Canopy	X	X	X	Canopy	X	Canopy	X	X	
	Engine Oil Filter Element	X	X	X	X	X	X	X	X	X	X	X	X	
	Fuel In-line Element	X	X	X	X	X	X	X	X	X	X	X	X	
	FWS Element	X	X	X	X	X	X	X	X	X	X	X	X	
	Customer Provided T/A-1 Inspection (CAT app)	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	
	1,750 Hrs	Engine Oil Filter Element	X	X	X	X	X	X	X	X	X	X	X	X
2,000 Hrs	Final Drive Oil Cat GO SYN (SAE 75W-140)	X	X	X	X	X	X	X	X	X	X	X	X	
	Hydraulic System Breather	X	X	X	X	X	X	X	X	X	X	X	X	
	Engine V-Belt	X	X	X	X	X	X	X	X	X	X	X	X	
	Hydraulic Oil Filter Element	X	X	X	X	X	X	X	X	X	X	X	X	
	Engine Air Primary Element	X	X	X	X	X	X	X	X	X	X	X	X	
	Engine Air Secondary Element	X	X	X	X	X	X	X	X	X	X	X	X	
	Cab Air Filter	Canopy	X	X	Canopy	X	X	X	Canopy	X	Canopy	X	X	
	Air Conditioner Heater Filter: Kit	Canopy	X	X	Canopy	X	X	X	Canopy	X	Canopy	X	X	
	A/C Compressor Belt	Canopy	X	X	Canopy	X	X	X	Canopy	X	Canopy	X	X	
Engine Oil Filter Element	X	X	X	X	X	X	X	X	X	X	X	X		
2,250 Hrs	Fuel In-line Element	X	X	X	X	X	X	X	X	X	X	X	X	
	FWS Element	X	X	X	X	X	X	X	X	X	X	X	X	
	Engine Oil Filter Element	X	X	X	X	X	X	X	X	X	X	X	X	
Customer Provided T/A-1 Inspection (CAT app)	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested	Requested		

EXCLUSIONS

Ensure that all safety information, warnings, and instructions are read and understood before any operation or any maintenance procedures are performed.

The user is responsible for the performance of maintenance, including all adjustments, the use of proper lubricants, fluids, filters, and the replacement of components due to normal wear and aging. Failure to adhere to proper maintenance intervals and procedures may result in diminished performance of the product and/or accelerated wear of components. Use mileage, fuel consumption, service hours, or calendar time, WHICH EVER OCCURS FIRST, to determine the maintenance intervals. **Products that operate in severe operating conditions may require more frequent maintenance. This chart is not intended to be a comprehensive list of all maintenance activities that may be recommended or required and does not contain fluids schedules or requirements associated with the above maintenance activities.**

* Seat Belts are recommended to be replaced every 3 years.

Please note timing of fulfillment of 250 hour interval reimbursement for 300.9D, 301.4C, and 302.7D CR

This marketing tool does not represent a contract or obligation of any kind between Caterpillar Financial Aftermarket Solutions Corporation or its affiliates, and the equipment owner. For details on any Cat® Customer Value Agreement (CVA), including a complete description of the terms, conditions, and/or exclusions, contact a participating Cat dealer.

All graphics and lists in this marketing tool are provided solely for general information purposes and are not intended to be a solicitation or an offer to purchase any product or service.

To the extent that the above publication(s), bulletin(s), and/or any designated contract(s) are ambiguous or inconsistent with the CVA contract language, the terms of the CVA contract shall govern.

© 2019 Caterpillar. All Rights Reserved. CAT, CATERPILLAR, LET'S DO THE WORK, their respective logos, "Caterpillar Corporate Yellow," the "Power Edge" and Cat "Modern Hex" trade dress as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission.

