



K SERIES COMPACT WHEEL LOADER PARTS REFERENCE GUIDE

LET'S DO THE WORK.™




PROTECT YOUR INVESTMENT WITH GENUINE CAT® PARTS

Thank you for selecting the Cat® Compact Wheel Loader.

This guide is designed to provide you with a quick reference for the parts and part numbers you need to keep your Cat Compact Wheel Loader running at peak efficiency.

MAINTENANCE

Proactive preventative maintenance extends the life of your machine and protects your investment. Only Caterpillar knows Cat equipment’s filtration and lubrication requirements and offers parts to match your machine’s maintenance cycles.

SCHEDULED MAINTENANCE PARTS	
	GREASES
	PLANNED MAINTENANCE PARTS

REPLACEMENT PARTS

Proper maintenance minimizes the need for repair and replacement. In the event that replacement parts are required, the use of genuine Cat parts helps maximize machine performance and maintains high resale value.

WEAR PARTS
GROUND ENGAGING TOOLS
REPAIR PARTS
MIRRORS, LIGHTS AND FUSES
CAB GLASS AND ACCESSORIES
BATTERIES
ENGINE PARTS
HYDRAULIC QUICK DISCONNECTS
LINKAGE PIN AND BEARING PARTS

SALES MODEL	SERIAL NUMBER
906K	L660001-UP
907K	L770001-UP
908K	L880001-UP
910K	L220001-UP
914K	L240001-UP BF40001-UP
920K	B980001-UP

GREASES

Previous Cat Product Name	STANDARD MAINTENANCE GREASES		
	Cat Ultra 5 Moly #1	Cat Ultra 5 Moly #2	Cat Advanced 3 Moly
Current Cat Product Name	Cat Extreme Application Grease 1	Cat Extreme Application Grease 2	Cat Prime Application Grease
Grade (NLGI)	1	2	2
Melting Point C° (F°)	260 (500)	260 (500)	260 (500)
Ambient Temperature C° (F°)	-35 to +40 (-31 to +104)	-30 to +50 (-22 to +122)	-20 to +40 (-4 to +104)
Base Oil Type	Mineral	Mineral	Mineral
Color	Dark Grey	Dark Grey	Dark Grey
Cartridge (390 g / 14 oz)	452-5996	452-6001	452-6006
Plastic Pail (5 kg / 11 lb)	–	–	–
Plastic Pail (16 kg / 35 lb)	452-5999	452-6004	452-6009
Keg (55 kg / 120 lb)	452-5998	452-6003	452-6008
Drum (180 kg / 400 lb)	452-5997	452-6002	452-6007



GREASES FOR UNIQUE APPLICATIONS AND ENVIRONMENTS			
Cat Arctic Platinum	Cat Desert Gold	Cat Multipurpose	Hammer Paste
Cat Extreme Application Grease - Arctic	Cat Extreme Application Grease - Desert	Cat Utility Grease	
0	2	2	2
230 (446)	280 (536)	260 (500)	230 (446)
-35 to +40 (-31 to +104)	-30 to +50 (-22 to +122)	-30 to +40 (-22 to +104)	-20 to +1100 (-4 to +2012)
Semi-Synthetic	Mineral	Mineral	Mineral
Dark Grey	Dark Grey	Blue	Bronze
452-7459	452-6016	452-6011	130-6951
–	–	–	133-8807
452-6020	452-6019	452-6014	–
452-7461	452-6018	452-6013	–
452-7460	452-6017	452-6012	–



PLANNED MAINTENANCE PARTS K Series

COMPACT WHEEL LOADERS		INITIAL 500 HOURS							
		Transfer Drive Oil Change	Front Differential and Final Drive Oil Change	Rear Differential and Final Drive Oil Change	Transfer Drive	Front Differential Plug / O-Ring	Front Final Drive Plug / O-Ring	Rear Differential Plug / O-Ring	Rear Final Drive Plug / O-Ring
Sales Model	Serial # Prefix	Oil Quantity TDTO	Oil Quantity	Oil Quantity	Plug / O-Ring	Plug / O-Ring	Plug / O-Ring	Plug / O-Ring	Plug / O-Ring
906K	L66	1.3 L (0.34 gal)*	Diff = 8 L (2.11 gal)* Hub = 0.8 L (0.21 gal)* each	Diff = 8 L (2.11 gal)* Hub = 0.8 L (0.21 gal)* each	Drain and Fill: QTY 2 152-6144 6V-6228 O-Ring	Drain and Fill: QTY 2 152-6144 Plug 6V-6228 O-Ring	Drain and Fill: QTY 1 152-6144 Plug 6V-6228 O-Ring	Drain and Fill: QTY 2 152-6144 Plug 6V-6228 O-Ring	Drain and Fill: QTY 1 152-6144 Plug 6V-6228 O-Ring
907K	L77								
908K	L88								
910K	L22	3.2 L (0.85 gal)*	Diff = 7.5 L (1.98 gal)* Hub = 1.3 L (0.34 gal)* each	Diff = 7.5 L (1.98 gal)* Hub = 1.3 L (0.34 gal)* each	Drain: 385-3599 (seal included) Fill: 499-2184 (seal included) Level Chk: 464-9487 6V-3922 O-Ring	385-3599 (seal included) QTY 3 385-3600 (seal included)	385-3599 (seal included) QTY 1	385-3599 (seal included) QTY 2 385-3600 (seal included)	385-3599 (seal included) QTY 1
914K	L24, BF4								
920K	B98								
			17 L (4.49 gal)*	17 L (4.49 gal)*		490-7805 (seal included) QTY 2 122-7776 O-Ring	490-7805 (seal included) QTY 1 122-7776 O-Ring	490-7805 (seal included) QTY 1 122-7776 O-Ring	490-7805 (seal included) QTY 1 122-7776 O-Ring

*Dry fill capacity

COMPACT WHEEL LOADERS		EVERY 500 HOURS												
		Transfer Drive Oil Change	Front Differential and Final Drive Oil Change	Rear Differential and Final Drive Oil Change	Engine Oil / Filter Change	Lubricate Machine	Fuel Filter Change			Engine Air Filter	Hydraulic Filter Change	Cabin Air		
Sales Model	Serial # Prefix	Oil Quantity TDTO	Oil Quantity	Oil Quantity	Filter Element	Oil Quantity DEO-ULS™	Prime Application Grease	Primary	Secondary	Transfer Pump Filter	Primary Element	Filter Element	Fresh Air Element	Recirculating Element
906K	L66	Sampling Only			377-6969	11.2 L (2.96 gal) *	452-6006	363-5819	-	463-2166	110-6326	421-5479	270-9018	313-2458
907K	L77													
908K	L88													
910K	L22				7W-2326	8.8 L (2.32 gal) *	452-6006	1R-1804	441-5111	-	528-0585	421-5479	270-9018	313-2458
914K	L24, BF4													
920K	B98													

*Dry fill capacity

COMPACT WHEEL LOADERS		EVERY 1,000 HOURS								
		Transfer Drive Oil Change	Front Differential and Final Drive Oil Change	Rear Differential and Final Drive Oil Change	Transfer Drive	Front Differential Plug / O-Ring	Front Final Drive Plug / O-Ring	Rear Differential Plug / O-Ring	Rear Final Drive Plug / O-Ring	Engine Air Filter
Sales Model	Serial # Prefix	Oil Quantity TDTO	Oil Quantity	Oil Quantity	Plug / O-Ring	Plug / O-Ring	Plug / O-Ring	Plug / O-Ring	Plug / O-Ring	Secondary Element
906K	L66	1.3 L (0.34 gal)*	Diff = 8 L (2.11 gal)* Hub = 0.8 L (0.21 gal)* each	Diff = 8 L (2.11 gal)* Hub = 0.8 L (0.21 gal)* each	Drain and Fill: QTY 2 152-6144 Plug 6V-6228 O-Ring	Drain and Fill: QTY 2 152-6144 Plug 6V-6228 O-Ring	Drain and Fill: QTY 1 152-6144 Plug 6V-6228 O-Ring	Drain and Fill: QTY 2 152-6144 Plug 6V-6228 O-Ring	Drain and Fill: QTY 1 152-6144 Plug 6V-6228 O-Ring	110-6331
907K	L77									
908K	L88									
910K	L22	3.2 L (0.85 gal)*	Diff = 7.5 L (1.98 gal)* Hub = 1.3 L (0.34 gal)* each	Diff = 7.5 L (1.98 gal)* Hub = 1.3 L (0.34 gal)* each	Drain: 385-3599 Plug (seal included) Fill: 499-2184 Plug (seal included) Level Chk: 464-9487 6V-3922 O-Ring	385-3599 (seal included) QTY 3 385-3600 (seal included)	385-3599 (seal included) QTY 1	385-3599 (seal included) QTY 2 385-3600 (seal included)	385-3599 (seal included) QTY 1	-
914K	L24, BF4									
920K	B98									
			17 L (4.49 gal)*	17 L (4.49 gal)*		490-7805 Plug (seal included) QTY 1 122-7776 O-Ring	490-7805 (seal included) QTY 1 122-7776 O-Ring	490-7805 (seal included) QTY 2 122-7776 O-Ring	490-7805 Plug (seal included) QTY 1 122-7776 O-Ring	

*Dry fill capacity 1,000 hour services include the 500 hour interval parts

PLANNED MAINTENANCE PARTS K Series

COMPACT WHEEL LOADERS		EVERY 1,500 HOURS	
		Engine Crankcase	Engine Air Filter
Sales Model	Serial # Prefix	Breather Element	Secondary Element
906K	L66	-	-
907K	L77		
908K	L88		
910K	L22	273-5711	346-6688
914K	L24, BF4		
920K	B98		

1,500 hour services include the 500 hour interval parts

COMPACT WHEEL LOADERS		EVERY 2,000 HOURS				
		Hydraulic Tank	Hydraulic Oil Change		Brake Fluid Change (If Equipped)	
Sales Model	Serial # Prefix	Breather	Hydo Advanced Qty	Hydraulic Tank Drain	Filter O-Ring	Oil Qty TDTO
906K	L66	258-2829	70 L (18.49 gal)	286-1016 (Standard Drain Plug) 101-4639 (Eco Drain) 2M-8780 (Drain O-Ring)	8C-3082 4F-4097 (QTY 2)	0.2 L (0.05 gal)
907K	L77					
908K	L88					
910K	L22	258-2829	98 L (25.89 gal)	286-1016 (Standard Drain Plug) 101-4639 (Eco Drain) 2M-8780 (Drain O-Ring)	8C-3082 4F-4097 (QTY 2)	-
914K	L24, BF4					
920K	B98					

2,000 hour services include the 500 hour and 1,000 hour interval parts

COMPACT WHEEL LOADERS		EVERY 3,000 HOURS	EVERY 6,000 HOURS	EVERY 12,000 HOURS		
		Water Temperature Regulator	Belt Change		Engine Coolant Extender Add	Engine Coolant Change
Sales Model	Serial # Prefix	Gasket and Thermostat	Drive	A/C Compressor	Coolant Extender Qty	Coolant Qty
906K	L66	-	5L-3979	241-2894	0.34 L (0.09 gal) (depending on S•O•S SM Coolant Sampling Results)	17 L (4.49 gal)
907K	L77					
908K	L88					
910K	L22	254-2267 (Thermostat) 254-2270 (O-Ring)	171-2321	382-8827	0.4 L (0.11 gal) (depending on S•O•S SM Coolant Sampling Results)	21.5 L (5.55 gal)
914K	L24, BF4					
920K	B98					

All maintenance requirements should be performed at the specified intervals, even when they align with another maintenance cycle.

At 12,000 hours, maintenance cycles from 6,000 hours, 3,000, 2,000 hours, 1,500 hours, 1,000 hours and 500 hours should also be addressed.

GROUND ENGAGING TOOLS K Series

906/907/908K (L66, L77, L88) Cutting Edges	Bucket Width				
	1890 mm / 6'2"	1890 mm / 6'2"	2045 mm / 6'8"	2080 mm / 6'10"	2080 mm / 6'10"
Standard Single Piece Cutting Edge					
Standard	132-4724	512-6333	135-9397	132-4725	517-7948
Hardware					
Bolts	159-2953 (QTY 13)	4F-3654	159-2953 (QTY 11)	159-2953 (QTY 13)	4F-3654
Nuts	8T-4778 (QTY 13)	3K-2889	8T-4778 (QTY 11)	8T-4778 (QTY 13)	3K-2889

910/914/920K (L22, L24, BF4, B98) Cutting Edges	Bucket Width		
	2300 mm / 7' 6"	2400 mm / 7'10"	2549 mm / 8'3"
Standard Single Piece Cutting Edge			
Standard	521-8053	436-9689	494-5878
3 Piece Cutting Edge (single piece edge recommended for all current and new buckets)			
Centre	4T-2911	9W-8620	-
End	4T-2918 (QTY 2)		
Segmented Cutting Edge (for use with adapters and tips)			
Standard	128-2873 (QTY 7)	128-2873 (QTY 7)	-
Hardware			
Bolts	4F-7827 (QTY 8, 14 for Segmented)	4F-7827 (QTY 8, 14 for Segmented)	4F-7827 (QTY 8)
Nuts	2J-3506 (QTY 8, 14 for Segmented)	2J-3506 (QTY 8, 14 for Segmented)	2J-3506 (QTY 8)

Tips (J200)	906/907/908K
General Duty	132-4720
Bolt (10 x 2.75)	246-4349 (QTY 7)
Nut	8T-4778 (QTY 7)

No adapters required on 90x buckets, teeth bolt directly to bucket

Tips (J200)	910/914/920K
Set of 8 Long Tips (Includes Hardware)	100-7924
General Duty (Long)	1U-3202
Pin	8E-6208
Retainer	8E-6209
Set of 8 Bolt-on Adapters (Includes Hardware)	9W-9642
Adapter (CTR)	9J-4207 (QTY 6)
Bolt (10 x 2.75)	5J-4771 (QTY 12)
Nut	2J-3506 (QTY 12)
Adapter (LH)	1U-2208
Adapter (RH)	1U-2209
Bolt (9 x 2.75)	6F-0196 (QTY 2)
Nut	2J-3505 (QTY 2)

MIRRORS, LIGHTS AND FUSES K Series

Mirrors	906/907/908K	QTY	910/914K	QTY	914/920K	QTY
Serial Number Prefix	L66, L77, L88		L22 / L24		BF4 / B98	
Mirror External and Adjustable	201-9985	2	201-9985	2	201-9985	2
Mirror interior	257-8403	1	257-8403	1	257-8403	1

Lights	906/907/908K	QTY	910/914K	QTY	914/920K	QTY
Serial Number Prefix	L66, L77, L88		L22 / L24		BF4 / B98	
Lamp 12V (Dome)	210-8754	1	210-8754	1	210-8754	1
Dome Light Assembly Standard	084-4277	1	084-4277	1	084-4277	1
Lamp 12V Halogen Bulb (Flood- Front and Rear Working)	9W-0607	4	9W-0607	4	9W-0607	4
Lamp 12V Halogen Bulb (Headlamp) (Roading)	9W-3324	2	9W-3324	2	9W-3324	2
Lamp 12V Halogen Bulb (Front Turn Signal) (Roading)	226-4560	2	226-4560	2	226-4560	2
Lamp 12V Halogen Bulb (Front Position) (Roading)	226-4561	2	226-4561	2	226-4561	2
Lamp 12V Halogen Bulb (Rear Turn Signal) (Roading)	9W-3326	2	9W-3326	2	9W-3326	2
Lamp 12V Halogen Bulb (Stop and Rear) (Roading)	108-7605	2	108-7605	2	108-7605	2
Lamp 12V LED Lamp (Flood – Front and Rear Working)	589-0437	4	589-0437	4	589-0437	8
Lamp Lens Rear	344-7953	2	344-7953	2	344-7953	2
Fog Lamp Bulb	9W-3326	1	9W-3326	1	9W-3326	1
Fog Lamp Lens	344-7954	1	344-7954	1	344-7954	1
Reversing Lamp Bulb	9W-3326	1	9W-3326	1	9W-3326	1
Reversing Lamp Lens	344-7955	1	344-7955	1	344-7955	1
Lamp 12V (License Plate Holder) (Roading)	195-9712	1	195-9712	1	195-9712	1
Lamp 12V (Warning Beacon)	9X-8118	1	9X-8118	1	9X-8118	1

Fuses	Part Number
Fuse (5 amp Mini Fuse)	141-2759
Fuse (10 amp Mini Fuse)	113-8490
Fuse (15 amp Mini Fuse)	113-8491
Fuse (20 amp Mini Fuse)	113-8492
Fuse (25 amp Mini Fuse)	113-8493

Fuses	Part Number
Fuse (30 amp Mini Fuse)	124-3548
Fuse (50 amp Mini Fuse)	396-8366
Fuse (60 amp Mini Fuse)	390-1306
Fuse (100 amp Mini Fuse)	378-1012

CAB GLASS AND ACCESSORIES K Series

Description	906/907/908K	QTY	910/914K	QTY	914/920K	QTY
Serial Number Prefix	L66, L77, L88		L22/L24		BF4/B98	
Wiper Blade Front	6V-7419	1	6V-7419	1	6V-7419	1
Wiper Blade Rear	6V-5853	1	6V-5853	1	6V-5853	1
Window - Front Upper Central	256-9643	1	256-9643	1	256-9643	1
Window - Front Upper Left	259-5494	1	259-5494	1	259-5494	1
Window - Front Upper Right	259-5493	1	259-5493	1	259-5493	1
Window - Front Lower Left	293-0543	1	293-0543	1	293-0543	1
Window - Front Lower Right	293-0545	1	293-0545	1	293-0545	1
Window Assembly - Right Door Fixed Glass	273-6167	1	–	–	–	–
Window Assembly - Right Door Sliding	303-3004	1	303-3004	1	303-3004	1
Windowy - Lower Door Right	273-6171	1	398-8786	1	398-8786	1
Window Assembly - Left Door Fixed Glass	260-0528	1	–	–	–	–
Window Assembly - Left Door Sliding	303-3003	1	303-3003	1	303-3003	1
Windowy - Lower Door Left	273-6170	1	398-8785	1	398-8785	1
Window - Rear Main	266-7068	1	266-7068	1	266-7068	1
Window - Rear Side Corner Left	266-7070	1	266-7070	1	266-7070	1
Window - Rear Side Corner Right	266-7069	1	266-7069	1	266-7069	1
Seat Belt 50.8 mm (2")	260-9831	1	260-9831	1	549-4286	1
Seat Belt 76.2 mm (3")	223-7937	1	223-7937	1	545-9383	1
Door Handle - Outer Assembly	252-1862	2	252-1862	2	252-1862	2
Washer Bottle Cover/Cap	299-7836	1	254-5683	1	254-5683	1
Filter - Cab Air Recirculation	313-2458	1	313-2458	1	313-2458	1
Filter - Cab Fresh Air	270-9018	1	270-9018	1	270-9018	1
Engine Hood	449-1881	1	457-8680	1	457-8680	1
Rear Grill / Rear Bezel Assembly	443-5100	1	492-8695	1	492-8695	1
Engine Hood Handle	299-4696	1	–	–	–	–
Engine Hood Latch	462-2538	1	9X-2299	2	9X-2299	2
Engine Door - Right	–	–	464-0294	1	464-0294	1
Engine Door - Left	–	–	464-0293	1	464-0293	1
Rear Door Screen	–	–	502-3007	1	502-3007	1
Fender - Front Right	262-1691	1	434-9397	1	434-9397	1
Fender - Front Left	262-1691	1	434-9396	1	434-9396	1
Fender - Front Assembly	262-1692	1	434-9387	1	434-9387	1
Fender - Rear Right	275-5589	1	523-9349	1	523-9349	1
Fender - Rear Left	275-5589	1	523-9346	1	523-9346	1
Fender – Rear Assembly	257-7743	1	399-6505	1	399-6505	1
Fender - Trim Right	–	–	524-3477	1	524-3477	1
Fender - Trim Left	–	–	524-3476	1	524-3476	1

BATTERIES K Series

Sales Model	Serial Number Prefix	Description	Part Number	Quantity
906K, 907K, 908K	L66, L77, L88	Standard	230-6368	1
		Heavy Duty	–	–
910K, 914K, 920K	L22, L24, BF4, B98	Standard	230-6368	1
		Heavy Duty	230-6368	2



ENGINE PARTS K Series

Mirrors	906/907/908K	QTY	910/914K	QTY	914/920K	QTY
Serial Number Prefix	L66, L77, L88		L22/L24		BF4/B98	
Engine Belt Alternator	5L-3979	1	198-1118	1	198-1118	1
Engine Belt AC Compressor	241-2894	1	382-8827	1	382-8827	1
Alternator Assembly	397-9953	1	383-2557	1	383-2557	1
Fuel Injector Assembly	397-9952	4	315-3381	1	315-3381	1
Fuel Transfer Pump Assembly	560-4925	1	299-9265	1	299-9265	1
Fuel Transfer Pump Filter	463-2166	1	–	–	–	–
Water Pump Assembly	387-9903	1	355-2252	1	355-2252	1
Starter Motor	385-5044	1	526-9854	1	526-9854	1
Turbocharger	397-9979	1	317-6388	1	519-5204	1
Thermostat - Engine Coolant	389-5308	1	254-2267	1	254-2267	1
Thermostat Gasket	388-7547	1	–	–	–	–
Filter - Air Intake (Primary)(Standard)	110-6326	1	528-0585	1	528-0585	1
Filter - Air Intake (Secondary)	110-6331	1	346-6688	1	346-6688	1
Filter - Engine Oil	377-6969	1	7W-2326	1	7W-2326	1
Filter - Closed Circuit Breather	–	–	273-5711	1	273-5711	1
Filter - Closed Circuit Breather (Seal)	–	–	–	–	–	–
Filter - DEF Pump	–	–	–	–	–	–
Oil Fill Cap	387-9856	1	130-9888	1	130-9888	1
Oil Fill Cap Seal	383-0217	1	113-1504	1	113-1504	1
Oil Drain Plug	389-5163	1	7C-0351	1	7C-0351	1
Oil Drain Plug Gasket	430-8499	1	335-7585	1	335-7585	1


HYDRAULIC QUICK DISCONNECTS K Series

Description	906/907/908K	Comments
QD Coupling - I/C Size 12.5 ORFS Male Push to Connect	193-8334	SSL Coupler Standard Flow Machines
QD Coupling - I/C Size 12.5 ORFS Female Push to Connect	193-8335	SSL Coupler Standard Flow Machines
QD Coupling - I/C Size 12.5 STOR Male Push to Connect	373-6967	SSL Coupler High Flow Machines
QD Coupling - I/C Size 12.5 STOR Female Push to Connect	373-6968	SSL Coupler High Flow Machines
QD Coupling - I/C Size 10 STOR Male Push to Connect	373-7037	SSL Coupler High Flow Case Drain
QD Coupling - I/C Size 10 STOR Male Push to Connect	153-2996	Horizontal Coupler Standard Flow Machines
QD Coupling - I/C Size 10 STOR Female Push to Connect	153-2997	Horizontal Coupler Standard Flow Machines
QD Coupling - I/C Size 12.5 STOR Male Push to Connect	426-4044	Horizontal Coupler High Flow
QD Coupling - I/C Size 12.5 STOR Female Push to Connect	426-4046	Horizontal Coupler High Flow
QD Coupling - I/C Size 16 STOR Male Push to Connect	426-4045	Horizontal Coupler High Flow
QD Coupling - I/C Size 16 STOR Female Push to Connect	426-4047	Horizontal Coupler High Flow
QD Coupling - I/C Size 6.3 ORFS Male Push to Connect	426-4048	Horizontal Coupler High Flow
QD Coupling - I/C Size 6.3 ORFS Female Push to Connect	426-4049	Horizontal Coupler High Flow
QD Coupling - I/C Size 10 ORFS Male Push to Connect	426-4050	Horizontal Coupler High Flow Case Drain
Description	910/914K	Comments
QD Coupling - I/C Size 19 STOR Male Screw to Connect	439-1589	3 and 4 Valve
QD Coupling - I/C Size 19 STOR Female Screw to Connect	439-1588	3 and 4 Valve
QD Coupling - I/C Size 12.5 ORFS Male Push to Connect	195-6526	All Configurations
QD Coupling - I/C Size 12.5 ORFS Female Push to Connect	195-6525	All Configurations



LINKAGE PIN AND BEARING PART NUMBERS K Series

See part numbers on following page



LINKAGE PINS, BEARINGS, SEALS AND GREASE FITTINGS AND RETENTION HARDWARE PART NUMBERS K Series

Linkage Pins										
Sales Model	Serial # Prefix	A - Loader Arm	B - Loader Arm	C - Tilt Link	D - Tilt Lever	E - Tilt Lever	F - Tilt Lever	G - Tilt Cylinder	K - Lift Cylinder	Y - Tilt Cylinder
906K, 907K, 908K	L66, L77, L88	242-5593 Pin (QTY 2)	9R-4677 Pin (QTY 2)	–	242-5597 Pin	242-5598 Pin	242-5599 Pin	242-5594 Pin	242-5595 Pin (QTY 2)	242-5596 Pin (QTY 2)
910K, 914K, 920K	L22, L24, BF4, B98	392-3013 Pin (QTY 2)	392-8632 Pin (QTY 2)	434-4385 Pin	434-4385 Pin	392-3012 Pin	392-3010 Pin	518-0073 Pin	399-4554 Pin (QTY 2)	392-3011 Pin (QTY 2)
Bearings										
Sales Model	Serial # Prefix	A - Loader Arm	B - Loader Arm	C - Tilt Link	D - Tilt Lever	E - Tilt Lever	F - Tilt Lever	G - Tilt Cylinder	K - Lift Cylinder	Y - Tilt Cylinder
906K, 907K, 908K	L66, L77, L88	242-5667 Bearing (QTY 2)	324-9501 Bearing (QTY 2)	–	–	–	242-5602 Bearing (QTY 2)	–	–	–
910K, 914K, 920K	L22, L24, BF4, B98	417-5823 Bushing (QTY 2)	417-5824 Bushing (QTY 2)	–	419-0477 Bushing	–	417-5825 Bushing (QTY 2)	–	417-5826 Bushing (QTY 2)	–
Seals and Grease Fittings										
Sales Model	Serial # Prefix	A - Loader Arm	B - Loader Arm	C - Tilt Link	D - Tilt Lever	E - Tilt Lever	F - Tilt Lever	G - Tilt Cylinder	K - Lift Cylinder	Y - Tilt Cylinder
906K, 907K, 908K	L66, L77, L88	3B-8489 Grease Fitting (QTY 2)	3B-8489 Grease Fitting (QTY 2)	–	–	–	3B-8489 Grease Fitting	3B-8489 Grease Fitting	–	–
910K, 914K, 920K	L22, L24, BF4, B98	3B-8489 Grease Fitting (QTY 2)	3B-8489 Grease Fitting (QTY 2)	3B-8489 Grease Fitting	3B-8489 Grease Fitting	3B-8489 Grease Fitting	3B-8489 Grease Fitting	3B-8489 Grease Fitting	3B-8489 Grease Fitting (QTY 2)	3B-8489 Grease Fitting (QTY 2)
Retention Hardware										
Sales Model	Serial # Prefix	A - Loader Arm	B - Loader Arm	C - Tilt Link	D - Tilt Lever	E - Tilt Lever	F - Tilt Lever	G - Tilt Cylinder	K - Lift Cylinder	Y - Tilt Cylinder
906K, 907K	L66, L77	292-4872 Washer (QTY 8) 300-2133 Plate (QTY 2) 8T-4195 Bolt (QTY 4) 8T-4121 Washer (QTY 4)	475-9433 Shim (QTY 4) 475-9442 Shim (QTY 4) 3B-5317 Cotter Pin	–	7X-2545 Bolt 8T-0389 Locknut	8T-5436 Bolt 8T-0389 Locknut	475-9433 Shim (QTY 4) 475-9442 Shim (QTY 3) 300-8583 Plate 8T-4195 Bolt (QTY 2) 8T-4121 Washer (QTY 2)	300-8583 Plate 8T-4195 Bolt (QTY 2) 8T-4121 Washer (QTY 2)	300-2133 Plate (QTY 2) 8T-4136 Bolt (QTY 4) 8T-4121 Washer (QTY 4)	300-8583 Plate (QTY 2) 8T-4195 Bolt (QTY 4) 8T-4121 Washer (QTY 4)
908K	L88	292-4872 Washer (QTY 10) 300-2133 Plate (QTY 2) 8T-4195 Bolt (QTY 4) 8T-4121 Washer (QTY 4)	475-9433 Shim (QTY 4) 475-9442 Shim (QTY 4) 3B-5317 Cotter Pin	–	7X-2545 Bolt 8T-0389 Locknut	8T-5436 Bolt 8T-0389 Locknut	475-9433 Shim (QTY 4) 475-9442 Shim (QTY 3) 300-8583 Plate 8T-4195 Bolt (QTY 2) 8T-4121 Washer (QTY 2)	300-8583 Plate 8T-4195 Bolt (QTY 2) 8T-4121 Washer (QTY 2)	300-2133 Plate (QTY 2) 8T-4195 Bolt (QTY 4) 8T-4121 Washer (QTY 4)	300-8583 Plate (QTY 2) 8T-4136 Bolt (QTY 4) 8T-4121 Washer (QTY 4)
910K, 914K	L22, L24, BF4	292-4872 Washer (QTY 12) 430-2639 Plate (QTY 2) 8T-4956 Bolt (QTY 4) 8T-4223 Washer (QTY 4)	292-4872 Washer (QTY 12) 7X-0618 Washer (QTY 2) 8T-4192 Bolt (QTY 2)	292-4872 Washer (QTY 2) 136-1122 Spacer 375-1442 Retaining Ring 7X-0618 Washer 8T-4956 Bolt	292-4872 Washer (QTY 2) 136-1122 Spacer 375-1442 Retaining Ring 7X-0618 Washer 8T-4956 Bolt	328-0722 Plate 8T-4139 Bolt (QTY 2) 8T-4223 Washer (QTY 2)	328-0722 Plate 8T-4139 Bolt (QTY 2) 8T-4223 Washer (QTY 2)	8T-4192 Bolt 7X-0618 Washer	328-0722 Plate (QTY 2) 8T-4139 Bolt (QTY 4) 8T-4223 Washer (QTY 4)	430-2639 Plate (QTY 2) 8T-4956 Bolt (QTY 4) 8T-4223 Washer (QTY 4)
920K	B98	292-4872 Washer (QTY 12) 430-2639 Plate (QTY 2) 8T-4956 Bolt (QTY 4) 8T-4223 Washer (QTY 4)	292-4872 Washer (QTY 12) 7X-0618 Washer (QTY 2) 8T-4192 Bolt (QTY 2)	292-4872 Washer (QTY 4) 136-1122 Spacer 375-1442 Retaining Ring 7X-0618 Washer 8T-4956 Bolt	292-4872 Washer (QTY 4) 136-1122 Spacer 375-1442 Retaining Ring 7X-0618 Washer 8T-4956 Bolt	328-0722 Plate 8T-4139 Bolt (QTY 2) 8T-4223 Washer (QTY 2)	328-0722 Plate 8T-4139 Bolt (QTY 2) 8T-4223 Washer (QTY 2)	8T-4192 Bolt 7X-0618 Washer	328-0722 Plate (QTY 2) 8T-4139 Bolt (QTY 4) 8T-4223 Washer (QTY 4)	430-2639 Plate (QTY 2) 8T-4956 Bolt (QTY 4) 8T-4223 Washer (QTY 4)

LET'S DO THE WORK.™

PEBJ0172

November 2020

(Am South, AME, AUZ, CIS, SE Asia, Turkey - LRC Regions)

© 2020 Caterpillar. All Rights Reserved. CAT, CATERPILLAR, LET'S DO THE WORK, their respective logos, "Caterpillar Corporate Yellow," the "Power Edge" and Cat "Modern Hex" trade dress, as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission.

