

CAT GC SERIES HAMMERS CONFIGURATIONS

To learn more or receive a quotation on a new GC Series hammer, please fill out the form below

DAY-IN, DAY-OUT PERFORMANCE


The new GC Series gives you best-in-class performance, combining optimum power-to-weight ratios with a simple design that still delivers true versatility.

 REDUCE FUEL CONSUMPTION BY UP TO **25%**

 INCREASE EFFICIENCY BY UP TO **27%**

 LOWER MAINTENANCE COSTS BY UP TO **18%**

Machine Class



13 - 18 tons



18 - 25 tons



25 - 32 tons



30 - 40 tons

Hammers



H110 GC



H115 GC



H120 GC



H130 GC



H140 GC

Available Hammer Tools



Pyramidal



Moil



Blunt



Chisel



Forged Chisel

I am interested in:

Purchasing

Rental

First name

Company

Last name

Address

Email address

City

Business phone

Country

Learn more

Receive a quote

SEND >>



LEARN MORE
VISIT ONLINECATWORKTOOLS.COM

© 2019 Caterpillar. All rights reserved

AEXQ2624-02

Dealer Name 

NO FRILLS, NO FUSS, JUST BREAK!

THE ALL NEW GC SERIES HAMMERS

EXCAVATORS
13-40
TONS




Dealer Name 

COST-SAVING EFFICIENCY FOR DAY TO DAY NEEDS

Easy to use and maintain, the new GC-Series is a hard-working 'every day' hammer range for operators looking for higher efficiency and a lower cost per hour solution.

75624 9983 652

A BREAK WITH TRADITION

Cat hammers are renowned for reliability and durability. And now you can get Cat quality at a lower cost per hour too! The new GC Series is an affordable range of no-frills, no-fuss hammers for all those everyday tasks in general construction, quarrying, mining and municipal work. Extra features include:

Auto-Lube options. Cut out manual greasing and eliminate pre-mature failures by choosing hammer-mounted automatic lubrication systems

Standard accumulator. A high-pressure accumulator is factory-fitted as standard and field serviceable. It protects the carrier hydraulic circuit by absorbing pressure spikes during the final stroke

Automatic shut-off. The piston stops cycling when no material is present, eliminating blank firing and protecting the hammer from unnecessary wear and tear.



GAS-FIRED DESIGN

Compressed nitrogen forces the piston down, achieving optimum and consistent impact power



STROKE ADJUSTOR

Adjust hammer speed / frequency per application / material, to provide optimum productivity



LOWER TOOL BUSHING

Together with upper tool bushing aligns the top of the tool with bottom of piston



LOCATOR


Tracks location (and utilization) of work tools across all sites for maintenance planning, and to reduce loss



RENT OR LEASE

For extra flexibility, you can rent or lease Cat equipment (including hammers) to keep costs under control

CARRIER WEIGHT FROM 13 TON TO 40 TON.



SPEC YOUR HAMMER IN 3 SIMPLE STEPS >>

CONTACT US FOR AN ATTRACTIVE OFFER, RIGHT NOW!

1. Save this PDF to your computer, tablet or mobile
2. Tick the boxes for the Hammer and Tool(s) you need
3. Fill in your contact details and mail the PDF back to us
It's that easy! We will be in touch with you shortly.



| SPECIFICATIONS | | H110 GC | H115 GC | H120 GC | H130 GC | H140 GC |
|---------------------|------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| Operating Weight | kg (lb) | 1237-1262 (2721-2776) | 1327-1388 (2919-3054) | 1826-1866 (4017-4105) | 2364-2384 (5201-5245) | 3017-3074 (6637-6763) |
| Impact frequency | blows/min. | 450 - 650 | 450 - 800 | 400 - 800 | 350 - 700 | 250 - 550 |
| Energy Class | J (ft.lb.) | 2000 (1475) | 3000 (2212) | 4000 (2950) | 6000 (4425) | 7500 (5531) |
| Acceptable oil flow | lpm (gpm) | 80-100 (21-26) | 90-120 (24-32) | 125-150 (33-40) | 160-190 (42-50) | 180-220 (48-58) |
| Operating pressure | kPa (psi) | 14000-16000 (1885-2175) | 15000-17000 (2175-2465) | 16000-18000 (2320-2610) | 16000-18000 (2320-2610) | 16000-18000 (2320-2610) |

