



950M/962M MEDIUM WHEEL LOADER PARTS REFERENCE GUIDE

SERIAL NUMBER PREFIX: EMB, KSA, FTR, NHL, J1S, XCJ
EJB, RKH, F2T, K88, J2S, JYD

LET'S DO THE WORK.™




PROTECT YOUR INVESTMENT WITH GENUINE CAT® PARTS

Thank you for selecting the Cat® Medium Wheel Loader.

This guide is designed to provide you with a quick reference for the parts and part numbers you need to keep your Cat medium wheel loader operating at peak efficiency. Always read and understand the machine's Operation and Maintenance Manual prior to performing any type of maintenance.

MAINTENANCE

Proactive preventative maintenance extends the life of your machine and protects your investment. Only Caterpillar knows Cat equipment's filtration and lubrication requirements and offers parts kits to match your machine's maintenance cycles.



SCHEDULED MAINTENANCE PARTS	
	GREASES
	PLANNED MAINTENANCE

REPLACEMENT PARTS

Proper maintenance minimizes the need for repair and replacement. In the event that replacement parts are required, the use of genuine Cat parts helps maximize machine performance and maintains high resale value. Other parts may not meet certain original equipment specifications.

WEAR PARTS
COMMON GROUND ENGAGING TOOLS
MINOR REPAIR PARTS
CAB GLASS AND ACCESSORIES
MIRRORS, LIGHTS, AND FUSES
OCCASIONAL REPAIR PARTS
ENGINE PARTS
PUMPS AND MOTORS
CYLINDERS
LINKAGE
LINKAGE PINS, BEARINGS, AND HARDWARE

GREASES 950M / 962M

Previous Cat Product Name	STANDARD MAINTENANCE GREASES			GREASES FOR UNIQUE APPLICATIONS AND ENVIRONMENTS		
	Cat Ultra5 Moly #1	Cat Ultra5 Moly #2	Cat Advanced 3 Moly	Cat Arctic Platinum	Cat Desert Gold	Cat Multipurpose
Current Cat Product Name	Cat Extreme Application Grease 1	Cat Extreme Application Grease 2	Cat Prime Application Grease	Cat Extreme Application Grease - Arctic	Cat Extreme Application Grease - Desert	Cat Utility Grease
Grade (NLGI)	1	2	2	0	2	2
Melting point (deg C)	>260	>260	260	230	280	260
Ambient Temperature (deg C)	-35 to +40	-30 to +50	-20 to +40	-35 to +40	-30 to +50	-30 to +40
Base Oil Type	Mineral	Mineral	Mineral	Semi-Synthetic	Mineral	Mineral
Color	Dark Gray	Dark Gray	Dark Gray	Dark Grey	Dark Grey	Blue
Cartridge (390 g / 14 oz)	452-5996	452-6001	452-6006	508-2184	452-6016	452-6011
Plastic Pail (5 kg / 11 lb)	-	-	-	-	-	-
Plastic Pail (16 kg / 35 lb)	452-5999	452-6004	452-6009	508-2187	452-6019	452-6014
Keg (55 kg / 120 lb)	452-5998	452-6003	452-6008	508-2186	452-6018	452-6013
Drum (180 kg / 400 lb)	452-5997	452-6002	452-6007	508-2185	452-6017	452-6012
						

PLANNED MAINTENANCE

MEDIUM WHEEL LOADER		Every 50 Hours	Initial 500 Hours	Every 500 Hours			Every 1000 Hours				
		Clean/Replace Cab Air Filter	Transmission Oil Filter	Primary Fuel Filter	Secondary Fuel Filter	Fuel System Filter	Engine Oil/Filter Change		Hydraulic System Oil Filters		Transmission Oil Filter
Sales Model	Serial Number Prefix	Cab Air Filter	Filter Element	Water Separator	Filter Element	In-Line	Filter Element	Oil Quantity - Liter (Gallon) DEO-ULS TM	Hydraulic Tank Return	Hydraulic Service Center	Filter Element
950M	EMB, KSA, FTR, NHL, J1S, XCJ	290-2287	389-1079	479-4131	360-8958	525-6206	462-1171	22 (5.8)	376-1288	436-3443	389-1079
962M	EJB, RKH, F2T, K88, J2S, JYD										

MEDIUM WHEEL LOADER		Every 2000 Hours							Every 3000 Hours
		Fuel Tank Cap	Hydraulic Tank	Front Differential Oil Change		Rear Differential Oil Change		Transmission Oil Change	Hydraulic Oil Change
Sales Model	Serial Number Prefix	Filter	Breather	Oil Quantity - Liter (Gallon) TDTO	Additive	Oil Quantity - Liter (Gallon) TDTO	Additive	Oil Quantity - Liter (Gallon) SATO	HYDO Advanced Quantity - Liter (Gallon)
950M	EMB, KSA, FTR, NHL, J1S, XCJ	350-7735	346-8340	43 (15.6)	1U-9891	43 (15.6)	1U-9891	43 (11.4)	125 (33)
962M	EJB, RKH, F2T, K88, J2S, JYD								

MEDIUM WHEEL LOADER		Every 3 Years	Every 5000 Hours				Every 6000 Hours	Every 10000 Hours	Every 12000 Hours
		Seat Belt	Diesel Exhaust Filter (DEF)	DEF Injector	Replace Air Conditioning	Replace CAT ELC Extender	DEF Manifold Filter	Cat Extended Life Coolant Change	
Sales Model	Serial Number Prefix	Replace	Filter	Injector	A/C Receiver/Dryer	Replace	Filter	Coolant Quantity - Liter (Gallon)	
950M	EMB, KSA, FTR, NHL, J1S, XCJ	528-7195	378-3187	460-9257	355-1793	119-3075	584-8135	59 (15.6)	
962M	EJB, RKH, F2T, K88, J2S, JYD								

MEDIUM WHEEL LOADER		As Required			
		Replace Engine Air Filter		Replace Battery	Replace Ether Starting Aid Cylinder
Sales Model	Serial Number Prefix	Primary	Secondary	Quantity 2	
950M	EMB, KSA, FTR, NHL, J1S, XCJ	577-1433	337-0790	153-5710	239-1134
962M	EJB, RKH, F2T, K88, J2S, JYD				

COMMON GROUND ENGAGING TOOLS (GET) 950M / 962M CAT ADVANSYS™

Cutting Edge	Bucket Width		
	113.6" (2886mm)	119.4" (3032mm)	125.7" (3193mm)
Full Cutting Edge - Bolt-On			
30mm Bolt-On Cutting Edge			
End Right	–	233-1852	–
End Left	–	233-1853	–
End	(2) 4T-8101	–	–
Center	(2) 139-9230	(2) 1U-0593	–
Plow Bolt	(12) 4F-4042	(10) 5P-8823	–
Nut	(12) 2J-3507	(10) 3K-9770	–
35mm Bolt-On Cutting Edge HD			
Heavy Duty End	(2) 132-1033	–	(2) 167-7430
Heavy Duty Center	(2) 135-9666	–	(2) 140-6823
Plow Bolt	(12) 4F-4042	–	(12) 5P-8823
Nut	(12) 2J-3507	–	(12) 3K-9770
30mm Bolt-On A.R.M. Cutting Edge			
End Right	9W-3488	–	–
End Left	9W-3489	–	–
Center Right	138-0673	–	–
Center Left	138-0672	–	–
Plow Bolt	(12) 4F-4042	–	–
Nut	(12) 2J-3507	–	–
30mm Bolt-On Cutting Edge Heavy Duty End Segements			
Heavy Duty End	–	(2) 3G-6395	(2) 3G-6395
Center	–	(2) 1U-0593	(2) 100-6668
Plow Bolt	–	(10) 5P-8823	(12) 5P-8823
Nut	–	(10) 3K-9770	(12) 3K-9770
Other GET			
Top Mounted Base Edge Ware Plate			
Level Cut End Bit	(2) 4T-6659	–	(2) 3G-4285
Cutting Edge	4T-0731	–	4T-3017
Plow Bolt	(19) 4F-7827	–	(23) 4F-7827
Nut	(19) 2J-3506	–	(23) 2J-3506
Corner Guard			
Corner Guard Right	253-0062	253-0062	253-0064
Corner Guard Left	253-0063	253-0063	253-0065
Plow Bolt	(4) 8T-9079	(4) 8T-9079	(4) 6V-6535
Nut	(4) 3K-9770	(4) 3K-9770	(4) 3K-9770

Adapters	
Flushmount	505-4040
Center Bolt-on	505-4041
Center Bolt-on	505-4042
Right Bolt-on	505-4043
Left Bolt-on	505-4044

Tips	
Heavy Abrasion	505-3981
Heavy Penetration	505-3980
Heavy Duty	505-3982
General Purpose	505-3984
Heavy Duty Long Life (ARM)	505-3983
Leveling Edge Conversion	505-3985

Cutting Edge	Bucket Width		
	113.6" (2886mm)	119.4" (3032mm)	125.7" (3193mm)
Segments for Use Between Tips			
30mm Bolt-On Segments			
Edge Segment Outer	(2) 263-7545	(2) 308-3054	(2) 308-4322
Edge Segment Inner	(5) 140-7601	(5) 4T-6699	(5) 100-6666
Plow Bolt	(14) 4F-4042	(14) 5P-8823	(14) 5P-8823
Nut	(14) 2J-3507	(14) 3K-9770	(14) 2J-3506
35mm Bolt-On Segments			
Edge Segment	–	–	(2) 140-6870
Edge Segment	–	–	(5) 310-4067
Plow Bolt	–	–	(14) 5P-8823
Nut	–	–	(14) 3K-9770
30mm Bolt-On Half Arrow Segments			
Bolt-on Half Arrow	–	(7) 313-5548	(7) 313-5550
Plow Bolt	–	(14) 5P-8823	(14) 5P-8823
Nut	–	(14) 3K-9770	(14) 3K-9770

CAT ADVANSYS™ TIP AND ADAPTER SYSTEM

BUILT TO DELIVER MAXIMUM PRODUCTIVITY AND THE LOWEST BUCKET LIFE CYCLE COST IN THE TOUGHEST APPLICATIONS.

Cat Advansys™ is built for machine productivity, balancing tip wear material and penetration requirements. Integrated hammerless retention ensures you are back to work in minutes without a separate retainer.

PERFORMANCE AND PRODUCTIVITY

Heavy abrasion and heavy penetration designs have more usable wear material while maintaining profile during the full life of the tip.

EXTEND BUCKET LIFE CYCLE

Adapter design directs material flow over adapter strap, which can extend adapter service life and bucket life cycle.

ENHANCE JOB SITE SAFETY

Hammerless system. A 3/4 inch retainer lock requires no special tools for installation and removal.

BALANCED EDGE SYSTEMS FOR EVERY APPLICATION.

Finding the best solution for your bucket and application is easy with Cat's broad portfolio of edge options. Increase your machine's productivity by reducing operating costs and maintenance interval costs.

We have G.E.T. for your bucket, no matter the application or environment. Maximum wear life and breakage resistance is possible with our steel alloy that can endure 2 times the heat and pressure of traditional cutting edge steel products. Consult your local Cat dealer to help determine the best cutting edge system for your application to give you the lowest cost per hour.

Cat offers a range of work tools including loading and specialty buckets to fit the 950M /962M wheel loader. These tools configure the machine to fit a wide range of applications, giving customers the efficiency and performance they demand. Contact your local Cat sales representative or refer to Parts.Cat.com for additional information.

These are common base edge widths, however, there may be similar base edges that the parts listed do not fit. Contact your Cat dealer. This is a limited list of GET, other styles and configurations are available. Contact your Cat dealer for more information.

CAB GLASS AND ACCESSORIES

Cab Glass and Accessories	Part Number
Rear Glass	369-8763
Rear Glass (Right)	369-8764
Rear Glass (Left)	369-8765
Front Glass	461-3174
Front Glass (Right)	291-4819
Front Glass (Left)	291-4820
Cab Door Glass (Left)	462-6225
Left Sliding Glass Window	491-4995
Left Fixed Glass Window	392-3985
Right Sliding Glass Window	491-4996
Right Fixed Glass Window	394-5939
Wiper Blade Assembly, Front	152-6641
Wiper Blade Assembly, Rear	189-8610
Seat Belt	528-7195
Radio AM/FM	583-8197 and 585-1577
Radio-Antenna Assembly	8E-1118

MIRRORS, LIGHTS, FUSES

Mirrors	Part Number
Exterior Mirror	372-8075
Rear Mirror, Exterior - Heated	372-8076

Lights	Part Number
Cab Flood Lamp, Front (HID)	324-3740
Cab Flood Lamp, Rear (HID)	
Cab Flood Lamp, Front (Halogen)	339-3505
Cab Flood Lamp, Rear (Halogen)	
Dome Lamp	107-6032
Stop and Tail Lamp	392-4634
Head and Signal Lamp (Right)	344-3455
Head and Signal Lamp (Left)	344-3456
Head and Signal Lamp, Right (LED)	525-5297
Head and Signal Lamp, Left (LED)	525-5298
Indicator Lamp	392-4634
Warning Beacon Lamp	371-2241

Fuses/Relay	Part Number
Fuse-10 Amp	113-8490
Fuse-15 Amp	113-8491
Fuse-20 Amp	113-8492
Relay Assembly	248-2841

ENGINE PARTS

Engine Components	Part Number	Remanufacture
Water Pump	397-5682	-
Engine Oil Pump	374-7136	-
Fuel Transfer Pump	446-5411	-
Starter	354-5671	20R-4877
Injector Pump	370-7282	20R-2478
Alternator	352-4700	20R-0959
Compressor	320-1291	-
Fuel Injection Pump	368-9041	20R-4782
Turbocharger (Smaller)	556-7935	-
Turbocharger (Larger)	457-3636	-

PUMPS AND MOTORS


Major Components	Part Number	Remanufacture
Steering Piston Pump	455-1846	20R-8885
Implement Piston Pump	506-3700	11R-0186
Brake Piston and Hydraulic Fan Pump	430-9005	-
Fan Motor	246-6152	-
Fan Pump	419-8920	20R-1845
Fan Motor (VPF)	575-6895	-
Secondary Steering Pump	378-4323	-
Engine Mounted Powertrain Pump	362-9554	-
Transmission	357-1577	-
Diesel Exhaust Fluid (DEF) Pump	591-2386	20R-9603

CYLINDERS

Cylinders	Part Number
Tilt Cylinder	347-5542
Tilt Cylinder, High Lift	347-5543
Lift Cylinder	347-5536
Steering Cylinder	395-0394



WHEEL LOADER LINKAGE CONFIGURATION



Pin Name	Location
A	Loader Arm to Front Frame
B	Loader Arm to Coupler/Bucket
C	Tilt Link to Coupler/Bucket
D	Tilt Lever to Tilt Link
E	Tilt Cylinder to Tilt Lever
F	Tilt Lever Pivot
G	Tilt Cylinder to Front Frame
K	Lift Cylinder to Loader Arm
Y	Lift Cylinder to Front Frame
S1	Steering Cylinder to Rear Frame
S2	Steering Cylinder to Front Frame

LINKAGE PINS

Sales Model	Prefix	LIFT TYPE	A	B	C	D	E	F	G	K	Y	S1	S2
950M	EMB	Automatic Standard Lift	347-5630 Pin (Quantity 2)	347-5637 Pin (Quantity 2)	347-5651 Pin	347-5658 Pin	361-4985 Pin	347-5644 Pin	444-2295 Pin	347-5657 Pin (Quantity 2)	347-5664 Pin (Quantity 2)	383-3725 Pin (Quantity 2)	383-3725 Pin (Quantity 2)
950M	KSA	Standard Lift / High Lift					591-8966 Pin	533-4819 Pin					
		Standard Lift											
950M	FTR	Standard Lift / High Lift											
		Standard Lift / High Lift											
950M	NHL	Standard Lift / High Lift											
		Standard Lift / High Lift											
950M	J1S	Standard Lift											
		Standard Lift											
		Standard Lift / High Lift											
950M	XCJ	Standard Lift / High Lift											
		Standard Lift / High Lift											
		Standard Lift / High Lift											
962M	EJB	Standard Lift / High Lift											
		High Lift											
962M	RKH	High Lift											
		High Lift											
962M	F2T	High Lift											
		High Lift											
962M	K88	Standard Lift / High Lift											
		Standard Lift / High Lift											
962M	J2S	Standard Lift / High Lift											
		Standard Lift / High Lift											
		Standard Lift / High Lift											
962M	JYD	Standard Lift / High Lift											
		Standard Lift / High Lift											
		Standard Lift / High Lift											

BEARINGS AND BUSHINGS

Sales Model	Prefix	LIFT TYPE	A	B	C	D	E	F	G	K	Y	S1	S2
950M	EMB	Automatic Standard Lift	7P-3194 Bushing (Quantity 2)	394-1178 Bushing (Quantity 2)	1V-8241 Bushing	1V-8241 Bushing	360-3135 Bushing	374-4658 Bushing	360-3135 Bushing	9J-7100 Bushing (Quantity 2)	9J-7100 Bushing (Quantity 2)	9M-1328 Bearing (Quantity 2)	364-8483 Bearing (Quantity 2)
950M	KSA	Standard Lift / High Lift Standard Lift						541-0103 Bearing		493-5906 Bearing (Quantity 2)			
950M	FTR	Standard Lift / High Lift Standard Lift / High Lift						374-4658 Bushing		9J-7100 Bushing (Quantity 2)			
950M	NHL	Standard Lift / High Lift Standard Lift / High Lift						541-0103 Bearing		493-5906 Bearing (Quantity 2)			
950M	J1S	Standard Lift Standard Lift						374-4658 Bushing					
950M	XCJ	Standard Lift / High Lift						541-0103 Bearing		9J-7100 Bushing (Quantity 2)			
		Standard Lift / High Lift						374-4658 Bushing		493-5906 Bearing (Quantity 2)			
		Standard Lift / High Lift						541-0103 Bearing		9J-7100 Bushing (Quantity 2)			
962M	EJB	Standard Lift / High Lift High Lift						374-4658 Bushing		9J-7100 Bushing (Quantity 2)			
962M	RKH	High Lift								493-5906 Bearing (Quantity 2)			
962M	F2T	High Lift High Lift						541-0103 Bearing		9J-7100 Bushing (Quantity 2)			
962M	K88	Standard Lift / High Lift Standard Lift / High Lift								493-5906 Bearing (Quantity 2)			
962M	J2S	Standard Lift / High Lift						374-4658 Bushing		9J-7100 Bushing (Quantity 2)			
		Standard Lift / High Lift						541-0103 Bearing		493-5906 Bearing (Quantity 2)			
		Standard Lift / High Lift						374-4658 Bushing		9J-7100 Bushing (Quantity 2)			
962M	JYD	Standard Lift / High Lift Standard Lift / High Lift						541-0103 Bearing		493-5906 Bearing (Quantity 2)			
		Standard Lift / High Lift											



SEALS

Sales Model	Prefix	LIFT TYPE	A	B	C	D	E	F	G	K	Y	S1	S2
950M	EMB	Automatic Standard Lift	7K-9216 Seal (Quantity 4)	7K-9208 Seal (Quantity 4)	5P-3193 Seal (Quantity 2)	5P-3193 Seal (Quantity 2)	5P-3193 Seal (Quantity 2)	9X-4601 Seal (Quantity 2)	5P-3193 Seal (Quantity 2)	7K-9211 Seal (Quantity 4)	7K-9211 Seal (Quantity 4)	2D-4867 Grease Fitting (Quantity 2)	2D-4867 Grease Fitting (Quantity 2)
950M	KSA	Standard Lift / High Lift						166-1498 Seal (Quantity 2)					
950M	FTR	Standard Lift						9X-4601 Seal (Quantity 2)					
		Standard Lift / High Lift						166-1498 Seal (Quantity 2)					
950M	NHL	Standard Lift / High Lift						9X-4601 Seal (Quantity 2)					
		Standard Lift / High Lift						166-1498 Seal (Quantity 2)					
950M	J1S	Standard Lift						9X-4601 Seal (Quantity 2)					
		Standard Lift						166-1498 Seal (Quantity 2)					
		Standard Lift / High Lift						9X-4601 Seal (Quantity 2)					
950M	XCJ	Standard Lift / High Lift						166-1498 Seal (Quantity 2)					
		Standard Lift / High Lift						9X-4601 Seal (Quantity 2)					
		Standard Lift / High Lift						166-1498 Seal (Quantity 2)					
962M	EJB	Standard Lift / High Lift						9X-4601 Seal (Quantity 2)					
962M	RKH	High Lift						166-1498 Seal (Quantity 2)					
962M	F2T	High Lift											
962M	K88	High Lift						9X-4601 Seal (Quantity 2)					
		Standard Lift / High Lift						166-1498 Seal (Quantity 2)					
962M	J2S	Standard Lift / High Lift						9X-4601 Seal (Quantity 2)					
		Standard Lift / High Lift						166-1498 Seal (Quantity 2)					
		Standard Lift / High Lift						9X-4601 Seal (Quantity 2)					
962M	JYD	Standard Lift / High Lift	166-1498 Seal (Quantity 2)										
		Standard Lift / High Lift	9X-4601 Seal (Quantity 2)										
		Standard Lift / High Lift	166-1498 Seal (Quantity 2)										



RETENTION HARDWARE

Sales Model	Prefix	LIFT TYPE	A	B	C	D	E	F	G	K	Y	S1	S2
950M	EMB	Automatic Standard Lift	4I-0575 Shim (Quantity 4) 4I-0576 Shim (Quantity 4) 4I-0577 Shim (Quantity 4) 096-6467 Washer (Quantity 2) 8T-4780 Bolt (Quantity 2)	8R-2912 Washer (Quantity 4) 8R-2913 Washer (Quantity 4) 8T-5439 Washer (Quantity 2) 9K-9731 Spacer (Quantity 2) 7X-2563 Bolt (Quantity 2)				128-0957 Washer 132-5528 Spacer 7X-2563 Bolt					
950M	KSA	Standard Lift / High Lift	4I-0576 Shim (Quantity 12) 096-6467 Washer (Quantity 2) 8T-4780 Bolt (Quantity 2)	8R-2912 Washer (Quantity 12) 8T-5439 Washer (Quantity 2) 9K-9731 Spacer (Quantity 2) 7X-2563 Bolt (Quantity 2)				128-0957 Washer 217-9902 Washer 7X-2563 Bolt					
		Standard Lift											
950M	FTR	Standard Lift / High Lift	4I-0575 Shim (Quantity 4) 4I-0576 Shim (Quantity 4) 4I-0577 Shim (Quantity 4) 096-6467 Washer (Quantity 2) 8T-4780 Bolt (Quantity 2)	8R-2912 Washer (Quantity 4) 8R-2913 Washer (Quantity 4) 8T-5439 Washer (Quantity 2) 9K-9731 Spacer (Quantity 2) 7X-2563 Bolt (Quantity 2)				128-0957 Washer 132-5528 Spacer 7X-2563 Bolt					
		Standard Lift / High Lift											
950M	NHL	Standard Lift / High Lift	4I-0576 Shim (Quantity 12) 096-6467 Washer (Quantity 2) 8T-4780 Bolt (Quantity 2)	8R-2912 Washer (Quantity 12) 8T-5439 Washer (Quantity 2) 9K-9731 Spacer (Quantity 2) 7X-2563 Bolt (Quantity 2)				128-0957 Washer 217-9902 Washer 7X-2563 Bolt					
		Standard Lift / High Lift											
950M	J1S	Standard Lift / High Lift	4I-0575 Shim (Quantity 4) 4I-0576 Shim (Quantity 4) 4I-0577 Shim (Quantity 4) 096-6467 Washer (Quantity 2) 8T-4780 Bolt (Quantity 2)	8R-2912 Washer (Quantity 4) 8R-2913 Washer (Quantity 4) 8T-5439 Washer (Quantity 2) 9K-9731 Spacer (Quantity 2) 7X-2563 Bolt (Quantity 2)	8T-5439 Washer 9K-9731 Spacer 7X-2563 Bolt	8T-5439 Washer 9K-9731 Spacer 7X-2563 Bolt	8T-5439 Washer 9K-9731 Spacer 7X-2563 Bolt	128-0957 Washer 132-5528 Spacer 7X-2563 Bolt	8T-4192 Bolt 7G-8839 Spacer	8T-5439 Washer (Quantity 2) 9K-9731 Spacer (Quantity 2) 7X-2562 Bolt (Quantity 2)	096-6467 Washer (Quantity 2) 8T-4780 Bolt (Quantity 2)	7G-8839 Spacer (Quantity 2) 8T-4192 Bolt (Quantity 2) 1K-6985 Retaining Ring (Quantity 4)	7G-8839 Spacer (Quantity 2) 8T-4192 Bolt (Quantity 2) 365-2565 Washer (Quantity 4) 1K-6985 Retaining Ring (Quantity 4)
		Standard Lift											
		Standard Lift / High Lift											
950M	XCJ	Standard Lift / High Lift	4I-0575 Shim (Quantity 4) 4I-0576 Shim (Quantity 4) 4I-0577 Shim (Quantity 4) 096-6467 Washer (Quantity 2) 8T-4780 Bolt (Quantity 2)	8R-2912 Washer (Quantity 4) 8R-2913 Washer (Quantity 4) 8T-5439 Washer (Quantity 2) 9K-9731 Spacer (Quantity 2) 7X-2563 Bolt (Quantity 2)				128-0957 Washer 132-5528 Spacer 7X-2563 Bolt					
		Standard Lift / High Lift											
		Standard Lift / High Lift											
962M	EJB	Standard Lift / High Lift	4I-0575 Shim (Quantity 4) 4I-0576 Shim (Quantity 4) 4I-0577 Shim (Quantity 4) 096-6467 Washer (Quantity 2) 8T-4780 Bolt (Quantity 2)	8R-2912 Washer (Quantity 4) 8R-2913 Washer (Quantity 4) 8T-5439 Washer (Quantity 2) 9K-9731 Spacer (Quantity 2) 7X-2563 Bolt (Quantity 2)				128-0957 Washer 132-5528 Spacer 7X-2563 Bolt					
		High Lift											
962M	RKH	High Lift	4I-0576 Shim (Quantity 12) 096-6467 Washer (Quantity 2) 8T-4780 Bolt (Quantity 2)	8R-2912 Washer (Quantity 12) 8T-5439 Washer (Quantity 2) 9K-9731 Spacer (Quantity 2) 7X-2563 Bolt (Quantity 2)									
962M	F2T	High Lift	4I-0575 Shim (Quantity 4) 4I-0576 Shim (Quantity 4) 4I-0577 Shim (Quantity 4) 096-6467 Washer (Quantity 2) 8T-4780 Bolt (Quantity 2)	8R-2912 Washer (Quantity 4) 8R-2913 Washer (Quantity 4) 8T-5439 Washer (Quantity 2) 9K-9731 Spacer (Quantity 2) 7X-2563 Bolt (Quantity 2)				128-0957 Washer 132-5528 Spacer 7X-2563 Bolt					
		High Lift											

RETENTION HARDWARE (CONTINUED)

Sales Model	Prefix	LIFT TYPE	A	B	C	D	E	F	G	K	Y	S1	S2
962M	K88	Standard Lift / High Lift	4I-0576 Shim (Quantity 12) 096-6467 Washer (Quantity 2) 8T-4780 Bolt (Quantity 2)	8R-2912 Washer (Quantity 12) 8T-5439 Washer (Quantity 2) 9K-9731 Spacer (Quantity 2) 7X-2563 Bolt (Quantity 2)				128-0957 Washer 217-9902 Washer 7X-2563 Bolt					
		Standard Lift / High Lift											
962M	J2S	Standard Lift / High Lift	4I-0575 Shim (Quantity 4) 4I-0576 Shim (Quantity 4) 4I-0577 Shim (Quantity 4) 096-6467 Washer (Quantity 2) 8T-4780 Bolt (Quantity 2)	8R-2912 Washer (Quantity 4) 8R-2913 Washer (Quantity 4) 8T-5439 Washer (Quantity 2) 9K-9731 Spacer (Quantity 2) 7X-2563 Bolt (Quantity 2)	8T-5439 Washer 9K-9731 Spacer 7X-2563 Bolt	8T-5439 Washer 9K-9731 Spacer 7X-2563 Bolt	8T-5439 Washer 9K-9731 Spacer 7X-2563 Bolt	128-0957 Washer 217-9902 Washer 7X-2563 Bolt	8T-4192 Bolt 7G-8839 Spacer	8T-5439 Washer (Quantity 2) 9K-9731 Spacer (Quantity 2) 7X-2562 Bolt (Quantity 2)	096-6467 Washer (Quantity 2) 8T-4780 Bolt (Quantity 2)	7G-8839 Spacer (Quantity 2) 8T-4192 Bolt (Quantity 2) 1K-6985 Retaining Ring (Quantity 4)	7G-8839 Spacer (Quantity 2) 8T-4192 Bolt (Quantity 2) 365-2565 Washer (Quantity 4) 1K-6985 Retaining Ring (Quantity 4)
		Standard Lift / High Lift											
		Standard Lift / High Lift											
962M	JYD	Standard Lift / High Lift	4I-0575 Shim (Quantity 4) 4I-0576 Shim (Quantity 4) 4I-0577 Shim (Quantity 4) 096-6467 Washer (Quantity 2) 8T-4780 Bolt (Quantity 2)	8R-2912 Washer (Quantity 4) 8R-2913 Washer (Quantity 4) 8T-5439 Washer (Quantity 2) 9K-9731 Spacer (Quantity 2) 7X-2563 Bolt (Quantity 2)				128-0957 Washer 132-5528 Spacer 7X-2563 Bolt					
		Standard Lift / High Lift											
		Standard Lift / High Lift											
		Standard Lift / High Lift	4I-0576 Shim (Quantity 12) 096-6467 Washer (Quantity 2) 8T-4780 Bolt (Quantity 2)	8R-2912 Washer (Quantity 12) 8T-5439 Washer (Quantity 2) 9K-9731 Spacer (Quantity 2) 7X-2563 Bolt (Quantity 2)				128-0957 Washer 217-9902 Washer 7X-2563 Bolt					





Cat Filters Provide Longer Injector Life

Chances are, you don't skip oil changes or regular maintenance on the family car. So why skip planned maintenance on your Cat equipment? Cat fuel filters outperform the competition, with up to 45% longer injector life and up to 80% decreased cost per hour.*



Productivity and Hydraulics Go Hand In Hand

If your hydraulic system isn't performing at peak efficiency, it's robbing your machine of performance. Efficiency losses usually occur slowly! These losses can also increase your fuel consumption and operating costs.



Need help?

Your local Cat dealer can provide:

- Technical Support
- Customer Value Agreements
- Oil sample analysis
- Parts needed and equipment fit
- Repair financing
- Rental Services

Find your local dealer at www.cat.com today.



LET'S DO THE WORK.™



To buy Cat parts online, visit Parts.cat.com

* Visit <https://www.cat.com/filtersandfluids> for more details

PEBJ0919
(Aus, EAME, N Am)

© 2022 Caterpillar. All Rights Reserved. CAT, CATERPILLAR, LET'S DO THE WORK, their respective logos, "Caterpillar Corporate Corporate Yellow", the "Power Edge" and Cat "Modern Hex" trade dress as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission.

