PRECIOUS METALS OVERHAUL KITS

6





OVERHAUL FOR PEAK PERFORMANCE

Ensure your Cat[®] on-highway truck engine is running at peak performance by overhauling your engine using a Cat precious metals kit. These kits deliver a reliable and high-quality rebuild that meets Caterpillar's recommended engine overhaul practices. They include all the parts necessary for a variety of repair options, from a basic repair to a complete in-frame or out-of-frame overhaul.



SAVE UP TO $30^{\%}$ OVER PURCHASING PARTS INDIVIDUALLY

PAY LESS. GET MORE.

With Cat precious metals kits, you pay up to 30% less than buying truck engine parts individually. Choose the option that matches your repair indicators.

OPTION	REPAIR INDICATORS						
BRONZE KIT	Any external oil, coolant or fuel leaks	→ ≫					
SILVER KIT	Decrease in power, increase in oil consumption or excessive exhaust smoke	>>					
GOLD KIT	Decrease in power, increase in oil consumption or excessive exhaust smoke	>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>					
PLATINUM KIT	Decrease in MPG or power or increase in oil consumption with excessive exhaust smoke	»					
TITANIUM KIT (medium-duty only)	Decrease in MPG or power or increase in oil consumption with excessive exhaust smoke	>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>					



OVERHAUL KITS FOR ANY NEED


We offer a full range of solutions to fit any budget and situation.

» C-16» 3406E

MEDIUM-DUTY	HEAVY-DUTY			
BRONZE, SILVER, GOLD, PLATINUM, TITANIUM, HEUI™ FUEL SYSTEM KIT	BRONZE, SILVER, GOLD, PLATINUM			
» C7 » 3126B » 3126E	 » C-12 » C13 ACERT™ » C-15 » C15 ACERT 			

Cat precious metals kits come with a factory-backed, 12-month parts warranty. Our warranty covers parts, labor and resultant damage and has no mileage limitations. In addition to the standard one-year warranty, extended service coverage for these kits is also available for up to four years, with no mileage or hour limitations.





KIT OVERVIEW - Pair with pistons, rings and/or liners for a basic engine reseal - Includes new components — no core charge - Select this low-end rebuild if you can reuse connecting rods - Includes new components — no core charge - Select this mid-range rebuild if you cannot reuse connecting rods - Contains factory-assembled Reman cylinder packs with connecting rods - Commonly pairs with Reman cylinder head - Select this premium overhaul to reset your engine to like-new specifications - Contains Reman components not included in gold: cylinder head, injector set, water pump & oil pump - Commonly pairs with turbocharger(s) - Upgrade to this option if you need a camshaft in addition to platinum - Saves 40-50% on labor hours compared to platinum

MEDIUM-DUTY OVERHAUL KITS

WITH COST-EFFECTIVE AND SIMPLE-TO-ORDER OVERHAUL OPTIONS, MEDIUM-DUTY PRECIOUS METALS OVERHAUL KITS DELIVER RELIABLE, HIGH-QUALITY REBUILDS THAT MEET CATERPILLAR'S RECOMMENDED ENGINE OVERHAUL PRACTICES.


CONSIDERATIONS & AVAILABLE KITS



BRONZE

- » Low-cost, basic repair option
- » No core charges
- » Main, rod and thrust bearings
- » Complete set of seals and gaskets, retainers, plugs, hardware, etc.
- » Value-add components: Cat oil filter, at fuel filter, exhaust sleeves, studs and thermostats





SILVER

- » Basic in-frame overhaul (comparable to most will-fit in-frame overhaul kits)
- » No core charges
- » Includes all parts from bronze kit, plus six pistons, rings, pins and retainers





GOLD

- » Basic in-frame overhaul
- » Most cost-effective extension of asset life
- » Includes the core components from the bronze kit, plus six Reman piston packs, preassembled piston packs (saves labor on piece part assembly)





PLATINUM

- » Complete out-of-frame overhaul
- » Replaces the need for block machining
- » Includes all parts from gold kit, plus bare block, Reman HEUI pump, six Reman injectors, Reman oil pump, Reman cylinder head and IAP sensor

TITANIUM

- » Complete out-of-frame overhaul
- » Includes all parts from bronze kit, plus Reman long block*, six Reman injectors, IAP sensor and preassembled Reman long block (saves labor on piece part assembly)

HEUI FUEL SYSTEM KIT

- » Excellent mid-life performance improvement
- » Stand-alone repair option or combine with other kit options
- » Includes six Reman injectors, plus Reman HEUI pump, hold-down bolts, IAP sensor, seals and O-rings

FIND THE KIT YOU NEED / MEDIUM-DUTY

3

FOLLOW THE SIMPLE STEPS LISTED BELOW TO DETERMINE WHICH OPTION IS RIGHT FOR YOUR CAT TRUCK ENGINE.

2

1

													ADDITIONAL RE	MAN REPAIR OPTIONS
Sales Model	Engine S/N	Horsepower Range	RPM	Torque (ft-lbs)	Bronze	Silver	Gold	Platinum	HEUI Fuel System Kit	Titanium	Short Block	Long Block	Reman*	Complete Engine Rating
													10R-8776	190 @ 2300
													10R-8810	190 @ 2300
	KAL, WAX, SAP	· · · · · · · · · · · · · · · · · · ·	520-605		368-0651	20R-0634	<u>20R-0638</u>	<u>20R-0641</u>	<u>20R-0799</u>	10R-4139	10R-4145	10R-8774	210 @ 2400	
	(Low HP)											10R-8777 10R-8778	210 @ 2400 210 @ 2400	
C7			All		368-0653								10R-8778	210 @ 2400
	KAL, WAX, SAP		_										10R-8811	230 @ 2300
	(Med HP)	230-250		540-660				<u>20R-0639</u>	<u>20R-0642</u>	<u>20R-0797</u>			10R-8812	230 @ 2300
	KAL, WAX, SAP	KAL WAY SAD			<u>368-0650</u>	<u>20R-0635</u>				10R-4134	10R-4144	10R-8813	300 @ 2200	
	(High HP)	230-350*		800-860				<u>20R-0640</u>	<u>20R-0643</u>	<u>20R-0798</u>			10R-8775*	350 @ 2400*
		175-210**	2300-2400	420-520		NI/A	200 0645**	20R-0650**	20R-0652		00.4000	NI/A	0R-4879	190 @ 2200
		210**		520-605		<u>N/A</u>	<u>20R-0645**</u>	20R-0651**	<u>20R-0654</u>		0R-4890	N/A	0R-4859	210 @ 2300
242CD	8YL1 - UP 230	2200	660	270 7005	270 7007	200.0044	20R-0649	<u>20K-0004</u>	N1/A					
3126B		275-300		800-860	<u>370-7905</u>	<u>370-7907</u>	<u>20R-0644</u>	200 0640	200 0652	N/A	0R-9964	0R-7907 -	0R-4855	300 @ 2200
	8YL1 - 68263	250	2200	660-800		220 2002 200	<u>20R-0644</u>	20R-0648	<u>20R-0653</u>					
	8YL68264 - UP	250	2200	000-000	1	<u>370-7907</u>	<u>20H-0044</u>	<u>20R-0649</u>	<u>20R-0654</u>					
	CKM51 - 03721	175-210	2300-2400	420-520			<u>20R-0645</u>	N/A	N/A	N/A				
	CKM3722 - UP	175-210	2300-2400	420-520		<u>N/A</u>		<u>20R-0666</u>	<u>20R-0672</u>	<u>20R-0806</u>	0R-4890	10R-7040		
		210		520-605				<u>20R-0664</u>	70B-0670	<u>20R-0801</u>			20R-0014	210 @ 2200
	CKM51 - UP	230-250	2200	660-800		<u>370-7907</u> <u>N/A</u>	<u>20R-0644</u>	<u>20R-0660</u>		<u>20R-0802</u>	- 0R-9964	N/A		
		275-300		800-860				<u>20R-0659</u>	<u>20R-0669</u>	<u>20R-0800</u>	011-550-		20R-0015	300 @ 2200
		175-210	2300-2400	420-520			<u>20R-0645</u>	<u>20R-0650</u>	<u>20R-0652</u>	N/A	0R-4890	10R-7040		
	9SZ1 - UP	210		520-605				<u>20R-0651</u>	<u>20R-0654</u>			1011-7040	20R-0014	210 @ 2200
	3321-01	230-250	2200	660-800		<u>370-7907</u>	<u>20R-0644</u>	<u>20R-0649</u>	<u>2011-003+</u>		0R-9964	N/A		
		275-300		800-860				<u>20R-0648</u>	<u>20R-0653</u>				20R-0015	300 @ 2200
		175-210	2300-2400	420-520		<u>N/A</u>	20R-0645	<u>20R-0667</u>	<u>20R-0673</u>	<u>20R-0821</u>	- 0R-4890	10R-7038		
3126E	HEP1 - 07679***	210	_	520-605	<u>370-7905</u>		2011-00-13	<u>N/A</u>	<u>20R-0671</u>	<u>N/A</u>	011 +000	1011 7000	20R-0017	210 @ 2200
01202		230-250	2200	660-800	010 1000	<u>370-7907</u>	<u>20R-0644</u>	<u>20R-0661</u>		<u>20R-0804</u>	OR-9964	10R-7039		
		275-300			<u>370-7307</u>	2011-00++	<u>N/A</u>	N/A	N/A	011-550-	100-7003			
		175-210***	2300-2400	420-520		<u>N/A</u>	<u>20R-0645</u>	<u>20R-0667</u>	<u>20R-0673</u>	<u>20R-0821</u>	0B-4890	0R-4890 10R-7038		
		210***	-	520-605		<u></u>	2011 00 10	<u>N/A</u>		<u>N/A</u>			20R-0017	210 @ 2200
	HEP7580 - 14785***	230-250***	2200	660		<u>370-7907</u>	<u>07 20R-0644</u>	<u>20R-0661</u>	20R-0671	20R-0804	-	10R-7039		
		250-300***		800-860							0R-9964			
		330*		860				<u>N/A</u>	<u>20R-0674</u>	N/A			20R-0016*	330 @ 2400*
		175-210	2300-2400	420-520		<u>N/A</u>	20R-0645	<u>20R-0667</u>	<u>20R-0673</u>	<u>20R-0821</u>	OR-4890	10R-7038		
	HEP14586 - UP***	EP14586 - UP*** 210 520-605			<u>N/A</u>	<u>20R-0671</u>	<u>N/A</u>			20R-0017	210 @ 2200			
		230-300	2200	660-860		<u>370-7907</u>	<u>20R-0644</u>	<u>20R-0661</u>		<u>20R-0804</u>	0R-9964	10R-7039		
		330*		860				<u>N/A</u>	<u>20R-0674</u>	N/A		1011 / 000	20R-0016*	330 @ 2400*

4

Note - 330 and 350 ratings are for emergency service and RV applications only and are for limited use, not for over-the-road use
 Note - If engine currently has 172-3282 piston crown, cooling jets as well as software require update (not required for HEUI system kit)
 Note - Rerates can only be made within the engine's specific emissions family



COMPARE YOUR OPTIONS / MEDIUM-DUTY

	BRONZE	SILVER	GOLD	PLATINUM	TITANIUM*	WHY CHOOSE CAT PRECIOUS METALS KITS?
Rod, main & thrust bearing set	Х	Х	Х	Х	Х	Critical internal components are designed just for your Cat engine
Connecting rod bolts & nuts	Х	Х	Х	Х	Х	Replacement prevents failure from stress and a catastrophic failure
Fuel injector hold down bolts	Х	Х	Х	Х	Х	Replacement ensure proper clamping force and assists in prevention of fuel dilution
Cylinder head gasket set	Х	Х	Х	Х	Х	Comprehensive set means no missing o-rings or gaskets
Front cover gasket	Х	Х	Х	Х	Х	Replacing the seal helps prevent future leaks
Valve cover seal	Х	Х	Х	Х	Х	Replacing the seal helps prevent future leaks
Oil pan gasket	Х	Х	Х	Х	Х	One-piece steel/silicate design is superior to paper gaskets
Fuel injector gasket kit	Х	Х	Х	Х	Х	Replacing injector seals helps prevent fuel dilution & engine damage
Exhaust manifold sleeves, high temp studs, locking nuts	Х	Х	Х	Х	Х	Debris from unexpected failure could damage turbo & cylinder components
Front & rear main seal / wear sleeves	Х	Х	Х	Х	Х	Replacing the seal helps prevent future leaks
Oil fill cap	х	Х	Х	Х	Х	Helps prevent oil and crankcase gas leaks
Thermostats and gaskets	Х	Х	Х	Х	Х	Replacement ensures proper cooling & prevents overheating
Advanced efficiency oil & fuel filters	Х	Х	Х	Х	Х	Increased filtration reduces wear & protects fuel system from contamination
Pistons crown, skirt, rings, wrist pins & clips		Х	Х	Х	Х	Replacement of these critical internal components that are designed for your Cat engine helps maximize performance and reliability
Connecting rods			Х	Х	Х	Reusing bent or imperfect rods can lead to catastrophic failure
Complete Reman cylinder head				Х	Х	Reman head offers like-new performance & reliability at fraction-of-new price
Injection actuation pressure sensor				Х	Х	Ensures proper fuel pressure and prevents poor fuel economy
Reman HEUI pump				Х	Х	Ensures proper fuel pressure and prevents poor fuel economy
Reman injectors - complete set				Х	Х	Critical internal components are designed just for your Cat engine
Reman oil pump				Х	Х	Critical internal components are designed just for your Cat engine
Reman cylinder block				Х	Х*	Factory-reconditioned block is built to good-as-new specifications for peace of mind
Reman crankshaft					Х	Magnafluxing & demagnetization ensure a quality rebuild
Reman camshaft					Х	Replacement of this critical internal component that is designed for your Cat engine helps maximize performance and reliability
Reman oil cooler					Х	Replacement prevents excessive oil temps to reduce wear & maximize engine life
Reman fuel transfer pump					Х	Maintaining proper fuel pressure is key to maximum fuel economy & performance
Front housing and gear train					Х	Factory-built & timed parts deliver the best performance & fuel economy
Valve cover base and set					Х	Factory-built & timed parts deliver the best performance & fuel economy

HEAVY-DUTY OVERHAUL KITS

HEAVY-DUTY PRECIOUS METALS OVERHAUL KITS GIVE YOU COST-EFFECTIVE, HIGH-QUALITY OVERHAUL OPTIONS THAT HELP YOU GET THE MOST OUT OF YOUR CAT TRUCK ENGINE. EACH KIT MEETS CATERPILLAR'S RECOMMENDED ENGINE OVERHAUL PRACTICES.

CONSIDERATIONS & AVAILABLE KITS









*Titanium kit contains pre-assembled long block

BRONZE

- » Low-cost repair option
- » Includes value-add components such
- as Cat oil and fuel filters
- » Includes components that you might not think of replacing such as exhaust
- sleeves and exhaust manifold studs » No core charge

SILVER

- » A basic in-frame overhaul
- (comparable to most will-fit
- in-frame overhaul kits) » Builds on the bronze kit
- » No core charge

GOLD

» A basic in-frame overhaul » Includes the core parts from the bronze kit and the added bonus of Cat Reman cylinder pack assemblies (which are beneficial because the rods, pistons, rings and liners come preassembled, saving four to six hours of labor compared with the silver kit)

PLATINUM

- » Includes the components from the gold kit, plus Cat Reman cylinder head assembly, Cat Reman fuel injector, Cat Reman water pump, Cat Reman oil pump and cylinder head bolt set
- » Optimizes performance and fuel economy » Maximizes the built-in second or third life of your engine

READY TO INSTALL COMPONENTS

The Cat dealer network stocks a broad line of remanufactured parts and components, supported by the Caterpillar worldwide inventory and distribution system. With more than 2,000 authorized Cat dealers in North America, your Cat dealer will have the components you need ready to install, minimizing your downtime and maintaining productivity. Contact your local authorized Cat dealer today.

FIND THE KIT YOU NEED / HEAVY-DUTY

FOLLOW THE SIMPLE STEPS LISTED BELOW TO DETERMINE WHICH OPTION IS RIGHT FOR YOUR CAT TRUCK ENGINE.

Sales Model	Engine S/N	Horsepower Range	Bronze	Silver	Gold	Platinum
C-12 2KS00387 - UP		335 - 455 hp	603-6649	<u>350-5735</u>	<u>10R-9808</u>	<u>10R-9810</u>
6-12	MBL00001 - UP	335 - 455 hp	003-0049	<u>N/A</u>	<u>10R-9809</u>	<u>10R-9811</u>
	KCB00001-05433	380 hp				
	KCD00001-00400	430 hp				10R-9921
	KCB00001-06811	335 hp				<u>10K-9921</u>
	KCD0001-00011	410 hp	603-6650	422-9598	100 0020	
	KCB05434 - UP	380 hp	003-0030	422-9090	<u>10R-9920</u>	
	KGD03434 - 0F	430 hp				10R-9922
	KCB06812 - UP	335 hp				<u>10h-3322</u>
C13	KCD00012 - UF	410 hp				
ACERT		305 hp				
		335 hp				
		350 hp				
	LEE00001-UP	370 hp	N/A	N/A	20R-1166	<u>20R-1167</u>
	LELUUUUI-UF	380 hp	<u>IN/A</u>	<u>IN/A</u>	<u>201-1100</u>	<u>200-1107</u>
		410 hp				
		430 hp				
		470 hp				
	5EK00001 - UP	500 550 hp		<u>348-7339</u>	<u>10R-9552</u>	
	6TS00001-25054	500 - 550 hp				20R-7815
	5EK67193 - UP	17E bo*	-			<u>206-7015</u>
	6TS00001-25054	475 hp*				
	5EK00001-67192	475 hp*		<u>348-7346</u>	<u>10R-9554</u>	20R-7816
	5EK53004 - UP	435 - 455 hp*	<u>603-6647</u>	240 7220	10R-9552	200 7017
	6TS00001-25054	450 - 400 lip		<u>348-7339</u>	<u>1011-3332</u>	<u>20R-7817</u>
3406E	5EK00001-53003	455 hp*				<u>20R-7816</u>
3400E	5EK01185-53003	435 hp*		<u>348-7346</u>	<u>10R-9554</u>	
	5EK00001 - UP	355 - 410 hp				<u>20R-7818</u>
	6TS00001-25054	310 - 330 hp				N/A
		475 - 550 hp		245 5017	10B-0552	20R-7819
	6TS25055 - UP	435 - 455 hp*	<u>603-6648</u>	<u>345-5917</u>	<u>10R-9553</u>	<u>20R-7820</u>
		310 - 410 hp		N/A	N/A	N/A
	2WS00406 - UP	435 - 550 hp	000 0040	04C 0701 A	100 0246 4	200 7021
	1LW00230 - UP	435 - 550 hp	<u>603-6646</u>	<u>346-3791 ^</u>	<u>10R-9346</u> ^	<u>20R-7821</u>
	6NZ00001 - UP	425 550 hr	603-6644	610 0752	100 0242	200 7022
C-15	9NZ00001 - UP	435 - 550 hp		<u>610-0753</u>	<u>10R-9343</u>	<u>20R-7822</u>
	MBN00001 - UP	435 - 525 hp		<u>610-0751</u>	<u>10R-9345</u>	20R-7823
	BXS00001 - UP	435 - 550 hp			100 0000 4	200 7411 4
	MXS00001 - UP	435 - 550 hp	1	<u>356-1428</u> ^	<u>10R-9923</u> ^ <u>20R-0744</u> ^ ^	20R-7411 ^
	NXS00001 - UP	435 - 550 hp	606-0909			20R-7413 ^ ^
	MXS00001 - UP	600 - 625 hp	1			200 7/12
C15	NXS00001 - UP	600 - 625 hp]	<u>356-1448</u> ^	<u>10R-9924</u> ^	<u>20R-7412</u>
ACERT		435 hp				
		475 hp	440 7400	440.0070	200 2070	200 7414
	SDP00001-UP	500 hp	<u>442-7439</u>	<u>442-8972</u>	<u>20R-3076</u>	<u>20R-7414</u>
		550 hp	1			
	SDP00001 - UP	600 hp	442-7439	N/A	N/A	N/A
C-16	7CZ00001 - UP	575 - 600 hp	603-6644	N/A	10R-9344	20R-7824

*	Difference in pistons;
	confirm piston part
	number compatibility
	with dealer when
	ordering the silver,
	gold or platinum kits.

^ Kit ships with cylinder packs for normal load applications. High load applications (GVWR greater than 140,000 lbs.) should utilize high load kit or replace top ring with 247-6130. Refer to SEBD6832 for top ring reference.

^^ High load application kit (GVWR greater than 140,000 lbs.).

COMPARE YOUR OPTIONS / HEAVY-DUTY

	BRONZE	SILVER	GOLD	PLATINUM	WHY CHOOSE CAT PRECIOUS METALS KITS?
Rod & main bearing set	Х	Х	Х	X	Critical internal components are designed just for your Cat engine
Head gasket set	Х	Х	Х	Х	Comprehensive set means no missing o-rings or gaskets
Front cover gasket	Х	Х	Х	Х	Replacing the seal, which can be damaged during removal, helps prevent leaks
Oil pan gasket	Х	Х	Х	x	One-piece steel/silicate design is superior to paper gaskets
Kit gasket (single fuel injector)	Х	Х	Х	Х	Replacing injector seals helps prevent fuel dilution & engine damage
Exhaust manifold sleeves, high-temp studs & locking nuts	Х	Х	Х	Х	Debris from unexpected failure could damage turbo & cylinder components
Oil pan isolator assemblies	Х	Х	Х	Х	Replacement ensures compliance with emission & noise standards
Thermostats	Х	Х	Х	Х	Replacement ensures proper cooling & prevents overheating
Advanced efficiency oil & fuel filters	Х	Х	Х	Х	Increased filtration reduces wear & protects fuel system from contamination
Liners, piston body skirts, rings, wrist pins & liner seals		Х	Х*	Х*	Critical internal components are designed just for your Cat engine
Piston crowns		Х	Х*	Х*	Replacement helps maximize performance & reliability
Connecting rods			Х*	X*	Reusing bent or imperfect rods can lead to catastrophic failure
Complete Reman cylinder head & cylinder head bolt set				Х	Reman head offers like-new performance & reliability at fraction-of- new price; new head bolts ensure proper torque at critical joints
Reman water pump				Х	Reman pump offers like-new performance & reliability at fraction-of-new price
Reman injectors: complete set				Х	Critical internal components are designed just for your Cat engine
Reman oil pump				Х	Critical internal components are designed just for your Cat engine

* Part of preassembled Cat Reman cylinder pack



GUARANTEED TO LAST

Genuine Cat new and Reman parts are backed by our **12-MONTH WARRANTY**, so you can feel confident selecting a repair option through your local authorized Cat dealer.

Additionally, if one of the genuine Cat new or Reman parts used in your repair is proven to be defective and the cause of any resultant damage, not only would the Cat new or Reman part be replaced, but any resultant damage to other Cat parts would also be covered.



