MEET THE NEXT GENERATION CAT[®] MINI EXCAVATORS

EAT 301.7

DESIGNED WITH YOU IN MIND



CR

WHAT CUSTOMERS ASKED FOR

CUSTOMERS ASKED US TO REWRITE THE RULES WHEN IT CAME TO DESIGNING THE CAT® MINI EXCAVATOR RANGE. THEY TOLD US:

- I need even more performance –
 I want to choose machines that provide maximum performance, particularly with attachments
- I want a better experience as an operator I want a more comfortable, better-connected place to work
- I want the best owning and operating costs I want to reduce fuel, service and maintenance costs

WHAT WE DELVERED

"HANDS DOWN A MUCH BETTER MACHINE."

INSPIRED BY MIKE - FLEET MANAGER FOR F&H CONTRACTORS

THE GENERATION OF EXCELLENCE

TO DO YOUR BEST WORK, YOU NEED A COMFORTABLE MACHINE THE NEXT GENERATION OF CAT MINI EXCAVATORS WAS DESIGNED WITH YOU IN MIND.

These high-performance machines are not only affordable, but they boost improved servicing, comfort and control.



COMFORT AND CONTROL

Putting the control in your stands, stick steer and cruise control make positioning and traveling in your excavator easy. Operator and attachment settings can be customized using the monitor to suit the task at hand. You can also choose to start the machine with the push of a button with an optional Bluetooth-enabled key.

AFFORDABLE

Productive and affordable Next Generation Cat Mini Excavators offer lower owning and operating costs. Now you can spend less time and money on servicing, repairs and fuel. Common service parts across certain models and longer service intervals mean less downtime and more productive hours on the job site.

HIGH PERFORMANCE

Multifunctional and versatile, all mini excavator models are best in class with their increased efficiency and performance with greater digging, lifting and swing capacity.

NO-HASSLE SERVICING WITH TILT-UP CAB (ON SELECT MODELS)

Servicing and repairs are easy thanks to improved access with routine checkpoints at ground level through side doors and a tilt-up cab or canopy on 1.5-3.5 ton models. Servicing time on all Next Generation Cat Mini Excavators is reduced giving you more time to get the job done.







NEXT GEN FEATURES

STICK STEER

Stick steer control makes long days easier and so much more comfortable.

POWER IN YOUR HANDS

Moving around the job site is even easier with the Cat stick steer option. Easily switch from traditional travel controls with levers and pedals to joystick controls with the push of a button. You can control the machine just like a skid steer loader using the left-hand joystick. With the right-hand joystick, you can control the dozer blade, or the boom and stick function.



Work in luxury through the long, hot days when you choose the option of cool, clean air conditioning.

STAY COOL

You can control the air conditioner and the heating through the LCD monitor to ensure your cab is comfortable. Air conditioning is offered as an option on all Next Generation Cat Mini Excavator cab machine models.

STAY CLEAN AND DUST-FREE

The sealed and pressurized cab design keeps dust out and clean air in for an improved operator environment.



CRUISE CONTROL

When in stick steer mode, choose cruise control to travel in comfort.

TRAVEL IN STYLE

Stick steer and cruise control are standard features offered on all Next Generation Cat Mini Excavator models. You can set the cruise control by pressing a trigger underneath the joystick – perfect for moving the machine across a large open site. You no longer have to put up with backache at the end of the day from hunching over levers.







Customize your settings, receive calls and stream music all in one place.

TOTAL CONTROL

Adjust your settings, such as hydraulic speed, to suit the task in hand. You can also receive calls through the monitor, and adjust the temperature in the cab. Bluetooth means you can take calls, hands-free.


OPTIONAL ADVANCED TOUCH SCREEN MONITOR

Full eight-inch touch screen display with high-definition graphics and integrated Site Reference System gives you pitch and roll of the machine chassis.

ONE DO-IT-ALL MACHINE

j i

ROD HENRY RELIES ON HIS CAT® 306 CR TO DO SOME HEAVY WORK IN SMALL SPACES.



CLASS-LEADING LIFT CAPACITY

Offering big performance, the Cat 306 CR delivers class-leading lift performance of up to 8,181 lb (3,710 kg) at a 9.8-ft (3-m) radius. Enhanced uphill swing torque and reduced cycle times provide greater productivity and efficiency for RHC's operation.

IMPROVED CONTROL IS IN YOUR HANDS

Rod is able to easily switch from conventional lever/foot-pedal steering controls to the Cat exclusive stick steer system with the push of a button.

"Stick steer is awesome. I can haul it around easily."

STRETCH OUT IN A ROOMIER CAB

As a nimble family-owned operation, Rod wants his operators to be comfortable in the cab all day long. The sealed and pressurized cabin lowers in-cab operating noise levels to 72 dB(A) and is heated and airconditioned to elevate comfort regardless of outside temperatures.

"There's so much room in the cab, which makes the visibility better. It's also airtight and quiet."

DO MORE WITH LESS

RHC was able to reduce the number of machines on site with the quick coupler system, which allows for work tool changes in a matter of seconds.

"The quick coupler is amazing. Previously, I would have had to bring out two machines."

Straight blade, angle blade and extra tool carrier (XTC) configurations further expand the flexibility of the Cat 306 CR Mini Excavator.

FEEL SUPPORTED

Cat dealers can deliver maintenance services that keep a fleet in good condition, along with a Customer Value Agreement (CVA) which offers hassle-free business plans customized to your business needs to help you get the most from your equipment and maximize your investment.

"My Cat dealer has been phenomenal. It doesn't matter where I am, my salesman will bring me a tube of grease if I call and ask him."

NEXT GENERATION MINI EXCAVATORS 1-2 TON

WORKING IN SMALL SPACES HAS NEVER BEEN SO EASY – OR SO COMFORTABLE.

16.1 kW / 21.6 hp

39 in /990 mm retracted 51 in / 1,300 mm expanded

100 in / 2,540 mm (long stick)

SAVE TIME AND MONEY

The 1-2 ton models come with:

- Sealed and pressurized cab with air conditioning and heating options available on 301.8 and 302 CR models for year-round comfort
- LCD monitor with Bluetooth radio and hands-free calling
- Stick Steer and cruise control for comfortable control and reduced operator fatigue
- Expandable undercarriage allows even more access to work sites short on space

- Tilt-up canopies and cabs allow for easier, quicker and less costly service
- Improved fuel efficiency, longer service intervals and auto-idle and auto engine shutdown provide up to 10% lower total ownership cost
- Up to 20% more performance than previous models - improvements in lift, swing, travel and multifunction and strong dig performance help get the job done faster

301.5

- Gross power
- Track width
- Max. operating weight[†] 3,913 lb / 1,775 kg (canopy)
- Max. dig depth



Standard tail swing



301.7 CR

- Gross power
- Track width

16.1 kW / 21.6 hp

39 in / 990 mm retracted 51 in /1,300 mm expanded

- Max. operating weight⁺ 4,222 lb / 1,915 kg (canopy)
- Max. dig depth

100.0 in / 2,540 mm (long stick)

Compact radius





301.8

Gross power

Track width

16.1 kW / 21.6 hp

39 in / 990 mm retracted 51 in / 1,300 mm expanded

- Max. operating weight⁺ 4,473 lb / 2,029 kg (cab)
- Max. dig depth
- 101.2 in / 2,570 mm (long stick)

Standard tail swing





302 CR

- Gross power
- Track width

16.1 kW / 21.6 hp

- 43 in / 1,090 mm retracted 55 in / 1,400 mm expanded
- Max. operating weight⁺ 4,987 lb / 2,262 kg (cab)
- Max. dig depth

101.2 in / 2,570 mm (long stick)

Compact radius



NEXT GENERATION MINI EXCAVATORS 3 TON

SMALL BUT MIGHTY, THESE MACHINES PROVIDE STRENGTH WHEN YOU NEED IT.

SAVE TIME AND MONEY

The 3 ton models come with:

- Canopy or cab options sealed and pressurized cab with air conditioning and heating options available on all Next Generation Cat Mini Excavator models for yearround comfort
- LCD monitor with Bluetooth radio and hands-free calling
- Stick Steer and cruise control for comfortable control and reduced operator fatigue
- Tilt-up canopies and cabs for easier, quicker and less costly service

- Compact radius design enables access to work in the tightest spaces
- Expandable undercarriage available on the 302.7 CR allows even more access to work sites short on space
- Angle blade option available on 303.5 for finished grading and easier backfilling applications
- Improved fuel efficiency, longer service intervals and auto-idle and auto engine shutdown provide up to 10% lower total ownership cost.
- Up to 20% more performance than previous models -• improvements in lift, swing, travel and multifunction and strong dig performance help get the job done faster.

302.7 CR

- Gross power
- Track width
- Max. dig depth



- 53.3 in / 1,355 mm retracted 70.1 in / 1,780 mm expanded
- Max. operating weight[†] 8,070 lb / 3,660 kg (cab)
 - 104.3 in / 2,650 mm (long stick)





BAT

303 CR

- Gross power
- Track width
- 24.7 hp / 18.4 kW
- 61 in / 1,550 mm
- Max. operating weight⁺ 7,817 lb / 3,545 kg (cab)
- Max. dig depth
- 116.1 in / 2,950 mm (long stick)

Compact radius



303.5 CR

- Gross power
- Max. lift capacity^{††}
- 24.7 hp / 18.4 kW

Compact radius

- 2,965 lb / 1,345 kg
- Max. operating weight⁺ 9,239 lb / 4,190 kg (cab)
- Max. dig depth
- t^{*} 9,239 lb / 4,190 kg (cab) 122.4 in / 3,110 mm (long stick)



† Operating weights based on most common configuration, excludes bucket.

th Lifting capacity listed is the Maximum Configuration over front, blade down, at 3 m Lift Point radius with long stick, no bucket. Lifting capacity is also dependent upon other variables such as machine configuration, counterweight, lifting point, application, work tool, track and surface type, etc.

-

NEXT GENERATION MINI EXCAVATORS 4-6 TON

COMPACT. CONVENIENT.

AND UP FOR THE JOB.

The 4-6 ton models come with:

- Canopy or cab options sealed and pressurized cab with air conditioning and heating options available on all Next Generation Cat Mini Excavator models for yearround comfort
- LCD monitor with Bluetooth radio and hands-free calling
- Stick steer and cruise control for comfortable control and reduced operator fatigue
- Angle blade option for finished grading and easier backfilling applications

- Reduced radius tail swing design on the 304 provides exceptional stability with a maximum width of 67 in (1,700 mm)
- Compact radius design on the 305 CR and 306 CR enables access to work in even the tightest spaces
- 306 CR available with an Extra Tool Carrier (XTC)
- Improved fuel efficiency, longer service intervals and auto-idle and auto engine shutdown provide up to 10% lower total ownership cost
- Up to 20% more performance than previous models improvements in lift, swing, travel and multifunction and strong dig performance help get the job done faster





305 CR

- Gross power
- Max. lift capacity^{††}
- 48.4 hp / 36.1 kW
- acity⁺⁺ 7,041 lb / 3,193 kg
- Max. operating weight⁺ 12,688 lb / 5,754 (cab)
- Max. dig depth
- 144.5 in / 3,670 mm (long stick)

Compact radius



306 CR

- Gross power
- 57.9 hp / 43.2 kW

Compact radius

- Max. lift capacity^{tt} 8,181 lb / 3,710 kg
- Max. operating weight⁺ 15,766 lb / 7,150 kg (cab)
- Max. dig depth
- ¹ 15,766 lb / 7,150 kg (cab) 162 in / 4,110 mm (long stick)

† Operating weights based on most common configuration, excludes bucket.

th Lifting capacity listed is the Maximum Configuration over front, blade down, at 3 m Lift Point radius with long stick, no bucket. Lifting capacity is also dependent upon other variables such as machine configuration, counterweight, lifting point, application, work tool, track and surface type, etc.

NEXT GENERATION MINI EXCAVATORS 7-10 TON

CHOOSE FROM A POWERFUL RANGE OF OPTIONS.

MORE PERFORMANCE. LESS EFFORT.

The 7-10 ton models come with:

- Sealed and pressurized cab with air conditioning and heating options available on all Next Generation Cat Mini Excavator models for year-round comfort
- LCD monitor with Bluetooth radio and hands-free calling
- Stick steer and cruise control for comfortable control and reduced operator fatigue
- Compact radius design on the 308 CR and 309 CR enables access to work in even the tightest spaces
- Variable Angle Boom (VAB) option available on the 308 CR and 309 CR provides maximum linkage flexibility in tight applications

- The 309 CR offers a standard dedicated auxiliary hydraulic pump ideal for running power-hungry attachments while allowing the machine to simultaneously travel and multifunction without a reduction in power
- Improved fuel efficiency, longer service intervals and auto-idle and auto engine shutdown provide up to 10% lower total ownership cost
- Up to 20% more performance than previous models - improvements in lift, swing, travel and multifunction and strong dig performance help get the job done faster

307.5

- Gross power
- Max. lift capacity^{††}
 7,938 lb / 3,600 kg
- Max. operating weight⁺ 17,905 lb / 8,120 kg
- Max. dig depth
 182.8 in / 4,642 mm (long stick)

57.9 hp / 43.2 kW



Standard tail swing

308 CR / 308 CR VAB

Gross power

74.3 hp / 55.4 kW

Max. lift capacity^{tt}

8,478 lb / 3,845 kg 12,624 lb / 5,725 kg (VAB in)

- Max. operating weight⁺ 20,077 lb / 9,105 kg 20,385 lb / 9,245 kg (VAB, standard stick)
- Max. dig depth

182.8 in / 4,642 mm (long stick) 150.2 in / 3,815 mm (VAB in, standard stick) 136.2 in / 3,460 mm (VAB out, standard stick)

Compact radius





- Gross power
 - 74.3 hp /55.4 kW
- Max. lift capacity⁺⁺ 8,478 lb / 3,845 kg 12,705 lb / 5,762 kg (VAB in)
- Max. operating weight⁺ 21,091 lb / 9,565 kg 21,477 lb / 9,740 kg (VAB, standard stick)
- Max. dig depth
- 182.8 in / 4,642 mm (long stick) 150.2 in / 3,815 mm (VAB in, standard stick) 136.2 in / 3,460 mm (VAB out, standard stick)

Compact radius



841

310

- Gross power
- 74.3 hp / 55.4 kW
- Max. lift capacity^{††}
- 11,973 lb / 5,430 kg
- Max. operating weight⁺ 22,451 lb / 10,182 kg
- Max. dig depth 205.2 in / 5,211 mm

Standard tail swing



High Flow

 $\ensuremath{^\dagger}$ Operating weights based on most common configuration, excludes bucket.

th Lifting capacity listed is the Maximum Configuration over front, blade down, at 3 m Lift Point radius with long stick, no bucket. Lifting capacity is also dependent upon other variables such as machine configuration, counterweight, lifting point, application, work tool, track and surface type, etc.

"DIGS FASTER AND BETTER THAN COMPETITORS WITH THE SAME MODEL SIZE." 0

00

- INSPIRED BY BRIAN, OPERATOR FOR BEN MOR CONSTRUCTION

DI SAMA PROVINCIA AND

"THE MACHINE IS PHENOMENAL. THERE'S NO DOWNTIME, WHICH SAVES US A TON OF MONEY."

- INSPIRED BY CARTER, OWNER OF SAVAGE EXCAVATION.

ACCURATE DIGGING. FASTER. EASIER. SAFER. EVERY TIME.

Digging a foundation. Trenching for a water line. Working on a slope. These jobs demand the precision and speed you get from Cat Grade to hit grading targets in fewer passes.

THE RIGHT TECHNOLOGY FOR ANY JOB

Cat Grade is available for Next Generation Mini Excavators as an aftermarket automatics system that is easy to install, learn and use. Cat Grade with Advanced 2D or 3D gives you the ability to create, manage and grade simple to complex designs. Simply enter depth and slope, press auto and get to work.

Contact your Cat dealer to discuss the best system and options for your fleet, operators and applications.

4 WAYS CAT GRADE DELIVERS RESULTS FOR CAT MINI EXCAVATOR APPLICATIONS



REDUCED COSTS Saves time, labor and fuel costs.



IMPROVED ACCURACY

Precise guidance reduces wasted effort.



BETTER OPERATOR EFFICIENCY

Experienced operators work more accurately than ever. New operators get up to speed more quickly.



ENHANCED SAFETY

Fewer site personnel are needed on the ground.

To find out more about the new range of Next Generation Cat Mini Excavators, contact your local Cat dealer or visit **www.cat.com**.



© 2022 Caterpillar. All Rights Reserved. CAT, CATERPILLAR, LET'S DO THE WORK, their respective logos, "Caterpillar Corporate Yellow," the "Power Edge" and Cat "Modern Hex" trade dress, as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission.

PEDJ0534-01 01/22