

CONVENIENCE AND SAVINGS, ALL IN ONE PACKAGE

CAT® PLANNED MAINTENANCE
(PM) KITS



PLANNING AHEAD? FIND EXACTLY WHAT YOU NEED.

Proper maintenance is critical to the health of your power system. Meet all your routine maintenance needs and keep your power system performing with Cat® Planned Maintenance Kits. Our PM Kits save you time and eliminate guesswork by delivering the genuine Cat parts you need, all in a convenient package. The result? You reduce the risk of unplanned repairs and keep your system ready to run.



CONVENIENT
ONLINE ORDERING



IMPROVE
SYSTEM PERFORMANCE



MAXIMIZE
WORKING HOURS



CAT®

EASIER MAINTENANCE WITH CUSTOMIZABLE OPTIONS



STAY RUNNING. STAY PROFITABLE.

What goes in your kit is up to you. Get the right parts at the right time to minimize downtime due to maintenance. And we've made it easier than ever to buy Cat PM Kits with convenient online ordering on parts.cat.com.



A PERFECT MATCH FOR YOUR POWER SYSTEM

Genuine Cat parts offer a powerful advantage. Designed specifically for your Cat generator set, genuine Cat parts extend the life of your power system components, reduce owning and operating costs, and maximize performance.



IMPROVE SYSTEM PERFORMANCE

Protect your power system and your peace of mind. Every Cat PM Kit includes a custom mix of fluids and components designed to deliver better protection and performance by matching to the specific needs and maintenance intervals of your power system.



HERES HOW TO BUILD YOUR KIT:

- 1** Find your engine model and generator set serial number prefix in the charts on the following pages.
- 2** Select the appropriate PM Kit for your generator set.
- 3** Checkout so you can get back to work.

CHOOSE THE SUPPORT THAT'S RIGHT FOR YOU

Cat PM Kits offer a quick, convenient way to perform your own planned maintenance. But if you're looking for even more support, check out these options:

- + Customer Value Agreements (CVAs) deliver a hassle-free ownership experience through a custom service agreement with your Cat dealer.
- + The Cat App and my.cat.com allow you to monitor critical generator set data right from your computer or phone.





KITS CONTAIN:

- Fuel Filter
- Air Filter
- Oil Filter
- Water Separator and Fuel Filter
- Primary and Secondary Elements (where applicable)

PLANNED MAINTENANCE KIT COVERAGE

CLICK ON THE PM KIT NUMBER TO ORDER PARTS

Diesel Gensets

Cat Model	Genset Model	Genset Serial Number Prefix	Engine Arrangement	PM Kit	OMM Interval*		
					Emergency Standby	Standby	Prime
C1.1	DE9.5E3	TYB	489-4721	609-0041	NA	1 Year	500 Hours
			507-0036				
	DE9.5E3	GB8	448-6883		NA	1 Year	500 Hours
			448-8964				
	C1.1	C6L	457-3745		500 Hours or 1 Year		
	DE7.5E3S	Y4B	448-6883		NA	1 Year	500 Hours
DE9.5E3 / DE7.5E3S	448-8964						
		457-3745					
C1.5	DE13.5E3	TYC	489-4714	609-0041	NA	1 Year	500 Hours
	C1.5		507-0037				
	DE16E0	YMH	517-9163		NA	1 Year	500 Hours
			448-8966				
	DE13.5E3	GB9	448-8965		NA	1 Year	500 Hours
			456-1433				
	DE16E0	YMG	518-0030		NA	1 Year	500 Hours
	C1.5		C6N				
	DE16E0 / DE12E0S	Y5B	518-0030		NA	1 Year	500 Hours
DE13.5E3 / DE11E3S	Y6B	448-8966	NA	1 Year	500 Hours		
		448-8965					
		456-1433					
C2.2	DE18E3 / DE14E3S	TY2	489-4704	609-0042	NA	1 Year	500 Hours
	DE22E3 / DE16E3S		507-0038				
	DE18E3 / DE14E3S		489-4694				
	DE22E3 / DE16E3S		507-0039				
	DE18E3 / DE14E3S	GBY	453-4377		NA	1 Year	500 Hours
			453-4378				
	DE22E3 / DE16E3S		448-9035				
			448-9040				
DE18E3		456-1432					
DE22E3		456-1434					

* OMM Interval more details visit <https://sis2.cat.com/>

PLANNED MAINTENANCE KIT COVERAGE

CLICK ON THE PM KIT NUMBER TO ORDER PARTS

Diesel Gensets

Cat Model	Genset Model	Genset Serial Number Prefix	Engine Arrangement	PM Kit	OMM Interval*			
					Emergency Standby	Standby	Prime	
C2.2	DE18E3	Y7B	453-4377	609-0042	NA	1 Year	500 Hours	
			453-4378					
	448-9035							
	448-9040							
	456-1432							
	DE22E3		XPM	456-1434	609-0042	NA	NA	500 Hours
	XQP30			623-4088	NA	NA	500 Hours	
	DE18E3		J4H	417-7287	629-9215	NA	1 Year	NA
	DE22E3		2F2	583-5157				
XQP30	2F3	624-1044						
XQ35	2F4	624-1054						
D20		624-1783						
D25								
D30								
C3.3	XQP30	XPM	486-8905	609-0038	500 Hours or 1 Year			
	XQP30	XPP	479-7925		500 Hours or 1 Year			
	DE33E3	GT2	479-7925		NA	1 Year	500 Hours	
			479-7859					
	DE33E0	GT3	486-8905		NA	1 Year	500 Hours	
	DE33E3		480-8179					
	DE33E0	EC3	501-1012		NA	1 Year	500 Hours	
			501-0890					
	DE33E3	EC4	486-8906		NA	1 Year	500 Hours	
			486-8907					
	DE33E0	N7A	501-0890		NA	250 Hours or 1 Year	500 Hours	
	DE33 GC	N8D	599-7447	NA	250 Hours or 1 Year	500 Hours		
	DE50E0	GT4	479-7967	NA	1 Year	500 Hours		
	DE55E0		481-1649					
			480-8215					
	DE50E0		479-9481					
	DE50E2	GT5	481-1877	NA	1 Year	500 Hours		
	DE50E0	EC5	501-1516	NA	1 Year	500 Hours		
			501-2036					
			501-1504					
			501-1555					
	DE50E2	EC6	486-8904	NA	1 Year	500 Hours		
	DE50E0	N7B	501-1504	NA	250 Hours or 1 Year	500 Hours		
	DE55E0	N72	501-1555	NA	250 Hours or 1 Year	500 Hours		
		N73						
	DE50 GC	N8E	600-0917	NA	250 Hours or 1 Year	500 Hours		
		N82	600-0920	NA	250 Hours or 1 Year	500 Hours		
DE55 GC	N83	600-0920	NA	250 Hours or 1 Year	500 Hours			
DE56AE0	SM6	526-1830	609-0040	NA	1 Year	500 Hours		
DE75AE0		526-1886						
DE56AE0		526-0568						
DE75AE0		526-1895						

* OMM Interval more details visit <https://sis2.cat.com/>

PLANNED MAINTENANCE KIT COVERAGE

CLICK ON THE PM KIT NUMBER TO ORDER PARTS

Diesel Gensets

Cat Model	Genset Model	Genset Serial Number Prefix	Engine Arrangement	PM Kit	OMM Interval*					
					Emergency Standby	Standby	Prime			
C4.4	XQP60	PR6	445-7653	610-3578	500 Hours or 1 Year					
		PNR			500 Hours or 1 Year					
	DE55E2	GT6	448-4799 447-2643		NA	1 Year	500 Hours			
	XQP60	GT8	445-7653		NA	1 Year	500 Hours			
	DE65E3		445-7651							
	DE88E0	GT9	450-7989 450-8025 450-7989		NA	1 Year	500 Hours			
	DE55E2	EC7	448-4799 447-2643		NA	1 Year	500 Hours			
	XQP60	EC8	445-7653		NA	1 Year	500 Hours			
	DE65E3		445-7651							
	DE88E0	EC9	450-7989 450-8025		NA	1 Year	500 Hours			
	XQP100	PRD	565-1248		610-3579	500 Hours or 1 Year				
		GTD				NA	1 Year	500 Hours		
		ECK								
	XQP100	PR9	448-4798		610-3580	500 Hours or 1 Year				
		GTH				NA	1 Year	500 Hours		
	DE88E0	N7C	450-8025			NA	500 Hours or 1 Year	500 Hours		
			605-2283			NA	500 Hours or 1 Year	500 Hours		
	DE110 GC	N7E	605-2281			NA	500 Hours or 1 Year	500 Hours		
	DE88 GC	N8G	600-0916			NA	500 Hours or 1 Year	500 Hours		
	DE110 GC	N8J	605-2288			NA	500 Hours or 1 Year	500 Hours		
			605-2291							
	D80	CN6	485-9942			610-3581	NA	500 Hours or 1 Year	500 Hours	
		TXB								
	D40	CN3	383-7265				606-1801	NA	500 Hours or 1 Year	500 Hours
		TX3						NA	500 Hours or 1 Year	500 Hours
		T92						500 Hours or 1 Year		
		T93								
		CN4						485-9941	NA	500 Hours or 1 Year
D60	TX2	485-9941	606-1780	500 Hours or 1 Year						
	T92									
	T93									
D80	T94	485-9942	606-1779	500 Hours or 1 Year						
	T95									
D80	T96	485-9942		500 Hours or 1 Year						
	XPV	620-1683		634-0598			NA	NA	500 Hours	

* OMM Interval more details visit <https://sis2.cat.com/>

PLANNED MAINTENANCE KIT COVERAGE

CLICK ON THE PM KIT NUMBER TO ORDER PARTS

Diesel Gensets

Cat Model	Genset Model	Genset Serial Number Prefix	Engine Arrangement	PM Kit	OMM Interval*		
					Emergency Standby	Standby	Prime
C7.1	XQP150	PJ7	487-1246	610-3582	500 Hours or 1 Year		
	DE200E0	RMT	565-1251		NA	1 Year	500 Hours
		STZ					
	D200	T9W	456-7961		500 Hours or 1 Year	NA	
	DE165E0	RMT	565-1249	610-3583	NA	1 Year	500 Hours
	DE175E3		565-1250				
	DE165E0	STZ	565-1249	610-3583	NA	1 Year	500 Hours
	DE175E3		565-1250				
	XQP150	PJE	491-1058		500 Hours or 1 Year		
	DE165E0	GTP	455-1491	610-3584	NA	1 Year	500 Hours
	XQP150		491-1058				
	DE165E0		455-1479				
	DE165E0	ECW	455-1491	610-3584	NA	1 Year	500 Hours
	XQP150		491-1058				
	DE165E0		455-1479				
	DE200E0	GTP	475-9835	610-3585	NA	1 Year	500 Hours
			502-1178				
			450-7503				
			478-8532				
	DE200E0	ECW	475-9835	610-3585	NA	1 Year	500 Hours
			502-1178				
			450-7503				
			478-8532				
	DE150E0	GTW	464-3102	610-3586	NA	1 Year	500 Hours
		GTY			NA	1 Year	500 Hours
		GTW	464-3099	610-3587	NA	1 Year	500 Hours
		GTY			NA	250 Hours or 1 Year	500 Hours
		N7F			NA	250 Hours or 1 Year	500 Hours
	DE150 GC	N8L	600-5014		NA	250 Hours or 1 Year	500 Hours
	DE150E0	N7F	464-3102	610-3588	NA	250 Hours or 1 Year	500 Hours
	DE150 GC	N8L	600-5519		NA	250 Hours or 1 Year	500 Hours
	DE165E0	N7G	455-1479	610-3589	NA	250 Hours or 1 Year	500 Hours
			455-1491				
	DE165 GC	N8M	600-0934	610-3589	NA	250 Hours or 1 Year	500 Hours
			599-7441				
	DE200E0	N74	478-8532	610-3600	NA	250 Hours or 1 Year	500 Hours
			475-9835				
	DE220 GC	N75	605-2287		NA	250 Hours or 1 Year	500 Hours
	DE200 GC	N84	600-4459	610-3600	NA	250 Hours or 1 Year	500 Hours
			600-4461				
DE220 GC	N85	605-2290		NA	250 Hours or 1 Year	500 Hours	
D175	WG2	469-4413	606-1789	NA	1 Year	500 Hours	
D125		469-6214					
D150		469-6211					
D200		456-7961					
D175	WG3	469-4413	606-1789	NA	1 Year	500 Hours	
D200		456-7961					

* OMM Interval more details visit <https://sis2.cat.com/>

PLANNED MAINTENANCE KIT COVERAGE

CLICK ON THE PM KIT NUMBER TO ORDER PARTS

Diesel Gensets

Cat Model	Genset Model	Genset Serial Number Prefix	Engine Arrangement	PM Kit	OMM Interval*			
					Emergency Standby	Standby	Prime	
C7.1	D175	TX9	469-4413	606-1789	NA	1 Year	500 Hours	
	D125		469-6214					
	D150		469-6211					
	D200		456-7961					
	D175	TXR	469-4413	606-1803	NA	1 Year	500 Hours	
	D200		456-7961					
	D125	T97	469-6214	606-1803	NA	500 Hours or 1 Year	NA	
	D150	T99	469-6211		NA	500 Hours or 1 Year	NA	
	D175	T9T	469-4413		NA	500 Hours or 1 Year	NA	
		XQ230	CK2	471-8409	642-2183		1 Year	500 Hours
C9/C9.3	C9	RZ9	452-9865	606-1786	250 Hours	500 Hours or 1 Year	500 Hours	
		NTX						
	DE250E0	LN9	508-8078		NA	500 Hours or 1 Year	500 Hours	
	DE275E3		516-0811					
	DE250E0	LX9	508-8078		NA	500 Hours or 1 Year	500 Hours	
	DE275E3		516-0811					
	DE250E0	LT9	508-8078		NA	500 Hours or 1 Year	500 Hours	
	DE275E3		516-0811					
	XQP275	XP7	476-4802		500 Hours or 1 Year			
	XQP300	XPL	465-1737		500 Hours or 1 Year			
	DE400 GC	RZB	589-1015		NA	500 Hours or 1 Year	500 Hours	
	DE350S GC	RZ2	589-4107		609-0035 645-4516**	NA	500 Hours or 1 Year	500 Hours
		RZ3						
	DE400 GC	3B5	589-1015		NA	500 Hours or 1 Year	500 Hours	
	DE350S GC	3B2	589-4107		586-3352	NA	500 Hours or 1 Year	500 Hours
		3B3						
	D250 GC	RG3	566-4658		250 Hours			
		RE3						
XQ330	JK6	601-4903	615-5778	NA	NA	500 Hours		
C9 EU3A	LX9	516-0811	606-1786	NA	500 Hours or 1 Year	500 Hours		
C13	C13	NH4	393-2805	609-0028 642-7648**	500 Hours or 1 Year	500 Hours or 1 Year	500 Hours	
	C13	T32	434-3726		200 Hours or 1 Year	1 Year	500 Hours	
			506-6872	500 Hours or 1 Year				
	C13	NH3	393-2805	500 Hours or 1 Year				
	DE350SE0		393-2807	500 Hours or 1 Year				
	DE350SE0	NH4	606-1783 642-7645**	500 Hours or 1 Year				
	DE450E3	CE3	436-5798	500 Hours or 1 Year				
	C13	DH4	393-2805	500 Hours or 1 Year				
	DE350SE0		393-2807	500 Hours or 1 Year				
	DE450E3	NR5	436-5798	500 Hours or 1 Year				
		EHL						
	C13		434-3726	586-3353 642-7643**	250 Hours			
		RG4						
		RE4						
		S34						
		S44						

* OMM Interval more details visit <https://sis2.cat.com/>

** PM Kit with Next Generation Liquid Filter PN 500-0483.

PLANNED MAINTENANCE KIT COVERAGE

CLICK ON THE PM KIT NUMBER TO ORDER PARTS

Diesel Gensets

Cat Model	Genset Model	Genset Serial Number Prefix	Engine Arrangement	PM Kit	OMM Interval*			
					Emergency Standby	Standby	Prime	
C13	DE450 GC	RZE	589-6273	609-0029 642-7645**	NA	500 Hours or 1 Year	500 Hours	
	DE500 GC	RZ4 RZ5	580-0769		NA	500 Hours or 1 Year	500 Hours	
	DE450S GC	RZ6 RZ7	580-0768		NA	500 Hours or 1 Year	500 Hours	
	DE450 GC	3B6	589-6273		NA	500 Hours or 1 Year	500 Hours	
	DE500 GC	Y3B Z3B	580-0769		NA	500 Hours or 1 Year	500 Hours	
	DE450S GC	3B8 4B3	580-0768		NA	500 Hours or 1 Year	500 Hours	
	C13	EHL	436-5798		606-1783	500 Hours or 1 Year		500 Hours
	C13	R2H	434-3726			200 Hours or 1 Year	1 Year	500 Hours
	C15	C15	LZA	460-7411	609-0028	500 Hours or 1 Year		500 Hours
DE605 GC		RZC WRZ XRZ	580-0778	609-0029	NA	500 Hours or 1 Year	500 Hours	
DE550S GC		YRZ ZRZ	580-0779		NA	500 Hours or 1 Year	500 Hours	
DE605 GC		3B7 4B6 4B7	580-0778		NA	500 Hours or 1 Year	500 Hours	
DE550S GC		4B8 4B9	580-0779		NA	500 Hours or 1 Year	500 Hours	
C15		T33	423-0922 420-6876		200 Hours or 1 Year	1 Year	500 Hours	
C15		AR2	460-7410 460-7412 460-7411 460-7413		200 Hours or 1 Year	1 Year	500 Hours	
C15		LNA	460-7411 460-7410 460-7413 460-7412		606-1783	500 Hours or 1 Year		500 Hours
C15		CE5 NR6	466-2629			500 Hours or 1 Year		500 Hours
				1 Year		200 Hours	500 Hours	
C15		LXJ	578-7141 578-7140 578-7142 582-4152	500 Hours or 1 Year		500 Hours		
XQP500		XP5	466-2630	500 Hours or 1 Year				
XQP500		XP8	578-7143	500 Hours				
C15		EHT	466-2629	500 Hours or 1 Year		500 Hours		
C15		RG5	423-0922	250 Hours				
C15		RK5	420-6876	250 Hours				
C15		S35	423-0922	250 Hours				
C15		S65	420-6876	250 Hours				
C15		EHT	466-2629	606-1783	500 Hours or 1 Year		500 Hours	
C15		R2H	423-0922		200 Hours or 1 Year	1 Year	500 Hours	

* OMM Interval more details visit <https://sis2.cat.com/>

** PM Kit with Next Generation Liquid Filter PN 500-0483.

PLANNED MAINTENANCE KIT COVERAGE

CLICK ON THE PM KIT NUMBER TO ORDER PARTS

Diesel Gensets

Cat Model	Genset Model	Genset Serial Number Prefix	Engine Arrangement	PM Kit	OMM Interval*		
					Emergency Standby	Standby	Prime
C18	C18	T34	420-6877	578-4200	200 Hours or 1 Year	1 Year	500 Hours
			420-6877				
			536-5365				
	C18	AR3	460-7417		500 Hours or 1 Year	200 Hours or 1 Year	500 Hours
			460-7415				
			460-7414				
			460-7416				
	C18	L8D	536-5368		500 Hours or 1 Year	500 Hours	
			536-5367				
	C18	LNB	460-7414		500 Hours or 1 Year	500 Hours	
			460-7415				
			460-7416				
			460-7417				
	C18	NR7	536-5368		NA	1 Year	250 Hours
			578-7145				
	C18	LXK	582-4149		500 Hours or 1 Year	500 Hours	
			578-7146				
			582-4153				
			578-7146				
			578-7146				
C18	S37	420-6877	586-3355	250 Hours			
	S36						
C18	T35	419-0904	606-1802	NA	1 Year	NA	
C18	LZB	460-7414	609-0030	500 Hours or 1 Year		500 Hours	
XQP550	TPT	583-5160	631-4217	NA	1 Year	500 Hours	
D550GC	R2K	420-6877	578-4200	NA	500 Hours or 1 Year	NA	
D600GC	R2N						
DE500I4	H7S	641-9357	649-1491	NA	NA	500 Hours	
DE630I4	H7R			NA	NA	500 Hours	
C27	C27 Tier 2	2A3	349-5619	607-6895	NA	1 Year	250 Hours
	C27 Low BSFC		349-5622				
	C27 Low BSFC		388-4921				
	DE800SGC	GG6	599-8597		NA	300 Hours or 1 Year	Every 25,000L of Fuel or 200 Hours
		GGY	599-8597		NA		
D800GC	GNF	603-4727	NA	NA			

* OMM Interval more details visit <https://sis2.cat.com/>

PLANNED MAINTENANCE KIT COVERAGE

CLICK ON THE PM KIT NUMBER TO ORDER PARTS

Diesel Gensets

Cat Model	Genset Model	Genset Serial Number Prefix	Engine Arrangement	PIM Kit	OMM Interval*		
					Emergency Standby	Standby	Prime
C32	XQP1100	JK4	485-8809	607-6895	NA	NA	Every 64000L of Fuel or 500 Hours
	C32 Low BSFC	JSJ	444-7559	607-6896	NA	1 Year	Every 32000L of Fuel or 250 Hours
	C32 Low BSFC		523-3432				
	C32 Low BSFC		444-7556				
	C32 Low BSFC		523-3429				
	C32 Low BSFC		447-6199				
	C32 Low BSFC		523-3435				
	C32 Tier 2		444-7558				
	C32 Tier 2		523-3431				
	C32 Low BSFC		444-7557				
	C32 Low BSFC		523-3430				
	C32 Low BSFC		473-5127				
	C32 Low BSFC		523-3436				
	C32 Low BSFC		444-7560				
	C32 Low BSFC		523-3433				
	C32 Low BSFC		447-6198				
	C32 Low BSFC		523-3434				
	C32 Low BSFC		440-9146				
	C32 Low BSFC		523-3426				
	C32 Low BSFC		440-9147				
	C32 Low BSFC		523-3427				
	C32 Low BSFC	441-9371					
	C32 Low BSFC	523-3428					
	C32 Low BSFC	PAE	561-2765	607-6896	NA	1 Year	Every 32000L of Fuel or 250 Hours
	C32 Tier 2		561-2763				
	C32 Low BSFC		561-2759				
	C32 Low Em		561-2761				
	C32 Low BSFC		561-2767				
	DE1100 GC	GGF	599-8599		NA	300 Hours or 1 Year	Every 25000L of Fuel or 200 Hours
	DE1000S GC	GJ6	599-8660		NA	250 Hours or 1 Year	
	DE1250 GC	GJ7	599-8600		NA	250 Hours or 1 Year	
	DE1100 GC	GGR	599-8599		NA	300 Hours or 1 Year	
	DE1000S GC	GJS	599-8660		NA	250 Hours or 1 Year	
	DE1250 GC	GJT	599-8600		NA	250 Hours or 1 Year	
	D1000 GC	GN7	603-4725		NA	250 Hours or 1 Year	
	C32 Low BSFC	TZJ	495-8142	607-6897	NA	1 Year	Every 32000L of Fuel or 250 Hours
C32 Tier 2	496-9942						
C32 Low BSFC	495-8139						
C32 Low BSFC	P7E	561-2771		NA	1 Year	Every 32000L of Fuel or 250 Hours	
C32 Tier 2		561-2773					
C32 Low BSFC		561-2769					
DE1400 GC	GJ9	599-8605		NA	200 Hours or 1 Year	Every 25000L of Fuel or 200 Hours	
DE1250S GC	GJL						
DE1250S GC	GJP	599-8602		NA	200 Hours or 1 Year		
DE1400 GC	GJX	599-8605		NA	200 Hours or 1 Year		
DE1250S GC	GJY						
DE1250S GC	GJZ	599-8602		NA	200 Hours or 1 Year		
D1250 GC	GN9	603-4726		NA	200 Hours or 1 Year		

* OMM Interval more details visit <https://sis2.cat.com/>

PLANNED MAINTENANCE KIT COVERAGE

CLICK ON THE PM KIT NUMBER TO ORDER PARTS

Diesel Gensets

Engine Model	Genset Model	Genset SN Prefix	Engine Arrangement	PIM Kit	OMM Interval*		
					Emergency Standby	Standby	Prime
3406	3406	C5G	264-0210	633-4100	NA	1 Year	Every 9500L of Fuel or 250 Service Hours or Yearly
		C2G					
	3406	C8G	150-2981	633-4102	NA	1 Year	Every 9500L of Fuel or 250 Service Hours or Yearly
	3406	C5G	237-7193	633-4104	NA	1 Year	Every 9500L of Fuel or 250 Service Hours or Yearly
			237-7194				
			264-0206				
			264-0207				
	3406	C2G	150-2981	633-4104	NA	1 Year	Every 9500L of Fuel or 250 Service Hours or Yearly
			150-2982				
	3406	C2Y	150-2981	633-4104	NA	1 Year	Every 9500L of Fuel or 250 Service Hours or Yearly
			150-2982				
	3406	KPS	217-8408	633-4108	Every 9500L of Fuel or 250 Hours		
			217-8411				
	3406	4ZR	128-7027	633-4108	Every 9500L of Fuel or 250 Hours		
			128-7032				
			128-7030				
	3406	1LS	131-6597	633-4108	Every 9500L of Fuel or 250 Hours		
			131-6596				
131-6598							
3406	4JK	130-9415	633-4108	Every 9500 L of Fuel or 250 Hours			
3406	2WB	7W-8536	633-4111	Every 9500L of Fuel or 250 Hours			
		4W-3806					
		4W-3812					
		9Y-8245					
		9Y-8246					
		9Y-8249					
		9Y-8247					
		7W-8537					
		9Y-8251					
		4W-3807					
3406	4RG	9Y-1547	633-4112	Every 9500L of Fuel or 250 Hours			
		9Y-9143					
3412	3412	9EP	1668590	633-4081	NA	1 Year	Every 38000L of Fuel or 500 Hours
			1668587				
			1668592				
			1668589				
	3412	DJN	1668587	633-4081	NA	1 Year	Every 38000 L of Fuel or 500 Hours
			1668579				
	3412	TFT	1864811	633-4082	Every 250 Hours or 25000L of Fuel		
	3412	BCW	2819205				
			2819206				
	3412	2WJ	7E1091	633-4099	Every 250 Hours or 25000L of Fuel		
7E0158							
7E0161							
3412	TWL	5078606	633-4099	NA	1 Year	Every 38000L of Fuel or 500 Hours	

* OMM Interval more details visit <https://sis2.cat.com/>

PLANNED MAINTENANCE KIT COVERAGE

CLICK ON THE PM KIT NUMBER TO ORDER PARTS

Gas Gensets

Cat Model	Genset Model	Genset SN Prefix	Engine Arrangement	PM Kit	OMM Interval*		
					Emergency Standby	Standby	Prime
G6.2L	DG100	2K8	624-1530	633-9987	NA	250 Hours or 1 Year	NA
	DG125	2K9	624-1544				
G9.1L	DG150	2S8	624-1548	636-1885	NA	250 Hours or 1 Year	NA
G10.3L	DG175	2Y4	629-8113	636-1885	NA	250 Hours or 1 Year	NA
	DG200	2Y3		636-1885			
CG18	DG350	S84	612-5133	623-4094	NA	500 Hours or 1 Year	500 Hours**
	DG400	S85					
	DG450	S87					
	DG500	S89					
		S89					

* OMM Interval more details visit <https://sis2.cat.com/>

** Limited Prime Rating

Drive Efficiency. The Filter Difference.

- Cat filters are designed with robust engineering to maximize the Cat components
- Maximize performance with Cat filters and fluids to save time and money



For complete information, contact your local Cat dealer.

LEKE20065-06 (08/24)

© 2024 Caterpillar. All Rights Reserved. Materials and specifications are subject to change without notice.

The International System of Units (SI) is used in this publication.

CAT, CATERPILLAR, LET'S DO THE WORK, their respective logos, "Caterpillar Corporate Yellow," the "Power Edge" and Cat "Modern Hex" trade dress as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission.

