

## Electric Power Parts & Service CAT® REMAN



### FREQUENTLY ASKED QUESTIONS

#### CAT REMAN GENERATOR ENDS

**What coverage is available for Cat® Reman generator ends?**

Cat Reman coverage for generator ends in electric power complements the complete engines, short blocks and long blocks currently offered.

It provides you with additional repair options and quicker turnaround time to get your gensets back up and running.

**What Cat Reman generator ends are offered?**

Available Cat Reman generator ends support diesel, gas and rental gensets in both 50 and 60 Hz applications.

**Cat Reman Generator Ends Features**

**All:** Designed specifically to match operation with Cat engines

**SR4B:** 6 pole available on 800 frame

**SR5:** Insulated ball bearings (longer life/lower repair cost)

**Since generator ends are not serviceable, are Cat Reman generator ends available through the dealer?**

Yes, Cat Reman generator ends are a drop-in solution so you can avoid the lengthy processing time required by a generator rewind shop.

**Why should I buy Cat Reman generator ends?**

- Cat Reman generator ends are 100% designed and tested to perform like new.
- Critical engineering updates are incorporated to original equipment manufacturers’ specifications.
- ISO 9001 compliant remanufacturing processes ensure consistent, like-new quality.
- Cat Reman generator ends come with a same-as-new Caterpillar Limited Warranty\* and are sold at a fraction of the cost of new with core return.
- Cat Reman generator ends are a drop-in solution that will fit into the original terminal box for equivalent part numbers for quicker turnaround, reducing customer downtime.
- All are shipped without a terminal box, providing more flexibility for your application.

*\*Warranty can vary by model and application; limitations apply. For complete details about the applicable Caterpillar Limited Warranty, contact an authorized Cat dealer.*

## SR4B

Models							Frame Size	Generator Ar	Cat Reman Part #	Voltage
<b>3456</b>	<b>3412</b>	<b>C27</b>	<b>G3412</b>				<b>590 Frame</b>			
	X		X				592	136-6634	10R-9328	200 / 220 / 240 / 380 / 400 / 415 / 440 / 460 / 480
X	X		X				592	162-7540	20R-0175	2400 / 4160
	X						594	149-2437	10R-9333	200 / 220 / 240 / 380 / 400 / 415 / 440 / 460 / 480
	X	X	X				595	136-6607	10R-9327	200 / 220 / 240 / 380 / 400 / 415 / 440 / 460 / 480
	X						595	149-2439	10R-9338	200 / 220 / 240 / 380 / 400 / 415 / 440 / 460 / 480
	X						596	149-2441	10R-9339	200 / 220 / 240 / 380 / 400 / 415 / 440 / 460 / 480
	X	X	X				597	136-6589	10R-9326	200 / 220 / 240 / 380 / 400 / 415 / 440 / 460 / 480
	X						597	149-2443	10R-9340	200 / 220 / 240 / 380 / 400 / 415 / 440 / 460 / 480
	X	X					598	136-6580	10R-9325	200 / 208 / 220 / 240 / 380 / 400 / 415 / 440 / 460 / 480
	X						598	149-2445	10R-9341	200 / 220 / 240 / 380 / 400 / 415 / 440 / 460 / 480
<b>3508</b>	<b>3512</b>	<b>C32</b>	<b>PMC32</b>	<b>G3508</b>	<b>G3512</b>	<b>G3516</b>	<b>692 - 693 Frame</b>			
X	X						692	144-1750	10R-8034	220 / 240 / 380 / 400 / 415 / 440 / 480
X	X			X			692	144-1838	10R-8035	380 / 400 / 415 / 440 / 480
		X					692	324-5104	20R-0211	220 / 240 / 380 / 400 / 415 / 440 / 480
		X	X				692	285-6738	20R-0210	208 / 240 / 400 / 480
X							692	166-2674	10R-8054	220 / 240 / 380 / 400 / 415 / 440 / 480
X		X					693	262-8094	10R-8629	220 / 240 / 380 / 400 / 415 / 440 / 480
X	X						693	144-1756	10R-8638	190 / 220 / 240 / 380 / 400 / 415 / 440 / 480
X	X				X	X	693	144-1754	10R-9285	380 / 400 / 415 / 440 / 480
		X					693	324-5114	20R-0212	380 / 400 / 415 / 440 / 480
X	X						693	144-1844	20R-0213	380 / 400 / 415 / 440 / 480
<b>C32</b>	<b>3508</b>	<b>3512</b>	<b>PM3512</b>	<b>3516</b>	<b>G3512</b>	<b>G3516</b>	<b>695 - 697 Frame</b>			
	X	X				X	695	144-1758	10R-8041	208 / 220 / 240 / 380 / 400 / 415 / 440 / 480
	X	X			X		695	144-1846	10R-8042	380 / 400 / 415 / 440 / 480
X	X						695	262-8120	20R-0168	220 / 240 / 380 / 400 / 415 / 440 / 480
		X					695	262-8142	20R-0215	220 / 240 / 380 / 400 / 415 / 440 / 480
X	X						695	262-8210	20R-0217	600 (60 Hz)
		X		X		X	696	144-1724	10R-8039	380 / 400 / 415 / 440 / 480
		X					696	166-2692	10R-8056	220 / 240 / 380 / 400 / 415 / 440 / 480
		X					696	262-8098	10R-9331	380 / 400 / 415 / 440 / 480
		X	X	X		X	697	144-1814	10R-8038	380 / 400 / 415 / 440 / 480
		X		X			697	144-1706	10R-8040	380 / 400 / 415 / 440 / 480
		X		X	X	X	697	144-1990	20R-0219	2400 / 4160 / 3300
<b>3508</b>	<b>3512</b>	<b>PM3512</b>	<b>3516</b>	<b>PM3516</b>	<b>G3512</b>	<b>G3516</b>	<b>800 - 825 Frame</b>			
X					X	X	804	7C-4914	10R-8051	4160 / 3300
	X		X			X	824	144-1820	10R-8044	380 / 400 / 415 / 440 / 480
	X		X				824	262-8102	10R-9322	380 / 400 / 415 / 440 / 480
			X				824	262-8148	20R-0202	380 / 400 / 415 / 440 / 480
	X		X			X	824	144-1996	20R-0203	2400 / 3300 / 4160
	X		X	X	X	X	825	144-1952	10R-8047	380 / 400 / 415 / 440 / 480
			X				825	225-6314	10R-8048	380 / 400 / 415 / 440 / 480
			X				825	262-8106	10R-8052	380 / 400 / 415 / 440 / 480
	X		X			X	825	144-2000	10R-9312	2400 / 4160 / 3300
			X				825	160-4022	10R-9314	400 / 480
				X			825	312-3144	20R-0205	400 / 480
	X		X				825	262-8232	20R-0206	2400 / 3300 / 4160
<b>3512</b>	<b>3516</b>	<b>PM3516</b>	<b>PMG3516</b>	<b>G3516</b>	<b>G3520</b>	<b>G3524</b>	<b>G3532</b>	<b>826 - 868 Frame</b>		
	X	X		X		X	826	144-1826	10R-8045	380 / 400 / 415 / 440 / 480
	X	X		X			826	174-3226	20R-0076	400 / 415 / 480
	X	X	X	X			826	294-7498	20R-2459	240 / 400 / 415 / 480
X							826	320-3716	10R-8535	600 (50 Hz)
X	X						826	262-8110	10R-9323	380 / 400 / 415 / 440 / 480
	X						826	262-8234	20R-0208	2400 / 3300 / 4160
	X			X	X		827	144-1828	10R-8043	380 / 400 / 415 / 440 / 450 / 460 / 480
	X						827	262-8112	10R-9321	380 / 400 / 415 / 440 / 480
X	X						827	166-2720	10R-8058	380 / 400 / 415 / 440 / 480
	X						827	262-8236	20R-0209	2400 / 3300 / 4160
	X				X		828	144-2006	10R-9329	2400 / 3300 / 4160
	X			X	X	X	828	144-1830	20R-0164	380 / 400 / 415 / 440 / 480
	X						828	262-8140	20R-0221	380 / 400 / 415 / 440 / 480
X	X						867	158-6442	10R-8053	600 (60 Hz)
X	X				X		868	158-6422	10R-8050	380 / 400 / 415 / 440 / 480
X	X						868	158-6444	20R-0167	600 (60 Hz)

SEE NEXT PAGE &gt;

## SR5

Models								Frame Size	Generator Ar	Cat Reman Part #	Voltage
<b>C27</b>	<b>PMC27</b>							<b>1200 Frame</b>			
X	X							1268	385-0624	20R-5631	240 / 480
X	X							1269	385-0654	20R-5632	240 / 480
<b>C27</b>	<b>C32</b>	<b>PMC32</b>	<b>3512</b>	<b>3516</b>	<b>PM3512</b>	<b>G3512</b>	<b>G3516</b>	<b>1400 Frame</b>			
	X	X						1402	300-2236	20R-5633	380 / 400 / 415 / 440 / 480
	X	X						1402	300-2240	20R-5634	380 / 400 / 415 / 480
	X	X						1402	432-6120	20R-5635	400 / 415 / 480
X	X							1423	342-0536	20R-5636	380 / 400 / 415 / 440 / 480
	X	X						1424	300-2248	20R-5637	400 / 415 / 440 / 480
X	X	X						1424	432-6124	20R-5638	380 / 400 / 415 / 440 / 480
	X	X					X	1467	342-0538	20R-5640	380 / 400 / 415 / 440 / 450 / 460 / 480
			X		X		X	1445	252-3794	20R-6401	380 / 400 / 415 / 440 / 480
			X			X	X	1447	252-3810	20R-5639	380 / 400 / 415 / 440 / 480
			X		X			1468	252-3822	20R-5641	380 / 400 / 415 / 440 / 480
	X		X	X	X	X	X	1468	252-3826	20R-5642	380 / 400 / 415 / 440 / 460 / 480
<b>3512</b>	<b>3516</b>	<b>PM3512</b>	<b>G3516</b>					<b>1600 Frame</b>			
X		X	X					1602	252-3842	20R-5643	380 / 400 / 415 / 440 / 480
X	X	X						1622	252-3932	20R-2458	380 / 400 / 415 / 440 / 480
X	X	X						1625	252-3850	20R-5644	380 / 400 / 415 / 440 / 460 / 480
X	X							1647	252-3862	20R-5645	380 / 400 / 415 / 440 / 480
X	X							1647	252-3866	20R-5646	380 / 400 / 415 / 440 / 480
X	X							1669	252-3882	20R-5647	380 / 400 / 415 / 440 / 460 / 480
<b>3512</b>	<b>3516</b>	<b>C175-16</b>						<b>1800 Frame</b>			
X	X	X						1844	311-1142	20R-5648	380 / 400 / 415 / 440 / 480
	X	X						1868	311-1150	20R-5649	380 / 400 / 415 / 440 / 480

## ADDITIONAL INFORMATION

### Who do I contact for questions regarding Cat Reman products?

Please contact your local Cat dealer.

### How do I order a Cat Reman product?

Cat Reman generator ends can be ordered through your local Cat dealer.

### What warranty applies to Cat Reman products?

All Cat Reman generator ends are covered by a same-as-new Caterpillar Limited Warranty\* against Caterpillar defects in material and/or workmanship.

*\*Warranty can vary by model and application; limitations apply.*

*For complete details about the applicable Caterpillar Limited Warranty, contact an authorized Cat dealer.*

### What is the Core Acceptance Criteria for Cat Reman generator ends?

Our simple Core Acceptance Criteria\*\* allows a quick assessment of your core credit. Your dealer visually inspects the core when you bring it in, providing an immediate decision on condition and credit, so you don't have to wait for – or guess – the repair costs.

*\*\*Additional requirements apply. Contact your authorized Cat dealer for more information.*