

# PROVEN PERFORMANCE AND PROTECTION

## CAT® FLUIDS

AMERICAS NORTH EXCLUDING MEXICO (U.S. AND CANADA ONLY)

### CAT FLUIDS

Cat® fluids are designed to work seamlessly with Cat machines. They undergo rigorous testing on both individual components and the entire machine. Cat fluids offer a consistent formulation that is compatible with your machine, no matter when or where you purchase the product. This thorough testing confirms that Cat oils, greases, and coolants work with your Cat machine every time, everywhere.

### SYSTEM RUNS CLEANER

Cat fluids are engineered to enhance the health of your equipment and components. Experts in fluid formulation collaborate with component engineers to tailor the fluids' properties, including friction thresholds, working temperatures, air release points, viscosity, and seal swelling. These fluids are specifically designed with your machine's components and equipment in mind to support performance and reliable operation.

### EXTENDED COMPONENT & MACHINE LIFE

Cat fluids offer extended oil drains, less unplanned downtime, and longer component life. These advantages can help you save on owning and operating expenses. Using Cat fluids is the best way to safeguard your investment in your high-performing Cat and mixed fleet equipment.

### SYSTEM APPROACH

Designed with the entire system in mind, Cat fluids help reduce wear and protect the critical components of your machine. They help provide the lowest total cost of ownership when used in conjunction with Cat filters, other Cat fluids, and Cat S-O-S<sup>SM</sup> fluid analysis.

### CAT ENGINE OILS

Protect moving components, remove wear debris and sustain consistent viscosity over time.

### CAT GEAR OILS

Prolong gear and bearing life in applications where extreme pressures can occur.

### CAT COOLANT

Protects your engine and cooling system against corrosion and pitting while managing temperature.

### CAT GREASES

Protect against wear, corrosion, and extreme conditions, helping to ensure reliable equipment performance.



### CAT TRANSMISSION OILS

Balanced to help give maximum friction material life and minimize break chatter in wet break applications.

### CAT HYDRAULIC OILS

Protect wear surfaces from cavitation and help prevent pump damage in today's high-pressure hydraulic systems.

### CAT FINAL DRIVE & AXLE OILS

Extend oil life and protect against corrosion in high-load, high-temperature conditions.

# PROVEN PERFORMANCE AND PROTECTION

## CAT FLUIDS

### CAT GREASES



CAT® BALL BEARING GREASE	CAT UTILITY GREASE	CAT PRIME APPLICATION GREASE	CAT EXTREME APPLICATION GREASE 1	CAT EXTREME APPLICATION GREASE 2	CAT EXTREME APPLICATION GREASE – DESERT	CAT EXTREME APPLICATION GREASE – ARCTIC
NLGI 2	NLGI 2	NLGI 2	NLGI 1	NLGI 2	NLGI 2	NLGI 0
Without Moly	Without Moly	3% Moly	5% Moly	5% Moly	5% Moly	5% Moly
Low Load	Low Load	Medium Load	Med-High Load	Med-High Load	Med-High Load	Med-High Load
High Speed	Low Speed	Medium Speed	Low, Med, High Speed	Low, Med, High Speed	Low, Med, High Speed	Low, Med, High Speed
Temperature: -20°C to 160°C / -4°F to 320°F	Temperature: -20°C to 140°C / -4°F to 284°F	Temperature: -20°C to 140°C / -4°F to 284°F	Temperature: -20°C to 140°C / -4°F to 284°F	Temperature: -15°C to 140°C / 5°F to 284°F	Temperature: up to 140°C / 284°F	Temperature down to: -50°C / -58°F

PRODUCT DESCRIPTION	PACKAGE SIZE	PACKAGE TYPE	PART NUMBER
CAT BALL BEARING GREASE	1/380 g	Cartridge	4540291
CAT UTILITY GREASE	121.2 lb/55 kg	Keg	4526013
	35.2 lb/16 kg	Pail	4526014
	396.8 lb/180 kg	Drum	4526012
	1/380 g	Cartridge	4526011
CAT PRIME APPLICATION GREASE	121.2 lb/55 kg	Keg	4526008
	35.2 lb/16 kg	Pail	4526009
	396 lb/180 kg	Drum	4526007
	1/380 g	Cartridge	4526006
CAT EXTREME APPLICATION GREASE 1	121.2 lb/55 kg	Keg	4525998
	35.2 lb/16 kg	Pail	4525999
	396.8 lb/180 kg	Drum	4525997
	1/380 g	Cartridge	4525996
CAT EXTREME APPLICATION GREASE 2	121.2 lb/55 kg	Keg	4526003
	35.2 lb/16 kg	Pail	4526004
	396.8 lb/180 kg	Drum	4526002
	1/380 g	Cartridge	4526001
CAT EXTREME APPLICATION GREASE – DESERT	121.2 lb/55 kg	Keg	4526018
	35.2 lb/16 kg	Pail	4526019
	396 lb/180 kg	Drum	4526017
	1/380 g	Cartridge	4526016
CAT EXTREME APPLICATION GREASE – ARCTIC	121.2 lb/55 kg	Keg	5082186
	35.2 lb/16 kg	Pail	5082187
	396.8 lb/180 kg	Drum	5082185
	1/380 g	Cartridge	5082184

# PROVEN PERFORMANCE AND PROTECTION

## CAT FLUIDS

### CAT OILS



PRODUCT DESCRIPTION	PACKAGE SIZE	PACKAGE TYPE	PART NUMBER
<b>CAT ENGINE OILS</b>			
<b>Cat Diesel Engine Oil</b>			
<b>CAT DEO 10W-30</b>	5 gal	Pail	3E9709
	55 gal	Drum	3E9708
	Bulk	Bulk	1556198
<b>CAT DEO 15W-40</b>	2.5 gal	Bottle	4689714
	1 gal	Bottle	2487518
	5 gal	Pail	3E9713
	55 gal	Drum	3E9712
	Bulk	Bulk	1556199
<b>CAT DEO ULS 10W-30</b>	2.5 gal	Bottle	5153986
	1 gal	Bottle	5153985
	5 gal	Pail	5153987
	55 gal	Drum	5153988
	Bulk	Bulk	5153960
<b>CAT DEO ULS 15W-40</b>	2.5 gal	Bottle	5153974
	1 gal	Bottle	5153973
	5 gal	Pail	5153975
	55 gal	Drum	5153976
	Bulk	Bulk	5153957
<b>CAT DEO ULS CW 0W-40</b>	1 gal	Bottle	4942960
	5 gal	Pail	5154002
	55 gal	Drum	5154003
<b>Cat Multigrade Synthetic Oils</b>			
<b>CAT DEO ULS SYN 5W-40</b>	1 gal	Bottle	5153993
	5 gal	Pail	5248573
	55 gal	Drum	5153995
<b>Cat Diesel Engine Oil (Monograde)</b>			
<b>CAT DEO CF 40</b>	5 gal	Pail	4169247
	55 gal	Drum	4169246
	Bulk	Bulk	1556202
<b>Cat Natural Gas Engine Oils</b>			
<b>CAT NGE0 ADVANCED 40</b>	5 gal	Pail	3812364
	55 gal	Drum	3812365
<b>CAT NGE0 SPECIAL APPLICATION</b>	55 gal	Drum	5931524
<b>CAT NGE0 SYN HP</b>	55 gal	Drum	5931528
<b>CAT NGE0 ULTRA 40</b>	5 gal	Pail	3368865
	55 gal	Drum	3368866

CONTINUED ON NEXT PAGE

PROVEN PERFORMANCE AND PROTECTION

CAT FLUIDS

CONTINUED

PRODUCT DESCRIPTION	PACKAGE SIZE	PACKAGE TYPE	PART NUMBER
CAT HYDRAULIC OIL			
CAT BIO HYDO ADVANCED	5 gal	Pail	5857824
	55 gal	Drum	5857828
CAT HYDO ADVANCED 10	2.5 gal	Bottle	4627710
	5 gal	Pail	3096931
	55 gal	Drum	3096930
	Bulk	Bulk	3096929
CAT HYDO ADVANCED 20	5 gal	Pail	4226705
	55 gal	Drum	4226706
CAT HYDRAULIC OIL ADDITIVE	1 qt	Bottle	6243379
	55 gal	Drum	6249499
CAT SPECIALTY OILS			
CAT COOLANT CONDITIONER FOR ALUMIN COMP	1.5 oz	Case	6243380
	2.5 oz	Case	6243384
CAT COOLING SYSTEM CLEANER	1 qt	Bottle	6198710
	1 gal	Bottle	6198712
CAT DIESEL FUEL SYSTEM CLEANER	32 oz	Bottle	6243389

CONTINUED ON NEXT PAGE




# PROVEN PERFORMANCE AND PROTECTION

## CAT FLUIDS

CONTINUED

PRODUCT DESCRIPTION	PACKAGE SIZE	PACKAGE TYPE	PART NUMBER
<b>CAT TRANSMISSION AND DRIVE TRAIN OIL</b>			
<b>CAT SPECIAL APPLICATION TRANSMISSION OIL</b>	5 gal	Pail	4270401
	55 gal	Drum	4270443
<b>CAT TDTO 10W</b>	2.5 gal	Bottle	4627706
	5 gal	Pail	8T9568
	55 gal	Drum	8T9569
	Bulk	Bulk	1556212
<b>CAT TDTO 30</b>	5 gal	Pail	8T9572
	55 gal	Drum	8T9573
<b>CAT TDTO 50</b>	2.5 gal	Bottle	4627709
	5 gal	Pail	8T9576
	55 gal	Drum	8T9577
	Bulk	Bulk	1556214
<b>CAT TDTO COLD WEATHER 0W20</b>	2.5 gal	Bottle	4739037
	5 gal	Pail	4739158
	55 gal	Drum	4665027
<b>CAT TDTO TMS</b>	2.5 gal	Bottle	4690584
	5 gal	Pail	1540195
	55 gal	Drum	1540194
<b>CAT MULTIPURPOSE TRACTOR OIL (MTO)</b>	2.5 gal	Bottle	4627711
	5 gal	Pail	1053335
	55 gal	Drum	1053334
	Bulk	Bulk	1556218
<b>Cat Automatic Transmission Fluid</b>			
<b>CAT ATF HD2</b>	1 gal	Bottle	3944780
	55 gal	Drum	3944781
	5 gal	Pail	3944779
<b>CAT FDAO 60</b>	5 gal	Pail	1846022
	55 gal	Drum	1846021
	Bulk	Bulk	1846020
<b>CAT FDAO SYN</b>	5 gal	Pail	2082390
	55 gal	Drum	1987450
<b>CAT GEAR OIL</b>			
<b>CAT COMPACTOR OIL</b>	1 gal	Bottle	5580201
	5 gal	Pail	4C6767
	55 gal	Drum	4179262
<b>CAT GEAR 80W90</b>	2.5 gal	Bottle	4627781
	5 gal	Pail	8T9582
	55 gal	Drum	8T9584
	Bulk	Bulk	1556220
<b>CAT GEAR 85W140</b>	5 gal	Pail	9X6185
<b>CAT GEAR OIL 220</b>	5 gal	Pail	5460274
	55 gal	Drum	5460273
	Bulk	Bulk	6349175
<b>CAT GO SYN 75W-140</b>	1 qt	Bottle	5629506
	1 gal	Bottle	5629507
	5 gal	Pail	6086924
	55 gal	Drum	5629510
	Bulk	Bulk	6086922
<b>CAT MARINE POD &amp; GEAR OIL</b>	55 gal	Drum	4825849



# PROVEN PERFORMANCE AND PROTECTION

## CAT FLUIDS

### CAT COOLANTS

<b>Cat ELC Advanced</b> (Extended Life Coolant)	Silicate-free, organic additive technology coolant for use in diesel engines. Provides long service life (12,000 hrs or 6 years), with use of Cat ELC extender at 6,000 hrs.
<b>Cat ELI</b> (Extended Life Inhibitor)	Silicate-free, organic additive technology for diesel engines operating in warm climates (does not contain freeze protection). Same service life as ELC.



Availability of coolant part numbers varies regionally. The below matrix details the appropriate part numbers and package sizes by coolant product type.

PRODUCT DESCRIPTION	PACKAGE SIZE	PACKAGE TYPE	PART NUMBER
<b>ELC Advanced Coolant</b>			
<b>ELC ADVANCED 50/50<sup>1</sup></b>	1 gal	Bottle	542-6490
	5 gal	Pail	437-8200
	55 gal	Drum	437-8201
	275 gal	Tote	437-8202
<b>ELC ADVANCED CONCENTRATE<sup>1</sup></b>	1 gal	Bottle	542-6493
	5 gal	Pail	542-6496
	55 gal	Drum	524-7953
<b>ELC EXTENDER</b>	1 qt	Bottle	119-5152
	1 gal	Bottle	210-0786
<b>Extended Life Inhibitor</b>			
<b>ELI</b>	1 gal	Bottle	351-9431
	5 gal	Pail	351-9432
	55 gal	Drum	351-9433
	275 gal	Tote	366-2753

### OTHER COOLANTS

<b>Cat DEAC</b> (Diesel Engine Antifreeze/Coolant)	Conventional, high-performance coolant with silicates for diesel engines. 3,000 service hrs with addition of Supplemental Coolant Additive every 250 hrs.
<b>Cat NGEC</b> (Natural Gas Engine Coolant)	Conventional, high-performance coolant with silicates for natural gas engines. 3,000 service hrs with addition of Supplemental Coolant Additive every 250 hrs.

Availability of phase out coolant part numbers varies regionally. The below matrix details the appropriate part numbers and package sizes by coolant product type.

PRODUCT DESCRIPTION	PACKAGE SIZE	PACKAGE TYPE	PART NUMBER
<b>Extended Life Coolant (ELC)</b>			
<b>ELC 50/50</b>	1 gal	Bottle	238-8648
	5 gal	Pail	238-8649
	55 gal	Drum	238-8650
	275 gal	Tote	361-1024
<b>ELC CONCENTRATE</b>	1 gal	Bottle	238-8647
	275 gal	Tote	491-6754
<b>Natural Gas Engine Oil</b>			
<b>NGEC 50/50<sup>2</sup></b>	1 gal	Bottle	339-3776
	5 gal	Pail	339-3777
	55 gal	Drum	339-3778
	275 gal	Tote	339-3779
<b>Diesel Engine Antifreeze/Coolant</b>			
<b>DEAC CONCENTRATE<sup>2</sup></b>	1 gal	Bottle	339-3768
	55 gal	Drum	339-3769

Small or large, Cat or other brand, whatever type of equipment you run, Cat oils, greases and coolants deliver premium protection. Formulated not just to meet, but to exceed industry standards and most OEM specifications. They help you maximize component life, extend change intervals and reduce downtime – so your equipment works more productively and profitably.

<sup>1</sup>ELC Advanced will be available 2Q 2025 as a replacement for DEAC/NGEC.

<sup>2</sup>DEAC and NGEC will be fully discontinued by end of 2025.



PEDJ1532-00 (U.S. and Canada)

© 2025 Caterpillar. All Rights Reserved. CAT, CATERPILLAR, LET'S DO THE WORK, their respective logos, "Caterpillar Corporate Yellow", the "Power Edge" and Cat "Modern Hex" trade dress as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission.