



D6 MEDIUM TRACK-TYPE TRACTOR

RIG OUT CATALOG

MODELS: D6E, D6T, D6, D6 XE,
D6R, D6R II, D6GC

LET'S DO THE WORK.™



AFTERMARKET COMPONENTS

UPGRADE KITS	1
Vision	1
SEA - Lifetime Purchase	4
SEA - Monthly Payment Plan	5
Safety & Visibility	6
Security	7
Remote Control	11
Product Link™	13
Emissions & Regulations	13
Maintenance & Improvement	14
Performance & Productivity	14

REPAIR & REBUILD KITS	15
Undercarriage	15
Link	15
Idler	16
Track Roller	17
Guard	18
Misc	19
Ground Engaging Tools	20
Seat	21
Cushion Kits	21
Suspension Kits	32
Tether Kits	49
Air Kits	51
Slide Kits	54
Boot Kits	56
Knob Kits	59
Indicator Kits	62
Maintenance	63
Display	63
Cab	66
Hardware Kits	80
Seal Kits	88

A SIMPLIFIED WAY TO COUNT ON WORLD-CLASS PERFORMANCE.
CAT DOZERS. THE NAMES ARE CHANGING. THE PERFORMANCE BEHIND THEM NEVER WILL.



D1	D2	D3	D4	D5	D6	D7	D8	D9	D10	D11
D3K2 D3K	D4K2 D4K	D5K2 D5K	D6K2 D6K	D6N D5R2	D6T D6R2	D7E D7R	D8T D8R	D9T D9R	D10T2	D11T
75 hp +	85 hp +	100 hp +	125 hp +	160 hp +	200 hp +	240 hp +	320 hp +	405 hp +	500 hp +	850 hp +

BASE HPT POWER RANGES



UPGRADE - VISION »



647-1276 360 Vision with rear Detect ready

- TO PROVIDE KIT TO ADD 360 VISION FUNCTIONALITY IN THE AFTERMARKET FOR PREMIUM CABS
- The Cat 360 Vision system contains the following:
 - 10 inch Vision display
 - One front B-camera and two side B-cameras
 - 360 degree segmented view to optimize machine surround vision
- The Surround (360 degree) Vision feature provides a separate display with multiple cameras to supplement the view of the operator from the cab. The cameras provide a 360 degree segmented view around the machine.
- Cat® Detect system uses a smart camera to detect people behind the machine and alert the operator through the main primary display. The smart camera replaces the standard rear camera. A Software Enabled Attachment (SEA) must be purchased to enable the system.
- Using a Cat 360 Vision system requires that both Cat Detect and Cat 360 Vision be installed on the machine. This system allows the 360 degree vision display to complement and communicate with the lower primary display. Detection/vision systems are operator-assist only and do not replace safe operating practices. The operator remains responsible for safety.
- Note: Cat Detect may be used as a standalone attachment and will still require a SEA to enable. Refer to Special Instruction, M0172937 for further information
- Media Reference: M0175316

Sales Models	Serial Number Prefix
D6, D6XE	6A4, 6B2, 6B4, 6G4, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, EDL, ES9, GZ9, HFE, HLY, HMY, HNK, HR9, HZL, JJ6, KD5, KEW, KKD, KMT, KTW, LB5, LB7, LF9, LNC, LRG, PVD, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC, XMM, ZMA

UPGRADE - VISION »



647-1277 360 Vision with rear Detect ready

- TO PROVIDE KIT TO ADD 360 VISION FUNCTIONALITY IN THE AFTERMARKET FOR STANDARD AND DELUXE CABS
- The Cat 360 Vision system contains the following:
 - 10 inch Vision display
 - One front B-camera and two side B-cameras
 - 360 degree segmented view to optimize machine surround vision
- The Surround (360 degree) Vision feature provides a separate display with multiple cameras to supplement the view of the operator from the cab. The cameras provide a 360 degree segmented view around the machine.
- Cat® Detect system uses a smart camera to detect people behind the machine and alert the operator through the main primary display. The smart camera replaces the standard rear camera. A Software Enabled Attachment (SEA) must be purchased to enable the system.
- Using a Cat 360 Vision system requires that both Cat Detect and Cat 360 Vision be installed on the machine. This system allows the 360 degree vision display to complement and communicate with the lower primary display. Detection/vision systems are operator-assist only and do not replace safe operating practices. The operator remains responsible for safety.
- Note: Cat Detect may be used as a standalone attachment and will still require a SEA to enable. Refer to Special Instruction, M0172937 for further information
- Media Reference: M0175316

Sales Models	Serial Number Prefix
D6, D6XE	6A4, 6B2, 6B4, 6G4, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, EDL, ES9, GZ9, HFE, HLY, HMH, HNK, HR9, HZL, JJ6, KD5, KEW, KKD, KMT, KTW, LB5, LB7, LF9, LNC, LRG, PVD, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC, XMM, ZMA



647-1288 Cat Detect with rear Smart Cam

- TO PROVIDE KIT TO ADD REAR DETECT FUNCTIONALITY IN THE AFTERMARKET FOR CAB2021 MACHINES
- Media Reference: M0172937

Sales Models	Serial Number Prefix
D6, D6XE	6A4, 6B2, 6B4, 6G4, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, EDL, ES9, GZ9, HFE, HLY, HMH, HNK, HR9, HZL, JJ6, KD5, KEW, KKD, KMT, KTW, LB5, LB7, LF9, LNC, LRG, PVD, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC, XMM, ZMA

UPGRADE - VISION »



251-4162 Work Area Vision System Rear Camera Upgrade Kit

- Parts included to install Work Area Vision System (WAVS), now Cat Vision Systems.
- Includes bracket and bolts for camera support, brackets for additional cameras, bracket plus electrical supply harness for WAVS monitor. Approximate install time: 3 hours Consult your owners manual or contact your local Cat Dealer for more information.
- Media Reference: REHS7241, REHS7242, REHS3120

Sales Models	Serial Number Prefix
D6T	DJG, GCT, HYT, JHB, JML, JNM, KJL, LAY, MB5, MH7, NDY, SKL, SMC, WCG, WFH



UPGRADE - SEA - LIFETIME PURCHASE »



513-5980 SEA, GRADE CONTROL, MTTT

- Lifetime Purchase
- Name in CAT ET: Grade Control System Installation
- A Grade SEA is required when installing a GRADE system after factory shipment.
- Additional hardware needed
- Included in GRADE 3D W/ ASSIST from the factory and GRADE
- 3D READY W/ ASSIST when Cat Grade 3D License is purchased.
- Media Reference: M0082989-26

617-8509 SEA, STEER ASSIST, MTTT



- Lifetime Purchase
- Name in CAT ET: Steer Assist 3D Installation.
- A Steer Assist 3D SEA is required when upgrading a machine to have Steer Assist 3D after factory shipment.
- Additional hardware needed
- Included in GRADE 3D W/ ASSIST from the factory and 3D READY W/ ASSIST when Cat Grade 3D License is purchased.
- Media Reference: M0158153-03



626-6822 SEA, PERSONNEL DETECT, MTTT

- Lifetime Purchase
- Name in CAT ET: Personnel Detection System Installation A Personnel Detect SEA is required when installing a Cat Detect -People Detection system after factory shipment. Included in CAMERA, 360 REAR DETECT attachment when installed from the factory
- Additional hardware needed if machine not equipped with CAMERA, 360 DETECT READY
- Media Reference: M0172937-03

UPGRADE - SEA - MONTHLY PAYMENT PLAN »



641-5501 SEA, PLAN, GRADE CONTROL, MTTT

- Monthly Payment Plan. Availability/pricing is determined by the dealer and subject to acceptance of end-user license terms.
- Name in CAT ET: Grade Control System Installation
- A Grade SEA is required when installing a GRADE system after factory shipment.
- Additional hardware needed
- Media Reference: M0082989-26



641-9246 SEA, PLAN, STEER ASSIST, MTTT

- Monthly Payment Plan
- Name in CAT ET: Steer Assist 3D Installation
- A Steer Assist 3D SEA is required when upgrading a machine to have Steer Assist 3D after factory shipment. Additional hardware needed.
- Media Reference: M0158153-03



642-6462 SEA, PLAN, PERSONNEL DETECT, MTTT

- Monthly Payment Plan
- Name in CAT ET : Personnel Detection System Installation
- A Personnel Detect SEA is required when installing a Cat Detect People Detection system after factory shipment
- Additional hardware needed if machine not equipped with CAMERA, 360 DETECT READY
- Media Reference: M0172937-03

UPGRADE - SAFETY & VISIBILITY »



500-8869 Operator & Trainer Seat Belt Reminder Upgrade Kit

- Dashboard light and amplified alarm provide additional notifications to the operator and/or trainer
- Seat belt reminder system transmits data to the back-office by a Cat® Product Link™ device with a Controller Area Network (CAN) connection. Recommended to use this system on machines with enclosed cabs. If your machine has an existing factory seat belt reminder system or an existing modification, contact your local dealer for available options.
- Media Reference: REHS7361

Sales Models	Serial Number Prefix
D6E, D6R, D6R II, D6T	1RW, 2B3, 2D2, 2HM, 2MJ, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7C9, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, 9ZS, AAX, ACJ, ADE, AEM, AEP, AFM, AGM, AK7, BLE, BLT, BMJ, BMK, BMY, BNC, BNL, BPM, BPP, BPS, BPZ, BRE, BRJ, BRZ, CAD, DAE, DHL, DJG, DMP, FDT, GCT, HYT, JHB, JML, JNM, JWD, K1R, KJL, LAE, LAY, LBD, LKJ, MB5, MH7, NDY, PEZ, RLW, S6T, S6X, S6Y, SGZ, SKL, SMC, SSS, WCG, WFH, ZEB

513-5984 Seat Belt Reminder Kit



- Uses both audible and visual warnings to remind the operator when the seat belt is not latched.
- The Cat Seat Belt Reminder System gets operators' attention through both audible and visual warnings that remind the operator when the seat belt is not latched. Installation is easy. The system is available as a retrofit for Cat machines and competitive machines, making it ideal for an entire fleet.
- Media Reference: REHS7361-21

Sales Models	Serial Number Prefix
D6, D6E, D6GC, D6R, D6R II, D6T, D6XE	02H, 04R, 05R, 08U, 09U, 1RW, 2B3, 2D2, 2HM, 2MJ, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7C9, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, 9ZS, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AG9, AGM, AK7, B72, BLE, BLT, BMJ, BMK, BMY, BNC, BNL, BPM, BPP, BPS, BPZ, BRE, BRJ, BRZ, CAD, D5M, DAE, DHL, DJG, DMP, ES9, FDT, GCT, GZ9, HFE, HLY, HMH, HNK, HR9, HYT, HZL, JHB, JJ6, JML, JNM, JWD, K1R, KD5, KEW, KJL, KMT, KTW, LAE, LAY, LB5, LBD, LF9, LKJ, LNC, LRG, MB5, MH7, NDY, PEZ, RA9, RBP, RDC, RLW, S6T, S6X, S6Y, SA9, SG6, SGZ, SKL, SMC, SSS, TB6, TPL, WCG, WFH, WGY, WH5, WJG, XEC, XPC, ZEB

UPGRADE - SAFETY & VISIBILITY »



449-8192 Switch Kit-Handle

- Cat® Knob Kit for battery disconnect switch
- The Knob kit for battery disconnect switches is a specialized kit designed to provide convenient knob replacements for battery disconnect switches. This kit includes a set of knobs specifically engineered to fit and operate battery disconnect switches, allowing for easy control and operation. Crafted from high-quality materials, these knobs offer durability and longevity, capable of withstanding regular usage and environmental conditions.
- Attributes:
 - Durable construction for long-lasting performance.
 - High-quality materials ensure durability and longevity.
 - Resistant to environmental factors such as moisture and temperature.
 - Provides a comfortable grip for easy operation.
- Applications: The Knob kit provides convenient knob replacements for battery disconnect switches, ensuring easy control and operation of the battery connection.

Sales Models	Serial Number Prefix
D6, D6T, D6XE	ES9, HMH, HYT, JJ6, JML, JNM, KD5, LB5, MB5, MH7, NDY, SG6, TB6, WH5

SECURITY »



468-3606 Machine Security System - Universal

- Control who can operate machines and when
- Cat Machine Security System (MSS) is an aftermarket security solution for customers and dealer rental fleets to manage machine access and deter theft. Machines equipped with MSS can control who can use the machine and controls, and when the machine can be operated. Added protection for remote worksites, multiple contractor sites, or situations where limited access is required. Provides theft deterrent in high theft areas, can reduce fuel/maintenance costs, and potential insurance savings. Can be installed on 12 and 24 volt systems. Kit includes all parts needed for the installation including two yellow keys. Mixed-fleet solution.
- Media Reference: M0071256

Sales Models	Serial Number Prefix
D6, D6E, D6GC, D6R, D6R II, D6T, D6XE	02H, 04R, 05R, 08U, 09U, 1RW, 2B3, 2D2, 2HM, 2MJ, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7C9, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, 9ZS, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AG9, AGM, AK7, B72, BLE, BLT, BMJ, BMK, BMY, BNC, BNL, BPM, BPP, BPS, BPZ, BRE, BRJ, BRZ, CAD, D5M, DAE, DHL, DJG, DMP, ES9, FDT, GCT, GZ9, HFE, HLY, HMH, HNK, HR9, HYT, HZL, JHB, JJ6, JML, JNM, JWD, K1R, KD5, KEW, KJL, KMT, KTW, LAE, LAY, LB5, LBD, LF9, LKJ, LNC, LRG, MB5, MH7, NDY, PEZ, RA9, RBP, RDC, RLW, S6T, S6X, S6Y, SA9, SG6, SGZ, SKL, SMC, SSS, TB6, TPL, WCG, WFH, WGY, WH5, WJG, XEC, XPC, ZEB

UPGRADE - SECURITY »



464-7816 Remote Disable Module

- Once activated, the RDM will prevent the machine from being started from the key switch in the off position. Also allows an authorized person in a remote, off board location to enable a disabled machine to start. Will not shut down a running machine.
- Description: The Cat Remote Disable Module (RDM) Field Installation Kit allows an authorized person in a remote, off board location to prevent the machine from being started from the key switch in the off position. The kit is for use with Product Link™ Elite, Pro and Basic series telematics devices for construction industries. It has been developed to support installation in conjunction with both cellular and satellite telematics devices.
- Attributes: Prevents unauthorized use. Reduces risk of theft.
- Applications: Contact your local Cat Dealer for additional information
- Media Reference: SEHS0389

Sales Models	Serial Number Prefix
D6, D6E, D6GC, D6R, D6R II, D6T, D6XE	02H, 04R, 05R, 08U, 09U, 1RW, 2B3, 2D2, 2HM, 2MJ, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7C9, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, 9ZS, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AG9, AGM, AK7, B72, BLE, BLT, BMJ, BMK, BMY, BNC, BNL, BPM, BPP, BPS, BPZ, BRE, BRJ, BRZ, CAD, D5M, DAE, DHL, DJG, DMP, ES9, FDT, GCT, GZ9, HFE, HLY, HMH, HNK, HR9, HYT, HZL, JHB, JJ6, JML, JNM, JWD, K1R, KD5, KEW, KJL, KMT, KTW, LAE, LAY, LB5, LBD, LF9, LKJ, LNC, LRG, MB5, MH7, NDY, PEZ, RA9, RBP, RDC, RLW, S6T, S6X, S6Y, SA9, SG6, SGZ, SKL, SMC, SSS, TB6, TPL, WCG, WFH, WGY, WH5, WJG, XEC, XPC, ZEB

UPGRADE - PERFORMANCE & PRODUCTIVITY »


Ripper Anti-Drift Control Kits

- D6T Track-Type Tractors equipped with a ripper may experience undesirable ripper drift. This instruction provides a hydraulic circuit rework procedure incorporating a lock valve designed to reduce ripper cylinder drift.
- Media Reference: REHS7158

Sales Models	Serial Number Prefix	Machine Configuration	Part Description	Kit Number
D6T	JHB, KJL, LAY, SKL	Standard	Retrofit Kit - With Fuel Tank Guards	384-0462
			Retrofit Kit - Without Fuel Tank Guards	386-2386
	WFH, DJG, WCG, ZEB, RLW, JWD	VPAT	Retrofit Kit - With Fuel Tank Guards	384-0461
			Retrofit Kit - Without Fuel Tank Guards	386-2387

Components							
	275-1443: 27.00mm Internal Diameter Top Clip Quantity: 1		360-1748: VALVE GP-CB Quantity: 1		124-2158: Permanent Coupling Quantity: 1		333-4609: Oval Two Thru Hole Grommet Quantity: 1
	3j-1907: 1.98 x 11.89mm 90A NBR O-Ring Quantity: 3		3K-0360: 2.21 x 16.36mm 90A NBR O-Ring Quantity: 2		369-2637: MANIFOLD GP- Quantity: 1		4D-9517: Steel Clip Of 12.70mm Steel Clip Quantity: 1
	370-3803: GUARD Quantity: 1		4j-5477: 1.78 x 7.67mm 90A NBR O-Ring Quantity: 1		5P-1076: M12ID Steel Flat Washer Quantity: 3		8T-4137: M10-1.5 x 20mm Hex Head Bolt Quantity: 1
	6V-8647: 15.88mm Hexagonal Plate Steel Straight Adapter Quantity: 1		7X-7729: M1010 Steel Flat Washer Quantity: 4		7X-2534: M6-1 x 50mm Hex Head Bolt Quantity: 2		6V-8637: 31.75mm Hexagonal Hydraulic Straight Adapter Quantity: 2
	9S-8004: 9/16-18 Thread Hex Drive Plug Quantity: 1		9S-8006: 7/8-14 Thread Hex-Drive Plug Quantity: 1		8T-4195: M10-1.5 x 30mm Hex Head Bolt Quantity: 4		3D-2824: 2.95 x 23.47mm 90A NBR O-Ring Quantity: 2
	8T-4223: M12 ID Steel Flat Washer Quantity: 2		053-4679: M12 ID Steel Flat Washer Quantity: 1		323-6157: Permanent Coupling Quantity: 3		6K-8178: 14.28mm Internal Diameter Loop Clip Quantity: 1
	3j-7354: 1.83 x 8.92mm 90A NBR O-Ring Quantity: 1		124-2111: Permanent Coupling Quantity: 1		7G-3832: Two Hole Oval Rubber Grommet Quantity: 1		2M-9780: 2.46 x 19.18mm 90A NBR O-Ring Quantity: 2
	7G-3834: 46.00mm Internal Diameter Two Piece Clip Quantity: 1		6V-9969: Reusable Coupling Quantity: 2		6V-8397: 1.78 x 9.27mm 908 NBR O-Ring Quantity: 5		7G-3833: 46.00mm Half Tab Single Tube Clip Quantity: 1
	6V-9746: 1.78 x 18.94mm 908 NBR O-Ring Quantity: 2		6V-8723: ORFS to STOR 90 Degree Elbow Adaptor Quantity: 1		6V-8724: 9/16-18 X 11/16-16 Thread 90-Degree Elbow Adapter Quantity: 2		4j-0520: 3.53 x 32.92mm 90A NBR O-Ring Quantity: 2
	8T-4184: M12. Head Bolt 75 x 45mm Hex Quantity: 2		8T-4192: M12-1.75 x 25mm Hex Head Bolt Quantity: 2		8T-4196: M10-1.5 35mm Hex Head Bolt Quantity: 1		8T-4121: M10 ID Steel Flat Washer Quantity: 2
	8T-3731: COUPLING Quantity: 2		8T-0076: 3/4-16 X 11/16-16 Hex Head Straight O-Ring Adapter		9X-8256: M6 ID Steel Flat Washer Quantity: 2		275-1442: 27.00mm Internal Diameter Bottom Clip Quantity: 1
	9X-2134: 7/8-14 X 11/16-16 Hex Head 90 Degrees Elbow O-Ring Adapter Quantity: 1		366-8434: BRACKET AS Quantity: 1		323-6173: Permanent Coupling Quantity: 1		



UPGRADE - REMOTE CONTROL »




603-9482 Elek Kit-Aftm Kit

- MTT Remote Control Kit: This document guides in the installation of the Cat® Command for Dozing Remote Control (RC) system on following Medium Track-Type Tractors. Use of remote control and radio-enabled components may be subject to local laws and regulations. Ensure compliance before installation or operation.
- Media Reference: M0118484

Sales Models	Serial Number Prefix
D6, D6XE	AG9, B72, D5M, ES9, GZ9, HFE, HLY, HMH, HNK, HR9, HZL, JJ6, KD5, KEW, KMT, KTW, LB5, LF9, LNC, LRG, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC

Components			
	532-8900: Remote Control Vision Install Kit Quantity: 1		603-6623: Direct Current to Direct Current Converter Quantity: 1
	373-8620: CONTROL AS Quantity: 1		373-8621: 5 Volts Battery Charger Quantity: 1
	532-8881: Remote Control Base On-Board Kit Quantity: 1		602-6509: CONFIG-PREMI Quantity: 1
			608-1470: Remote Control Wi-Fi Install Kit Quantity: 1
			600-1204: Premium Configuration
			615-7741: Bi Directional Antenna Quantity: 1



532-8881 Remote Control Base On-Board Kit

- Base kit for remote control, required for Line of Sight and Non-Line of Sight operation. Includes roof mounting plate, RCM, cables, RC lights, and mode switch. Est. assembly/install time: 4 hrs
- Media Reference: M0118484

Sales Models	Serial Number Prefix
D6, D6XE	AG9, B72, D5M, ES9, GZ9, HFE, HLY, HMH, HNK, HR9, HZL, JJ6, KD5, KEW, KMT, KTW, LB5, LF9, LNC, LRG, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC

UPGRADE - REMOTE CONTROL »



532-8900 Remote Control Vision Install Kit

- Vision install kit for remote control, required for Non-Line of Sight operation. Kit is add on to Base On-Board Kit (532-8881). Includes cameras, microphone, router, and cables. Est. assembly/install time: 4 hrs
- Media Reference: M0118484

Sales Models	Serial Number Prefix
D6, D6XE	AG9, B72, D5M, ES9, GZ9, HFE, HLY, HMH, HNK, HR9, HZL, JJ6, KD5, KEW, KMT, KTW, LB5, LF9, LNC, LRG, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC



589-1075 Remote Control Command Console Kit

- Command console kit for remote control required for Line of Sight operation. Kit is add on to Base On-Board Kit (532-8881). Includes command console, receiver, and console accessories. Est. assembly/install time: <1 hr
- Media Reference: M0118484

Sales Models	Serial Number Prefix
D6, D6XE	AG9, B72, D5M, ES9, GZ9, HFE, HLY, HMH, HNK, HR9, HZL, JJ6, KD5, KEW, KMT, KTW, LB5, LF9, LNC, LRG, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC

UPGRADE - REMOTE CONTROL »



608-1470 Remote Control Wi-Fi Install Kit

- Wi-Fi install kit for remote control, required to install Wi-Fi radio for Non-Line of Sight operation. Kit is add on kit to Base On-Board Kit (532-8881). Includes Wi-Fi radio mounting hardware and cables. Est. assembly/install time: <1 hr
- Media Reference: M0118484

Sales Models	Serial Number Prefix
D6, D6XE	AG9, B72, D5M, ES9, GZ9, HFE, HLY, HMM, HNK, HR9, HZL, JJ6, KD5, KEW, KMT, KTW, LB5, LF9, LNC, LRG, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC




582-2392 Receiver Kit

- D6 Remote Control Attachment
- NHL: 589-1077 CONTROL KT-RMT

Sales Models	Serial Number Prefix
D6, D6XE	AG9, B72, D5M, ES9, GZ9, HFE, HLY, HMM, HNK, HR9, HZL, JJ6, KD5, KEW, KMT, KTW, LB5, LF9, LNC, LRG, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC

UPGRADE - PRODUCT LINK™ »




562-4335 INSTALLATION GP-COMMUNICATION -PL631 SATELLITE

- FIELD REPLACEMENT FOR 467-4162; Description: High quality accessories, installation kits, adaptors, and converters for Cat machine radios. Cat field installation kits provide replacement parts for repair or rebuild in the field.
- Attributes:
 - PL631V2 satellite radio kit
 - Aftermarket kit includes communication electronic control module, antenna, antenna cable assembly, connector cap assembly, harness assembly, warning films, cable straps and hardware
 - RoHS compliant.
- Application: Cat field installation kits enable field service on heavy-duty equipment. Consult your owners manual or contact your dealer for more information.
End User License Agreements For The PL641 Cellular Radio, PL631 Satellite Radio, PL542 Cellular Radio, And The PL241 Cellular Radio {7606}
- Media Reference: M0099440

Sales Models	Serial Number Prefix
D6R, D6R II	AFD, BMK, BNL, BPP, BPS, BPZ, BRE, BRZ

EMISSIONS & REGULATIONS »



487-0692 Muffler Kit

- Provides a Muffler Kit to replace the 12 inch Diesel Particulate Filter Machine Migrating from Tier 4F to non regulated and lesser regulated countries. Sales of this Muffler Kit are prohibited in EPA regulated regions.
- RELEASED TO PROVIDE A KIT-MUFFLER TO REPLACE 12 INCH DIESEL PARTICULATE FILTER MACHINES MIGRATING FROM TIER 4F TO NON REGULATED AND LESSER REGULATED COUNTRIES. This Muffler Kit is intended solely for machines migrating from Tier 4 Final to non-regulated or lesser-regulated countries, where such configuration is permitted by law. Sales, installation, or use of this kit are strictly prohibited in EPA-regulated regions and any jurisdiction where removal or replacement of emissions control devices is unlawful. The end user is responsible for ensuring compliance with all applicable emissions, environmental, and import/export regulations.
- Media Reference: M0090167, M0110343

Sales Models	Serial Number Prefix
D6T	CG8, CR3, HTZ, KMR, MEL, RAD, SGA, SGT, STE, TMY, WES, WRN

UPGRADE - MAINTENANCE & IMPROVEMENT »




376-7902 D6N, D6K, D6T, D7E Sweeps

- Upgrade - D6T Sweep Kit protects lift cylinders and upper engine hood from branches and debris and increase light mounting locations.
- Media Reference: PELJ1480

Sales Models	Serial Number Prefix
D6T	DTD, GMK, KSB, RCW, SLJ, ZJB

PERFORMANCE & PRODUCTIVITY »



588-1038 Wiring Kit

- Kit for CTWS connectivity : Advanced Productivity, Bluetooth receiver for misc Bluetooth® connected remote sensors A5S4 Wiring Kit - Advanced Productivity.
- Media Reference: M0114713, M0110911

Sales Models	Serial Number Prefix
D6, D6T, D6XE	2B3, 2D2, 7C9, AG9, AK7, B72, D5M, ES9, GZ9, HFE, HLY, HNK, HR9, HYT, HZL, JJ6, JML, JNM, K1R, KD5, KEW, KMT, KTW, LB5, LF9, LNC, MB5, MH7, NDY, RA9, RBP, RDC, SA9, SG6, SGZ, TB6, TPL, WGY, WH5, XEC


REPAIR & REBUILD - UNDERCARRIAGE / LINK »

		Kit Number	607-9728	607-9730	607-9731	607-9270	607-9273	608-5035	607-9275	607-9279	607-9243	607-9734	607-9735	607-9244	607-9245	607-9245	607-9254	607-9268	607-9729		
			Cat® Link Kit, SALT, 202.81mm Track Pitch																		
			Sections		45	42	46	39	45	41	39	45	40	42	46	41	45	45	45	45	45
			Component #	Component Name	Press Fit						PPR2										
					Clamp Master				5 Tooth Master												
ABRASION					GD		HD	HDXL													
	391-3925	Track Link Assembly								2											
	391-3928	Track Link Assembly							2												
	561-1056	Track Link Assembly (SALT)				2															
	561-1058	41 Joint Track Link						2													
	561-1059	LINK AS-TRAC		2																	
	561-1061	45 Joint Track Link	2				2														
	561-1062	LINK AS-TRAC			2																
	565-4299	46 Joint Track Link											2								
	650-3499	46 Joints Grouser Shoe Track Link											2								
	565-4420	LINK AS-TRAC									2										
	565-4421	Track Link Assembly												2							
	650-3496	41 Joints Grouser Shoe Track Link												2							
	565-4422	Heavy Duty Track Link										2									
	565-4423	Track Link Assembly													2	2	2	2	2		
	318-1064	Track Clamp Master Link	4	4	4	4	4	4													
	1S-1860	0.750-16X19 Thread Track Nut							304	352											
	9W-3361	M20 X 1.5 X 21 Track Nut									312		360	320	352	352					
	9W-4381	M22X1.5 Thread Track Nut	352	328	360	304	352	320				328					704		352		
	106-8235	Bushing															180				
	6V-1792	3/4-16 Thread 60.33mm Long Bolt							304	352								176			
	254-0224	M22X1.5 Thread 108mm Long Track Master	8	8	7	8	8	8			8	8	8	8	8	4	8		8		
	3P-1111	3/4-16 Thread 139.7mm Long Bolt																4			
	542-0222	M20X1.5 Thread 63mm Long Bolt									312	328	360	320	352	176	704		352		
	556-4501	Bolt-Trac														176					
	574-5158	MJ22 Track Bolt														4					
	6T-2162	3/4-16 Thread 104.78mm Long Bolt																176			
	6Y-9024	M22-1.5 Thread 67mm Long Track Bolt	352	328	360	304	352	320													
	9S-1838	3/4-16 Thread 104.78mm Long Bolt							8	8							8	4			
	106-8237	Pin															180				
	8E-7410	Left Hand Master Track Link Bushing End															4				
	8E-7409	Right Hand Master Track Link Pin End															4				
	8E-7408	Master Track Link Pin End Left Hand															4				
	8E-7407	Right Hand Master Track Link Pin End															4				
	378-8242	Heavy Duty Grease Lubricated Track Link															176				
	378-8241	Heavy Duty Grease Lubricated Track Link															176				

REPAIR & REBUILD - UNDERCARRIAGE / IDLER »

	Component #	Kit Number	607-6146	607-9251	607-9308	607-9743	607-9250	607-9742	607-9246	607-9248	607-9293	607-9299	607-9744	
		Component Name	Cat® Idler Kit Landfill Application, Interchangeable				Cat® Idler Kit Standard Application, Interchangeable							
			Center Tread (Relieved)		Conventional Tread		Center Tread (Relieved)		Conventional Tread					
			Thread Diameter											
			640mm	640mm	545mm	545mm	640mm	640mm	570mm	570mm	570mm	545mm	545mm	
			ABRASION		HDXL		ABRASION		GD		HDXL			
	202-4296	545mm Tread Track Idler										4	4	
	202-4304	570mm Outer Diameter Track Idler									4			
	206-1897	Track Idler Group			4	4								
	323-1170	640mm Outer Diameter Track Idler					4	4						
	351-0886	Track Idler Group	4	4										
	395-4325	Track Idler Group							4					
	395-4326	Track Idler Group								4				
	159-3662	Track Idler Cap	2				2							
	160-6910	Track Idler Cap	2				2							
	165-6946	54mm Height Iron Casted Idler Track		8	8	8		8	8	8	8	8	8	
	174-8783	Track Idler Cap	2				2							
	174-8786	Idler End Collar Assembly	2				2							
	174-8788	44mm Inner Diameter Track Idler Block	2				2							
	174-8789	Block	2				2							
	233-4848	Track Idler Block	2				2							
	233-4851	Track Idler Block	2				2							
	452-1402	Cap-Track Roller		8	8	8		8	8	8	8	8	8	
	8G-9530	8mm Thick Steel Shim			4	16		4	4	4	4	4	16	
	156-5342	10mm Thick Steel Shim	4	8			4							
	174-8790	10mm Thick Steel Shim	8				8							
	1D-4615	3/4"-10 x 5 1/2" Hex Head Bolt							16	16				
	8T-0656	M20-2.5 x 150mm Hex Head Bolt		16		16		16					16	
	8T-0657	M20-2.5 x 160mm Hex Head Bolt	16				16							
	295-2409	M20-2.5 x 140mm Hex Head Bolt			16						16	16		
	5P-8248	3/4" ID Steel Flat Washer							16	16				
	8T-3282	M20 ID Steel Flat Washer			16						16	16		
	153-5044	M20 ID Steel Flat Washer	16	16		16	16	16					16	

REPAIR & REBUILD - UNDERCARRIAGE / TRACK ROLLER »

	Kit Number		607-9755	607-9757	607-9759	607-9429	607-9431	607-9433	607-9746	6079-748	607-9753	6079-747	607-9749	607-9751	607-9274	607-9276	607-9285	607-9259	607-9260	607-9262	607-9278	607-9280	607-9282	607-9263	607-9265	607-9267	607-9269	607-9271	607-9272	
			Component #	Component Name	Standard																				Arctic			High Temperature		
	Cat Abrasion					Heavy Duty Extended Life										General Duty			Heavy Duty Extended Life											
	Single Flange					Single Flange, Double Flange		Single Flange, Tall Double Flange			Double Flange, Single Flange				Double Flange, Single Flange															
	317-9080	Track Roller Cap	28	32	40	24	28	32	32	32	40	28	28	40	32	28	24	32	28	24	32	28	24	32	28	12	32	28	24	
	6V-3669	M20-2.5 x 80mm Hex Head Bolt	56	64	80	48	56	64	64	64	80	56	56	80	64	56	48	64	56	48	64	56	48	64	56	24	64	56	48	
	8T-3282	M20 ID Steel Flat Washer	56	64	80	48	56	64	64	64	80	56	56	80	64	56	48	64	56	48	64	56	48	64	56	24	64	56	48	
	235-4157	Single Flange Track Roller (Systemone)	14	16	20	12	14	16																						
	288-0934	Single Flange Track Roller Bearing							8	8	8	7	7	10	8	8	8	8	8	8										
	288-0935	Double Flange Track Roller							8		10	7						8	6	4										
	288-0936	Roller Group - Dual Flange							8				7	10	8	6	4													
	288-0945	Roller Group - Single Flange																						8	8	8				
	288-0946	Roller Group - Single Flange																						8	6	4		6		
	288-0947	ROLLER GP SF																									8	8	8	
	288-0948	ROLLER GP DF																									8		4	
	396-7353	Sflg Roller Group																			8	8	8							
	398-5218	Dflg Roller																			8	6	4							

REPAIR & REBUILD - UNDERCARRIAGE / GUARD »

		Kit Number	607-6160	607-9457	607-9459	607-9461	607-9466	607-9469	607-9471	607-9484	607-9761	607-9765	607-9766	607-9767	607-9448	607-9449	607-9451	607-9454	607-9762	607-9763	607-9768	607-9769
	Component #	Component Name	Abrasion												HDXL							
	505-5634	GUIDE AS-HVY																			4	2
	505-5642	GUIDE AS- CENTER										4										
	505-5821	GUIDE AS-END											4									
	578-2389	GUIDE AS-END												4								
	609-9275	GUARD AS																2				
	613-1108	GUARD AS	2																			
	617-4478	GUARD AS							4													
	620-1292	GUARD AS					4															
	620-1293	GUARD AS					4															
	229-9556	GUARD					4															
	229-9557	GUARD					4															
	229-9568	GUARD						4														
	229-9569	GUARD						4														
	134-5366	TUBE				10	12	14														
	134-5368	ROD				10	12	14														
	160-4103	STRIP													4	4						
	160-4106	STRIP														4						
	1893-032	STRIP													4		4					
	475-0111	STRIP																	4			
	505-4318	STRIP																	4	4		
	505-4320	STRIP								8	4											
	279-2570	STRIP															4					
	255-7174	STRIP-END GUIDE		4	4																	
	541-6109	PLATE																		4		
	541-6111	PLATE									4											
	8E-9932	PLATE				4		4														
	8T-4139	BOLT-HEX HEAD				4		4							32	28	28		24	24		
	8T-4141	BOLT-HEX HEAD	8						16													
	8T-4184	BOLT-HEX HEAD		16	12																	
	106-4175	BOLT-HEX HEAD				20	24	28										8				
	362-1320	BOLT-HEX HEAD				4		4		24	24											
	173-9685	BOLT-HEX HEAD										16	16	16							16	8
	198-4781	WASHER-HARD										16	16	16							16	8
	8T-4223	WASHER-HARD		16	12	8		8		24	24				32	28	28		24	24		
	8T-4167	WASHER-HARD				20	24	28														
	7Y-5233	NUT-SELF LOCKING				20	24	28														
	166-2287	SPACER	8			20	24	28	16									8				

REPAIR & REBUILD - UNDERCARRIAGE / MISC »

607-9287 Sprocket Kit

- Cat® Sprocket Kit Plain Steel, 5 Bolts, 5 Teeth, 202.81mm Track Pitch

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	1RW, 2B3, 2D2, 2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7C9, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, 9ZS, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AGM, AK7, BLE, BLT, BMJ, BMK, BMY, BNC, BNL, BPM, BPP, BPS, BPZ, BRE, BRJ, BRZ, CAD, DAE, DJG, DMP, FDT, GCT, HYT, JHB, JML, JNM, JWD, K1R, KJL, LAE, LAY, LBD, LKJ, MB5, MH7, NDY, PEZ, RLW, S6T, S6X, S6Y, SGZ, SKL, SMC, WCG, WFH, ZEB

Components			
	398-0972: Sprocket Segment Quantity: 10		7H-3607: 5/8"-18 Hex Nut Quantity: 50
	2S-5658: 5/8" ID Steel Flat Washer Quantity: 50		6V-0937: 5/8-18 Thread 53mm Long Bolt Quantity: 50

607-9741 Sprocket Kit

- Cat® Sprocket Kit Plain Steel, 5 Bolts, 5 Teeth, 202.81mm Track Pitch

Sales Models	Serial Number Prefix
D6, D6XE	6A4, 6G4, AG9, B72, D5M, EDL, ES9, GZ9, HFE, HLY, HMM, HNK, HR9, HZL, JJ6, KD5, KEW, KMT, KTW, LB5, LF9, LNC, LRG, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC, ZMA

Components			
	504-5774: M18 x 1.5mm Hex Flange Nut Quantity: 25		491-4518: M18-1.5 x 60mm Hex Head Bolt Quantity: 25
	5P-8248: 3/4" ID Steel Flat Washer Quantity: 25		490-6505: 5 Teeth Steel Alloy Casted Sprocket Segment Quantity: 5

REPAIR & REBUILD - GROUND ENGAGING TOOLS (GET) »

CUTTING EDGE KITS												
	STANDARD - LEVEL CUT				ARM - LEVEL CUT		FIRST CUT	GENERAL PURPOSE	UTILITY		EXTENDED WEAR LIFE	
	SU - Blade	Angling Blade	VPAT Blades	VPAT/ ANGLING Blades	SU - Blade	VPAT/ ANGLING Blades	SU - Blade	SU - Blade	SU - Blade	Angling Blade	SU - Blade	SU - Blade
EDGE THICKNESS Machine Model	19MM				25MM	19MM	25MM	25MM	25MM		25MM	
D6R	620-1913 / 621-2678	621-2673 / 621-2706					621-2679	621-2677	620-1914 / 621-2680	621-2674	620-1917 / 621-2676	621-2671
D6R II	620-1913 / 621-2678	621-2673					621-2679	621-2677	620-1914 / 621-2680	621-2674	620-1917 / 621-2676	621-2671
D6R II LGP	620-1913 / 621-2678						621-2679	621-2677	620-1914 / 621-2680		620-1917 / 621-2676	
D6R II XL	620-1913 / 621-2678	621-2673					621-2679	621-2677	620-1914 / 621-2680	621-2674	620-1917 / 621-2676	621-2671
D6R II XW	620-1913	621-2673 / 621-2706							620-1914	621-2674	620-1917	621-2671
D6R III	621-2678	621-2673					621-2679	621-2677	621-2680	621-2674	621-2676	621-2671
D6R III LGP	621-2678	620-1909		621-2707		621-2708	621-2679	621-2677	621-2680		621-2676	
D6R III XL	621-2678	621-2673		621-2675			621-2679	621-2677	621-2680	621-2674	621-2676	621-2671
D6R III XW	620-1913 / 621-2678	621-2706		621-2707		621-2708	621-2679	621-2677	620-1914 / 621-2680		620-1917 / 621-2676	
D6R X	621-2678	621-2673					621-2679	621-2677	621-2680	621-2674	621-2676	621-2671
D6R XL	620-1913 / 621-2678	621-2673 / 621-2706					621-2679	621-2677	620-1914 / 621-2680	621-2674	620-1917 / 621-2676	621-2671
D6R XR	621-2678	621-2673					621-2679	621-2677	621-2680	621-2674	621-2676	621-2671
D6T	621-2678	621-2673					621-2679	621-2677	621-2680	621-2674	621-2676	621-2671
D6T LGP	620-1913 / 621-2678	620-1909		621-2675 / 621-2707		621-2708	621-2679	621-2677	620-1914 / 621-2680		620-1917 / 621-2676	
D6T LGP PAT	620-1913 / 621-2678			621-2675 / 621-2707		621-2708	621-2679	621-2677	620-1914 / 621-2680		620-1917 / 621-2676	
D6T LGP VPAT				621-2707		621-2708						
D6T P LGP				621-2707		621-2708						
D6T P XL				621-2675								
D6T P XW				621-2707		621-2708						
D6T XL	620-1913 / 621-2678	620-1909 / 621-2673		621-2675 / 621-2707	620-1918	621-2708	621-2679	621-2677	620-1914 / 621-2680	621-2674	620-1917 / 621-2676	621-2671
D6T XL PAT	620-1913 / 621-2678			621-2675 / 621-2707		621-2708	621-2679	621-2677	620-1914 / 621-2680		620-1917 / 621-2676	
D6T XL VPAT				621-2675								
D6T XW	620-1913 / 621-2678			621-2675 / 621-2707	620-1918	621-2708	621-2679	621-2677	620-1914 / 621-2680		620-1917 / 621-2676	
D6T XW PAT	620-1913 / 621-2678	621-2706		621-2675 / 621-2707		621-2708	621-2679	621-2677	620-1914 / 621-2680		620-1917 / 621-2676	
D6T XW VPAT				621-2707		621-2708						
D6	621-2685	621-2687 / 621-2710	621-2688									
D6 GC LGP	621-2678	621-2673					621-2679	621-2677	621-2680	621-2674	621-2676	621-2671
D6 GC XL	621-2678	621-2673					621-2679	621-2677	621-2680	621-2674	621-2676	621-2671
D6 LGP		621-2704 / 621-2710	621-2705 / 621-2711		620-1918							
D6 XE	621-2685	621-2687 / 621-2710	621-2688									
D6 XE LGP		621-2704 / 621-2710	621-2705 / 621-2711		620-1918							

REPAIR & REBUILD - SEAT - CUSHION KITS »



446-0635 Cushion Kit

- Replacement kit for operator cushions on a seat with operator presences system. Used with COSS2 pan kit with cushions
- Description: Cat seats are designed to provide an ergonomic seating option for machine operators. Suspension seats provide a shock absorbing suspension system and adjust for the operator's convenience to hand and foot controls. Kits provide easy field service, repair, or replacement of suspension seat systems. Quality you expect for your equipment.
- Attributes:
 - Kit includes durable back cushion, seat pan, OPS harness and fasteners
 - Asphalt gray fabric cover
 - Cushions are upholstered with rip-resistant materials
- Application: Used to service or replace the seat cushions and covers used with rugged Cat suspension seat systems. Consult your owner's manual or contact your local Cat dealer for more information.
- NHL: 489-6481 SEAT GP -C, 489-6486 SEAT GP -C

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2B3, 2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 7AR, 7DR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFM, AGM, BLE, BLT, BMJ, BMY, BNC, CAD, DAE, DJG, DMP, FDT, GCT, HYT, JHB, JML, JNM, K1R, KJL, LAE, LAY, LBD, LKJ, MB5, MH7, NDY, PEZ, S6T, S6X, S6Y, SGZ, SKL, SMC, SSS, WCG, WFH

REPAIR & REBUILD - SEAT - CUSHION KITS »



446-0637 Seat Cushion Kit (Vinyl)(Ops)(Std)

- Cat® Seat Cushion Kit (Vinyl)(OPS)(STD)
- Description: Cat seats are designed to provide an ergonomic seating option for machine operators. Suspension seats provide a shock absorbing suspension system and adjust for the operator's convenience to hand and foot controls. Kits provide easy field service, repair, or replacement of suspension seat systems. Quality you expect for your equipment.
- Attributes:
 - Kit includes durable seat cushion, durable backrest cushion with embossed Cat logo, seat pan, switch, spring, OPS harness and switch hardware, plate and fasteners
 - Vinyl covers
 - Color: Black
- Application: Used to service or replace the seat cushions and covers used with rugged Cat suspension seat systems. Consult your owner's manual or contact your local Cat dealer for more information.
- NHL: 489-6485 SEAT GP-C

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AGM, BLE, BLT, BMJ, BMK, BMY, BNC, BPM, BPS, BRJ, CAD, DAE, DJG, DMP, FDT, GCT, JHB, KJL, LAY, S6T, S6X, S6Y, SKL, SMC, SSS, WCG, WFH



446-0642 Cushion Kit

- Cat® Seat Cushion Kit (Vinyl)(OPS)(Heated)(24 V)
- Description: Cat seats are designed to provide an ergonomic seating option for machine operators. Suspension seats provide a shock absorbing suspension system and adjust for the operator's convenience to hand and foot controls. Kits provide easy field service, repair, or replacement of suspension seat systems. Quality you expect for your equipment.
- Attributes:
 - Kit includes durable seat cushion, durable backrest cushion with Cat logo, seat pan, OPS switch, OPS harness and heater pad harness, and fasteners
 - Fabric covers
 - Color: Asphalt Gray
- Application: Used to service or replace the seat cushions and covers used with rugged Cat suspension seat systems. Consult your owner's manual or contact your local Cat dealer for more information.
- NHL: 489-6482 SEAT GP -C, 489-6489 SEAT GP -C

REPAIR & REBUILD - SEAT - CUSHION KITS »

Sales Models	Serial Number Prefix
D6T	HYT, JML, JNM, MB5, MH7, NDY



446-0649 Cushion Kit

- Cat® Seat Cushion Kit (Cloth)(OPS)(STD)
- Description: Cat seats are designed to provide an ergonomic seating option for machine operators. Suspension seats provide a shock absorbing suspension system and adjust for the operator's convenience to hand and foot controls. Kits provide easy field service, repair, or replacement of suspension seat systems. Quality you expect for your equipment.
- Attributes:
 - Kit includes durable seat cushion, durable backrest cushion with Cat logo, seat pan, OPS switch, OPS harness and heater pad harness, and fasteners
 - Fabric covers
 - Color: Asphalt Gray
- Application: Used to service or replace the seat cushions and covers used with rugged Cat suspension seat systems. Consult your owner's manual or contact your local Cat dealer for more information.
- NHL: 357-5155 CUSHION AS-SEAT, 357-5158 CUSHION AS-SEAT, 446-0647 KIT-CUSHION, 443-8227 SEAT GP -C, 357-5170 CUSHION AS-BACK, 443-8222 SEAT GP -C, 443-8215 SEAT GP -C

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2B3, 2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 5LN, 6JN, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFM, AGM, BLE, BLT, BMJ, BMY, BNC, DAE, DJG, DMP, GCT, HYT, JHB, JML, JNM, K1R, KJL, LAE, LAY, LBD, LKJ, MB5, MH7, NDY, PEZ, S6T, S6X, S6Y, SGZ, SKL, SMC, SSS, WCG, WFH

REPAIR & REBUILD - SEAT - CUSHION KITS »



493-1014 Pan Kit (DELUXE)(24 V)(Suspension Seat)

- Cat® Pan Kit (Deluxe)(24 V)(Suspension Seat)
- Description: Cat seats are designed to provide an ergonomic seating option for machine operators. Suspension seats provide a shock absorbing suspension system and adjust for the operator's convenience to hand and foot controls. Kits provide easy field service, repair, or replacement of suspension seat systems. Quality you expect for your equipment.
- Attributes:
 - Kit includes durable cushion assembly, back pan, seat pan, connector assembly, convertor, harness assembly, cable tie and mount, edge clip and fasteners
 - 24 V system
- Application: Used to service or replace the seat pan used on rugged Cat suspension seat systems. Consult your owner's manual or contact your local Cat dealer for more information.
- NHL: 489-6507 SEAT GP -C, 489-6504 SEAT GP -C, 489-6505 SEAT GP -C

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2B3, 2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 5LN, 6JN, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFM, AGM, BLE, BLT, BMJ, BMY, BNC, DAE, DJG, DMP, GCT, HYT, JHB, JML, JNM, K1R, KJL, LAE, LAY, LBD, LKJ, MB5, MH7, NDY, PEZ, S6T, S6X, S6Y, SGZ, SKL, SMC, SSS, WCG, WFH

REPAIR & REBUILD - SEAT - CUSHION KITS »



513-9168 Comfort Cushion Kit

- Cat® Suspension Seat Cushion Kit used in the Operator Station acts as a buffer against sudden impacts, such as bumps or jolts encountered during operation
- A Suspension Seat Cushion Kit provides operators with enhanced comfort and support during extended periods of operation. The kit includes the seat cushion and backrest cushion used to work in conjunction with the machine's suspension system.
- Attributes:
 - Manufactured to precise specifications and are built for durability, and reliability
 - Absorbs and dissipates vibrations transmitted from the machine's operation
- Applications: A Suspension Seat Cushion Kit provides a reliable solution for service repairs and replacement of parts to dampen vibrations and shocks transmitted from the machine to the operator, reducing fatigue, and enhancing overall comfort and control.
- NHL: 573-1710 SEAT GP, 507-5489 SEAT GP, 589-6396 SEAT GP, 563-8813 SEAT GP

Sales Models	Serial Number Prefix
D6, D6XE	6A4, 6B2, 6B4, 6G4, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, EDL, ES9, GZ9, HFE, HLY, HMM, HNK, HR9, HZL, JJ6, KD5, KEW, KKD, KMT, KTW, LB5, LB7, LF9, LNC, LRG, PVD, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC, XMM, ZMA

REPAIR & REBUILD - SEAT - CUSHION KITS »



626-7873 Cushion Kit (Cloth)(Std)(Mech Ops)

- RELEASING NEW PLASTIC PAN CUSHION KITS FOR REPLACING OBSOLETE ZINC PAN KITS
- The Lumbar Seat Cushion Kit consists of two cushions designed to provide operators with a comfortable and supportive seating experience. It offers durability and resistance to wear and tear, making it suitable for demanding work environments. Its function is to distribute the weight of the operator evenly, reducing pressure points and ensuring a comfortable sitting position, especially during extended hours of operation. It is engineered with an ergonomic design, prioritizing operator comfort and well-being.
- Attributes:
 - Made from high-quality material for durability.
 - Resistant to wear and tear, suitable for demanding work environments.
 - Engineered with an ergonomic design for operator comfort and well-being.
- Applications: The Lumbar Seat Cushion Kit is used to offer operators a comfortable and supportive seating experience. Its ergonomic design and shock-absorbing properties make it particularly valuable for operators working in rugged terrains or engaging in long shifts. By providing a comfortable and supportive seating experience, this cushion kit promotes operator well-being and overall productivity.
- NHL: 243-6737 PAN AS, 292-6102 CUSHION AS-BACK, 292-6097 CUSHION AS-BACK

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	AAX, ACJ, ADE, AEM, AEP, AFM, AGM, BLE, BLT, BMJ, BMY, BNC, CAD, DAE, DJG, FDT, GCT, JHB, KJL, LAE, LAY, LBD, LKJ, PEZ, S6T, S6X, S6Y, SKL, SMC, WCG, WFH

REPAIR & REBUILD - SEAT - CUSHION KITS »



626-7875 Cushion Kit (Cloth)(Std)

- NEW PLASTIC PAN CUSHION KITS FOR REPLACING OBSOLETE ZINC PAN KITS
- The Cloth Seat Cushion Kit consists of two cushions designed to provide operators with a comfortable and supportive seating experience. It offers durability and resistance to wear and tear, making it suitable for demanding work environments. Its function is to distribute the weight of the operator evenly, reducing pressure points and ensuring a comfortable sitting position, especially during extended hours of operation. It is engineered with an ergonomic design, prioritizing operator comfort and well-being.
- Attributes:
 - Made from high-quality material for durability.
 - Resistant to wear and tear, suitable for demanding work environments.
 - Engineered with an ergonomic design for operator comfort and well-being
- Applications: The Cloth Seat Cushion Kit is used to offer operators a comfortable and supportive seating experience. Its ergonomic design and shock-absorbing properties make it particularly valuable for operators working in rugged terrains or engaging in long shifts. By providing a comfortable and supportive seating experience, this cushion kit promotes operator well-being and overall productivity.
- NHL: 204-8976 PAN AS-FLAT, 218-0861 PAN AS, 172-6581 PAN AS-SEAT

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	AAX, ACJ, ADE, AEM, AEP, AFM, AGM, BLE, BLT, BMJ, BMY, BNC, CAD, DAE, DJG, FDT, GCT, JHB, KJL, LAE, LAY, LBD, LKJ, PEZ, S6T, S6X, S6Y, SKL, SMC, WCG, WFH


REPAIR & REBUILD - SEAT - CUSHION KITS »



503-8823 Headrest Kit

- PROVIDE NEW HEADREST KT SERVICE REPAIR PART FOR D6 GC MACHINE
- NHL: 503-8820 SEAT GP

Sales Models	Serial Number Prefix
D6GC	WJG, XPC




513-9172 Headrest Kit

- Cat® Seat Headrest Kit provides comfortable and adjustable head and neck support for operators, enhancing safety
- The Seat Headrest Kit consists of a headrest unit, a guide, and a cushion. The headrest unit is responsible for supporting the operator's head and neck, while the guide allows for vertical adjustment to accommodate different user preferences and ergonomic requirements. The cushion provides additional comfort and padding to the headrest. As the operator moves and shifts their weight, the headrest adjusts accordingly, maintaining consistent support and reducing the strain on the neck and upper back.
- Attributes:
 - Helps to maintain the operator's clear line of sight, enhancing overall situational awareness
 - Provides a high level of comfort for the operator, reducing fatigue
- Applications: The Seat Headrest Kit maintains the natural alignment of the spine and reduces the strain on the neck muscles. It provides a reliable solution for service repairs and replacement of parts.
- NHL: 617-9002 SEAT GP-BASIC, 573-1710 SEAT GP, 547-4334 SEAT GP-BASIC, 507-5489 SEAT GP, 621-6281 SEAT GP-BASIC, 505-6340 SEAT GP-BASIC, 488-6511 SEAT GP-BASIC

Sales Models	Serial Number Prefix
D6, D6XE	6A4, 6B2, 6B4, 6G4, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, EDL, ES9, GZ9, HFE, HLY, HML, HNK, HR9, HZL, JJ6, KD5, KEW, KKD, KMT, KTW, LB5, LB7, LF9, LNC, LRG, PVD, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC, XMM, ZMA

REPAIR & REBUILD - SEAT - CUSHION KITS »



513-9173 Headrest Kit

- Cat® Seat Headrest Kit provides comfortable and adjustable head and neck support for operators, enhancing safety
- The Seat Headrest Kit includes a headrest unit, a guide, and a cushion. The headrest unit is responsible for supporting the operator’s head and neck, while the guide allows for vertical adjustment to accommodate different user preferences and ergonomic requirements. The cushion provides additional comfort and padding to the headrest. As the operator moves and shifts their weight, the headrest adjusts accordingly, maintaining consistent support and reducing the strain on the neck and upper back.
- Attributes:
 - Helps to stabilize the operator’s head and neck in the event of sudden impacts or rollovers, reducing the risk of serious injuries
 - Provides a high level of comfort for the operator, reducing fatigue
- Applications: The Seat Headrest Kit maintains the natural alignment of the spine and reduces the strain on the neck muscles. It provides a reliable solution for service repairs and replacement of parts.
- NHL: 507-5490 SEAT GP

Sales Models	Serial Number Prefix
D6, D6XE	6A4, 6B2, 6B4, 6G4, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, EDL, ES9, GZ9, HFE, HLY, HMM, HNK, HR9, HZL, JJ6, KD5, KEW, KKD, KMT, KTW, LB5, LB7, LF9, LNC, LRG, PVD, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC, XMM, ZMA

REPAIR & REBUILD - SEAT - CUSHION KITS »

513-9174 Lumbar Seat Adjuster Kit



- Cat® Lumbar Seat Adjuster Kit allows users to customize the lumbar support, enhancing comfort and reducing fatigue during long drives
- The Lumbar Seat Adjuster Kit is comprised of a series of adjustable lumbar support elements, a control interface, and mounting hardware to securely attach the system to the seat. It works by allowing the user to precisely control the level of lower back support provided by the seat. By manipulating the integrated controls, the user can adjust the degree of lumbar curvature, the firmness of the support, and the positioning of the lumbar elements, creating a personalized and comfortable seating experience.
- Attributes:
 - Helps to alleviate discomfort and promote better posture, enhancing the comfort of the operator experience
 - Manufactured to precise specifications and are built for durability and reliability
- Applications: The Lumbar Seat Adjuster Kit can adjust the level of lumbar support allowing the driver or passenger to find the optimal seating position, reducing the risk of back pain and fatigue during extended conditions.
- NHL: 573-1710 SEAT GP, 547-4334 SEAT GP-BASIC, 507-5489 SEAT GP, 589-6396 SEAT GP, 563-8813 SEAT GP, 488-6511 SEAT GP-BASIC

Sales Models	Serial Number Prefix
D6, D6XE	6A4, 6B2, 6B4, 6G4, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, EDL, ES9, GZ9, HFE, HLY, HMM, HNK, HR9, HZL, JJ6, KD5, KEW, KKD, KMT, KTW, LB5, LB7, LF9, LNC, LRG, PVD, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC, XMM, ZMA

513-9175 Lumbar Kit




- Lumbar Kit
- SERVICE KIT FOR SEAT GP (C)
- NHL: 507-5490 SEAT GP

Sales Models	Serial Number Prefix
D6, D6XE	6A4, 6B2, 6B4, 6G4, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, EDL, ES9, GZ9, HFE, HLY, HMM, HNK, HR9, HZL, JJ6, KD5, KEW, KKD, KMT, KTW, LB5, LB7, LF9, LNC, LRG, PVD, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC, XMM, ZMA

REPAIR & REBUILD - SEAT - CUSHION KITS »

498-4463 Pouch Kit



- Pouch that allows storage of the OMM on the back of the seat
- Description: Cat seats are designed to provide an ergonomic seating option for machine operators. Kits provide easy field service, repair, or replacement of seat systems and components. Quality you expect for your equipment.
- Attributes:
 - Kit includes holder, lanyard, retainer and rivets
 - Durable vinyl holder
 - Color: Black
- Applications: Kits are used to service or replace the literature holder on Cat operator seats. Consult your owners manual or contact your local Cat Dealer for more information.
- NHL: 421-1281 SEAT GP-SUSP (A), 526-7415 SEAT GP-SUSP -A, 504-4296 SEAT GP-SUSP -A, 504-4291 SEAT GP-SUSP (A), 482-2520 SEAT GP-SUSP -A, 443-8262 SEAT GP-SUSP -A, 576-5004 SEAT GP-SUSP, 489-1197 SEAT GP-SUSP -A, 421-1285 SEAT GP-SUSP -A, 504-4302 SEAT GP-SUSP -A, 489-1171 SEAT GP-SUSP -A, 504-4289 SEAT GP-SUSP (A), 443-8284 SEAT GP-SUSP -A, 443-8104 SEAT GP-SUSP -A, 443-8110 SEAT GP-SUSP -A, 490-5982 SEAT GP-SUSP -A, 489-1203 SEAT GP-SUSP -A, 576-5007 SEAT GP-SUSP, 490-5983 SEAT GP-SUSP -A, 421-1286 SEAT GP-SUSP -A, 443-8120 SEAT GP-SUSP -A, 424-6945 SEAT GP-SUSP, 421-1208 SEAT GP-SUSP -A, 362-1768 SEAT GP-SUSP -A, 443-8263 SEAT GP-SUSP -A, 443-8273 SEAT GP-SUSP -A, 443-8116 SEAT GP-SUSP -A, 421-1209 SEAT GP-SUSP -A, 504-4297 SEAT GP-SUSP -A, 443-8119 SEAT GP-SUSP -A, 443-8282 SEAT GP-SUSP (A), 576-5008 SEAT GP-SUSP, 443-8105 SEAT GP-SUSP -A, 443-8234 SEAT GP-SUSP -A, 421-1287 SEAT GP-SUSP -A, 443-8118 SEAT GP-SUSP -A, 539-7176 SEAT GP-SUSP -A, 576-5005 SEAT GP-SUSP, 504-0831 SEAT GP-SUSP -A, 505-8643 SEAT GP-SUSP -A, 443-8261 SEAT GP-SUSP -A, 443-8265 SEAT GP-SUSP -A, 443-8270 SEAT GP-SUSP -A, 576-5006 SEAT GP-SUSP, 399-7947 SEAT GP-SUSP, 443-8239 SEAT GP-SUSP -A, 443-8241 SEAT GP-SUSP (A), 443-8106 SEAT GP-SUSP -A, 421-1282 SEAT GP-SUSP (A)

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2B3, 2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AGM, BLE, BLT, BMJ, BMK, BMY, BNC, BPM, BPS, BRJ, CAD, DAE, DJG, DMP, FDT, GCT, HYT, JHB, JML, JNM, K1R, KJL, LAE, LAY, LBD, LKJ, MB5, MH7, NDY, PEZ, S6T, S6X, S6Y, SGZ, SKL, SMC, SSS, WCG, WFH

REPAIR & REBUILD - SEAT - SUSPENSION KITS »

370-8067 Seat Suspension Compressor Kit



- Cat® Seat Suspension Compressor Kit (24V) provides a replacement compressor used in air seat suspension assemblies of rugged Cat suspension seat systems. Kit includes compressor assembly, mounting bracket, screws, cable straps, conduit, and hose.
- NHL: 634-9182 SUSPENSION GP, 348-2409 SUSPENSION GP-J, 436-8490 SUSPENSION GP -J, 348-2373 SUSPENSION GP-J, 399-1560 SUSPENSION GP -J, 373-8745 SUSPENSION GP-J, 355-6681 SUSPENSION GP-J, 508-6020 SUSPENSION GP -J, 421-1223 SUSPENSION GP -J

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2B3, 2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 5LN, 6JN, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFM, AGM, BLE, BLT, BMJ, BMY, BNC, DAE, DJG, DMP, GCT, HYT, JHB, JML, JNM, K1R, KJL, LAE, LAY, LBD, LKJ, MB5, MH7, NDY, PEZ, S6T, S6X, S6Y, SGZ, SKL, SMC, SSS, WCG, WFH

389-3201 Compressor Kit (Seat Suspension)



- Cat® Compressor Kit (Seat Suspension)
- Description: Cat seats are designed to provide an ergonomic seating option for machine operators. Suspension seats provide a shock absorbing suspension system and adjust for the operator's convenience to hand and foot controls. Kits provide easy field service, repair, or replacement of suspension seat systems. Quality you expect for your equipment.
- Attributes: Kit includes compressor assembly, mounting bracket, screws, cables straps, wiring harness assembly, bracket, air brake connector, air brake elbow, conduit and hose
- Application: Provides a replacement compressor used in air seat suspension assemblies of rugged Cat suspension seat systems. Consult your owners manual or contact your local Cat Dealer for more information.
- NHL: 397-2029 SUSP GP-SEAT, 451-5455 SUSP GP-SEAT, 424-6942 SUSP GP-SEAT, 451-5454 SUSP GP-SEAT

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2B3, 2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 5LN, 6JN, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFM, AGM, BLE, BLT, BMJ, BMY, BNC, DAE, DJG, DMP, GCT, HYT, JHB, JML, JNM, K1R, KJL, LAE, LAY, LBD, LKJ, MB5, MH7, NDY, PEZ, S6T, S6X, S6Y, SGZ, SKL, SMC, SSS, WCG, WFH

REPAIR & REBUILD - SEAT - SUSPENSION KITS »



452-6716 Seat Suspension Compressor Kit

- Cat® Seat Suspension Compressor Kit provides a replacement compressor used in air seat suspension assemblies of rugged Cat suspension seat systems. Kit includes compressor assembly, mounting bracket, screws, cable straps, and hosing.
- Cat seats are designed to provide an ergonomic seating option for machine operators. Suspension seats provide a shock absorbing suspension system and adjust for the operator's convenience to hand and foot controls. Kits provide easy field service, repair, or replacement of suspension seat systems. Consult your owner's manual or contact your local Cat Dealer for more information.
- NHL: 303-9405 SUSPENSION GP -J, 191-2933 SUSPENSION GP -J, 347-8771 SUSPENSION GP -J, 256-8768 SUSPENSION GP -J, 191-4508 SUSPENSION GP -J, 485-0807 SUSPENSION GP, 366-5830 SUSPENSION GP -J, 199-5740 SUSPENSION GP -J, 261-7485 SUSPENSION GP -J, 418-0346 SUSPENSION GP -J

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2B3, 2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 5LN, 6JN, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFM, AGM, BLE, BLT, BMJ, BMY, BNC, DAE, DJG, DMP, GCT, HYT, JHB, JML, JNM, K1R, KJL, LAE, LAY, LBD, LKJ, MB5, MH7, NDY, PEZ, S6T, S6X, S6Y, SGZ, SKL, SMC, SSS, WCG, WFH



513-9148 Compressor Kit

- Cat® Air Suspension Seat Compressor Kit, 24 V
- Description: This kit, part # 513-9148, contains the components needed to service and repair seat suspension.
- Attributes: Our kits are designed for convenience - prepackaged, ordered with a single part number and delivered in a single box, saving you time and money.
- NHL: 501-4456 SUSPENSION GP, 501-4454 SUSPENSION GP, 503-8808 SUSPENSION GP, 515-4607 SUSPENSION GP, 513-0285 SUSPENSION GP, 501-4455 SUSPENSION GP, 503-8810 SUSPENSION GP

Sales Models	Serial Number Prefix
D6, D6XE	6A4, 6B2, 6B4, 6G4, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, EDL, ES9, GZ9, HFE, HLY, HML, HNK, HR9, HZL, JJ6, KD5, KEW, KKD, KMT, KTW, LB5, LB7, LF9, LNC, LRG, PVD, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC, XMM, ZMA

REPAIR & REBUILD - SEAT - SUSPENSION KITS »



513-9152 Damper Kit

- SERVICE KIT FOR SUSPENSION GP-SEAT (AIR)
- NHL: 513-0285 SUSPENSION GP, 503-8810 SUSPENSION GP

Sales Models	Serial Number Prefix
D6, D6XE	6A4, 6B2, 6B4, 6G4, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, EDL, ES9, GZ9, HFE, HLY, HMM, HNK, HR9, HZL, JJ6, KD5, KEW, KKD, KMT, KTW, LB5, LB7, LF9, LNC, LRG, PVD, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC, XMM, ZMA



513-9153 Damper Kit

- Cat® Damper kit improves comfort and reduce vibrations in a suspension seat
- The Damper kit for the suspension seat is a high-quality accessory designed to improve the comfort and stability of the equipment's suspension seat. It is engineered to reduce vibrations and absorb shocks, thus providing a smoother and more enjoyable ride for operators. It includes a set of dampers that are strategically positioned to effectively minimize the impact of bumps and uneven terrain.
- Attributes:
 - High-quality materials for durability and longevity.
 - Enhances shock absorption and vibration dampening.
 - Minimizes the impact of uneven surfaces.
 - Improves stability and ride quality.
- Applications: The Damper kit for the suspension seat is designed to provide enhanced shock absorption and vibration reduction for the operator's comfort and safety while operating equipment.
- NHL: 501-4456 SUSPENSION GP

Sales Models	Serial Number Prefix
D6, D6XE	6A4, 6B2, 6B4, 6G4, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, EDL, ES9, GZ9, HFE, HLY, HMM, HNK, HR9, HZL, JJ6, KD5, KEW, KKD, KMT, KTW, LB5, LB7, LF9, LNC, LRG, PVD, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC, XMM, ZMA

REPAIR & REBUILD - SEAT - SUSPENSION KITS »



513-9154 Damper Kit

- SERVICE KIT FOR SUSPENSION GP-SEAT (AIR)
- NHL: 503-8808 SUSPENSION GP, 515-4607 SUSPENSION GP, 501-4455 SUSPENSION GP

Sales Models	Serial Number Prefix
D6, D6XE	6A4, 6B2, 6B4, 6G4, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, EDL, ES9, GZ9, HFE, HLY, HMY, HNK, HR9, HZL, JJ6, KD5, KEW, KKD, KMT, KTW, LB5, LB7, LF9, LNC, LRG, PVD, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC, XMM, ZMA




642-5906 Harness Kit

- Released to provide a harness kit for easy track, on changes of braided sleeving and fixing clamps additions. Suspension group replacement harness part of a kit-knob, drawing available

Sales Models	Serial Number Prefix
D6, D6XE	6A4, 6B2, 6B4, 6G4, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, EDL, ES9, GZ9, HFE, HLY, HMY, HNK, HR9, HZL, JJ6, KD5, KEW, KKD, KMT, KTW, LB5, LB7, LF9, LNC, LRG, PVD, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC, XMM, ZMA

REPAIR & REBUILD - SEAT - SUSPENSION KITS »

100-5179 Bumper Kit



- Cat® Seat Suspension Bumper Kit is designed to absorb shocks and vibrations, providing a smooth and ergonomic seating experience for equipment operators
- The Seat Suspension Bumper Kit absorbs shocks and vibrations, dampening the impact of uneven terrain and sudden movements, and enhancing operator comfort during prolonged use. This contributes to a smoother and more comfortable experience for the equipment operator, ensuring sustained focus and efficiency during extended operation periods.
- Attributes:
 - Durable material ensures longevity.
 - Crafted from materials with inherent corrosion resistance.
 - Ergonomically designed for operator comfort.
- Applications: The Seat Suspension Bumper Kit involves the placement of shock-absorbing bumpers, effectively mitigating shocks and vibrations, and providing operators with a comfortable and stable working environment.
- NHL: 108-4588 HOUSING GP-SUSP, 8Y-6862 HOUSING GP-SUSP, 8Y-6823 HOUSING GP-SUSP, 108-4582 HOUSING GP-SUSP, 426-0979 HOUSING GP-SUSP, 113-5808 HOUSING GP-SUSP, 122-7169 HOUSING GP-SUSP, 174-2231 HOUSING GP-SUSP, 175-7468 HOUSING GP

Sales Models	Serial Number Prefix
D6G2, D6R, D6T	2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AGM, BLE, BLT, BMJ, BMK, BMY, BNC, BPM, BPS, BRJ, CAD, DAE, DJG, DMP, FDT, GCT, JHB, KJL, LAE, LAY, LBD, LKJ, PEZ, S6T, S6X, S6Y, SKL, SMC, SSS, WCG, WFH

REPAIR & REBUILD - SEAT - SUSPENSION KITS »



101-4195 Roller Kit-Susp

- Cat® Roller Kit-Suspension
- Description: Cat seats are designed to provide an ergonomic seating option for machine operators. Suspension seats provide a shock absorbing suspension system and adjust for the operator's convenience to hand and foot controls. Kits provide easy field service, repair, or replacement of suspension seat systems. Quality you expect for your equipment.
- Attributes: Durable plastic rollers
- Application: Roller kits allow field service repair or replacement of the rollers used in the seat suspension mechanisms used with rugged Cat seat systems. Consult your owners manual or contact your local Cat dealer for more information.
- NHL: 160-7165 SUSPENSION GP-E, 108-4082 SUSPENSION GP -E, 163-1155 SUSPENSION GP -J, 113-5800 SUSPENSION GP -E, 169-8715 SUSPENSION GP, 108-4587 SUSPENSION GP, 302-7458 SUSPENSION GP -E, 132-9225 SUSPENSION GP -E

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AGM, BLE, BLT, BMJ, BMK, BMY, BNC, BPM, BPS, BRJ, CAD, DAE, DJG, DMP, FDT, GCT, JHB, KJL, LAE, LAY, LBD, LKJ, PEZ, S6T, S6X, S6Y, SKL, SMC, SSS, WCG, WFH


REPAIR & REBUILD - SEAT - SUSPENSION KITS »



108-4086 Follower Kit

- Cat® Follower Kit
- Description: Cat seats are designed to provide an ergonomic seating option for machine operators. Suspension seats provide a shock absorbing suspension system and adjust for the operator's convenience to hand and foot controls. Kits provide easy field service, repair, or replacement of suspension seat systems. Quality you expect for your equipment.
- Attributes: Kit includes pin and follower
- Application: This kit is used to repair or replace followers used in the spring suspension assemblies of rugged Cat suspension seat systems. Consult your owners manual or contact your local Cat Dealer for more information.
- NHL: 108-4588 HOUSING GP-SUSP, 108-4582 HOUSING GP-SUSP, 426-0979 HOUSING GP-SUSP, 113-5808 HOUSING GP-SUSP, 122-7169 HOUSING GP-SUSP, 174-2231 HOUSING GP-SUSP, 175-7468 HOUSING GP

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AGM, BLE, BLT, BMJ, BMK, BMY, BNC, BPM, BPS, BRJ, CAD, DAE, DJG, DMP, FDT, GCT, JHB, KJL, LAE, LAY, LBD, LKJ, PEZ, S6T, S6X, S6Y, SKL, SMC, SSS, WCG, WFH



108-4087 Follower Kit

- Cat® Follower Kit
- Description: Cat seats are designed to provide an ergonomic seating option for machine operators. Suspension seats provide a shock absorbing suspension system and adjust for the operator's convenience to hand and foot controls. Kits provide easy field service, repair, or replacement of suspension seat systems. Quality you expect for your equipment.
- Attributes: Kit includes pin and follower
- Application: This kit is used to repair or replace followers used in the spring suspension assemblies of rugged Cat suspension seat systems. Consult your owners manual or contact your local Cat Dealer for more information.
- NHL: 108-4588 HOUSING GP-SUSP, 108-4582 HOUSING GP-SUSP, 426-0979 HOUSING GP-SUSP, 113-5808 HOUSING GP-SUSP, 122-7169 HOUSING GP-SUSP, 174-2231 HOUSING GP-SUSP, 175-7468 HOUSING GP

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AGM, BLE, BLT, BMJ, BMK, BMY, BNC, BPM, BPS, BRJ, CAD, DAE, DJG, DMP, FDT, GCT, JHB, KJL, LAE, LAY, LBD, LKJ, PEZ, S6T, S6X, S6Y, SKL, SMC, SSS, WCG, WFH

REPAIR & REBUILD - SEAT - SUSPENSION KITS »

108-4103 Bearing Kit



- Cat® Bearing Kit (Roller)
- Description: Cat seats are designed to provide an ergonomic seating option for machine operators. Suspension seats provide a shock absorbing suspension system and adjust for the operator's convenience to hand and foot controls. Kits provide easy field service, repair, or replacement of suspension seat systems. Quality you expect for your equipment.
- Attributes: Includes several roller bearings used throughout suspensions
- Application: This kit is used to replace roller bearings in spring suspension systems. Consult your owners manual or contact your local Cat Dealer for more information.
- NHL: 616-2107 ACTUATOR KT-LINK

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AGM, BLE, BLT, BMJ, BMK, BMY, BNC, BPM, BPS, BRJ, CAD, DAE, DJG, DMP, FDT, GCT, JHB, KJL, LAE, LAY, LBD, LKJ, PEZ, S6T, S6X, S6Y, SKL, SMC, SSS, WCG, WFH

513-9160 Bearing Kit



- Bearing Kit
- NHL: 501-4456 SUSPENSION GP, 501-4454 SUSPENSION GP, 503-8808 SUSPENSION GP, 515-4607 SUSPENSION GP, 513-0285 SUSPENSION GP, 501-4455 SUSPENSION GP, 503-8810 SUSPENSION GP, 563-8812 SUSPENSION GP

Sales Models	Serial Number Prefix
D6, D6XE	6A4, 6B2, 6B4, 6G4, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, EDL, ES9, GZ9, HFE, HLY, HMM, HNK, HR9, HZL, JJ6, KD5, KEW, KKD, KMT, KTW, LB5, LB7, LF9, LNC, LRG, PVD, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC, XMM, ZMA

REPAIR & REBUILD - SEAT - SUSPENSION KITS »

304-5418 Spring (Gas) Kit



- Cat® Gas Spring Kit (Seat Suspension)
- Description: This Gas Spring Kit (304-5418) contains retainer plugs, gas spring, and screw to service and repair the adjustable seat suspension.
- Attributes: Our kits are designed for convenience - prepackaged, ordered with a single part number and delivered in a single box, saving you time and money.
- NHL: 663-7436 SUSPENSION GP, 579-5014 SUSPENSION KT, 501-4456 SUSPENSION GP, 501-4454 SUSPENSION GP, 503-8808 SUSPENSION GP, 534-1369 SEAT GP, 304-5401 SUSP GP-SEAT, 515-4607 SUSPENSION GP, 366-1890 SUSPENSION GP, 513-0285 SUSPENSION GP, 500-1012 SUSPENSION GP, 424-7582 SEAT GP-SUSP, 501-4455 SUSPENSION GP, 503-8810 SUSPENSION GP, 563-8812 SUSPENSION GP, 591-0167 SUSPENSION GP

Sales Models	Serial Number Prefix
D6, D6T, D6XE	6A4, 6B2, 6B4, 6G4, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, DHL, EDL, ES9, GZ9, HFE, HLY, HMM, HNK, HR9, HZL, JJ6, KD5, KEW, KKD, KMT, KTW, LB5, LB7, LF9, LNC, LRG, PVD, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC, XMM, ZMA

REPAIR & REBUILD - SEAT - SUSPENSION KITS »



436-1687 Latch Kit

- Replacement kit that provides locking of the fore/aft adjustment on the seat
- Description: This kit (part # 436-1687) contains latches, rods, springs and hardware for service and repair of seat suspension.
- Attributes: Our kits are designed for convenience - prepackaged, ordered with a single part number and delivered in a single box, saving you time and money.
- NHL: 489-6490 SEAT GP -C, 539-7175 SEAT GP -C, 489-6485 SEAT GP-C, 489-6538 SEAT GP -C, 489-6534 SEAT GP -C, 489-6526 SEAT GP -C, 490-5981 SEAT GP -C, 581-0965 SEAT GP, 503-4708 SEAT GP -C, 489-6507 SEAT GP -C, 489-6498 SEAT GP -C, 489-6515 SEAT GP -C, 581-0967 SEAT GP, 489-6512 SEAT GP -C, 489-6537 SEAT GP -C, 489-6480 SEAT GP -C, 489-6492 SEAT GP-(C), 489-6488 SEAT GP-C, 489-6496 SEAT GP -C, 489-6514 SEAT GP -C, 489-6491 SEAT GP -C, 489-6536 SEAT GP -C, 489-6508 SEAT GP -C, 489-6513 SEAT GP -C, 489-6525 SEAT GP -C, 489-6483 SEAT GP -C, 526-7416 SEAT GP -C, 489-6504 SEAT GP -C, 489-6519 SEAT GP -C, 489-6484 SEAT GP -C, 489-6505 SEAT GP -C, 489-6506 SEAT GP -C, 489-6481 SEAT GP -C, 489-6522 SEAT GP -C, 489-6527 SEAT GP -C, 489-6495 SEAT GP -C, 489-6482 SEAT GP -C, 489-6535 SEAT GP -C, 489-6489 SEAT GP -C, 489-6499 SEAT GP -C, 443-8219 SEAT GP-C, 489-6533 SEAT GP -C, 489-6518 SEAT GP -C, 489-6486 SEAT GP -C, 489-6524 SEAT GP -C, 490-5976 SEAT GP -C, 489-6523 SEAT GP -C, 489-6529 SEAT GP -C, 489-6520 SEAT GP -C, 489-6563 SEAT GP -C, 489-6510 SEAT GP -C, 489-6530 SEAT GP -C, 489-6511 SEAT GP -C, 489-6528 SEAT GP -C, 489-6497 SEAT GP -C, 581-0966 SEAT GP

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2B3, 2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AGM, BLE, BLT, BMJ, BMK, BMY, BNC, BPM, BPS, BRJ, CAD, DAE, DJG, DMP, FDT, GCT, HYT, JHB, JML, JNM, K1R, KJL, LAE, LAY, LBD, LKJ, MB5, MH7, NDY, PEZ, S6T, S6X, S6Y, SGZ, SKL, SMC, SSS, WCG, WFH

REPAIR & REBUILD - SEAT - SUSPENSION KITS »



446-9627 Spring Kit

- Cat® Suspension Seat Spring Kit acts as a cushioning mechanism and ensures optimal comfort for the operator
- A Suspension Seat Spring Kit helps to absorb shocks and vibrations and provides a cushioning effect to the operator. It is made of durable materials, capable of withstanding heavy loads and repetitive impacts, and ensures secure and stable attachment to the seat, allowing for proper functioning.
- Attributes:
 - Help in maintaining proper posture and reducing the impact caused while sitting
 - Maintains a steady and balanced seating position
- Applications: A Suspension Seat Spring Kit is a comprehensive package of components that aims to improve the experience of a suspension seat with effective suspension mechanisms, reducing fatigue, and enhancing comfort.
- NHL: 626-7091 SUSPENSION GP, 490-5966 SUSPENSION GP -E, 446-9615 SUSPENSION GP -E

Sales Models	Serial Number Prefix
D6GC	WJG, XPC

REPAIR & REBUILD - SEAT - SUSPENSION KITS »

488-2137 Recliner Kit




- Replacement kit of seat suspension structure for vertical travel
Description: Cat seats are designed to provide an ergonomic seating option for machine operators. Suspension seats provide a shock absorbing suspension system and adjust for the operator's convenience to hand and foot controls. Kits provide easy field service, repair, or replacement of suspension seat systems. Quality you expect for your equipment.
- Attributes: Kit includes recliner assembly consisting of shaft, cable assembly, internal levers, right and left hand recliner assemblies, and bolt
- Application: Used to repair or replace the recliner mechanism used on rugged Cat suspension seat systems. Consult your owners manual or contact your local Cat Dealer for more information.
- NHL: 489-6492 SEAT GP-(C), 539-7175 SEAT GP -C, 489-6538 SEAT GP -C, 489-6534 SEAT GP -C, 489-6526 SEAT GP -C, 490-5981 SEAT GP -C, 581-0965 SEAT GP, 503-4708 SEAT GP -C, 489-6515 SEAT GP -C, 581-0967 SEAT GP, 489-6512 SEAT GP -C, 489-6537 SEAT GP -C, 489-6488 SEAT GP-C, 489-6514 SEAT GP -C, 489-6508 SEAT GP -C, 489-6513 SEAT GP -C, 489-6525 SEAT GP -C, 489-6519 SEAT GP -C, 489-6522 SEAT GP -C, 489-6527 SEAT GP -C, 443-8219 SEAT GP-C, 489-6533 SEAT GP -C, 489-6518 SEAT GP -C, 489-6524 SEAT GP -C, 490-5976 SEAT GP -C, 489-6523 SEAT GP -C, 489-6529 SEAT GP -C, 489-6520 SEAT GP -C, 489-6510 SEAT GP -C, 489-6530 SEAT GP -C, 489-6511 SEAT GP -C, 489-6528 SEAT GP -C, 581-0966 SEAT GP

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2B3, 2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AGM, BLE, BLT, BMJ, BMK, BMY, BNC, BPM, BPS, BRJ, CAD, DAE, DJG, DMP, FDT, GCT, HYT, JHB, JML, JNM, K1R, KJL, LAE, LAY, LBD, LKJ, MB5, MH7, NDY, PEZ, S6T, S6X, S6Y, SGZ, SKL, SMC, SSS, WCG, WFH

REPAIR & REBUILD - SEAT - SUSPENSION KITS »

8Y-6859 Spring Kit-Susp



- Cat® Suspension Spring Kit
- Description: Cat seats are designed to provide an ergonomic seating option for machine operators. Suspension seats provide a shock absorbing suspension system and adjust for the operator's convenience to hand and foot controls. Kits provide easy field service, repair, or replacement of suspension seat systems. Quality you expect for your equipment.
- Attributes: Kit includes retaining rings, springs, and bushings
- Application: This kit is used to service or replace the springs used in the operator seat suspension assembly. Consult your owners manual or contact your local Cat Dealer for more information.
- NHL: 8Y-5982 SUSPENSION GP -E, 8Y-5888 SUSPENSION GP -E, 108-4588 HOUSING GP-SUSP, 8Y-6862 HOUSING GP-SUSP, 8Y-6823 HOUSING GP-SUSP, 108-4582 HOUSING GP-SUSP, 426-0979 HOUSING GP-SUSP, 113-5808 HOUSING GP-SUSP, 122-7169 HOUSING GP-SUSP, 174-2231 HOUSING GP-SUSP, 175-7468 HOUSING GP

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AGM, BLE, BLT, BMJ, BMK, BMY, BNC, BPM, BPS, BRJ, CAD, DAE, DJG, DMP, FDT, GCT, JHB, KJL, LAE, LAY, LBD, LKJ, PEZ, S6T, S6X, S6Y, SKL, SMC, SSS, WCG, WFH

616-2107 Actuator Kit-Link



- Suspension Housing of Seat Group
- NHL: 8Y-6063 LINK-ACTUATOR, 426-0979 HOUSING GP-SUSP, 174-2231 HOUSING GP-SUSP, 8Y-6062 LINK-ACTUATOR

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AGM, BLE, BLT, BMJ, BMK, BMY, BNC, BPM, BPS, BRJ, CAD, DAE, DJG, DMP, FDT, GCT, JHB, KJL, LAE, LAY, LBD, LKJ, PEZ, S6T, S6X, S6Y, SKL, SMC, SSS, WCG, WFH

REPAIR & REBUILD - SEAT - SUSPENSION KITS »

8Y-6860 Spring Kit




- Cat® Spring Kit-Height Adjust (Seat Suspension)
- Description: Cat seats are designed to provide an ergonomic seating option for machine operators. Suspension seats provide a shock absorbing suspension system and adjust for the operator's convenience to hand and foot controls. Kits provide easy field service, repair, or replacement of suspension seat systems. Quality you expect for your equipment.
- Attributes: Kit includes springs, spacer, bushing, and rod
- Application: This kit is used to service or replace the springs used in the operator seat suspension assembly. Consult your owners manual or contact your local Cat Dealer for more information.
- NHL: 8Y-5982 SUSPENSION GP -E, 8Y-5888 SUSPENSION GP -E, 108-4588 HOUSING GP-SUSP, 8Y-6862 HOUSING GP-SUSP, 8Y-6823 HOUSING GP-SUSP, 108-4582 HOUSING GP-SUSP, 426-0979 HOUSING GP-SUSP, 113-5808 HOUSING GP-SUSP, 122-7169 HOUSING GP-SUSP, 174-2231 HOUSING GP-SUSP, 175-7468 HOUSING GP

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AGM, BLE, BLT, BMJ, BMK, BMY, BNC, BPM, BPS, BRJ, CAD, DAE, DJG, DMP, FDT, GCT, JHB, KJL, LAE, LAY, LBD, LKJ, PEZ, S6T, S6X, S6Y, SKL, SMC, SSS, WCG, WFH

REPAIR & REBUILD - SEAT - SUSPENSION KITS »

436-1688 Pan Tilt Kit



- Replacement kit that provides pivot support for the seat pan tilt adjustment
- Description: Cat seats are designed to provide an ergonomic seating option for machine operators. Suspension seats provide a shock absorbing suspension system and adjust for the operator's convenience to hand and foot controls. Kits provide easy field service, repair, or replacement of suspension seat systems. Quality you expect for your equipment.
- Attributes: Kit includes steel seat pan tilt mechanism the includes retainers, rod, springs and washers
- Application: Used to repair or replace the pan tilt mechanism used on rugged Cat suspension seat systems. Consult your owners manual or contact your local Cat Dealer for more information.
- NHL: 489-6490 SEAT GP -C, 539-7175 SEAT GP -C, 489-6485 SEAT GP -C, 489-6538 SEAT GP -C, 489-6534 SEAT GP -C, 489-6526 SEAT GP -C, 490-5981 SEAT GP -C, 581-0965 SEAT GP, 503-4708 SEAT GP -C, 489-6507 SEAT GP -C, 489-6498 SEAT GP -C, 489-6515 SEAT GP -C, 581-0967 SEAT GP, 489-6512 SEAT GP -C, 489-6537 SEAT GP -C, 489-6480 SEAT GP -C, 489-6492 SEAT GP -C, 489-6488 SEAT GP -C, 489-6496 SEAT GP -C, 489-6514 SEAT GP -C, 489-6491 SEAT GP -C, 489-6536 SEAT GP -C, 489-6508 SEAT GP -C, 489-6513 SEAT GP -C, 489-6525 SEAT GP -C, 489-6483 SEAT GP -C, 526-7416 SEAT GP -C, 489-6504 SEAT GP -C, 489-6519 SEAT GP -C, 489-6484 SEAT GP -C, 489-6505 SEAT GP -C, 489-6506 SEAT GP -C, 489-6481 SEAT GP -C, 489-6522 SEAT GP -C, 489-6527 SEAT GP -C, 489-6495 SEAT GP -C, 489-6482 SEAT GP -C, 489-6535 SEAT GP -C, 489-6489 SEAT GP -C, 489-6499 SEAT GP -C, 443-8219 SEAT GP -C, 489-6533 SEAT GP -C, 489-6518 SEAT GP -C, 489-6486 SEAT GP -C, 489-6524 SEAT GP -C, 490-5976 SEAT GP -C, 489-6523 SEAT GP -C, 489-6529 SEAT GP -C, 489-6520 SEAT GP -C

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2B3, 2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4VR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AGM, BLE, BLT, BMJ, BMK, BMY, BNC, BPM, BPS, BRJ, CAD, DAE, DJG, DMP, FDT, GCT, HYT, JHB, JML, JNM, K1R, KJL, LAE, LAY, LBD, LKJ, MB5, MH7, NDY, PEZ, S6T, S6X, S6Y, SGZ, SKL, SMC, SSS, WCG, WFH

REPAIR & REBUILD - SEAT - SUSPENSION KITS »



212-7779 Shock Absorber Kit

- Cat® Shock Absorber Kit is used to repair or replace shock absorbers on the seat suspension assemblies of rugged Cat suspension seat systems.
- Shock Absorber Kit includes shock absorber, pin, bolt, locking rings, washers, bushings and locknut. Install these parts as needed if the operating conditions do not allow proper operation of the seat suspension assembly and recommended if the weight of the operator exceeds 136 kg (300 lb). Kits provide easy field service repair or replacement of suspension seat systems. Cat seats are designed to provide an ergonomic seating option for machine operators. Suspension seats provide a shock absorbing suspension system and adjust for the operator's convenience to hand and foot controls. Consult your owner's manual or contact your local Cat Dealer for more information.
- Media Reference: REHS2761

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2B3, 2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 5LN, 6JN, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFM, AGM, BLE, BLT, BMJ, BMY, BNC, DAE, DJG, DMP, GCT, HYT, JHB, JML, JNM, K1R, KJL, LAE, LAY, LBD, LKJ, MB5, MH7, NDY, PEZ, S6T, S6X, S6Y, SGZ, SKL, SMC, SSS, WCG, WFH



304-5422 Absorber Kit

- Absorber Kit - Seat Suspension
- NHL: 579-5014 SUSPENSION KT, 501-4454 SUSPENSION GP, 304-5401 SUSP GP-SEAT, 366-1890 SUSPENSION GP, 500-1012 SUSPENSION GP, 424-7582 SEAT GP-SUSP, 563-8812 SUSPENSION GP

Sales Models	Serial Number Prefix
D6, D6XE	6A4, 6B2, 6B4, 6G4, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, EDL, ES9, GZ9, HFE, HLY, HMM, HNK, HR9, HZL, JJ6, KD5, KEW, KKD, KMT, KTW, LB5, LB7, LF9, LNC, LRG, PVD, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC, XMM, ZMA

REPAIR & REBUILD - SEAT - SUSPENSION KITS »



192-7848 Shock Absorber Kit

- Cat® Shock Absorber Kit is used to repair or replace shock absorbers on the seat suspension assemblies of rugged Cat suspension seat systems.
- Shock Absorber Kit includes shock absorber, pin, bolt, locking rings, washers, bushings and locknut. Install these parts as needed if the operating conditions do not allow proper operation of the seat suspension assembly and recommended if the weight of the operator exceeds 136 kg (300 lb). Kits provide easy field service repair or replacement of suspension seat systems. Cat seats are designed to provide an ergonomic seating option for machine operators. Suspension seats provide a shock absorbing suspension system and adjust for the operator's convenience to hand and foot controls. Consult your owner's manual or contact your local Cat Dealer for more information.
- Media Reference: REHS2761

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2B3, 2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 5LN, 6JN, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFM, AGM, BLE, BLT, BMJ, BMY, BNC, DAE, DJG, DMP, GCT, HYT, JHB, JML, JNM, K1R, KJL, LAE, LAY, LBD, LKJ, MB5, MH7, NDY, PEZ, S6T, S6X, S6Y, SGZ, SKL, SMC, SSS, WCG, WFH

REPAIR & REBUILD - SEAT - TETHER KITS »

211-9294 Tether Kit



- Cat® Tether Kit is used to repair or replace tethers used with the scissor assembly of Cat seat suspension systems. The tether is made of looped and stitched polyester webbing.
- Suspension seats provide a shock absorbing suspension system and adjust for the operator's convenience to hand and foot controls. Kits provide easy field service, repair, or replacement of suspension seat systems. Consult your owner's manual or contact your Cat Dealer for more information.
- NHL: 303-9405 SUSPENSION GP -J, 191-2933 SUSPENSION GP -J, 303-9406 SUSPENSION GP, 347-8771 SUSPENSION GP -J, 256-8768 SUSPENSION GP -J, 191-4508 SUSPENSION GP -J, 485-0807 SUSPENSION GP, 366-5830 SUSPENSION GP -J, 199-5740 SUSPENSION GP -J, 261-7485 SUSPENSION GP -J, 273-2820 SUSPENSION GP -J, 418-0346 SUSPENSION GP -J

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2B3, 2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 5LN, 6JN, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFM, AGM, BLE, BLT, BMJ, BMY, BNC, DAE, DJG, DMP, GCT, HYT, JHB, JML, JNM, K1R, KJL, LAE, LAY, LBD, LKJ, MB5, MH7, NDY, PEZ, S6T, S6X, S6Y, SGZ, SKL, SMC, SSS, WCG, WFH

101-4194 Belt Kit-Tether



- Cat® Tether Belt (Seat)
- Description: Cat seat tether belts are part of a safety restraint system to tether the seat to the floor of the operator compartment of Cat machines.
- Attributes:
 - Secures the seat frame to the floor of the operator compartment
 - For use with suspension type seats
 - Heavy duty polyester webbing with steel plates
- Applications: Cat tethers are used in operator station of Cat machines.
- NHL: 160-7165 SUSPENSION GP-E, 108-4082 SUSPENSION GP -E, 113-5800 SUSPENSION GP -E, 169-8715 SUSPENSION GP, 108-4587 SUSPENSION GP, 302-7458 SUSPENSION GP -E

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AGM, BLE, BLT, BMJ, BMK, BMY, BNC, BPM, BPS, BRJ, CAD, DAE, DJG, DMP, FDT, GCT, JHB, KJL, LAE, LAY, LBD, LKJ, PEZ, S6T, S6X, S6Y, SKL, SMC, SSS, WCG, WFH

REPAIR & REBUILD - SEAT - TETHER KITS »



513-9156 Tether Kit

- SERVICE KIT FOR SUSPENSION GP-SEAT (AIR)
- NHL: 501-4456 SUSPENSION GP, 501-4454 SUSPENSION GP, 503-8808 SUSPENSION GP, 513-0285 SUSPENSION GP, 501-4455 SUSPENSION GP, 503-8810 SUSPENSION GP

Sales Models	Serial Number Prefix
D6, D6XE	6A4, 6B2, 6B4, 6G4, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, EDL, ES9, GZ9, HFE, HLY, HMM, HNK, HR9, HZL, JJ6, KD5, KEW, KKD, KMT, KTW, LB5, LB7, LF9, LNC, LRG, PVD, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC, XMM, ZMA

REPAIR & REBUILD - SEAT - AIR KITS »



192-7799 Air Valve Kit

- Cat® Air Valve Kit is used to repair or replace air suspension pressure valves used for height adjustment on heavy duty Cat suspension seats.
- The Air Valve Kit contains a push-pull type valve with a knob assembly, valve assembly, air supply tube fitting, lockwasher and nut and type 1-B blade terminals. Kits provide easy field service, repair, or replacement of suspension seat systems. Cat seats are designed to provide an ergonomic seating option for machine operators. Suspension seats provide a shock absorbing suspension system and adjust for the operator’s convenience to hand and foot controls. Consult your owners manual or contact your local Cat Dealer for more information.
- NHL: 303-9405 SUSPENSION GP -J, 191-2933 SUSPENSION GP -J, 347-8771 SUSPENSION GP -J, 256-8768 SUSPENSION GP -J, 460-7325 SUSPENSION GP, 291-7971 SUSPENSION GP, 354-7510 SUSPENSION GP, 316-8368 SUSPENSION GP, 191-4508 SUSPENSION GP -J, 485-0807 SUSPENSION GP, 366-5830 SUSPENSION GP -J, 199-5740 SUSPENSION GP -J, 261-7485 SUSPENSION GP -J, 418-0346 SUSPENSION GP -J

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2B3, 2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 5LN, 6JN, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFM, AGM, BLE, BLT, BMJ, BMY, BNC, DAE, DJG, DMP, GCT, HYT, JHB, JML, JNM, K1R, KJL, LAE, LAY, LBD, LKJ, MB5, MH7, NDY, PEZ, S6T, S6X, S6Y, SGZ, SKL, SMC, SSS, WCG, WFH

REPAIR & REBUILD - SEAT - AIR KITS »



192-7810 Air Spring Kit

- Cat® Air Spring Kit is for use in the seat suspension assemblies of Cat suspension seat systems.
- The Air Spring Kit contains a pneumatic spring assembly with 90° air inlet elbow for use with 1/4 in (6.35 mm) OD tubing, mounting thread: 3/8-16-2B (2 Places), Inlet thread: 1/8-27 NPT. Cat service and replacement parts allow easy field service of Cat seating systems. Cat seats are designed to provide an ergonomic seating option for machine operators. Suspension seats provide a shock absorbing suspension system and adjust for the operator's convenience to hand and foot controls. Consult your owner's manual or contact your local Cat Dealer for more information.
- NHL: 303-9405 SUSPENSION GP -J, 191-2933 SUSPENSION GP -J, 303-9406 SUSPENSION GP, 347-8771 SUSPENSION GP -J, 513-9359 SUSPENSION GP, 256-8768 SUSPENSION GP -J, 460-7325 SUSPENSION GP, 291-7971 SUSPENSION GP, 354-7510 SUSPENSION GP, 316-8368 SUSPENSION GP, 191-4508 SUSPENSION GP -J, 485-0807 SUSPENSION GP, 366-5830 SUSPENSION GP -J, 199-5740 SUSPENSION GP -J, 298-2818 SUSPENSION GP -J, 563-8101 SUSPENSION GP, 261-7485 SUSPENSION GP -J, 273-2820 SUSPENSION GP -J, 418-0346 SUSPENSION GP -J

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2B3, 2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 5LN, 6JN, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFM, AGM, BLE, BLT, BMJ, BMY, BNC, DAE, DJG, DMP, GCT, HYT, JHB, JML, JNM, K1R, KJL, LAE, LAY, LBD, LKJ, MB5, MH7, NDY, PEZ, S6T, S6X, S6Y, SGZ, SKL, SMC, SSS, WCG, WFH




212-7783 Pulley Kit

- Cat® Pulley Kit is used to repair or replace the air suspension shock absorber pulley assembly on rugged Cat seat suspension systems. This kit includes roll pin, pulley, retaining ring, set screw, and spring.
- Cat seats are designed to provide an ergonomic seating option for machine operators. Suspension seats provide a shock absorbing suspension system and adjust for the operator's convenience to hand and foot controls. Kits provide easy field service, repair, or replacement of suspension seat systems. Consult your owner's manual or contact your local Cat Dealer for more information.
- NHL: 514-3876 DAMPER KT, 212-7779 DAMPER KT

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2B3, 2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 5LN, 6JN, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFM, AGM, BLE, BLT, BMJ, BMY, BNC, DAE, DJG, DMP, GCT, HYT, JHB, JML, JNM, K1R, KJL, LAE, LAY, LBD, LKJ, MB5, MH7, NDY, PEZ, S6T, S6X, S6Y, SGZ, SKL, SMC, SSS, WCG, WFH

REPAIR & REBUILD - SEAT - AIR KITS »



513-9150 Air Switch Kit

- Cat® Air Switch Kit
- Description: This kit (part # 513-9150) contains the components needed to service and repair the seat suspension.
- Attributes: Our kits are designed for convenience - prepackaged, ordered with a single part number and delivered in a single box, saving you time and money.
- NHL: 579-5014 SUSPENSION KT, 501-4454 SUSPENSION GP, 503-8808 SUSPENSION GP, 515-4607 SUSPENSION GP, 513-0285 SUSPENSION GP, 500-1012 SUSPENSION GP, 501-4455 SUSPENSION GP, 503-8810 SUSPENSION GP, 563-8812 SUSPENSION GP

Sales Models	Serial Number Prefix
D6, D6XE	6A4, 6B2, 6B4, 6G4, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, EDL, ES9, GZ9, HFE, HLY, HMH, HNK, HR9, HZL, JJ6, KD5, KEW, KKD, KMT, KTW, LB5, LB7, LF9, LNC, LRG, PVD, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC, XMM, ZMA



513-9151 Air Switch Kit

- Cat® Air Switch Kit
- Description: Air Switch Kit 513-9151 contains the components needed to service and repair the seat suspension.
- Attributes: Our kits are designed for convenience - prepackaged, ordered with a single part number and delivered in a single box, saving you time and money.
- NHL: 501-4456 SUSPENSION GP

Sales Models	Serial Number Prefix
D6, D6XE	6A4, 6B2, 6B4, 6G4, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, EDL, ES9, GZ9, HFE, HLY, HMH, HNK, HR9, HZL, JJ6, KD5, KEW, KKD, KMT, KTW, LB5, LB7, LF9, LNC, LRG, PVD, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC, XMM, ZMA

REPAIR & REBUILD - SEAT - SLIDE KITS »

173-7035 Slider Block Kit



- Provides wear blocks to allow seat fore/aft sliding adjustment and also includes stop hardware to limit travel. Used on COSS and COSS2 seats with fully adjusting pucks and separate stop bolt
- Description: Cat seats are designed to provide an ergonomic seating option for machine operators. Suspension seats provide a shock absorbing suspension system and adjust for the operator's convenience to hand and foot controls. Kits provide easy field service, repair, or replacement of suspension seat systems. Quality you expect for your equipment.
- Attributes: Kit includes bolt, washers, slider blocks and set screws
- Application: Used to repair or replace slide blocks on suspension seats to limit forward and backward movement. Consult your owners manual or contact your Cat Dealer for more information.
- NHL: 384-6165 SEAT GP-SUSP -A, 421-1281 SEAT GP-SUSP (A), 526-7415 SEAT GP-SUSP -A, 504-4296 SEAT GP-SUSP -A, 504-4291 SEAT GP-SUSP (A), 482-2520 SEAT GP-SUSP -A, 443-8262 SEAT GP-SUSP -A, 576-5004 SEAT GP-SUSP, 489-1197 SEAT GP-SUSP -A, 358-3840 SEAT GP-SUSP -A, 489-1165 SEAT GP-SUSP -A, 528-9582 SEAT GP-SUSP -A, 358-3854 SEAT GP-SUSP -A, 421-1285 SEAT GP-SUSP -A, 358-3856 SEAT GP-SUSP -A, 489-1166 SEAT GP-SUSP -A, 504-4302 SEAT GP-SUSP -A, 489-1171 SEAT GP-SUSP -A, 504-4289 SEAT GP-SUSP (A), 443-8284 SEAT GP-SUSP -A, 443-8104 SEAT GP-SUSP -A, 443-8110 SEAT GP-SUSP -A, 490-5982 SEAT GP-SUSP -A, 489-1203 SEAT GP-SUSP -A, 576-5007 SEAT GP-SUSP, 490-5983 SEAT GP-SUSP -A, 442-0746 SEAT GP-SUSP -A, 421-1286 SEAT GP-SUSP -A, 489-1162 SEAT GP-SUSP -A

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2B3, 2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AGM, BLE, BLT, BMJ, BMK, BMY, BNC, BPM, BPS, BRJ, CAD, DAE, DJG, DMP, FDT, GCT, HYT, JHB, JML, JNM, K1R, KJL, LAE, LAY, LBD, LKJ, MB5, MH7, NDY, PEZ, S6T, S6X, S6Y, SGZ, SKL, SMC, SSS, WCG, WFH

REPAIR & REBUILD - SEAT - SLIDE KITS »



503-8815 Slider Kit

- SLIDER KIT SERVICE REPAIR PART FOR D6 GC MACHINE
- NHL: 503-8813 SEAT GP-SUSP -A, 503-8819 SEAT GP-SUSP -A

Sales Models	Serial Number Prefix
D6GC	WJG, XPC



513-9176 Slide Rail Kit

- Cat® Suspension Seat Slide Rail Kit used in Operator Cabin
- The Slide Rail Kit mechanism allows horizontal movement of the Seat, enabling operators to adjust their seating position. This adjustment helps accommodate heights and allows them to find the most comfortable and ergonomic seating position. This includes nuts, screws, washers, handles, Slide assembly, and stops.
- Attributes:
 - Ensures that the seat remains stable and prevents unintended movement
 - Absorbs and dampens vibrations and shocks experienced during the operation
- Applications: The Slide Rail Kit provides a versatile and adjustable seating solution for Operators.
- NHL: 468-3126 SEAT GP-SUSP -A, 503-8811 SEAT GP-SUSP -A, 468-3128 SEAT GP-SUSP -A, 506-2608 SEAT GP-SUSP -A, 503-8809 SEAT GP-SUSP -A

Sales Models	Serial Number Prefix
D6, D6XE	6A4, 6B2, 6B4, 6G4, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, EDL, ES9, GZ9, HFE, HLY, HML, HNK, HR9, HZL, JJ6, KD5, KEW, KKD, KMT, KTW, LB5, LB7, LF9, LNC, LRG, PVD, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC, XMM, ZMA

REPAIR & REBUILD - SEAT - BOOT KITS »




513-9163 Boot Kit

- Cat® Suspension Seat Boot Kit is designed to protect the suspension system from dust, debris, and moisture, ensures the smooth operation of suspension seats
- The Suspension Seat Boot Kit is designed to safeguard suspension seats from environmental contaminants and ensure optimal performance. Comprising of boots, seals, and bushings, this kit creates a protective barrier against dust, debris, and moisture that could compromise the suspension system's functionality. By preventing the ingress of harmful particles and maintaining a clean, lubricated environment, the boot kit promotes smooth operation and extends the service life of suspension seats in harsh working environments.
- Attributes:
 - Weatherproof design to protect suspension seat components from elements.
 - Durable material to withstand wear and tear.
 - Flexible design to accommodate seat movement.
 - Protects against dust, debris, and moisture.
- Applications: The Suspension Seat Boot Kit is positioned within the suspension seat assembly by effectively sealing the suspension system and preventing damage from contaminants, the boot kit enhances operator comfort and productivity.
- NHL: 501-4456 SUSPENSION GP

Sales Models	Serial Number Prefix
D6, D6XE	6A4, 6B2, 6B4, 6G4, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, EDL, ES9, GZ9, HFE, HLY, HMM, HNK, HR9, HZL, JJ6, KD5, KEW, KKD, KMT, KTW, LB5, LB7, LF9, LNC, LRG, PVD, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC, XMM, ZMA


REPAIR & REBUILD - SEAT - BOOT KITS »

8Y-5944 Suspension Boot Kit



- **Cat® Suspension Boot Kit**
Description: Cat seats are designed to provide an ergonomic seating option for machine operators. Seats are easily adjustable for reaching hand and foot controls. Kits provide easy field service, repair, or replacement of seat systems and components. Quality you expect for your equipment.
- **Attributes:**
 - Kit includes vinyl suspension boot, steel retainer, and nylon fasteners
 - Excellent weatherability
 - Resistant to water, oil and other contaminants
 - Durable, easy to clean suspension cover
- **Applications:** Suspension boot kit used to service or replace the suspension cover of Cat seat suspension mechanisms. Consult your owners manual or contact your local Cat Dealer for more information.
- **NHL:** 160-7165 SUSPENSION GP-E, 108-4082 SUSPENSION GP -E, 113-5800 SUSPENSION GP -E, 169-8715 SUSPENSION GP, 108-4587 SUSPENSION GP, 302-7458 SUSPENSION GP -E

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AGM, BLE, BLT, BMJ, BMK, BMY, BNC, BPM, BPS, BRJ, CAD, DAE, DJG, DMP, FDT, GCT, JHB, KJL, LAE, LAY, LBD, LKJ, PEZ, S6T, S6X, S6Y, SKL, SMC, SSS, WCG, WFH




513-9162 Boot Kit

- **Boot Kit**
- **NHL:** 513-0285 SUSPENSION GP, 503-8810 SUSPENSION GP

Sales Models	Serial Number Prefix
D6, D6XE	6A4, 6B2, 6B4, 6G4, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, EDL, ES9, GZ9, HFE, HLY, HMH, HNK, HR9, HZL, JJ6, KD5, KEW, KKD, KMT, KTW, LB5, LB7, LF9, LNC, LRG, PVD, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC, XMM, ZMA

REPAIR & REBUILD - SEAT - BOOT KITS »



513-9164 Boot Kit

- Boot Kit
- NHL: 501-4454 SUSPENSION GP, 503-8808 SUSPENSION GP, 515-4607 SUSPENSION GP, 501-4455 SUSPENSION GP, 563-8812 SUSPENSION GP

Sales Models	Serial Number Prefix
D6, D6XE	6A4, 6B2, 6B4, 6G4, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, EDL, ES9, GZ9, HFE, HLY, HMM, HNK, HR9, HZL, JJ6, KD5, KEW, KKD, KMT, KTW, LB5, LB7, LF9, LNC, LRG, PVD, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC, XMM, ZMA

REPAIR & REBUILD - SEAT - KNOB KITS »



513-9161 Knob Kit

- Cat® Knob Kit for suspension seat
- The Knob Kit for the suspension seat is an accessory designed to enhance the comfort and adjustability of the suspension seat. It includes a set of knobs that can be easily installed on the seat to provide improved control over seat adjustments. With these knobs, you can easily fine-tune the seat height, tilt, and other settings to create a personalized seating experience. The knobs are ergonomically designed for user-friendly operation, allowing you to make adjustments effortlessly and securely.
- Attributes:
 - High-quality materials ensure durability and longevity.
 - Ergonomic design for comfortable grip and operation.
 - Convenient height and tilt adjustments.
 - Easy and precise seat customization
- Applications: The Knob Kit allows operators to easily adjust the seat height, suspension stiffness, and tilt angle for optimal comfort and posture during long hours of operation.
- NHL: 501-4456 SUSPENSION GP, 501-4454 SUSPENSION GP, 503-8808 SUSPENSION GP, 515-4607 SUSPENSION GP, 513-0285 SUSPENSION GP, 501-4455 SUSPENSION GP, 503-8810 SUSPENSION GP, 563-8812 SUSPENSION GP, 591-0167 SUSPENSION GP

Sales Models	Serial Number Prefix
D6, D6XE	6A4, 6B2, 6B4, 6G4, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, EDL, ES9, GZ9, HFE, HLY, HMM, HNK, HR9, HZL, JJ6, KD5, KEW, KKD, KMT, KTW, LB5, LB7, LF9, LNC, LRG, PVD, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC, XMM, ZMA

REPAIR & REBUILD - SEAT - KNOB KITS »



443-8573 Handle Kit

- Handle Kit
- ANTI-DRIFT VALVE.
- NHL: 489-6490 SEAT GP -C, 539-7175 SEAT GP -C, 489-6485 SEAT GP-C, 489-6538 SEAT GP -C, 489-6534 SEAT GP -C, 489-6526 SEAT GP -C, 490-5981 SEAT GP -C, 581-0965 SEAT GP, 503-4708 SEAT GP -C, 489-6507 SEAT GP -C, 489-6498 SEAT GP -C, 489-6515 SEAT GP -C, 581-0967 SEAT GP, 489-6512 SEAT GP -C, 489-6537 SEAT GP -C, 489-6480 SEAT GP -C, 489-6492 SEAT GP-(C), 489-6488 SEAT GP-C, 489-6496 SEAT GP -C, 489-6514 SEAT GP -C, 489-6491 SEAT GP -C, 489-6536 SEAT GP -C, 489-6508 SEAT GP -C, 489-6513 SEAT GP -C, 489-6525 SEAT GP -C, 489-6483 SEAT GP -C, 526-7416 SEAT GP -C, 489-6504 SEAT GP -C, 489-6484 SEAT GP -C, 489-6505 SEAT GP -C, 489-6506 SEAT GP -C, 489-6481 SEAT GP -C, 489-6522 SEAT GP -C, 489-6527 SEAT GP -C, 489-6495 SEAT GP -C, 489-6482 SEAT GP -C, 489-6535 SEAT GP -C, 489-6489 SEAT GP -C, 489-6499 SEAT GP -C, 443-8219 SEAT GP-C, 489-6533 SEAT GP -C, 489-6486 SEAT GP -C, 489-6524 SEAT GP -C, 490-5976 SEAT GP -C, 489-6523 SEAT GP -C, 489-6520 SEAT GP -C, 489-6563 SEAT GP -C, 489-6510 SEAT GP -C, 489-6530 SEAT GP -C

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2B3, 2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AGM, BLE, BLT, BMJ, BMK, BMY, BNC, BPM, BPS, BRJ, CAD, DAE, DJG, DMP, FDT, GCT, HYT, JHB, JML, JNM, K1R, KJL, LAE, LAY, LBD, LKJ, MB5, MH7, NDY, PEZ, S6T, S6X, S6Y, SGZ, SKL, SMC, SSS, WCG, WFH



513-9171 Knob Kit

- Knob Kit
- NEW SERVICE KIT FOR NEXT GENERATION SEAT
- NHL: 573-1710 SEAT GP, 507-5489 SEAT GP, 507-5490 SEAT GP



Sales Models	Serial Number Prefix
D6, D6XE	6A4, 6B2, 6B4, 6G4, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, EDL, ES9, GZ9, HFE, HLY, HMH, HNK, HR9, HZL, JJ6, KD5, KEW, KKD, KMT, KTW, LB5, LB7, LF9, LNC, LRG, PVD, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC, XMM, ZMA

REPAIR & REBUILD - SEAT - KNOB KITS »


8Y-5945 Knob Kit-Hgt Adj



- Cat® Height Knob Kit-Height Adjust
- Description: Cat seats are designed to provide an ergonomic seating option for machine operators. Suspension seats provide a shock absorbing suspension system and adjust for the operator's convenience to hand and foot controls. Kits provide easy field service, repair, or replacement of suspension seat systems. Quality you expect for your equipment.
- Attributes:
 - Kit includes upper height knob and lower height knob
 - Plastic knobs with symbols
- Application: Used to replace upper and lower height adjust knobs of the height adjustment mechanism of rugged Cat seat suspension mechanisms. Consult your owners manual or contact your local Cat dealer for more information.
- NHL: 8Y-5982 SUSPENSION GP -E, 8Y-5888 SUSPENSION GP -E, 8Y-5888 SUSPENSION GP -E, 108-4588 HOUSING GP-SUSP, 8Y-6862 HOUSING GP-SUSP, 8Y-6823 HOUSING GP-SUSP, 108-4582 HOUSING GP-SUSP, 122-7169 HOUSING GP-SUSP, 174-2231 HOUSING GP-SUSP, 175-7468 HOUSING GP

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AGM, BLE, BLT, BMJ, BMK, BMY, BNC, BPM, BPS, BRJ, CAD, DAE, DJG, DMP, FDT, GCT, JHB, KJL, LAE, LAY, LBD, LKJ, PEZ, S6T, S6X, S6Y, SKL, SMC, SSS, WCG, WFH

385-1279 Adjustment Kit



- PROVIDE WEIGHT ADJUSTMENTS KIT FOR D6 GC MACHINE
- NHL: 490-5966 SUSPENSION GP -E, 446-9615 SUSPENSION GP -E

Sales Models	Serial Number Prefix
D6GC	WJG, XPC

REPAIR & REBUILD - SEAT - INDICATOR KITS »



100-3224 Indicator Kit

- RELEASED TO PROVIDE AN INDICATOR KIT FOR THE CONTOUR SERIES SEAT SUSPENSION.
- NHL: 108-4588 HOUSING GP-SUSP, 8Y-6862 HOUSING GP-SUSP, 8Y-6823 HOUSING GP-SUSP, 108-4582 HOUSING GP-SUSP, 426-0979 HOUSING GP-SUSP, 113-5808 HOUSING GP-SUSP, 122-7169 HOUSING GP-SUSP, 174-2231 HOUSING GP-SUSP, 175-7468 HOUSING GP

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AGM, BLE, BLT, BMJ, BMK, BMY, BNC, BPM, BPS, BRJ, CAD, DAE, DJG, DMP, FDT, GCT, JHB, KJL, LAE, LAY, LBD, LKJ, PEZ, S6T, S6X, S6Y, SKL, SMC, SSS, WCG, WFH



213-5170 Indicator Kit On Toggle Link Vertical

- Service or replace the ride indicator used on rugged Cat suspension seat systems.
- Includes indicator arm, rod, housing, fasteners and mounting hardware. Install parts as needed if the operating conditions do not allow proper operation of the seat suspension assembly. Kit recommended if the weight of the operator exceeds 136 kg (300 lb). Consult your owner's manual or contact your local Cat dealer for more information.
- Media Reference: REHS2761

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2B3, 2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 5LN, 6JN, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFM, AGM, BLE, BLT, BMJ, BMY, BNC, DAE, DJG, DMP, GCT, HYT, JHB, JML, JNM, K1R, KJL, LAE, LAY, LBD, LKJ, MB5, MH7, NDY, PEZ, S6T, S6X, S6Y, SGZ, SKL, SMC, SSS, WCG, WFH

REPAIR & REBUILD - MAINTENANCE / DISPLAY »



621-4067 Elek Kt-Aftmkt (10 In. DSP)(D6T-T4F)

- AFTERMARKET 10 INCH DISPLAY KIT FOR D6T T4F AFTERMARKET AND FUTURE OBSOLESCENCE APPLICATIONS
- Description: Displays such as part 6214067 provide visual indications of various machine systems. This display features a stack Liquid Crystal Display (LCD) for improved touchscreen performance.
- Displays provide information to help operators or technicians do their jobs. Displays range in complexity from a simple light or a 2-line message screen, to an instrument cluster with needle pointers and small LCD screens, to a hi-tech touchscreen or LCD display that can show video.
- Attributes:
 - 10 inch (254 mm) Touchscreen Display
 - Software installed
 - Voltage: 12 V
 - 44 Position Connector
 - Dimensions: 260 X 176 X 61 mm (10.2 X 6.9 X 2.4 in)
 - With built in speaker and USB 2.0 Type A receptacle
 - Durable aluminum housing with black plastic cover
 - Panel Cutout: 232 X 143 mm (9.1 X 5.6 in)
- Application: Used in the operator compartment of Cat heavy duty equipment. Consult your owner's manual or contact your local Cat dealer for more information. Cat components can operate in heavy-duty applications such as severe vibration, shock, extreme operating temperature ranges, thermal cycle, thermal shock, humidity, corrosion and excessive dust.

Sales Models	Serial Number Prefix
D6T	HTZ, KMR, RAD, TMY, WES, WRN

REPAIR & REBUILD - MAINTENANCE / DISPLAY »



621-4068 Elek Kt-Aftmkt (10 In. DSP)(D6T-T4I)

- AFTERMARKET 10 INCH DISPLAY KIT FOR D6T T4F AFTERMARKET AND FUTURE OBSOLESCENCE APPLICATIONS
- Description: Displays such as part 6214068 provide visual indications of various machine systems. This display features a stack Liquid Crystal Display (LCD) for improved touchscreen performance.
- Displays provide information to help operators or technicians do their jobs. Displays range in complexity from a simple light or a 2-line message screen, to an instrument cluster with needle pointers and small LCD screens, to a hi-tech touchscreen or LCD display that can show video.
- Attributes:
 - 10 inch (254 mm) Touchscreen Display
 - Software installed
 - Voltage: 12 V
 - 44 Position Connector
 - Dimensions: 260 X 176 X 61 mm (10.2 X 6.9 X 2.4 in)
 - With built in speaker and USB 2.0 Type A receptacle
 - Durable aluminum housing with black plastic cover
 - Panel Cutout: 232 X 143 mm (9.1 X 5.6 in)
- Application: Used in the operator compartment of Cat heavy duty equipment. Consult your owner's manual or contact your local Cat dealer for more information. Cat components can operate in heavy-duty applications such as severe vibration, shock, extreme operating temperature ranges, thermal cycle, thermal shock, humidity, corrosion and excessive dust.

Sales Models	Serial Number Prefix
D6T	HTZ, KMR, RAD, TMY, WES, WRN

REPAIR & REBUILD - MAINTENANCE / DISPLAY »



621-4069 Elek Kt-Aftmkt (10 In. DISPLAY)(D7E)

- AFTERMARKET 10 INCH DISPLAY KIT FOR D6T T4F AFTERMARKET AND FUTURE OBSOLESCENCE APPLICATIONS
- Description: Displays such as part 6214069 provide visual indications of various machine systems. This display features a stack Liquid Crystal Display (LCD) for improved touchscreen performance.
- Displays provide information to help operators or technicians do their jobs. Displays range in complexity from a simple light or a 2-line message screen, to an instrument cluster with needle pointers and small LCD screens, to a hi-tech touchscreen or LCD display that can show video.
- Attributes:
 - 10 inch (254 mm) Touchscreen Display
 - Software installed
 - Voltage: 12 V
 - 44 Position Connector
 - Dimensions: 260 X 176 X 61 mm (10.2 X 6.9 X 2.4 in)
 - With built in speaker and USB 2.0 Type A receptacle
 - Durable aluminum housing with black plastic cover
 - Panel Cutout: 232 X 143 mm (9.1 X 5.6 in)
- Application: Used in the operator compartment of Cat heavy duty equipment. Consult your owner's manual or contact your local Cat dealer for more information. Cat components can operate in heavy-duty applications such as severe vibration, shock, extreme operating temperature ranges, thermal cycle, thermal shock, humidity, corrosion and excessive dust.

Sales Models	Serial Number Prefix
D6T	HTZ, KMR, RAD, TMY, WES, WRN


REPAIR & REBUILD - MAINTENANCE / CAB »

563-5532 Joystick Control Upgrade Kit »

- RELEASED TO PROVIDE BOOT KT FOR JOYSTICK.

Sales Models	Serial Number Prefix
D6, D6T, D6XE	2B3, 6A4, 6B2, 6B4, 6G4, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, EDL, ES9, GZ9, HFE, HLY, HMM, HNK, HR9, HYT, HZL, JJ6, JML, JNM, KD5, KEW, KKD, KMT, KTW, LB5, LB7, LF9, LNC, LRG, MB5, MH7, NDY, PVD, RA9, RBP, RDC, SA9, SG6, SGZ, TB6, TPL, WGY, WH5, XEC, XMM, ZMA

Components					
	566-2688: Joystick Boot Quantity: 1		566-2686: Sleeve Quantity: 1		566-2687: Joystick Control Knob Quantity: 1




165-0699 Bracket Kit-Mounting

- Cat® Mounting Bracket Kit
- Description: Kits provide easy field service, repair, or replacement of heavy-duty equipment systems and components.
- Attributes: Kit includes bracket, bolts, and locknut
- Application: Kit is used to service lights on Cat machines. Consult your owners manual or contact your local Cat Dealer for more information.
- NHL: 176-0780 LAMP GP-FLOOD, 9X-7169 LAMP GP-HEAD, 9X-8179 LAMP GP-FLOOD

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AGM, BLE, BLT, BMJ, BMK, BMY, BNC, BNL, BPM, BPP, BPS, BPZ, BRE, BRJ, BRZ, CAD, DAE, DJG, DMP, FDT, GCT, JHB, JWD, KJL, LAE, LAY, LBD, LKJ, PEZ, RLW, S6T, SKL, SMC, WCG, WFH, ZEB

REPAIR & REBUILD - MAINTENANCE / CAB »




8Y-6462 Spring Kit-Leaf

- Cat® Sliding Window Leaf Spring Kit provides tension and smooth operation for sliding windows in machines, replacing a worn-out leaf spring and rivet
- NHL: 8E-4933 WINDOW GP-CAB
- A Sliding Window Leaf Spring Kit includes a pre-assembled leaf spring and a compatible rivet for repairing or replacing a malfunctioning window spring mechanism in a machine. The leaf spring is a thin, flat metal strip that creates tension within the window channel, allowing the window to slide smoothly and stay securely in place when closed. Over time, these springs can wear out, losing tension and causing the window to rattle or become loose. This offers a complete solution for restoring proper window operation.
- Attributes:
 - Prevents rattling and vibrations of the window during machine movement
 - Manufactured to precise specifications and is built for durability and reliability
- Applications: A Sliding Window Leaf Spring Kit is securely fastened to the window frame at its designated attachment point using a rivet. The pre-formed bends or curves in the spring create a pushing force (tension) against the window frame. This constant tension keeps the window pressed firmly against the track, preventing excessive movement and ensuring smooth sliding operation.

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2B3, 2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 7AR, 7DR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AGM, BLE, BLT, BMJ, BMK, BMY, BNC, BNL, BPP, BPS, BPZ, BRE, BRZ, CAD, DAE, DJG, DMP, FDT, GCT, HYT, JHB, JML, JNM, K1R, KJL, LAE, LAY, LBD, LKJ, MB5, MH7, NDY, PEZ, SGZ, SKL, SMC, WCG, WFH

216-0805 Coil Kit (Mounting)



- Cat® Coil Kit (Mounting)
- NHL: 204-9531 COIL AS-COND
- Description:Cat HVAC blower assemblies circulate heating, cooling filtered fresh and/or recirculating air to pressurize the operator compartment for environmental and thermal comfort of the operator during Cat heavy-duty equipment operations. Cat coils provide large surface areas for heat exchange of the refrigerant fluids and gases within the HVAC system. Cat mounting and coil kits provide replacement parts for repair or rebuild in the field.Attributes:Coil kit includes condenser coil, mount, tube and hardware.
- Application:Used in the pressurized HVAC systems of heavy-duty equipment. Consult your owners manual or contact your local Cat dealer for more information.

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 7AR, 7DR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFM, AGM, BLE, BLT, BMJ, BMK, BMY, BNC, BNL, BPP, BPS, BPZ, BRE, BRZ, DAE, DJG, DMP, GCT, JHB, KJL, LAE, LAY, S6T, S6X, S6Y, SKL, SMC, WCG, WFH

REPAIR & REBUILD - MAINTENANCE »

577-8260 Prpln Kt-(Mid) »

- Provides seals and bearings to rebuild the propulsion module at mid-life (first engine overhaul).

Sales Models	Serial Number Prefix				
D6XE	B72, D5M, ES9, HFE, HLY, HMH, HZL, LNC, LRG, TPL, WGY, XEC				
Components					
	2D-6506: 736.6mm Inside Diameter Seal-O-Ring Quantity: 1		473-1456: Press-in-Place Seal Quantity: 1		481-7969: Bearing-Ball Quantity: 1
	3S-2708: 6.35mm Nominal Outer Diameter Spring Pin Quantity: 3		5M-5860: 34.29mm Inside Diameter Seal-O-Ring Quantity: 1		5P-4057: 760mm Inner Diameter O-Ring Seal Quantity: 1
	6F-4855: 13.94mm Inner Diameter O-Ring Seal Quantity: 1		6V-5052: 104.14mm Inner Diameter O-Ring Seal Quantity: 1		8E-8310: 42.9mm Inner Diameter Thrust Disc Quantity: 6
	104-6730: 0.8mm Thick Transmission Control Valve Gasket Quantity: 1		3T-4377: Rubber O Ring Seal Quantity: 1		4F-7390: 53.34mm Inner Diameter Seal O Ring Quantity: 2
	473-9556: RING-RETAINI Quantity: 1		6F-6672: 17.12mm Inner Diameter Seal O Ring Quantity: 1		6H-5672: 5.33 x 21.59mm 75A NBR O-Ring Quantity: 1
	9M-7002: 5.33 x 37.47mm 70A VMQ O-Ring Quantity: 1		2K-2939: 177.39mm Inner Diameter O-Ring Seal Quantity: 1		004-1963: 55mm Inner Diameter O-Ring Seal Quantity: 1
	3S-7781: 1.57mm Thick Cam Shaft Cover Gasket Quantity: 1		5P-9806: 5.33 x 430.66mm 75A NBR O-Ring Quantity: 4		490-7347: 135.13mm Inner Diameter External Retainer Ring Quantity: 1
	507-1728: Bearing-Ball Quantity: 2		565-0173: Bearing-Needle Quantity: 3		

REPAIR & REBUILD - MAINTENANCE »

577-8262 Generator Kt-Mid »

- AFTERMARKET GENERATOR MIDLIFE KIT FOR THE D6 XE TRACK TYPE TRACTOR.

Sales Models	Serial Number Prefix				
D6XE	B72, D5M, ES9, HFE, HLY, HMH, HZL, LNC, LRG, TPL, WGY, XEC				
Components					
	473-1456: Press-in-Place Seal Quantity: 1		3S-2708: 6.35mm Nominal Outer Diameter Spring Pin Quantity: 3		228-4947: 2.62 x 13.94mm 75A FKM O-Ring Quantity: 2
	269-7852: 2.62 x 12.37mm 75A FKM O-Ring Quantity: 4		6F-4855: 13.94mm Inner Diameter O-Ring Seal Quantity: 1		6V-6353: 3.53 x 101.19mm 75A FKM O-Ring Quantity: 1
	6V-5043: 5.33 x 494.66mm 75A FKM O-Ring Quantity: 1		6V-5059: 456.06mm Inner Diameter Seal O Ring Quantity: 1		6V-6765: 71.52mm Inner Diameter Internal Retaining Ring Quantity: 1
	8E-8308: Two Pole Light Rocker Switch Quantity: 6		165-4854: 3.53 x 29.74mm 75A FKM O-Ring Quantity: 2		2K-2939: 177.39mm Inner Diameter O-Ring Seal Quantity: 1
	1T-0334: 85mm Internal Diameter Ball Bearing Quantity: 2		565-2318: Generator Drive Torsional Coupling Quantity: 1		565-0173: Bearing-Needle Quantity: 3

REPAIR & REBUILD - MAINTENANCE »



11R-2021 Filter Kt

- Cat Reman Diesel Particulate Filter (DPF) Kit (NWC)
- Cat Reman NWC diesel particulate filter group such as 11R-2021 is designed to filter particulates from diesel exhaust. Cat filters reduce the diesel exhaust emissions and keep your Cat machinery performing properly. Cat Reman DPF performs a regeneration to convert soot to ash, then performs ash service, and inspects for cracks and ash height.
- Attributes:
 - Cat Reman NWC offerings contain 100% of new Cat parts at a reduced price in exchange for a qualifying core.
 - Cat Reman NWC DPFs offer the productivity and efficiency of new DPFs for less than the cost of new with the return of a qualifying core.
 - Cat Reman NWC DPFs come with a same-as-new, 12-month Caterpillar Limited Warranty 1 against Caterpillar defects in material and/or workmanship.
 - Cat Reman offers off-the-shelf availability. 21 Warranty can vary by model and application; limitations apply. For complete details about the applicable Caterpillar Limited Warranty, contact an authorized Cat dealer.2 Part may not be available off-the-shelf at all times and in all locations.
- NHL: 520-6495 FILTER KT


Sales Models	Serial Number Prefix
D6, D6XE	6B2, 6B4, 6R8, 6S7, 6T3, 6Y6, ES9, HMM, JJ6, TB6

REPAIR & REBUILD - MAINTENANCE »

237-9254 Precleaner Kit »

- PRODUCTION REQUIREMENT - NEW KIT REQUIRED FOR FIELD INSTALLATION OF OPTIMAX SYSTEM WITH TURBINE PRECLEANERS ON NEW IMPROVED HOODS. THE NEW HOODS REQUIRE FASTENERS IN AN INNER AND OUTER BOLT PATTERN TO PROLONG HOOD LIFE.
- NHL: 463-2021 KIT TOLERIE D6TT, 463-2020 KIT TOLERIE D6TT, 448-3455 ENCLOSURE GP-A, 381-6440 ENCLOSURE GP -A, 542-3678 ENCLOSURE GP -B, 387-7931 ENCLOSURE GP -B

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	AAX, ACJ, ADE, AEM, AEP, AFM, AGM, BLE, BLT, BMJ, BMY, BNC, BPM, BRJ, CAD, DAE, DJG, FDT, GCT, JHB, KJL, LAE, LAY, S6T, S6X, S6Y, SKL, SMC, SSS, WCG, WFH

Components					
	202-2605: Exhaust Valve Reducer Hose Quantity: 1		4N-3861: TUBE Quantity: 1		1W-8620: 196.8mm Long Check Valve Quantity: 1
	9L-3628: 127.00mm Internal Diameter Reducer Hump Hose Quantity: 1		237-9253: PIPE AS Quantity: 1		237-9255: 141.3mm Long Cone Adapter Pipe Quantity: 1
	237-9252: Precleaner Extension Tube Quantity: 1		7X-7729: M10 ID Steel Flat Washer Quantity: 8		8T-4195: M10-1.5 x 30mm Hex Head Bolt Quantity: 8
	5P-1471: 50.80mm Inner Diameter Bulk Hose Quantity: 28		5P-3860: 159.00mm Minimum Internal Diameter Hose Clamp Quantity: 1		5P-0599: 133.00mm Minimum Internal Diameter Clamp Quantity: 1
	5P-0597: 44.45mm Minimum Internal Diameter Clamp Quantity: 6				

REPAIR & REBUILD - MAINTENANCE »



8N-4617 Air Cleaner Clamp Kit

- Cat® Clamp Kit (Air Cleaner)
- Description: Kits provide easy field service, repair, or replacement of heavy-duty equipment systems and components.
- Attributes: Air cleaner clamp kit
- Application: Consult your owners manual or contact your local Cat Dealer for more information.
- NHL: 490-5966 SUSPENSION GP -E, 446-9615 SUSPENSION GP -E

Sales Models	Serial Number Prefix
D6G2, D6N, D6R, D6T	2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 5LN, 5RR, 6HR, 6JN, 6MR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFM, AGM, BLE, BLT, BMJ, BMY, BNC, BPM, BRJ, CAD, DAE, DJG, DMP, FDT, GCT, JHB, KJL, LAE, LAY, LBD, LKJ, PEZ, S6T, S6X, S6Y, SKL, SMC, SSS, WCG, WFH

REPAIR & REBUILD - MAINTENANCE »


502-7451 Spring Kit



- Cat® Stainless Steel Spring Kit
- NHL: 471-2076 SHIELD AS-HEAT, 634-4789 SHIELD AS-EXH, 634-4788 SHIELD AS-EXH, 648-5734 SHIELD AS-EXH, 648-5732 SHIELD AS-EXH, 218-3189 SHIELD AS-HEAT, 218-3187 SHIELD AS-HEAT, 218-3185 SHIELD AS-HEAT, 218-3183 SHIELD AS-HEAT, 545-2911 INSULATION AS, 643-7066 SHIELD AS, 643-7061 SHIELD AS, 643-6143 SHIELD AS-HEAT, 486-0845 SHIELD AS, 486-0844 SHIELD AS, 643-6145 SHIELD AS-HEAT, 491-7552 SHIELD AS-HEAT, 491-7551 SHIELD AS-HEAT, 517-8197 SHIELD AS-HEAT, 587-0057 SHIELD AS-HEAT, 587-0050 SHIELD AS-HEAT, 587-0054 SHIELD AS-HEAT, 547-8526 INSULATION AS, 547-8524 INSULATION AS, 626-1303 SHIELD AS-EXH, 612-7651 SHIELD AS-HEAT, 626-1300 SHIELD AS-EXH, 626-1298 SHIELD AS-EXH, 632-0697 SHIELD AS-HEAT, 632-0696 SHIELD AS-HEAT, 506-0053 SHIELD AS-HEAT, 506-0058 SHIELD AS-HEAT, 506-0054 SHIELD AS-HEAT, 449-2534 SHIELD AS-HEAT, 597-4559 SHIELD AS-HEAT, 597-4557 SHIELD AS-HEAT, 597-4560 SHIELD AS-HEAT, 591-6078 SHIELD AS-HEAT, 418-3718 SHIELD AS-HEAT, 399-8941 SHIELD AS-HEAT, 481-1274 SHIELD AS-HEAT, 482-0836 SHIELD AS-HEAT, 561-6357 SHIELD AS-HEAT, 543-1091 SHIELD AS-HEAT, 489-8982 SHIELD AS-HEAT, 418-3717 SHIELD AS-HEAT, 620-8588 SHIELD AS-EXH, 622-8196 SHIELD AS-EXH, 615-6197 SHIELD AS-EXH
- The Kit Spring consists of a Spring and a Ring. The Spring is used to create between the two structural points and the Ring is used to lock one end of the spring with the required application. They are used for integrating structures and absorbing vibrations and shocks.
- Attributes:
 - Ensuring a proper fit and reliable performance
 - Handle high loads without deforming or breaking.
- Applications: The Kit Spring is used for the service and repair of Spring units to maintain the structural integrity of mechanical units.

Sales Models	Serial Number Prefix
D6, D6XE	6B2, 6B4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, EDL, ES9, GZ9, HFE, HLY, HMH, HNK, HR9, HZL, JJ6, KD5, KEW, KKD, KMT, KTW, LB5, LB7, LF9, LNC, LRG, PVD, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC, XMM, ZMA

REPAIR & REBUILD - MAINTENANCE »



350-7735 Fuel Cap Filter Kit

- Cat® Fuel Cap Filter Kit provides a filter cartridge to prohibit water penetration into filter media of a filter assembly mounted on a fuel cap or fuel tank.
- Includes:
 - Fuel cap filter kit
 - 4 micron
 - Material: Polyurethane plastic
- Cat® Fuel Cap Filter Kits are used to service the fuel tank assemblies, fuel filler cap assemblies, fuel lines assemblies, and fast fill fuel adapter assemblies on Cat heavy-equipment. Consult your owner’s manual or contact your local Cat Dealer for more information.
- NHL: 349-7059 CAP AS-FUEL, 357-7399 CAP AS-FUEL

Sales Models	Serial Number Prefix
D6R, D6R II, D6T	2B3, 2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 5LN, 5RR, 6HR, 6JN, 6MR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFM, AGM, BLE, BLT, BMJ, BMK, BMY, BNC, BPM, BPS, BRJ, BRZ, CAD, DAE, DJG, DMP, FDT, GCT, HYT, JHB, JML, JNM, K1R, KJL, LAE, LAY, LBD, LKJ, MB5, MH7, NDY, PEZ, S6T, S6X, S6Y, SGZ, SKL, SMC, WCG, WFH

REPAIR & REBUILD - MAINTENANCE »



563-7916 Drain Kit

- Low temperature service drain kit. Size: M20X 4.0-6G
- Description: The Kit Fuel Separator Drain is used to remove water and other contaminants from the fuel unit of equipment. Fuel Filter and Water Separator Drain typically includes a drain valve made up of plastic material, a hose, a seal made up of fluorocarbon rubber material, and a snap knob made up of zytel plastic material. These are used to drain water and other contaminants from the fuel filter and water separator. It can withstand extreme temperatures and harsh environmental conditions.
- Attributes:
 - Provides a reliable and leak-free seal, ensuring efficient operation of the fuel priming pump
 - Manufactured to precise specifications and are built for durability and reliability
- Applications: The Kit Fuel Separator Drain is used to prevent damage to the engine and Fuel Pump by removing the contaminants from the fuel, this is mostly used in Cat 120K, 12K, 12M, 14, 140, 140K, 140M, 14M, 150, 16, 160, 160K, 160M, 16M, 18 and 18M Motor Grader, 1706D, C18, C9.3 and C9.3B Engine (Piston), 336, 340, 345, 349, 350, 352, 355, 373, 374, 374F, 390F, 395 and 568 Excavators, 521 and 522 Tree Harvester, 657 Wheel Tractor Scrapers, 706 and SEM3090F Truck, 725, 730, 735 and 760 Articulated Truck, 824, 824K, 834 and 834K Wheel Type Tractors, 825, 825K, 826, 826K, 836 and 836K Compactor, 834, 950L, 966, 966L, 966M, 972, 972L, 972M, 980, 980L, 980M, 982, 982M, 986, 986K, 988 and 988K Wheel Loader, 973 and 973K Track Loader, C13 and C15 Engine-General Platform, C13 Engine-General Platform (C13), C15 Engine-General Platform (C15), C18 Engine-General Platform (C18), C9.3 Engine-General Platform (C9), D6, D6R, D6T, D7, D8, D8T and SEM832F Track Type Tractor, MH3260 Material Handler, PL83 and PL87 Pipelayer, PM3, PM310, PM312, PM313, PM6, PM8, PM820, PM822, PM825, RM400, RM600 and RM800 Paving Equipment.
- NHL: 650-1288 INSTL GP-ENGINE, 649-9439 CONVERSION KT, 620-5658 HOUSING AS-FUEL, 569-3397 HOUSING AS-FUEL, 620-5653 HOUSING AS-FUEL, 420-6512 HOUSING AS-FUEL

Sales Models	Serial Number Prefix
D6, D6XE	6A4, 6B2, 6B4, 6G4, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, EDL, ES9, GZ9, HFE, HLY, HMM, HNK, HR9, HZL, JJ6, KD5, KEW, KKD, KMT, KTW, LB5, LB7, LF9, LNC, LRG, PVD, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC, XMM, ZMA

REPAIR & REBUILD - MAINTENANCE »



563-7917 Drain Kit-Fuel Water Separator

- Fuel/Water separator drain kit
- Description: The Kit Fuel Separator Drain is used to remove water and other contaminants from the fuel unit of equipment. Fuel Filter and Water Separator Drain typically includes a drain valve made up of plastic material, a hose, a seal made up of fluorocarbon rubber material, and a snap knob made up of zytel plastic material. These are used to drain water and other contaminants from the fuel filter and water separator. It can withstand extreme temperatures and harsh environmental conditions.
- Attributes:
 - Provide a reliable and leak-free seal, ensuring efficient operation of the Fuel Priming Pump
 - Manufactured to precise specifications and are built for durability and reliability
- Applications: The Kit Fuel Separator Drain is used to prevent damage to the engine and Fuel Priming Pump, this is widely used in Cat 120K, 12K, 12M, 14, 140, 140K, 140M, 14M, 150, 16, 160, 160K, 160M, 16M, 18 and 18M Motor Grader, 1706D, C18, C9.3 and C9.3B Engine (Piston), 336, 340, 345, 349, 350, 352, 355, 373, 374, 395 and 568 Excavators, 521 and 522 Tree Harvester, 657 Wheel Tractor Scrapers, 706 and SEM3090F Truck, 725, 730, 735 and 760 Articulated Truck, 824, 824K, 834 and 834K Wheel Type Tractors, 825, 825K, 826, 826K, 836 and 836K Compactor, 834, 950, 950L, 950M, 962L, 962M, 966, 966L, 966M, 972, 972L, 972M, 980, 980L, 980M, 982, 982M, 986, 986K, 988 and 988K Wheel Loader, 973 and 973K Track Loader, C13 and C15 Engine-General Platform, C13 Engine-General Platform (C13), C15 Engine-General Platform (C15), C18 Engine-General Platform (C18), C9.3 Engine-General Platform (C9), D6, D6T, D7, D8, D8T and SEM832F Track Type Tractor, MH3260 Material Handler, PL83 and PL87 Pipelayer, PM3, PM310, PM312, PM313, PM6, PM8, PM820, PM822, PM825, RM400, RM600 and RM800 Paving Equipment.

Sales Models	Serial Number Prefix
D6, D6XE	6A4, 6B2, 6B4, 6G4, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, EDL, ES9, GZ9, HFE, HLY, HMY, HNK, HR9, HZL, JJ6, KD5, KEW, KKD, KMT, KTW, LB5, LB7, LF9, LNC, LRG, PVD, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC, XMM, ZMA


REPAIR & REBUILD - MAINTENANCE »



604-7669 Fuel Cap Breather Kit

- Fuel Cap Replacement Kit - Fuel Breather, seal, and mounting
- NHL: 597-4208 CAP-FUEL

Sales Models	Serial Number Prefix
D6, D6GC, D6R II, D6T, D6XE	6A4, 6B2, 6B4, 6G4, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, DJG, EDL, ES9, GCT, GZ9, HFE, HLY, HMH, HNK, HR9, HZL, JHB, JJ6, KD5, KEW, KJL, KKD, KMT, KTW, LAE, LAY, LB5, LB7, LBD, LF9, LKJ, LNC, LRG, PEZ, PVD, RA9, RBP, RDC, SA9, SG6, SKL, SMC, SSS, TB6, TPL, WCG, WFH, WGY, WH5, WJG, XEC, XMM, XPC, ZMA



499-2990 Lower Guards Kit

- RELEASED TO PROVIDE A LOWER GUARD KIT FOR D6T SO SUPPLIERS CAN SHIP LH & RH GUARD PAIRS IN A SINGLE RETURNABLE CONTAINER.
- NHL: 463-2021 KIT TOLERIE D6TT, 463-2020 KIT TOLERIE D6TT, 448-3455 ENCLOSURE GP-A, 381-6440 ENCLOSURE GP -A, 542-3678 ENCLOSURE GP -B, 387-7931 ENCLOSURE GP -B


Sales Models	Serial Number Prefix
D6T	2B3, 2D2, 7C9, AK7, HYT, JML, JNM, K1R, MB5, MH7, NDY, SGZ

REPAIR & REBUILD - MAINTENANCE »

174-4770 Fleet Roller Kit »

- PROVIDE A BOLT IN FOURTH ROLLER TO ADD TO 118-7211 FAIRLEAD AS ON WINCH ATTACHMENT MACHINE.
- NHL: 118-7213 FAIRLEAD ASSEMBLY, 444-1166 KIT-FLEET ROLLER

Sales Models	Serial Number Prefix
D6, D6R, D6R II, D6T, D6XE	2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 5LN, 6A4, 6B2, 6B4, 6G4, 6JN, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, AAX, ACJ, ADE, AEM, AEP, AFM, AG9, AGM, B72, BLE, BLT, BMJ, BMY, BNC, D5M, DAE, DJG, DMP, EDL, ES9, GCT, GZ9, HFE, HLY, HMH, HNK, HR9, HYT, HZL, JHB, JJ6, JML, JNM, KD5, KEW, KJL, KKD, KMT, KTW, LAY, LB5, LB7, LF9, LNC, LRG, MB5, MH7, NDY, PVD, RA9, RBP, RDC, SA9, SG6, SKL, SMC, TB6, TPL, WCG, WFH, WGY, WH5, XEC, XMM, ZMA

Components			
	3K-3963: 83.2mm Inner Diameter Tapered Roller Bearing Cup Quantity: 2		5M-6667: 1 1/2"-12 Cone Lock Nut Quantity: 1
	118-5803: Track Roller Dust Guard Quantity: 2		120-7536: Fairlead Roller Spacer Quantity: 1
	118-6604: SHAFT A Quantity: 1		119-2174: Tapered Roller Cone Bearing Quantity: 2
	3B-8489: 1/8-27 PTF Hex Head Special Grease Fitting Adapter Quantity: 1		8T-9383: 1/2"-13 x 3/4" Hex Head Bolt Quantity: 1
			124-0763: ROLLER Quantity: 1
			119-2211: Track Roller Shaft Washer Quantity: 1


REPAIR & REBUILD - HARDWARE KITS »



185-2658 Hardware Kit For Alternator

- NHL: 566-9549 ALTERNATOR GP, 561-2986 ALTERNATOR GP, 561-3000 ALTERNATOR GP, 561-2998 ALTERNATOR GP, 561-2999 ALTERNATOR GP, 561-3001 ALTERNATOR GP, 185-5294 ALTERNATOR GP
- Description: Cat hardware kits allow field service repair or replacement of alternator assemblies on Cat heavy-equipment. Quality you expect for your rugged work environment.
- Attributes: Kit includes bolts, washers and lockwashers.
- Applications: Consult your owners manual or contact your local Cat Dealer for more information.

Sales Models	Serial Number Prefix
D6, D6GC, D6R, D6R II, D6T	2YN, 3ZN, 4MN, 4TR, 5LN, 5RR, 6A4, 6FR, 6G4, 6GR, 6HR, 6JN, 6L4, 6M4, 6MR, 6N4, 7GR, 7KN, 8LN, 8TM, 9PN, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AGM, BLE, BLT, BMJ, BMK, BMY, BNC, BNL, BPM, BPP, BPS, BPZ, BRE, BRJ, BRZ, CAD, DAE, DJG, DMP, FDT, GCT, JHB, JWD, KJL, LAE, LAY, LBD, LKJ, PEZ, RLW, S6Y, SKL, SMC, SSS, WCG, WFH, WJG, XPC, ZEB



199-7891 Terminal Kit

- Cat® Terminal Kit
- NHL: 566-9549 ALTERNATOR GP, 561-2986 ALTERNATOR GP, 561-3000 ALTERNATOR GP, 561-2998 ALTERNATOR GP, 561-2999 ALTERNATOR GP, 561-3001 ALTERNATOR GP, 185-5294 ALTERNATOR GP
- Description: Cat terminal kits allow field service repair or replacement of alternator systems. Quality you expect for your rugged work environment.
- Attributes: Kit includes insulators, washers, nut and step nut.
- Application: For field service and repair of alternator assemblies on Cat engine. Consult your owner's manual or contact your local Cat Dealer for more information.

Sales Models	Serial Number Prefix
D6, D6GC, D6R, D6R II, D6T	2YN, 3ZN, 4MN, 4TR, 5LN, 5RR, 6A4, 6FR, 6G4, 6GR, 6HR, 6JN, 6L4, 6M4, 6MR, 6N4, 7GR, 7KN, 8LN, 8TM, 9PN, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AGM, BLE, BLT, BMJ, BMK, BMY, BNC, BNL, BPM, BPP, BPS, BPZ, BRE, BRJ, BRZ, CAD, DAE, DJG, DMP, FDT, GCT, JHB, JWD, KJL, LAE, LAY, LBD, LKJ, PEZ, RLW, S6Y, SKL, SMC, SSS, WCG, WFH, WJG, XPC, ZEB

REPAIR & REBUILD - HARDWARE KITS »



199-8436 Terminal Kit

- Cat® Terminal Kit
- NHL: 566-9549 ALTERNATOR GP, 561-2986 ALTERNATOR GP, 561-3000 ALTERNATOR GP, 561-2998 ALTERNATOR GP, 561-2999 ALTERNATOR GP, 561-3001 ALTERNATOR GP, 185-5294 ALTERNATOR GP
- Description:Kits provide easy field service, repair, or replacement of heavy-duty equipment systems and components.
- Attributes:Kit includes holder Assembly, plate, insulator, pin, bolt Kit, grommet and nut.
- Application:Consult your owners manual or contact your local Cat dealer for more information.

Sales Models	Serial Number Prefix
D6, D6GC, D6R, D6R II, D6T	2YN, 3ZN, 4MN, 4TR, 5LN, 5RR, 6A4, 6FR, 6G4, 6GR, 6HR, 6JN, 6L4, 6M4, 6MR, 6N4, 7GR, 7KN, 8LN, 8TM, 9PN, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AGM, BLE, BLT, BMJ, BMK, BMY, BNC, BNL, BPM, BPP, BPS, BPZ, BRE, BRJ, BRZ, CAD, DAE, DJG, DMP, FDT, GCT, JHB, JWD, KJL, LAE, LAY, LBD, LKJ, PEZ, RLW, S6Y, SKL, SMC, SSS, WCG, WFH, WJG, XPC, ZEB

REPAIR & REBUILD - HARDWARE KITS »

178-2209 Fastener Kit; Inch, Coarse Thread



- Inch-Coarse Fastener Kit, 4 Sizes, 7 Assorted Lengths, 27 Part Numbers, 512 Pieces, Phosphate and Oil Coating
- Description: Cat® General Use Fastener kits provide maximum convenience to commonly used fastener sizes, reducing the need to order individual fastener components. The kit is supplied in a well-organized, rugged steel container with individual compartments and can be latched for storage and contamination protection.
- Attributes: Cat® Fasteners are produced according to specific material and coating requirements to form an uncompromised bolted joint system on Cat engines and machines to provide reliable performance in the most demanding applications. Cat Fasteners are your best solution for your Cat hardware and other mobile equipment Fastener and Hardware needs. Protect your investment with Genuine Cat Fasteners.
- Application: Fasteners are used in bolted joints throughout Cat engines and machines.

Part Number	Contains	Pieces
178-2209	27 Part Numbers	512

Sales Models	Serial Number Prefix
D6, D6E, D6GC, D6R, D6R II	05R, 08U, 09U, 1RW, 2HM, 2MJ, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, 9ZS, AAX, ADE, AEM, AEP, AFM, AGM, BLE, BLT, BMJ, BMK, BMY, BNC, BNL, BPM, BPS, BPZ, BRE, BRJ, BRZ, CAD, DAE, DMP, FDT, WJG, XPC

178-2209 Kit Contents								
Part Number	Part Description	Qty	Part Number	Part Description	Qty	Part Number	Part Description	Qty
0S-1585	Bolt	10	1A-5822	Bolt	10	5M-2894	Washer-Hard	48
0S-1594	Bolt	8	1A-9579	Bolt	10	5P-0537	Washer-Hard	40
0S-1616	Bolt	8	1B-2714	Bolt	8	5P-8245	Washer-Hard	38
0S-1618	Bolt	8	1D-4540	Bolt	10	5S-0003	Nut-Hex	38
0S-1621	Bolt	8	1F-7958	Nut-Hex	38	8B-2377	Bolt	8
165-3929	Bolt-Hex Head	10	245-3804	Bolt-Hex Head	10	9F-7022	Bolt	8
165-3932	Bolt-Hex Head	10	261-5615	Bolt-Hex Head	10	9M-1974	Washer-Hard	38
165-3935	Bolt-Hex Head	10	2B-2694	Bolt	10	9S-8750	Nut-Hex	40
1A-1460	Bolt	10	4B-9365	Bolt	8	9S-8752	Nut-Hex	58

REPAIR & REBUILD - HARDWARE KITS »

178-2210 Fastener Kit - Inch Coarse



- Inch-Coarse Fastener Kit, 5 Sizes, 7 Assorted Lengths, 34 Part Numbers, 934 Pieces, Phosphate and Oil Coating
- Description: Cat® General Use Fastener kits provide maximum convenience to commonly used fastener sizes, reducing the need to order individual fastener components. The kit is supplied in a well-organized, rugged steel container with individual compartments and can be latched for storage and contamination protection.
- Attributes: Cat® Fasteners are produced according to specific material and coating requirements to form an uncompromised bolted joint system on Cat engines and machines to provide reliable performance in the most demanding applications. Cat Fasteners are your best solution for your Cat hardware and other mobile equipment Fastener and Hardware needs. Protect your investment with Genuine Cat Fasteners.
- Application: Fasteners are used in bolted joints throughout Cat engines and machines.

Part Number	Contains	Pieces
178-2210	34 Part Numbers	934

Sales Models	Serial Number Prefix
D6, D6E, D6GC, D6R, D6R II	08U, 09U, 1RW, 2HM, 2MJ, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, 9ZS, AAX, ADE, AEM, AFM, AGM, BLE, BLT, BMJ, BMK, BMY, BNC, BNL, BPM, BPS, BPZ, BRJ, BRZ, CAD, DMP, FDT, WJG, XPC

178-2209 Kit Contents								
Part Number	Part Description	Qty	Part Number	Part Description	Qty	Part Number	Part Description	Qty
0S-1585	Bolt	10	1A-5822	Bolt	10	3S-1546	Nut-Hex	40
0S-1594	Bolt	8	1A-9579	Bolt	10	4F-5192	Bolt	10
0S-1618	Bolt	8	1D-4540	Bolt	10	5M-2894	Washer-Hard	58
0S-1621	Bolt	8	1D-4703	Bolt	10	5P-8244	Washer-Hard	40
0T-0319	Bolt	10	1F-7958	Nut-Hex	38	5P-8245	Washer-Hard	38
0T-0772	Bolt	10	241-1855	Bolt-Hex Head	10	5S-0003	Nut-Hex	38
165-3929	Bolt-Hex Head	10	245-3804	Bolt-Hex Head	10	657-9238	Box AS-Utility	1
165-3932	Bolt-Hex Head	10	261-5615	Bolt-Hex Head	10	9M-1974	Washer-Hard	38
165-3935	Bolt-Hex Head	10	2B-2694	Bolt	10	9S-8752	Nut-Hex	58

REPAIR & REBUILD - HARDWARE KITS »

178-2211 Fastener Kit - Metric Coarse



- Metric-Coarse Fastener Kit, 5 Sizes, 9 Assorted Lengths, 32 Part Numbers, 630 Pieces, Phosphate and Oil Coating
- Description: Cat® General Use Fastener kits provide maximum convenience to commonly used fastener sizes, reducing the need to order individual fastener components. The kit is supplied in a well-organized, rugged steel container with individual compartments and can be latched for storage and contamination protection.
- Attributes: Cat® Fasteners are produced according to specific material and coating requirements to form an uncompromised bolted joint system on Cat engines and machines to provide reliable performance in the most demanding applications. Cat Fasteners are your best solution for your Cat hardware and other mobile equipment Fastener and Hardware needs. Protect your investment with Genuine Cat Fasteners.
- Application: Fasteners are used in bolted joints throughout Cat engines and machines.

Part Number	Contains	Pieces
178-2211	32 Part Numbers	630

Sales Models	Serial Number Prefix
D6, D6R, D6R II, D6T, D6XE	2B3, 2D2, 6HR, 6JN, 7C9, 7DR, 7KN, 8XN, 9MN, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AG9, AGM, AK7, B72, BLE, BLT, BMJ, BMK, BMY, BNC, BNL, BPM, BPP, BPS, BPZ, BRE, BRJ, BRZ, CAD, D5M, DAE, DJG, ES9, FDT, GCT, GZ9, HFE, HLY, HMM, HNK, HR9, HYT, HZL, JHB, JJ6, JML, JNM, JWD, K1R, KD5, KEW, KJL, KMT, KTW, LAE, LAY, LB5, LBD, LF9, LKJ, LNC, LRG, MB5, MH7, NDY, PEZ, RA9, RBP, RDC, RLW, S6T, S6X, S6Y, SA9, SG6, SGZ, SKL, SMC, SSS, TB6, TPL, WCG, WFH, WGY, WH5, XEC, ZEB

178-2209 Kit Contents								
Part Number	Part Description	Qty	Part Number	Part Description	Qty	Part Number	Part Description	Qty
178-3707	Bolt-Hex Head	8	6V-3940	Bolt-Hex Head	10	6V-8197	Bolt	10
290-7296	Bolt-Hex Head	8	6V-4248	Bolt	10	6V-8214	Bolt-Hex Head	8
291-5203	Bolt-Hex Head	10	6V-4249	Bolt-Hex Head	10	6V-8225	Nut-Hex	32
2Y-5829	Nut-Hex	60	6V-5217	Bolt-Hex Head	10	6V-8837	Bolt-Hex Head	8
5P-7970	Nut-Hex	48	6V-5219	Bolt-Hex Head	10	8T-0281	Bolt-Hex Head	8
5P-8245	Washer-Hard	48	6V-5230	Bolt-Hex Head	10	8T-0639	Bolt-Hex Head	8
657-9243	Box AS-Utility	1	6V-5696	Bolt	10	8T-0640	Bolt-Hex Head	8
6V-1820	Bolt	10	6V-5839	Washer-Hard	60	8T-1757	Nut-Hex	24
6V-2317	Bolt-Hex Head	10	6V-6317	Bolt	10	9M-1974	Washer-Hard	48
6V-3668	Bolt	10	6V-7673	Bolt-Hex Head	10	9X-8267	Washer-Hard	32
6V-3823	Bolt-Hex Head	10	6V-8149	Nut-Hex	48	9X-8268	Washer	24

REPAIR & REBUILD - HARDWARE KITS »



482-0762 Nut Kit

- NHL: 627-9148 VALVE GP-SOL, 647-1103 VALVE GP, 514-9088 VALVE GP-BANK 13, 552-3141 VALVE GP-BANK-5, 514-9090 VALVE GP-BANK-5, 498-3172 VALVE GP-BANK 5

Sales Models	Serial Number Prefix
D6, D6XE	6A4, 6B2, 6B4, 6G4, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, EDL, ES9, GZ9, HFE, HLY, HMH, HNK, HR9, HZL, JJ6, KD5, KEW, KKD, KMT, KTW, LB5, LB7, LF9, LNC, LRG, PVD, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC, XMM, ZMA

REPAIR & REBUILD - HARDWARE KITS »

606-0855 Washer Kit - Large Sizes



- Washer Kit: 7 Sizes, 7 Assorted Thicknesses, 10 Part Numbers, 150 Pieces, Hard Washers, Zinc Flake Coating
- Description: Cat® General Use Fastener kits provide maximum convenience to commonly used fastener sizes, reducing the need to order individual fastener components. The kit is supplied in a well-organized, rugged plastic container with individual compartments and can be latched for storage and contamination protection.
- Attributes: Cat® Fasteners are produced according to specific material and coating requirements to form an uncompromised bolted joint system on Cat engines and machines to provide reliable performance in the most demanding applications. Cat Fasteners are your best solution for your Cat hardware and other mobile equipment Fastener and Hardware needs. Protect your investment with Genuine Cat Fasteners.
- Application: Fasteners are used in bolted joints throughout Cat engines and machines.

Part Number	Contains	Pieces
606-0855	10 Part Numbers	150

Sales Models	Serial Number Prefix
D6, D6GC, D6R, D6R II, D6T, D6XE	1RW, 2B3, 2D2, 2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6HR, 6JN, 6MR, 7AR, 7C9, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, 9ZS, AAX, ACJ, ADE, AEM, AEP, AFM, AG9, AGM, AK7, B72, BLE, BLT, BMJ, BMK, BMY, BNC, BNL, BPM, BPP, BPS, BPZ, BRE, BRJ, BRZ, CAD, D5M, DAE, DJG, DMP, ES9, FDT, GCT, GZ9, HFE, HLY, HMH, HNK, HR9, HYT, HZL, JHB, JJ6, JML, JNM, JWD, K1R, KD5, KEW, KJL, KMT, KTW, LAE, LAY, LB5, LBD, LF9, LKJ, LNC, LRG, MB5, MH7, NDY, PEZ, RA9, RBP, RDC, RLW, S6T, S6X, S6Y, SA9, SG6, SGZ, SKL, SMC, SSS, TB6, TPL, WCG, WFH, WGY, WH5, WJG, XEC, XPC, ZEB

178-2209 Kit Contents								
Part Number	Part Description	Qty	Part Number	Part Description	Qty	Part Number	Part Description	Qty
198-4778	Washer-Hard	4	5P-1076	Washer-Hard	20	8T-4223	Washer-Hard	20
198-4780	Washer-Hard	4	657-9259	Box AS-Utility	1	9X-8257	Washer-Hard	20
198-4781	Washer-Hard	4	8T-4123	Washer-Hard	20	9X-8258	Washer-Hard	10
267-3507	Washer-Hard	4	8T-4167	Washer-Hard	20			

REPAIR & REBUILD - HARDWARE KITS »

606-0849 Washer Kit - Small Sizes



- Washer Kit: 6 Sizes, 6 Assorted Thicknesses, 9 Part Numbers, 150 Pieces, Hard Washers, Zinc Flake Coating
- Description: Cat® General Use Fastener kits provide maximum convenience to commonly used fastener sizes, reducing the need to order individual fastener components. The kit is supplied in a well-organized, rugged plastic container with individual compartments and can be latched for storage and contamination protection.
- Attributes: Cat® Fasteners are produced according to specific material and coating requirements to form an uncompromised bolted joint system on Cat engines and machines to provide reliable performance in the most demanding applications. Cat Fasteners are your best solution for your Cat hardware and other mobile equipment Fastener and Hardware needs. Protect your investment with Genuine Cat Fasteners.
- Application: Fasteners are used in bolted joints throughout Cat engines and machines.

Part Number	Contains	Pieces
606-0849	9 Part Numbers	150

Sales Models	Serial Number Prefix
D6, D6E, D6GC, D6R, D6R II, D6T, D6XE	1RW, 2B3, 2D2, 2HM, 2MJ, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7C9, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, 9ZS, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AG9, AGM, AK7, B72, BLE, BLT, BMJ, BMK, BMY, BNC, BNL, BPM, BPP, BPS, BPZ, BRE, BRJ, BRZ, CAD, D5M, DAE, DJG, DMP, ES9, FDT, GCT, GZ9, HFE, HLY, HMH, HNK, HR9, HYT, HZL, JHB, JJ6, JML, JNM, JWD, K1R, KD5, KEW, KJL, KMT, KTW, LAE, LAY, LB5, LBD, LF9, LKJ, LNC, LRG, MB5, MH7, NDY, PEZ, RA9, RBP, RDC, RLW, S6T, S6X, S6Y, SA9, SG6, SGZ, SKL, SMC, SSS, TB6, TPL, WCG, WFH, WGY, WH5, WJG, XEC, XPC, ZEB

178-2209 Kit Contents								
Part Number	Part Description	Qty	Part Number	Part Description	Qty	Part Number	Part Description	Qty
198-4777	Washer-Hard	4	657-9258	Box AS-Utility	1	8T-4224	Washer-Hard	20
198-4778	Washer-Hard	4	7X-7729	Washer-Hard	20	9X-8256	Washer	20
5P-1076	Washer-Hard	20	8T-4121	Washer-Hard	20			
5P-4116	Washer-Hard	20	8T-4223	Washer-Hard	20			

REPAIR & REBUILD - SEAL KITS »

446-1389 Control Valve Seal Kit



- Cat® Check Valve Seal Kit serves as a collection of seals designed to prevent leakage and ensure the proper functioning of check valves in the hydraulic unit
- NHL: 456-1845 VALVE GP-CONTROL, 449-1578 VALVE GP-CONT -A, 511-0073 VALVE GP-SOL, 486-2996 VALVE GP-CHECK-E, 486-6215 VALVE GP-SOL, 515-9417 VALVE GP-MANUAL, 490-1214 VALVE GP-SOL, 446-1456 VALVE GP-RLF -A, 446-1425 VALVE GP-CONTROL, 456-1844 VALVE GP-CONTROL, 453-5257 VALVE GP-SOL, 456-1827 VALVE GP-MTG&, 449-1579 VALVE GP-CONT -A, 456-1796 VALVE GP-SOL, 479-0616 VALVE GP-CONTROL
- The Check Valve Seal Kit offers a convenient and comprehensive solution for the upkeep and repair of check valves. By providing the necessary seals and gaskets, the kit aims to prevent issues such as leaks and wear, ensuring the reliable and efficient operation of check valves in fluid systems. This contributes to the longevity of the valves and helps maintain the integrity of fluid flow in the intended direction.
- Attributes:
 - Ensures proper sealing to prevent hydraulic fluid leaks.
 - Maintains effective hydraulic pressure regulation and control.
 - Corrosion-resistant materials contribute to extended service life.
- Applications: The Check Valve Seal Kit ensures the longevity and efficiency of check valve performance by addressing wear and tear, leaks, and potential issues related to the sealing mechanism.

Part Number	Contains	Pieces
446-1389	2 Part Numbers	2

Sales Models	Serial Number Prefix
D6, D6T, D6XE	AG9, B72, D5M, DHL, ES9, GZ9, HFE, HLY, HMH, HNK, HR9, HZL, JJ6, KD5, KEW, KMT, KTW, LB5, LF9, LNC, LRG, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC

178-2209 Kit Contents					
Part Number	Part Description	Qty	Part Number	Part Description	Qty
8L-2779	Seal-O-Ring	1	8L-2786	Seal-O-Ring	1

REPAIR & REBUILD - SEAL KITS »



227-5511 Seal Kit

- NHL: 340-1772 VALVE GP-COMP -C, 227-5507 CARTRIDGE AS., 520-4340 VALVE GP-CONTROL, 263-3891 PLUG-CAVITY

Sales Models	Serial Number Prefix
D6T	2B3, HYT, JML, JNM, K1R, MB5, MH7, NDY, SGZ

REPAIR & REBUILD - SEAL KITS »



270-1528 O-Ring Seal Kit (90A Nitrile)


- O-Ring Seal Kit: SAE STOR Fittings, SAE ORFS Fittings, SAE Code 61 Flanges, SAE Code 62 Flanges, 32 Sizes, 570 Seals, Nitrile, 90 Dur
- NHL: 534-0793 SEAL KT, 4C-4782 O-RING KIT, 562-3716 TOOL GP, 607-4243 PARTS KT, 522-4135 TOOL GP
- Description: Cat® General Use O-Ring seal kits provide maximum convenience to commonly used O-ring sizes, reducing the need to order individual seals. The kit is supplied in a well-organized, rugged plastic container with individual compartments and can be latched for storage and contamination protection.
- Attributes: Cat® O-Rings are made from materials that are matched to the fluids, temperatures and pressures found in Cat engines and machines to provide reliable performance in the most demanding applications. Cat O-Rings are your best solution for your Cat O-Ring and other mobile equipment O-Ring needs. Protect your investment with Genuine Cat Seals.
- Application: O-Rings are used in many static and dynamic joints throughout Cat machines and engines.

Part Number	Contains	Pieces
270-1528	32 Part Numbers	570

Sales Models	Serial Number Prefix
D6, D6R, D6R II, D6T, D6XE	1RW, 2B3, 2D2, 2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7C9, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, 9ZS, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AG9, AGM, AK7, B72, BLE, BLT, BMJ, BMK, BMY, BNC, BNL, BPM, BPP, BPS, BPZ, BRE, BRJ, BRZ, CAD, D5M, DAE, DHL, DJG, DMP, ES9, FDT, GCT, GZ9, HFE, HLY, HMH, HNK, HR9, HYT, HZL, JHB, JJ6, JML, JNM, JWD, K1R, KD5, KEW, KJL, KMT, KTW, LAE, LAY, LB5, LBD, LF9, LKJ, LNC, LRG, MB5, MH7, NDY, PEZ, RA9, RBP, RDC, RLW, S6T, S6X, S6Y, SA9, SG6, SGZ, SKL, SMC, SSS, TB6, TPL, WCG, WFH, WGY, WH5, XEC, ZEB

178-2209 Kit Contents								
Part Number	Part Description	Qty	Part Number	Part Description	Qty	Part Number	Part Description	Qty
1J-9671	Seal-O-Ring	20	4J-0523	Seal-O-Ring	15	6V-8397	Seal-O-Ring	20
2M-9780	Seal-O-Ring	20	4J-0524	Seal-O-Ring	15	6V-8398	Seal-O-Ring	20
2S-4078	Seal-O-Ring	20	4J-0525	Seal-O-Ring	10	6V-8400	Seal-O-Ring	20
3D-2824	Seal-O-Ring	20	4J-0526	Seal-O-Ring	10	6V-9746	Seal-O-Ring	20
3J-1907	Seal-O-Ring	20	4J-0527	Seal-O-Ring	10	7J-0204	Seal-O-Ring	20
3J-7354	Seal-O-Ring	20	4J-5140	Seal-O-Ring	20	7J-9108	Seal-O-Ring	20
3K-0360	Seal-O-Ring	20	4J-5267	Seal-O-Ring	20	7M-8485	Seal-O-Ring	20
4J-0519	Seal-O-Ring	15	4J-5477	Seal-O-Ring	20	8T-0315	Seal-O-Ring	20
4J-0520	Seal-O-Ring	15	4K-1388	Seal-O-Ring	20	030-4606	Seal-O-Ring	10
4J-0521	Seal-O-Ring	15	5K-9090	Seal-O-Ring	20	4J-7533	Seal-O-Ring-Stor	20
4J-0522	Seal-O-Ring	15	6K-6307	Seal-O-Ring	20			

REPAIR & REBUILD - SEAL KITS »



270-1539 O-Ring Face Seal Kit (90A Nitrile)

- O-Ring Seal Kit: 8 Sizes, 120 Seals, Nitrile, 90 Duro
- NHL: 534-0793 SEAL KT, 217-0115 LITERATURE GP, 4C-5859 O-RING KIT
- Description: Cat® General Use O-Ring seal kits provide maximum convenience to commonly used O-ring sizes, reducing the need to order individual seals. The kit is supplied in a well-organized, rugged plastic container with individual compartments and can be latched for storage and contamination protection.
- Attributes: Cat® O-Rings are made from materials that are matched to the fluids, temperatures and pressures found in Cat engines and machines to provide reliable performance in the most demanding applications. Cat O-Rings are your best solution for your Cat O-Ring and other mobile equipment O-Ring needs. Protect your investment with Genuine Cat Seals.
- Application: O-Rings are used in many static and dynamic joints throughout Cat machines and engines.


Part Number	Contains	Pieces
270-1539	10	122

Sales Models	Serial Number Prefix
D6, D6GC, D6T, D6XE	AG9, B72, D5M, DHL, ES9, GZ9, HFE, HLY, HMH, HNK, HR9, HZL, JJ6, KD5, KEW, KMT, KTW, LB5, LF9, LNC, LRG, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, WJG, XEC, XPC

178-2209 Kit Contents								
Part Number	Part Description	Qty	Part Number	Part Description	Qty	Part Number	Part Description	Qty
4J-5477	Seal-O-Ring-Orfs	20	6V-8397	Seal-O-Ring-Orfs	20	7J-9108	Seal-O-Ring-Orfs	20
5K-9090	Seal-O-Ring-Orfs	10	6V-8398	Seal-O-Ring-Orfs	20	8T-0315	Seal-O-Ring-Orfs	10
646-5778	Pick-Seal	1	6V-8400	Seal-O-Ring-Orfs	10			
657-9252	Box AS-Utility	1	6V-9746	Seal-O-Ring-Orfs	10			

REPAIR & REBUILD - SEAL KITS »

270-1545 SAE Code 61/62 Flange Seal Kit (90A Nitrile)



- O-Ring Seal Kit: 6 Sizes, 60 Seals, Nitrile, 90 Duro
- NHL: 533-8367 SEAL KT, 9S-3135 SEAL KT-O-RING
- Description: Cat® General Use O-Ring seal kits provide maximum convenience to commonly used O-ring sizes, reducing the need to order individual seals. The kit is supplied in a well-organized, rugged plastic container with individual compartments and can be latched for storage and contamination protection.
- Attributes: Cat® O-Rings are made from materials that are matched to the fluids, temperatures and pressures found in Cat engines and machines to provide reliable performance in the most demanding applications. Cat O-Rings are your best solution for your Cat O-Ring and other mobile equipment O-Ring needs. Protect your investment with Genuine Cat Seals.
- Application: O-Rings are used in many static and dynamic joints throughout Cat machines and engines.


Part Number	Contains	Pieces
270-1545	8 Part Numbers	62

Sales Models	Serial Number Prefix
D6, D6E, D6GC, D6R, D6R II, D6T, D6XE	1RW, 2HM, 2MJ, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, 9ZS, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AG9, AGM, B72, BLE, BLT, BMJ, BMK, BMY, BNC, BNL, BPM, BPP, BPS, BPZ, BRE, BRJ, BRZ, CAD, D5M, DAE, DHL, DMP, ES9, FDT, GCT, GZ9, HFE, HLY, HMM, HNK, HR9, HZL, JJ6, KD5, KEW, KMT, KTW, LAE, LAY, LB5, LF9, LNC, LRG, RA9, RBP, RDC, SA9, SG6, SSS, TB6, TPL, WGY, WH5, WJG, XEC, XPC

178-2209 Kit Contents								
Part Number	Part Description	Qty	Part Number	Part Description	Qty	Part Number	Part Description	Qty
4J-0520	Seal-O-Ring	10	4J-0527	Seal-O-Ring	10	646-5778	Pick-Seal	1
4J-0522	Seal-O-Ring	10	4J-5140	Seal-O-Ring	10	657-9254	Box AS-Utility	1
4J-0524	Seal-O-Ring	10	4J-5267	Seal-O-Ring	10			

REPAIR & REBUILD - SEAL KITS »

271-0459 O-Ring Face Seal Kit (90A Fkm)



- O-Ring Seal Kit: 8 Sizes, 40 Seals, FKM, 90 Duro
- Description: Cat® General Use O-Ring seal kits provide maximum convenience to commonly used O-ring sizes, reducing the need to order individual seals. The kit is supplied in a well-organized, rugged plastic container with individual compartments and can be latched for storage and contamination protection.
- Attributes: Cat® O-Rings are made from materials that are matched to the fluids, temperatures and pressures found in Cat engines and machines to provide reliable performance in the most demanding applications. Cat O-Rings are your best solution for your Cat O-Ring and other mobile equipment O-Ring needs. Protect your investment with Genuine Cat Seals.
- Application: O-Rings are used in many static and dynamic joints throughout Cat machines and engines.


Part Number	Contains	Pieces
271-0459	10 Part Numbers	42

Sales Models	Serial Number Prefix
D6, D6T, D6XE	2D2, 7C9, AG9, B72, D5M, ES9, GCT, GZ9, HFE, HLY, HMM, HNK, HR9, HYT, HZL, JHB, JJ6, JNM, K1R, KD5, KEW, KMT, KTW, LAE, LAY, LB5, LF9, LNC, LRG, MH7, PEZ, RA9, RBP, RDC, SA9, SG6, SMC, TB6, TPL, WGY, WH5, XEC

178-2209 Kit Contents								
Part Number	Part Description	Qty	Part Number	Part Description	Qty	Part Number	Part Description	Qty
228-7088	Seal-O-Ring-Orfs	5	228-7092	Seal-O-Ring-Orfs	5	646-5778	Pick-Seal	1
228-7089	Seal-O-Ring-Orfs	5	228-7093	Seal-O-Ring-Orfs	5	657-9255	Box AS-Utility	1
228-7090	Seal-O-Ring-Orfs	5	228-7094	Seal-O-Ring-Orfs	5			
228-7091	Seal-O-Ring-Orfs	5	228-7095	Seal-O-Ring-Orfs	5			

REPAIR & REBUILD - SEAL KITS »

603-3605 O-Ring Seal Kit (90A Nitrile)



- O-Ring Seal Kit: 16 Sizes, 150 Seals, Nitrile, 90 Duro
- Description: Cat® General Use O-Ring seal kits provide maximum convenience to commonly used O-ring sizes, reducing the need to order individual seals. The kit is supplied in a well-organized, rugged plastic container with individual compartments and can be latched for storage and contamination protection.
- Attributes: Cat® O-Rings are made from materials that are matched to the fluids, temperatures and pressures found in Cat engines and machines to provide reliable performance in the most demanding applications. Cat O-Rings are your best solution for your Cat O-Ring and other mobile equipment O-Ring needs. Protect your investment with Genuine Cat Seals.
- Application: O-Rings are used in many static and dynamic joints throughout Cat machines and engines.


Part Number	Contains	Pieces
603-3605	18 Part Numbers	152

Sales Models	Serial Number Prefix
D6, D6E, D6GC, D6R, D6R II, D6T, D6XE	1RW, 2B3, 2D2, 2HM, 2MJ, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7C9, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, 9ZS, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AG9, AGM, AK7, B72, BLE, BLT, BMJ, BMK, BMY, BNC, BNL, BPM, BPP, BPS, BPZ, BRE, BRJ, BRZ, CAD, D5M, DAE, DJG, DMP, ES9, FDT, GCT, GZ9, HFE, HLY, HMM, HNK, HR9, HYT, HZL, JHB, JJ6, JML, JNM, JWD, K1R, KD5, KEW, KJL, KMT, KTW, LAE, LAY, LB5, LBD, LF9, LKJ, LNC, LRG, MB5, MH7, NDY, PEZ, RA9, RBP, RDC, RLW, S6T, S6X, S6Y, SA9, SG6, SGZ, SKL, SMC, SSS, TB6, TPL, WCG, WFH, WGY, WH5, WJG, XEC, XPC, ZEB

178-2209 Kit Contents								
Part Number	Part Description	Qty	Part Number	Part Description	Qty	Part Number	Part Description	Qty
2M-9780	Seal-O-Ring-Stor	6	4J-0522	Seal-O-Ring	10	657-9257	Box AS-Utility	1
3D-2824	Seal-O-Ring-Stor	5	4J-0524	Seal-O-Ring	10	6V-8397	Seal-O-Ring-Orfs	14
3J-1907	Seal-O-Ring-Stor	15	4J-0527	Seal-O-Ring	10	6V-8398	Seal-O-Ring-Orfs	10
3J-7354	Seal-O-Ring-Stor	5	4J-5267	Seal-O-Ring	10	6V-9746	Seal-O-Ring-Orfs	10
3K-0360	Seal-O-Ring-Stor	10	5K-9090	Seal-O-Ring-Orfs	10	7J-0204	Seal-O-Ring	10
4J-0520	Seal-O-Ring	10	646-5778	Pick-Seal	1	7M-8485	Seal-O-Ring-Stor	5

REPAIR & REBUILD - SEAL KITS »

610-1943 SAE Straight Thread O-Ring Seal Kit (90A Nitrile)



- O-Ring Seal Kit: SAE STOR Seals, 13 Sizes, 195 Seals, Nitrile, 90 Duro
- Description: Cat® General Use O-Ring seal kits provide maximum convenience to commonly used O-ring sizes, reducing the need to order individual seals. The kit is supplied in a well-organized, rugged plastic container with individual compartments and can be latched for storage and contamination protection.
- Attributes: Cat® O-Rings are made from materials that are matched to the fluids, temperatures and pressures found in Cat engines and machines to provide reliable performance in the most demanding applications. Cat O-Rings are your best solution for your Cat O-Ring and other mobile equipment O-Ring needs. Protect your investment with Genuine Cat Seals.
- Application: O-Rings are used in many static and dynamic joints throughout Cat machines and engines.

Part Number	Contains	Pieces
610-1943	15 Part Numbers	197

Sales Models	Serial Number Prefix
D6, D6E, D6GC, D6R, D6R II, D6T, D6XE	1RW, 2B3, 2D2, 2HM, 2MJ, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7C9, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, 9ZS, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AG9, AGM, AK7, B72, BLE, BLT, BMJ, BMK, BMY, BNC, BNL, BPM, BPP, BPS, BPZ, BRE, BRJ, BRZ, CAD, D5M, DAE, DJG, DMP, ES9, FDT, GCT, GZ9, HFE, HLY, HMH, HNK, HR9, HYT, HZL, JHB, JJ6, JML, JNM, JWD, K1R, KD5, KEW, KJL, KMT, KTW, LAE, LAY, LB5, LBD, LF9, LKJ, LNC, LRG, MB5, MH7, NDY, PEZ, RA9, RBP, RDC, RLW, S6T, S6X, S6Y, SA9, SG6, SGZ, SKL, SMC, SSS, TB6, TPL, WCG, WFH, WGY, WH5, WJG, XEC, XPC, ZEB

178-2209 Kit Contents								
Part Number	Part Description	Qty	Part Number	Part Description	Qty	Part Number	Part Description	Qty
030-4606	Seal-O-Ring	15	3J-1907	Seal-O-Ring-Stor	15	646-5778	Pick-Seal	1
1J-9671	Seal-O-Ring	15	3J-7354	Seal-O-Ring-Stor	15	657-9260	Box AS-Utility	1
2M-9780	Seal-O-Ring-Stor	15	3K-0360	Seal-O-Ring-Stor	15	6K-6307	Seal-O-Ring	15
2S-4078	Seal-O-Ring	15	4J-7533	Seal-O-Ring-Stor	15	7J-0204	Seal-O-Ring	15
3D-2824	Seal-O-Ring-Stor	15	4K-1388	Seal-O-Ring-Stor	15	7M-8485	Seal-O-Ring-Stor	15

REPAIR & REBUILD - SEAL KITS »

610-1946 SAE Straight Thread O-Ring Seal Kit (90A Fkm)



- O-Ring Seal Kit: SAE STOR Seals, 13 Sizes, 195 Seals, FKM, 90 Duro
- Description: Cat® General Use O-Ring seal kits provide maximum convenience to commonly used O-ring sizes, reducing the need to order individual seals. The kit is supplied in a well-organized, rugged plastic container with individual compartments and can be latched for storage and contamination protection.
- Attributes: Cat® O-Rings are made from materials that are matched to the fluids, temperatures and pressures found in Cat engines and machines to provide reliable performance in the most demanding applications. Cat O-Rings are your best solution for your Cat O-Ring and other mobile equipment O-Ring needs. Protect your investment with Genuine Cat Seals.
- Application: O-Rings are used in many static and dynamic joints throughout Cat machines and engines.


Part Number	Contains	Pieces
610-1946	15 Part Numbers	197

Sales Models	Serial Number Prefix
D6, D6R II, D6T, D6XE	2B3, 2D2, 7C9, AG9, AK7, B72, D5M, DJG, ES9, GCT, GZ9, HFE, HLY, HMM, HNK, HR9, HYT, HZL, JHB, JJ6, JML, JNM, JWD, K1R, KD5, KEW, KJL, KMT, KTW, LAE, LAY, LB5, LBD, LF9, LKJ, LNC, LRG, MB5, MH7, NDY, PEZ, RA9, RBP, RDC, RLW, SA9, SG6, SGZ, SKL, SMC, SSS, TB6, TPL, WCG, WFH, WGY, WH5, XEC, ZEB

178-2209 Kit Contents								
Part Number	Part Description	Qty	Part Number	Part Description	Qty	Part Number	Part Description	Qty
214-7566	Seal-O-Ring-Stor	15	238-5078	Seal-O-Ring-Stor	15	238-5083	Seal-O-Ring-Stor	15
214-7567	Seal-O-Ring-Stor	15	238-5079	Seal-O-Ring-Stor	15	238-5084	Seal-O-Ring-Stor	15
214-7568	Seal-O-Ring-Stor	15	238-5080	Seal-O-Ring-Stor	15	238-5086	Seal-O-Ring-Stor	15
228-7096	Seal-O-Ring-Stor	15	238-5081	Seal-O-Ring-Stor	15	646-5778	Pick-Seal	1
228-7097	Seal-O-Ring-Stor	15	238-5082	Seal-O-Ring-Stor	15	657-9263	Box AS-Utility	1

REPAIR & REBUILD - SEAL KITS »

610-1950 O-Ring Face Seal Kit (90A Fkm)



- O-Ring Seal Kit: ORFS Seals, 8 Sizes, 120 Seals, FKM, 90 Duro
- Description: Cat® General Use O-Ring seal kits provide maximum convenience to commonly used O-ring sizes, reducing the need to order individual seals. The kit is supplied in a well-organized, rugged plastic container with individual compartments and can be latched for storage and contamination protection.
- Attributes: Cat® O-Rings are made from materials that are matched to the fluids, temperatures and pressures found in Cat engines and machines to provide reliable performance in the most demanding applications. Cat O-Rings are your best solution for your Cat O-Ring and other mobile equipment O-Ring needs. Protect your investment with Genuine Cat Seals.
- Application: O-Rings are used in many static and dynamic joints throughout Cat machines and engines.

Part Number	Contains	Pieces
610-1950	10 Part Numbers	122

Sales Models	Serial Number Prefix
D6, D6T, D6XE	2D2, 7C9, AG9, B72, D5M, ES9, GCT, GZ9, HFE, HLY, HMH, HNK, HR9, HYT, HZL, JHB, JJ6, JNM, K1R, KD5, KEW, KMT, KTW, LAE, LAY, LB5, LF9, LNC, LRG, MH7, PEZ, RA9, RBP, RDC, SA9, SG6, SMC, TB6, TPL, WGY, WH5, XEC

178-2209 Kit Contents								
Part Number	Part Description	Qty	Part Number	Part Description	Qty	Part Number	Part Description	Qty
228-7088	Seal-O-Ring-Orfs	15	228-7092	Seal-O-Ring-Orfs	15	646-5778	Pick-Seal	1
228-7089	Seal-O-Ring-Orfs	15	228-7093	Seal-O-Ring-Orfs	15	657-9265	Box AS-Utility	1
228-7090	Seal-O-Ring-Orfs	15	228-7094	Seal-O-Ring-Orfs	15			
228-7091	Seal-O-Ring-Orfs	15	228-7095	Seal-O-Ring-Orfs	15			

REPAIR & REBUILD - SEAL KITS »

610-1951 SAE Code 61/62 Flange Seal Kit (90A Nitrile)



- O-Ring Seal Kit: SAE Code 61 & 62 Flanges, 10 Sizes, 150 Seals, Nitrile, 90 Duro
- Description: Cat® General Use O-Ring seal kits provide maximum convenience to commonly used O-ring sizes, reducing the need to order individual seals. The kit is supplied in a well-organized, rugged plastic container with individual compartments and can be latched for storage and contamination protection.
- Attributes: Cat® O-Rings are made from materials that are matched to the fluids, temperatures and pressures found in Cat engines and machines to provide reliable performance in the most demanding applications. Cat O-Rings are your best solution for your Cat O-Ring and other mobile equipment O-Ring needs. Protect your investment with Genuine Cat Seals.
- Application: O-Rings are used in many static and dynamic joints throughout Cat machines and engines.

Part Number	Contains	Pieces
610-1951	12 Part Numbers	152

Sales Models	Serial Number Prefix
D6, D6R, D6R II, D6T, D6XE	1RW, 2HM, 2YN, 3ZN, 4FM, 4HN, 4JR, 4MN, 4TR, 4WR, 5LN, 5PR, 5RR, 6FR, 6GR, 6HR, 6JN, 6MR, 7AR, 7DR, 7GR, 7KN, 8LN, 8TM, 8XN, 9BM, 9MN, 9PN, 9ZS, AAX, ACJ, ADE, AEM, AEP, AFD, AFM, AG9, AGM, BLE, BLT, BMJ, BMK, BMY, BNC, BNL, BPM, BPP, BPS, BPZ, BRE, BRJ, BRZ, CAD, D5M, DAE, DJG, DMP, FDT, GCT, HMM, HR9, JWD, KD5, KTW, LAE, LAY, LB5, LNC, LRG, RA9, RBP, RDC, RLW, SSS, WCG, WFH, WGY, WH5, XEC, ZEB

178-2209 Kit Contents								
Part Number	Part Description	Qty	Part Number	Part Description	Qty	Part Number	Part Description	Qty
117-1266	Seal-O-Ring	15	4J-0524	Seal-O-Ring	15	646-5778	Pick-Seal	1
3E-6703	Seal-O Ring	15	4J-0527	Seal-O-Ring	15	657-9268	Box AS-Utility	1
4J-0520	Seal-O-Ring	15	4J-5140	Seal-O-Ring	15	6J-2680	Seal-O-Ring	15
4J-0522	Seal-O-Ring	15	4J-5267	Seal-O-Ring	15	9X-4611	Seal- O Ring	15

REPAIR & REBUILD - SEAL KITS »

610-1954 D-Ring Seal Kit (90A Fkm)



- O-Ring Seal Kit: Rectangular Seals, 5 Sizes, 50 Seals, FKM, 90 Duro
- Description: Cat® General Use O-Ring seal kits provide maximum convenience to commonly used O-ring sizes, reducing the need to order individual seals. The kit is supplied in a well-organized, rugged plastic container with individual compartments and can be latched for storage and contamination protection.
- Attributes: Cat® O-Rings are made from materials that are matched to the fluids, temperatures and pressures found in Cat engines and machines to provide reliable performance in the most demanding applications. Cat O-Rings are your best solution for your Cat O-Ring and other mobile equipment O-Ring needs. Protect your investment with Genuine Cat Seals.
- Application: O-Rings are used in many static and dynamic joints throughout Cat machines and engines.

Part Number	Contains	Pieces
610-1954	7 Part Numbers	62

Sales Models	Serial Number Prefix
D6, D6T, D6XE	6A4, 6B2, 6B4, 6G4, 6L4, 6M4, 6N4, 6R8, 6S7, 6T3, 6Y6, AG9, B72, D5M, DHL, EDL, ES9, GZ9, HFE, HLY, HML, HNK, HR9, HZL, JJ6, KD5, KEW, KKD, KMT, KTW, LB5, LB7, LF9, LNC, LRG, PVD, RA9, RBP, RDC, SA9, SG6, TB6, TPL, WGY, WH5, XEC, XMM, ZMA

178-2209 Kit Contents								
Part Number	Part Description	Qty	Part Number	Part Description	Qty	Part Number	Part Description	Qty
235-2474	Seal-Rectangular	10	235-2481	Seal-Rectangular	10	657-9271	Box AS-Utility	1
235-2476	Seal-Rectangular	10	235-2482	Seal-Rectangular	10			
235-2480	Seal-Rectangular	10	646-5778	Pick-Seal	1			

NOTES

NOTES

THANK YOU FOR CHOOSING A CAT® D6 TRACK-TYPE TRACTOR.

Cat® D6 TRACK-TYPE TRACTORS offer world-class cab design, easy-to-use controls and advanced electronics and hydraulics to give you optimum productivity for any application. This guide will provide you with a quick reference for the available aftermarket components and the common maintenance parts you need to keep your D6 TRACK-TYPE TRACTOR working hard for you.

AFTERMARKET COMPONENTS

Customize your Cat D6 TRACK-TYPE TRACTOR to fit your needs with a variety of specialized products designed for your industry and application. These features, accessories and attachments help optimize and maintain your machine, so you can get the most out of every use.

COMMON MAINTENANCE PARTS

Preventive maintenance helps extend the life of your machine and protect your investment. Only Cat Parts are made to match your machine’s specific filtration needs, lubrication requirements and exact maintenance cycles. That’s why our parts kits make it easier to maintain your machine and keep it running at peak performance.

LET'S DO THE WORK.™

TEKQ1926
November
2025

© 2025 Caterpillar. All Rights Reserved. CAT, CATERPILLAR, LET'S DO THE WORK, their respective logos, "Caterpillar Corporate Yellow", the "Power Edge" and Cat "Modern Hex" trade dress as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission. VisionLink is a trademark of Caterpillar Inc., registered in the United States and in other countries.

