



# Cat<sup>®</sup> 150

## Motor Grader

*The Cat<sup>®</sup> 150 motor grader delivers serious power for road maintenance, fine grading, and site prep with strong traction and smoother finishes. Now with a lever/steering wheel and joystick steering options, the 150 gives operators precise, comfortable control.*

### Engineered with You in Mind

- Fully redesigned cab – now equipped with a more powerful HVAC system and new ergonomic seat adjustment options delivering superior comfort.
- Optional integrated rear and front cameras, immersive 360° vision, and smart People Detect technology help you stay aware of your surroundings.
- Enjoy superior sightlines with enhanced visibility from the operator station, giving operators a clearer view around the entire cab.

### Built to Work Smarter

- Deliver more confident power to the ground with a more capable engine with consistent, reliable constant net power.
- Enhanced power and upgraded finishing systems produce smoother and more refined surface quality, even in the most demanding conditions.
- Take on angled grading with greater reliability, thanks to heavier operating weight that holds the blade firm and consistent throughout the job.

### Made for Maximum Output

- Platform choice of joystick control or levers/steering wheel to accommodate operator preference.
- Optional Cat Grade technologies help hit grade faster.
- Expanded capability to easily upgrade attachments.

### Choices

- Make your circle do the work. Lever configurations come with the standard bottom-adjust circle while joystick configurations come with standard top-adjust circle. Upgrade to the High Performance Circle to eliminate hours of planned maintenance and downtime.
- The Next Generation 150 motor grader offers lever and steering wheel configuration or joystick configuration to match operator preference.
- Choose standard or all-wheel drive (AWD) powertrain.
- Increase your productivity and profit with Cat attachments designed to fit the 150 motor grader for improved performance, safety, and stability.



# Cat® 150 Motor Grader

## Standard and Optional Equipment

Standard and optional equipment may vary. Consult your Cat® dealer for details.

	Standard	Optional		Standard	Optional
<b>OPERATOR ENVIRONMENT</b>			<b>SERVICE AND MAINTENANCE</b>		
Cab storage	✓		Engine service light	✓	
Cellphone holder	✓		Extended life coolant	✓	
Cup holder	✓		Grouped location for engine oil and fuel filters	✓	
Heating, ventilation, and air conditioning (HVAC)	✓		Next generation fluid filters	✓	
Lights, dome interior	✓		Service doors, barrel-hinged	✓	
Rollover protective structure (ROPS)/falling objects protective structure (FOPS)	✓		Service doors, lower panel toolless removal	✓	
Seat belt	✓		<b>POWERTRAIN</b>		
Seat, air suspension		✓	Cat C9.3	✓	
Seat, premium heated and ventilated		✓	All-wheel drive (AWD)		✓
Wipers, front upper window, door (LVR)	✓		Cold weather package		✓
Wipers, front, door (JOY)	✓		Eco mode	✓	
Wipers, rear (LVR)		✓	Ecology drain	✓	
Wipers, side windows, rear		✓	Engine idle shutdown	✓	
AM/FM, Bluetooth®, Weatherband		✓	Transmission, 9-speed	✓	
CB radio mount bracket with converter		✓			
Satellite radio		✓			
<b>TECHNOLOGY</b>					
Digital blade slope meter		✓			
Attachment Ready Option (ARO)		✓			
Cross Slope Assist		✓			
Cat® Grade 3D		✓			
RTK corrections radio for Cat Grade with 3D Mastless		✓			
VisionLink™		✓			
Stable Blade		✓			
Rear Vision		✓			
Front Vision		✓			
Surround Vision (360°)		✓			
Surround Vision (360°) with People Detect		✓			
Tire pressure monitoring system (TPMS)		✓			

(continued on next page)

## Standard and Optional Equipment *(continued)*

Standard and optional equipment may vary. Consult your Cat dealer for details.

	Standard	Optional		Standard	Optional
<b>SAFETY</b>			<b>ATTACHMENTS</b>		
Back-up alarm	✓		Angling plow		✓
Grab rails	✓		Brooms		✓
Hydraulic brakes	✓		Counterweight		✓
Hydraulic system – integrated dead engine implement lower	✓		Front blade		✓
Hydraulic system – integrated work port pressure relief	✓		Lift groups		✓
Lockout, manual		✓	Mid-machine scarifier (MMS)		✓
Mirror, rearview	✓		One-way plow		✓
Mirrors, side view		✓	Push block		✓
Mirrors, B-post		✓	Rear ripper/scarifier		✓
Signaling/warning horn	✓		Snow wing		✓
Steering, secondary	✓		Straight plow		✓
			Tow hitch		✓
			U-V plow		✓
			V-plow		✓
			U-V plow		✓
			V-Plow		✓

# Cat® 150 Motor Grader

## Technical Specifications

### Powertrain

Engine Model	Cat® C9.3	
Emissions	Meets Brazil MAR-1 emission standards, equivalent to U.S. EPA Tier 3 and EU Stage IIIA	
Net Engine Power Range	104 - 195 kW	139 - 261 hp
Net Engine Power Range (AWD)	104 - 163 kW	139 - 219 hp
Displacement	9.3 L	567.5 in <sup>3</sup>
Bore	115 mm	4.5 in
Stroke	149 mm	5.9 in
Torque Rise	41%	
Torque Rise (AWD)	35%	
Maximum Torque	1348 N·m	994.2 lbf·ft
Maximum Torque (AWD On)	1359 N·m	1,002.3 lbf·ft
Speed @ Rated Power	2,000 rpm	
Number of Cylinders	6	
Derating Altitude	4500 m	14,764 ft
Derating Altitude (AWD)	3000 m	9,843 ft

- Advertised power is tested per the specified standard in effect at the time of manufacture.
- Net power is tested per ISO 9249, SAE J1349, and 80/1269 standards.
- Net power advertised is the power available at the flywheel when the engine is equipped with fan at minimum speed, air intake system, exhaust system, and alternator.

### Weights

Weight – Lever Configuration, Tandem (Non-AWD)	19 189 kg	42,305 lb
Weight – Lever Configuration, (AWD)	20 176 kg	44,480 lb
Weight – Joystick Configuration, Tandem (Non-AWD)	19 196 kg	42,320 lb
Weight – Joystick Configuration, AWD	20 310 kg	44,776 lb

- Typically equipped operating weight is calculated with push block, transmission guard, rear ripper/scarifier, 14.0R24 tires with multi-piece (MP) rims, and other equipment.

### Moldboard

Width	3657 mm	12.0 ft
Height	609.5 mm	24.0 in
End Bit	449.2 mm	17.7 in
Cutting Edge	152.4 mm	6.0 in
Arc Radius	413 mm	16.3 in
Throat Clearance	125 mm	4.9 in

### Service Refill Capacities

Standard Circle Drive	7 L	1.8 gal
High Performance Circle Drive	9.5 L	2.5 gal
Cooling System	68 L	18.0 gal
Diesel Exhaust Fluid Tank	40 L	10.6 gal
Engine Crankcase	26 L	6.9 gal
Fuel Tank	160 L	42.3 gal
Hydraulic System	123 L	32.5 gal
Tandem Housing (each)	80 L	21.1 gal
Transmission and Differential	60 L	15.9 gal

### Air Conditioning System

- The air conditioning system on this machine contains the fluorinated greenhouse gas refrigerant R134a or R1234yf. See the label or instruction manual for identification of the gas.
  - If equipped with R134a (Global Warming Potential = 1430), the system contains 1.6 kg (3.5 lb) of refrigerant which has a CO<sub>2</sub> equivalent of 2.288 metric tonnes (2.521 tons).

For more complete information on Cat products, dealer services, and industry solutions, visit us on the web at [www.cat.com](http://www.cat.com)

Materials and specifications are subject to change without notice. Featured machines in photos may include additional equipment. See your Cat dealer for available options.

© 2026 Caterpillar. All Rights Reserved. CAT, CATERPILLAR, LET'S DO THE WORK, VisionLink, their respective logos, "Caterpillar Corporate Yellow," the "Power Edge" and Cat "Modern Hex" trade dress as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission.

AEXQ4506-00 (03-2026)  
Build Number 16A  
(Afr-ME, Aus-NZ, China,  
Eurasia, Indonesia,  
Pacific Islands, S Am, SE Asia)

