# TABLE OF CONTENTS



General Information	3
Ordering Information	5
Functions & Measurements	6

#### Kwikset Signature Series

Handlesets	
Levers	
Knobs	
Combo Packs	22
Deadbolts	23

#### Kwikset

Handlesets	
Levers	
Knobs	
Deadbolts	
Combo Pack	
Project Packs	

#### **Electronic Locks**

Halo	
Halo Touch	
Aura	
SmartCode 240	
SmartCode 250	41
SmartCode 260	43
SmartCode 270	45
HomeConnect 620	47
Electronics	

#### **Light Commercial**

Key Control Deadbolt	54
----------------------	----

#### Parts & Accessories

Levers, Knobs & Deadbolts	55
Handlesets & Re-Keying Kit	56
Service Parts Keys, Rekeying Kits & Misc	57
Round Pocket Door Lock	59

## TERMS AND CONDITIONS

#### TERMS AND CONDITIONS OF SALE

Standard terms are 2% prompt payment discount for payment within 25 days from date of invoice; net 30 days from the date of invoice. Kwikset® reserves the right to charge and recover on invoices which are not paid within the above terms, a service charge of 1-1/2% a month for each month or fraction thereof during which the invoice remains unpaid, said service charge, however, not to exceed the highest applicable legal rate of interest. All orders, whether solicited or written by our sales representatives or forwarded by our customers are deemed to be mere offers to purchase in accordance with these Terms and Conditions of Sale until actually accepted by us at our home office in Lake Forest, CA. We reserve the right to refuse any order as well as the right to sell or not sell to any firm at our sole discretion. The acceptance of an order is expressly made conditional upon your assent to these Terms and Conditions of Sale. We object to the inclusion of any different or additional terms or conditions, even if the same are included in your order, a contract of sale will result upon the Terms and Conditions of Sale stated herein only. Prices reflected in this book apply to Wholesale customers only.

All sales are final.

#### PRICES

Pricing based on full-case quantities only; orders for less than full case will be automatically adjusted up to the next full-case quantity. All prices are subject to change without notice and are not guaranteed. All taxes, duties or other charges are the responsibility of the customer.

#### **CLAIMS**

Price claims must be submitted in writing to Kwikset, 19701 Da Vinci, Lake Forest, CA 92610 within 30 days from the date of invoice.

#### **CHANGES OR CANCELLATIONS**

Beyond 5 working days of our acknowledgement date no changes can be made. Additions to an order will be handled as a separate order and must meet applicable minimum order requirements. Order cancellation on regular stock items only, or any portion thereof is allowed only upon prior written consent from Kwikset, and the payment of cancellation charges deemed appropriate.

#### **MINIMUM CHARGE**

No order will be invoiced for less than \$100.00 net plus shipping charges except for lock accessory parts.

#### **MINIMUM ANNUAL SALES VOLUME**

The company reserves the right to discontinue direct sales to any customer who does not meet the minimum annual sales volume requirement. The current annual requirement is \$50,000.00. Your annual purchases are determined by accepted, non-cancelled, and shipped orders received during each calendar year. Kwikset reserves the right to change any or all minimum annual sales volume requirements at any time. Any customer who does not meet the annual sales volume requirements may continue to purchase Kwikset products through a Kwikset distributor.

#### RETURNS

Defective merchandise returned to our factories requires prior written authorization from a Kwikset Sales Rep or the Sales Office. A factory return authorization must accompany the returned shipment. The return authorization must include an itemized listing of the merchandise and an explanation stating the reason for return.

There will be a 20% product restocking fee on all returned merchandise.

#### FREIGHT

All goods are invoiced FOB to our factory. Upon delivery of shipments to the carrier, title to, and the risk of loss or damage in transit for such shipments, passes to our customer. Kwikset's standard policy is to pay freight charges on all orders over \$1,000.00 net invoice value to a single destination in the continental U.S., by carrier and route of our choice. Shipments less than these quantities will not be shipped on a prepaid basis. If higher freight charges are incurred from customers specifying a carrier or route of their choice the additional cost will be added to that customer's invoice.

#### **DELIVERY CONDITIONS**

Shipping schedules are our best estimates, and cannot be guaranteed. Kwikset is not responsible for any direct or consequential loss or damage resulting from an inability or delay in meeting shipping schedules.

#### **KWIKSET LIMITED WARRANTIES**

Kwikset products are backed by one of the most comprehensive warranty programs available. You can feel confident that with the purchase of Kwikset you have selected the best quality product, backed by the best customer service available.

#### **MECHANICAL LIMITED WARRANTY**

Except as otherwise provided below, Spectrum Brands, Inc., for its Kwikset® brand products ("Kwikset"), warrants to the original residential purchaser (the "Purchaser") that each Kwikset product (the "Product(s)" or "Kwikset Product(s)") will be free from mechanical defects under normal use from the date of purchase for as long as said Purchaser occupies the residential premises upon which the Product was originally installed ("Warranty Period"). This Mechanical Limited Warranty applies only to Products that were purchased from Kwikset or a Kwikset authorized seller, unless otherwise prohibited by law. Kwikset Products are legitimately sold only by authorized sellers who are required to follow Kwikset's policies, procedures, and quality control standards. Kwikset reserves the right to reject warranty claims from purchasers for Products purchased from unauthorized sellers, including unauthorized Internet sites.

#### FINISH LIMITED WARRANTY

The finish on Kwikset Products is protected by a durable topcoat designed to maintain the beauty and quality of the Kwikset Product. Kwikset warrants to the Purchaser that the finish of the Product shall be free of defects in material and workmanship from tarnishing, flaking, and discoloring from the date of purchase for as long as said Purchaser occupies the residential premises upon which the Product was originally installed ("Warranty Period"). This Finish Limited Warranty applies only to Products that were purchased from Kwikset or a Kwikset authorized seller, unless otherwise prohibited by law. Kwikset Products are legitimately sold only by authorized sellers who are required to follow Kwikset's policies, procedures, and quality control standards. Kwikset reserves the right to reject warranty claims from purchasers for Products purchased from unauthorized sellers, including unauthorized Internet sites.

#### ELECTRONIC LIMITED WARRANTY

Kwikset warrants to the Purchaser that Kwikset Products will be free from electronic defects under normal use for one (1) year from the date of purchase, as long as said Purchaser occupies the residential premises upon which the Product was originally installed ("Warranty Period"). This Electronic Limited Warranty applies only to Products that were purchased from Kwikset or a Kwikset authorized seller, unless otherwise prohibited by law. Kwikset Products are legitimately sold only by authorized sellers who are required to follow Kwikset's policies, procedures, and quality control standards. Kwikset reserves the right to reject warranty claims from purchasers for Products purchased from unauthorized sellers, including unauthorized Internet sites.

#### **EXCLUSIONS FROM WARRANTY**

1. Any Kwikset Product produced prior to January 1, 2006.1

 Any Kwikset Product which has been damaged as a result of installation contrary to any of Kwikset's written installation instructions is not covered by these warranties.
 Any Kwikset Product which has been modified by any non-Kwikset component is not covered by these warranties.

4. Any Kwikset Product having a defect caused by neglect, misuse, abuse or unreasonable or extraordinary use or maintenance, including use in a commercial application, is not covered by these warranties.

5. Any Kwikset Product having a defect due to use of paints, solvents, or other chemicals is not covered by these warranties.

6. Any Kwikset Product that is used in combination with knobs, levers, or trim of other than those manufactured by Kwikset and designated for use with the applicable locks or latches is not covered by these warranties.

7. Any Kwikset Product that was purchased from an unauthorized seller is not covered by these warranties.

These warranties are not transferable. Therefore, no transferee is covered by these warranties.

<sup>1</sup> Kwikset Products produced prior to January 1, 2006, may be eligible for warranty in accordance with the terms and conditions of the applicable warranty program.

Clear Pack May 2024



## TERMS AND CONDITIONS

#### WARRANTY CLAIMS

If you wish to make a warranty claim based upon a Product defect, please call us at 1-800-327-LOCK (5625) or contact us at kwikset.com/support.

Please note that you will be required to provide a description of any claimed defect(s) and a dated receipt or other proof of purchase from Kwikset or the Kwikset authorized seller, to verify warranty eligibility.

Certain claimed defect(s) covered by these warranties may be resolved by Kwikset providing you with troubleshooting steps.

Other claimed defect(s) covered by these warranties may require Product replacement. Products may not be returned to Kwikset without prior authorization from Kwikset. If authorized by Kwikset, you will need to mail your Product to:

Spectrum Brands, Inc. ATTN: Kwikset Consumer Services 19701 Da Vinci Lake Forest, CA 92610 A prepaid shipping label will be provided to you.

#### REMEDIES

For certain claimed defect(s) covered by these warranties, as determined by Kwikset, Kwikset will provide you with troubleshooting steps.

For other claimed defect(s) covered by these warranties, as determined by Kwikset, Kwikset will replace the defective Product or part.

If a Kwikset Product, which is the same as the Kwikset Product or any part covered by these warranties, has been discontinued at the time of replacement or if Kwikset determines, in its sole discretion, that such replacement is inappropriate, Kwikset reserves the right to substitute an alternative product. Kwikset also reserves the right to accept or reject an alternative product proposed as a replacement, when the value is higher than that of the Product originally purchased by the Purchaser. Except as expressly provided in these warranties to the contrary, KWIKSET SHALL NOT BE OBLIGATED OR LIABLE FOR LABOR OR OTHER COSTS RELATED TO INSTALLATION, REPAIR OR REPLACEMENT OF A KWIKSET PRODUCT, OR FOR LOSS OF, OR DAMAGE TO ANY MATERIAL WHICH IS NOT SOLD BY KWIKSET.

#### PATENT INDEMNITY

We agree to defend any suit or proceeding brought against our customer so far as based on claim that our products, or any part thereof, made solely to our specifications and furnished to our customer constitute an infringement of any U.S. patent, if notified promptly in writing and given authority, information and assistance at our expense for the defense of same, and we shall pay all damages and costs awarded therein against our customer. In case our products, or any part thereof, is in such suit held to constitute infringement and their use is enjoined, we will, at our expense and discretion, either procure for our customer the right to continue using the products or replace same with non-infringing products, or modify them so they become non-infringing, or remove such products and refund the purchase price (less depreciation, prorated from the purchase date). The foregoing states our entire liability for patent infringement by our products or any part thereof.

#### INTELLECTUAL PROPERTY

No person or entity may sell, distribute, advertise, market or promote Kwikset branded products distributed by Kwikset Corporation ("Kwikset"),Spectrum Brands Hardware Home Improvement Division, without prior authorization from Kwikset. Customers of Kwikset who are authorized to sell Kwikset branded products are referred to herein as "Customers."

The Kwikset brand and all Kwikset trademarks, trade names, product depictions, colors, graphics or logos, whether or not registered or otherwise protected (the "Marks"), remain the sole and exclusive property of Kwikset and nothing arising out of the relationship between Kwikset and any Customer conveys to Customer any ownership rights in the Marks. Customer may use the Marks and then only in the sale or promotion of authentic Kwikset products in compliance with the terms of this policy. The Marks must be used exactly in the form provided and in conformity with all Kwikset trademark usage policies or guidelines, including, but not limited to, those relating to shape, color match and imprint quality. Any proposed deviation must be approved in writing by Kwikset prior to use. The Marks may not be used in or as part

of any Customer domain name on the Internet. Prior to any use of the Marks on goods or services, Customer must submit samples for Kwikset's approval.

Additionally, no Customer may use product depictions, graphics, logos or text relating to Kwikset products that have not been provided by Kwikset in connection with the advertising, promotion or sale of Kwikset products without Kwikset's prior review and written approval of each such use. The Marks may not be used in or as part of any reseller or other third party (i) domain name or VRL on the Internet, (ii) trademark or service mark, or (iii) company or trade name. Any action on the part of a Customer that violates the terms of this policy or otherwise impairs the value of or goodwill associated with the Marks or is otherwise not in conformity with Kwikset's standards may result in the suspension or termination of the Customer's authorization or any other remedy permitted by law.

Kwikset grants to each of its Customers limited, non-transferable, non-sublicenseable licenses of the patents relating to the Kwikset products that the Customer is authorized to sell and of the copyrights in any packaging or other written materials included therewith or related thereto. Said patent and copyright licenses are solely to sell such Kwikset products covered by such patents and to which such copyrights relate only to end-users and other Customers in compliance with the terms of this document. The sale of such patented Kwikset products and the sale or use of such copyrighted materials by a Customer that violate the terms of this document exceed the scope of the licenses herein granted to the Customer and may constitute patent and/or copyright infringement.

#### STANDARDS

Kwikset meets or exceeds the testing requirements specified for each product grade or rating.

- American National Standards Institute (ANSI)
- Builders Hardware Manufacturers Association (BHMA)
- Underwriters Laboratories, Inc. (UL)
- Americans with Disabilities Act (ADA)

#### MISCELLANEOUS

Substitution of non-Kwikset components/parts, and any alteration or modification of factory parts, and other lock manufacturer's parts may result in door hardware which does not function properly or will fail and will void all warranties. Orders not specified with keying requirements will be shipped Keyed Differently (KD). Orders with keying requirements of K10 or more must have a "Letter of Release" on file with Kwikset stating that Kwikset Corporation will not be held liable for cost and expense arising from any loss or damage to property utilizing Kwikset products where 10 or more locks have been keyed alike. Contact your Sales Office account representative for a copy of the release form. Kwikset reserves the right to revise or modify products, product information, or pricing without notice. Product specifications and pricing reflect available information at the time of printing. Kwikset is not responsible for typographic or printing errors.

#### LIMITATION OF LIABILITIES


THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THOSE STATED HEREIN. ANY IMPLIED WARRANTIES THAT MAY BE APPLICABLE TO PRODUCTS, INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED IN DURATION TO THE DURATION OF THIS WARRANTY. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU. UNDER NO CIRCUMSTATNCES SHALL KWIKSET BE LIABLE FOR ANY SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES BASED UPON BREACH OF THIS LIMITED WARRANTY, BREACH OF CONTRACT, OR STRICT LIABILITY. SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OF EXCLUSION MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

Effective Date: [July 6th 2020]



#### HANDING

To determine the handing of a door, face the **OUTSIDE** of a door. If the hinge is on the left side of the door, the door is left-handed (LH). If the hinge is on the right side of the door, the door is right-handed (RH).



Note: Handing only required for Dummy Kwikset Signature Series levers.

#### FINISHES

US	Description	BHMA	US	Description	BHMA
L03	Lifetime Polished Brass	605E	26D	Satin Chrome	626
3	Polished Brass	605	514	Matte Black	
5	Antique Brass	609	26	Polished Chrome US	
15	Satin Nickel	619	4	Satin Brass	

#### KEYING


Code K4, K6

Keyed Alike (4 Locksets, 6 Locksets)

Option

#### BACKSET

Backset is the length from center edge of door to center of the  $2^{1/8}$ " (54mm) diameter hole.  $2^{3/8}$ " or  $2^{3/4}$ " in most cases.



#### FUNCTIONS

Model	Description
200/720	Passage/Hall & Closet
300/730	Privacy/Bed & Bath
400/740	Keyed Entry Knob
405/740	Keyed Entry Lever

Model	Description
488/788	Half Dummy Trim, Surface Mounted
553/687/800/818	Single Cylinder Handlesets
815	Handle Grip Only
660/816/980/258	Single Cylinder Deadbolts
665/985	Double Cylinder Deadbolts
240, 250, 260, 270, 938, 939, 959	Electronic Deadbolts

## Clear Pack May 2024



## FUNCTIONS AND MEASUREMENTS

**KWIKSET SIGNATURE SERIES** 

HANDLESET FUNCTIONS

Model

Function

Deadbolt

Description

turn inside.

Handleset with Single Cylinder

Latch bolt operated by thumb piece

when both are locked by key outside


outside and grip inside, except

or turn button inside. Deadbolt

operated by key outside or thumb

553

#### **KWIKSET SIGNATURE SERIES** HANDLESET FUNCTIONS



800/818

#### Function

Handleset with Single Cylinder Deadbolt

#### Description

Latchbolt operated by thumbpiece outside and grip inside. Deadbolt operated by key outside and thumbturn inside.

#### **KWIKSET SIGNATURE SERIES KNOB & LEVER FUNCTIONS**



Passage/Hall/Closet: Both knobs always free. **720** F75



Privacy/Bed/Bath: Both knobs locked or unlocked by turnbutton inside. Outside knob unlocked by emergency key. **730** F76 Entry: Both knobs locked or unlocked by

key outside or turnbutton inside. 740 F82



Half Dummy Trim, Surface Mounted: For doors where only a pull is required. No operation. 788

#### **KWIKSET SIGNATURE SERIES DEADBOLT FUNCTIONS**



Single Cylinder: Deadbolt operated by key outside and thumbturn inside. 980 E0151 / 258



Double Cylinder: Deadbolt operated by key both sides. 985 E0141

Note: ANSI/BHMA functions are listed in italics.

Kwikset Signature Series Packaging Dimensions										
	Unit Height	Unit Width	Unit Length	Unit Weight	Master Height	Master Width	Master Length	Master Weight	Case Qty	
Knobs	9.1	4.6	3.1	1.5	8.4	5.5	13.6	6.5	4	
Levers	9.3	6.2	3.2	2.0	9.8	7.1	13.7	8.65	4	
Contemporary Levers	9.4	6.4	3.1	3.0	9.9	7.2	13.9	12.85	4	
Deadbolts	7.8	4.7	4.2	2.5	8.3	5.5	18.2	8.9	4	
Knob Combo	9.1	7.9	3.0	3.0	9.6	8.7	13.3	12.8	4	
Lever Combo	9.4	9.0	3.0	3.5	9.4	9.0	3.0	14.8	4	
Halifax Combo	9.8	3.4	7.7	5.1	10.4	8.5	15.4	20.5	4	
992 Combo	8.9	9.0	3.0	3.3	9.2	9.7	13.5	14.0	4	
Inactive Knobs	8.7	3.5	3.3	0.3	9.3	4.4	13.3	1.55	4	
Inactive Levers	8.7	3.5	3.3	1.0	9.3	4.4	13.3	2.75	4	
Handlesets	21.6	8.0	5.5	7.0	11.9	8.6	22.2	15.0	2	
Handle Only	16.3	7.3	4.1	4.9	7.9	8.6	16.8	10.4	2	

Note: All dimensions in inches. All weights in pounds and based on maximum weights of each function.

# Kwikset

## Clear Pack May 2024

## FUNCTIONS AND MEASUREMENTS

#### **KWIKSET HANDLESET FUNCTIONS**



#### Model

687

#### Function

Sectional Handleset with Single Cylinder Deadbolt

#### Description

Latchbolt operated by thumbpiece outside and grip inside. Deadbolt operated by key outside and thumbturn inside.


#### Passage/Hall/Closet: Both knobs always free. **200** F75 Privacy/Bed/Bath: Both knobs or levers locked or unlocked by turnbutton inside. Outside knob unlocked by emergency key. 300 F76 Entry: Both knobs or levers locked or unlocked by key outside or turnbutton inside. 400 F82 - 2 knobs 405 F82 - 2 levers Half Dummy Trim, Surface Mounted:



For doors where only a pull is required. No operation. 488

#### **KWIKSET DEADBOLT FUNCTIONS**

**KWIKSET KNOB & LEVER FUNCTIONS** 



Note: ANSI/BHMA functions are listed in italics.

Kwikset Packaging Dimensions										
	Unit Carton Height	Unit Carton Width	Unit Carton Depth	Unit Carton Weight	Master Carton Height	Master Carton Width	Master Carton Depth	Cubic Ft.	Master Carton Weight	Case Count
Knobs	6.5	8	3	1.4	6.875	3.625	8.5	0.581	8.4	6
Levers	6.5	8	3	2.13	6.875	3.625	19.875	1.09	14	6
Deadbolts	6.5	2.906	5.375	1.235	6.688	17.438	6.25	0.422	7.41	6
Combo Packs	10.5	7.875	3.25	2.5	11.4	8.875	18.125	1.061	15	6
Belleview	21.8	8	5.5	4.5	12.5	9	21.625	1.408	9	2
Dakota	21.8	8	5.5	6	12.5	9	21.625	1.408	12	2
Inactive Knobs	8.75	3.5	3.125	0.93	9.313	13.313	4.375	0.314	3.72	4
Inactive Levers	8.75	3	3.5	0.93	9.313	13.313	4.375	0.314	3.72	4

Note: All dimensions in inches. All weights in pounds and based on maximum weights of each function.



**ELECTRONIC DEADBOLTS FUNCTIONS** 



#### Function

SmartCode<sup>™</sup> Deadbolt

#### Description

Deadbolt operated by key outside or electronic keypad and thumb turn inside.

Kwikset w/ BHMA

N/A

Kwikset Signature Series w/ BHMA

915 E0152

Electronic Deadbolts/Levers Packaging Dimensions										
	Quantity	Unit Carton Height	Unit Carton Width	Unit Carton Depth	Unit Carton Weight	Quantity	Master Carton Height	Master Carton Width	Master Carton Depth	
260 SmartCode	1	9.913	5.353	4.213	3.343	2	10.557	9.180	6.213	
912 SmartCode Lever	1	10	6	3.5	61	2	10.4	12.5	7	
270 SmartCode	1	9.913	5.353	4.213	3.307	2	10.557	9.180	6.213	
916 SmartCode	1	9.88	5.38	3.5	3.14	2	5.94	7.75	10.50	
Powerbolt 240	1	9.88	5.32	4.13	3.31	2	6.30	7.80	8.39	
Powerbolt 250	1	9.88	5.32	4.13	3.31	2	6.30	7.80	8.39	
916	1	9.75	4.0	4.28	3.12	1	4.44	4.63	10.25	
Halo Touch	1	9.83	5.4	4.19	3.76	1	10.31	5.63	4.56	
Halo Touchscreen	1	9.771	5.313	3.521	3.561	1	3.917	5.688	5.688	
Halo Keypad	1	9.834	5.313	3.542	2.413	1	3.917	5.688	10.334	

Note: All dimensions in inches. All weights in pounds and based on maximum weights of each function.







Kwikset<sup>\*</sup> and Microban<sup>\*</sup>, the global leader in built-in antimicrobial protection, have teamed up to improve the standard for door hardware. Kwikset<sup>\*</sup> will now offer antimicrobial protection on select products, inhibiting the growth of bacteria on frequently touched door hardware in your home.

# Benefits of Kwikset<sup>®</sup> Door Hardware with Microban<sup>®</sup> Technology

Bacteria can double every 20 minutes on unprotected surfaces, but Kwikset Door Hardware with Microban protection works to continuously fight off microbes.

- Door hardware is 99.9% cleaner than knobs without Microban.
- The antimicrobial coating lasts for the lifetime of the hardware finish, so you can worry less and feel more secure in your home.
- 24/7 Antimicrobial product protection.
- Kwikset with Microban protection resists the growth of a broad spectrum of bacteria.

# #1 SELLING U.S. LOCK BRAND

Look for the Microban logo:



Kwikset

Polished Brass 3

Antique Brass <mark>s</mark> Venetian Bronze 11P

19701 DaVinci, Lake Forest, CA 92610 • Kwikset.com • 1-800-327-5625 © 2023 Spectrum Brands, Inc. Kwikset is a trademark of Spectrum Brands, Inc. Lake Forest, CA 92610 • *1510237-07/23* 

Satin Nickel 15 Matte Black 514



# HENLEY LEVER

Henley levers combine subtle details with ergonomic curves, creating a versatile design that complements any home aesthetic. The unique designer rosette will add style and dimension to your doors, and our full suite of products can outfit the interior and exteriors of your home. SmartKey Security<sup>™</sup> allows you to re-key your exterior door lock yourself in seconds, and powerful Microban<sup>®</sup> technology guards against bacteria growth. Enjoy trusted security, peace of mind and an easy install from the number-one-selling U.S. lock brand.







Henley Lever with Smartkey Security in Matte Black



Henley Lever with SmartKey Security in Satin Nickel

**#1 SELLING U.S. LOCK BRAND** 

# Specifications

Door Prep	Cross Bore 2-1/8" or 1 1/2". Edge Bore 1"
Backset	Adjustable 2 3⁄8″ or 2 3⁄4″
Door Thickness	1 <sup>3</sup> / <sub>8</sub> " - 1 <sup>3</sup> / <sub>4</sub> " Doors standard
Cylinder	SmartKey Security™
Faceplates	1" x 2 ¼" Specify round corner, square corner or drive-in
Strikes	1 1/8" - 2 3/4" round corner

ANSI/BHMA	A156.2 Grade 3
Door Handing	Reversible for right or left hand doors
ADA	Satisfy section 4.13.9 ADA requirement
Warranty	Lifetime Mechanical and Lifetime Finish

# Functions

|--|--|


Passage/Hall/Closet: Both levers always free.

**Privacy/Bed/Bath:** Both levers locked or unlocked by push-button inside. Outside lever unlocked by emergency key.

**Keyed Entry Lever:** Both sides locked or unlocked by key outside or push-button inside.

Half Dummy Trim, Surface Mounted: For doors whereonly a pull is required. No operation.

# Dimensions



Design	Α	В	с	C (Keyed)
Henley	2 5⁄8″	4 <sup>3</sup> / <sub>32</sub> "	2 <sup>9</sup> ⁄16 ″	2 <sup>19</sup> / <sub>32</sub> "



**Kwikset's SmartKey Security**<sup>™</sup> provides homeowners with the superior security that is resistant to a variety of advanced break-in methods.

This technology also allows homeowners to re-key their locks themselves in seconds, rendering lost or un-returned keys useless.



Kwikset







# NEW MIDTOWN COLLECTION Tripoli Lever & Midtown deadbolt

Introducing the soft modern design of the Midtown Collection - Available with the Tripoli Lever and Midtown Deadbolt. These new products bring comfort and practicality to modern design. This collection addresses the demand for a softer modern design with clean lines and subtle curves.

#### FEATURES:

- New Advanced SmartKey Technology
- Solid Metal Design
- Best-in Class Lever Chassis
- Sleek Low Profile Deadbolt Design
- ANSI/BHMA Grade AAA
- Highest Residential Security/Durability/Finish

Signature Series

# MIDTOWN LOW PROFILE RECTANGLE DEADBOLT

# Specifications

Function	258 MDT SMT Keyed Entry Single Cylinder
Standard Door Prep	Cross Bore $2\frac{1}{8}$ ". Edge Bore 1". Latch Face $1\frac{1}{8}$ " x $2\frac{3}{4}$ ".
Backset	Adjustable to 2 $^{3}/_{8}$ " or 2 $^{3}/_{4}$ "
Door Thickness	1 <sup>3</sup> / <sub>8</sub> " - 1 <sup>3</sup> / <sub>4</sub> " Standard. Thick door service part available for up to 2 <sup>1</sup> / <sub>2</sub> ".
Cylinder	SmartKey Security™
Faceplate	1" x 2 <sup>1</sup> /4"
Strike	$1^{1}/_{8}$ x $2^{3}/_{4}$ " Specify square or round
Bolt	1" Throw
ANSI/BHMA	Grade AAA Certified: Finish/Durability/Security
ADA	258 functions are in compliance with the American National Standards Institute (ANSI A117.1)
UL	Optional 20 Minute UL fire rating available, except inactive functions.
Warranty	Lifetime Mechanical and Lifetime Finish
Rose	Specify round, square, rectangle or Midtown

# Dimensions



Design	A	в	с	D
Midtown MDT SMT	2 11/16″	2 11/16″	1/2 "	<b>1</b> <sup>7</sup> /16″

- Highest Residential Security/Durability/Finish
- Easy to Install
- Sleek Low Profile Deadbolt Design
- New Modern Design with Soft Subtle Lines

# Finishes





Satin Nickel 15

Matte Black 514



Polished Chrome 26



PROTECTION THAT LIVES ON MICROBADS ANTIMICROBIAL TECHNOLOGY

Kwikset with Microban<sup>®</sup> inhibits growth of damaging bacteria, providing you with a cleaner home.



Місковал



1. Insert current key and rotate it 90° clockwise.



2. Fully insert SmartKey tool. Remove tool and remove current key.



2. Fully insert new key and rotate 180°. Rotate back to starting position and remove key. *Your lock is now re-keyed!* 









New Key





1802996-05/2024





MFG Pro#	Function	Finis	h								Case Qty.	Price
San Clemente	Mandleset	3	L03	4	5	11P	15	26	26D	514		
98180-001	818SCEXHFL SQT San Clemente x Halifax SQT					•					2	\$328.30
98180-002	818SCEXHFL SQT San Clemente x Halifax SQT						•				2	\$328.30
98180-020	818SCEXHFL SQT - San Clemente X Halifax SQT		1							•	2	\$328.30
98180-031	818SCEXHFL SQT San Clemente x Halifax SQT			•							2	\$328.30
98150-011	815SCExHFL SQT San Clemente Handle Only x Halifax SQT*									•	2	\$231.00
98150-012	815SCExHFL SQT San Clemente Handle Only x Halifax SQT*	Ì	1			1	٠				2	\$220.70
Montara <sup>™</sup> Han	dieset	3	L03		5	11P	15	26	26D	514		
95530-017	553MNXJ Montara x Juno		•								2	\$293.90
95530-018	553MNXJ Montara x Juno						•				2	\$304.60
95530-019	553MNXJ Montara x Juno					•					2	\$304.60
Ashfield <sup>™</sup> Han	dleset	3	L03		5	11P	15	26	26D	514		
98001-098	800ADHXADL Ashfield x Ashfield					•					2	\$313.30
Avalon™ Hand	Jleset	3	L03		5	11P	15	26	26D	514		
98150-001	815AVHxTNL Avalon Handle Only x Tustin*					•					2	\$220.70
98150-002	815AVHxTNL Avalon Handle Only x Tustin*						٠				2	\$220.70
Vancouver Har	ndleset	3	L03		5	11P	15	26	26D	514		
98180-014	818VNHXHFL SQT 15 SMT CP		1				•				2	\$339.10
98180-015	818VNHXHFL SQT 514 SMT CP									•	2	\$339.10
Prescott Hand	leset	3	L03		5	11P	15	26	26D	514		
98150-013	815PTHXTNL 15 RBP Handle Only*		1				•				2	\$220.70
98150-014	815PTHXTNL 11P RBP Handle Only*					•					2	\$220.70
98180-021	818PTHXTNL 15 SMT CP		1				•				2	\$293.90
98180-022	818PTHXTNL 11P SMT CP		1			•					2	\$293.90
Prague Handle	set	3	L03		5	11P	15	26	26D	514		
98180-025	818PGHXPSK RDT Prague x Pismo RDT 15						•				2	\$304.60
98180-026	818PGHXPSK RDT Prague x Pismo RDT 514									•	2	\$304.60
98150-024	815PGHXPSK - Pague Handle Only X Pismo RDT 514*									•	2	\$231.00
98150-023	815PGHXPSK - Pague Handle Only X Pismo RDT 15*		1			Ì	•				2	\$220.70

\*Denotes handlset without deadbolt





Hawthorne™ Shelburne™ Arlington®

HANDLESET	S - all keyed handlesets below have SmartKey only							
MFG Pro#	Function	Finish					Case Qty.	Price
Hawthorne <sup>™</sup> Handleset			L03	5	11P	15		
98001-104	800HEXJ - Hawthorne x Juno				•		2	\$286.90
Shelburne <sup>™</sup> Handleset		3	L03	5	11P	15		
98001-107	800SEXTNL - Shelburne x Tustin					•	2	\$293.90
Arlington® Hand	leset	3	L03	5	11P	15		
98001-097	800ANXTNL - Arlington X Tustin				•		2	\$260.00
Chelsea® Handle	Chelsea® Handleset		L03	5	11P	15		
98001-196	800CEXJ - Chelsea x Juno		•				2	\$181.40
98001-369	800CEXJ - Chelsea x Juno					•	2	\$218.60





HALIFAX\*



TRIPOLI®

MFG Pro#	Function	Finish									Case Qty.	Keying	Price
Halifax® Rever		3	L03	4	5	11P	15	26	26D	514			
97200-854	720HFL SQT - Hall/Closet						•				4		\$51.70
97300-896	730HFL SQT - Bed/Bath						•				4		\$60.30
97402-812	740HFL SQT - Keyed Entry						•				4	K4	\$101.20
97880-902	788HFL SQT - Inactive						•				4		\$26.40
97880-949	788HFL SQT - Inactive									•	4		\$26.40
97402-920	740HFL SQT - Keyed Entry									•	4	K4	\$101.20
97300-949	730HFL SQT - Bed/Bath									•	4		\$60.30
97200-906	720HFL SQT - Hall/Closet									•	4		\$51.70
97200-923	720HFL SQT - Hall/Closet			•									\$51.70
97300-967	730HFL SQT - Bed/Bath			•									\$60.30
97402-933	740HFL SQT - Keyed Entry			•									\$101.20
97880-962	788HFL SQT - Inactive			•									\$26.40
Tripoli Lever		3	L03		5	11P	15	26	26D	514			
97200-915	720TPL MDT - Hall/Closet						•				4		\$51.70
97300-954	730TPL MDT - Bed/Bath						•				4		\$60.30
97402-925	740TPL MDT - Keyed Entry						•				4	K4	\$101.20
97200-916	720TPL MDT - Hall/Closet									•	4		\$51.70
97300-955	730TPL MDT - Bed/Bath									•	4		\$60.30
97402-926	740TPL MDT - Keyed Entry		1	Ì						•	4	K4	\$101.20





**TUSTIN**®



SINGAPORE

MFG Pro#	Function	Finish								Case Qty.	Keying	Price
Tustin <sup>®</sup> Revers	sible Lever	3	L03	5	11P	15	26	26D	514			
97200-778	720TNL - Hall/Closet				•					4		\$54.40
97300-818	730TNL - Bed/Bath				•					4		\$58.70
97402-733	740TNL - Keyed Entry				•					4	K4	\$91.50
97880-678	788TNL LH - Inactive				•					4		\$23.20
97880-679	788TNL RH - Inactive				•					4		\$23.20
97200-777	720TNL - Hall/Closet					•				4		\$45.70
97300-817	730TNL - Bed/Bath					•				4		\$48.50
97402-732	740TNL - Keyed Entry					•				4	K4	\$85.00
97880-673	788TNL LH - Inactive					•				4		\$20.40
97880-676	788TNL RH - Inactive					•				4		\$20.40
Singapore Lev	er	3	L03	5	11P	15	26	26D	514			
97200-898	720SAL 15 SQT CP					•				4		\$51.70
97300-941	730SAL 15 SQT CP					•				4		\$60.30
97402-911	740SAL 15 SQT SMT CP K4					•				4	K4	\$101.20
97200-899	720SAL 514 SQT CP								•	4		\$51.70
97300-942	730SAL 514 SQT CP								•	4		\$60.30
97402-912	740SAL 514 SQT SMT CP K4	Ì					1		•	4	K4	\$101.20





PISMO\*

KNOBS - a	II keyed levers below have SmartKe	y only									
MFG Pro#	Function	Finis	h			Case Qty.	Keying	Price			
Pismo® Knob		3	L03	5	11P	15	26	514			
97200-888	720PSK - Hall/Closet					•			4		\$46.30
97300-931	730PSK - Bed/Bath					•			4		\$47.40
97402-850	740PSK - Entry					•			4	K4	\$68.90
97880-934	788PSK - Inactive					•			4		\$23.70
97200-887	720PSK - Hall/Closet							•	4		\$46.30
97300-930	730PSK - Bed/Bath							•	4		\$47.40
97402-849	740PSK - Entry							•	4	K4	\$68.90
97880-933	788PSK - Inactive							•	4		\$23.70





JUNO<sup>®</sup>

KNOBS - a	II keyed levers below have SmartK	ey only									
MFG Pro#	Function	Finis	h						Case Qty.	Keying	Price
Juno <sup>®</sup> Knob		3	L03	5	11P	15	26	26D			
97200-787	720J - Hall/Closet	•							4		\$25.80
97300-827	730J - Bed/Bath	•							4		\$28.50
97402-734	740J - Entry	•							4	K4	\$46.80
97880-666	788J - Inactive	•							4		\$13.40
97200-788	720J - Hall/Closet			•					4		\$27.40
97300-828	730J - Bed/Bath			•					4		\$31.20
97402-735	740J - Entry			•					4	K4	\$49.50
97200-790	720J - Hall/Closet				•				4		\$38.70
97300-830	730J - Bed/Bath				•				4		\$39.80
97402-737	740J - Entry				•				4	K4	\$54.40
97880-669	788J - Inactive				•				4		\$16.70
97200-789	720J - Hall/Closet					•			4		\$29.60
97300-829	730J - Bed/Bath					•			4		\$32.80
97402-736	740J - Entry					•			4	K4	\$52.70
97880-668	788J - Inactive					•			4		\$15.00

# Clear Pack May 2024





TUSTIN<sup>®</sup> COMBO PACK



HALIFAX® COMBO PACK



JUNO<sup>®</sup> COMBO PACK



PISMO COMBO PACK

СОМВО РА	CKS - all keyed levers below have SmartKey on	ly								
MFG Pro#	Function	Finis	h					Case Qty.	Keying	Price
991 Combo Pa	ck - Tustin® Lever with Single Cylinder Deadbolt	3	L03	5	11P	15	514			
99910-040	991TNL - Single Cylinder					•		4	K4	\$134.00
99910-041	991TNL - Single Cylinder				•			4	K4	\$141.60
991 Combo Pa	ck - Juno <sup>®</sup> Knob with Single Cylinder Deadbolt	3	L03	5	11P	15	514			
99910-032	991J - Single Cylinder	•						4	K4	\$96.40
99910-033	991J - Single Cylinder			•				4	K4	\$77.50
99910-035	991J - Single Cylinder				•			4	K4	\$121.60
99910-034	991J - Single Cylinder					•		4	K4	\$116.80
992 Combo Pa	ck - Juno <sup>®</sup> Knob with Double Cylinder Deadbolt	3	L03	5	11P	15	514			
99920-006	992J - Double Cylinder					•		4	K4	\$127.60
99920-007	992J - Double Cylinder				•			4	K4	\$129.20
991 Combo Pa	ck Halifax Lever with Halifax Single Cylinder Deadbolt	3	L03	5	11P	15	514			
99910-068	991HFL SQT - Single Cylinder						•		K4	\$143.70
99910-067	991HFL SQT - Single Cylinder					•			K4	\$143.70
991 Combo Pa	ck - Pismo Knob with Single Cylinder Deadbolt	3	L03	5	11P	15	514			
99910-069	991PSK RDT - Single Cylinder					•		4	K4	\$125.40
99910-070	991PSK RDT - Single Cylinder						•	4	K4	\$125.40











UPTOWN



DOWNTOWN




MIDTOWN

DEADBOLTS	- all keyed levers below have SmartKey only								
MFG Pro#	Function	Finish					Case Qty.	Keying	Price
Single Cylinder I	Deadbolt	3	L03	5	11P	15			
99800-120	980 - Single Cylinder	•					4	K4	\$58.10
99800-121	980 - Single Cylinder			•			4	K4	\$63.50
99800-122	980 - Single Cylinder				•		4	K4	\$67.30
99800-123	980 - Single Cylinder					•	4	K4	\$64.00
Double Cylinder	Deadbolt	3	L03	5	11P	15			
99850-071	985 - Double Cylinder	•					4	K4	\$78.00
99850-073	985 - Double Cylinder				•		4	K4	\$93.70
99850-074	985 - Double Cylinder					•	4	K4	\$89.40

DEADBOLTS	DEADBOLTS - all keyed levers below have SmartKey only												
MFG Pro#	Function	Finisl	Finish								Keying	Price	
Uptown Deadbo	lt	3	L03	4	5	11P	15	26	514				
92580-016	258 RDT - Single Cylinder						•			4	K4	\$70.60	
92580-020	258 RDT - Single Cylinder								•	4	K4	\$70.60	
Downtown Dea	dbolt	3	L03	4	5	11P	15	26	514				
92580-018	258 SQT - Single Cylinder						•			4	K4	\$71.60	
92580-022	258 SQT - Single Cylinder								•	4	K4	\$71.60	
92580-033	258 SQT - Single Cylinder			•						4	K4	\$70.60	
Midtown Deadb	olt	3	L03	4	5	11P	15	26	514				
92580-034	258 MDT - Single Cylinder						•			4	K4	\$71.60	
92580-035	258 MDT - Single Cylinder								•	4	K4	\$71.60	





Kwikset



660/665 Deadbolt



Delta\*









Amador





Belleview™



Dakota™

Henley

Balboa\*

Cove™





Polo<sup>®</sup>



Tylo\*



Kwikset

HANDLESE	TS - all keyed levers below have SmartKey only										
MFG Pro#	Function	Finish								Case Qty.	Price
Amador Handleset			L03	5	11P	15	26D	26	514		
96870-151	687AMDXLRL RDT - Amador x Ladera RDT SMT					•				2	\$165.50
Belleview <sup>™</sup> Ha	ndleset	3	L03	5	11P	15	26D	26	514		
96870-098	687BWXT - Belleview x Tylo x SMT			•						2	\$139.90
96870-100	687BWXCV - Belleview x Cove SMT				•					2	\$145.30
96870-099	687BWXP - Belleview x Polo SMT					•				2	\$145.30
96870-150	687BWXBL - Belleview X Balboa SMT					•				2	\$146.10
Dakota™ Hand	leset	3	L03	5	11P	15	26D	26	514		
96870-091	687DAXT - Dakota x Tylo SMT	•								2	\$134.60
96870-087	687DAXT - Dakota x Tylo SMT			•						2	\$139.90
96870-090	687DAXP - Dakota x Polo SMT					•				2	\$145.30
Henley Handle	set	3	L03	5	11P	15	26D	26	514		
96870-172	687HYHXHYL Henley x Henley SMT 514								•	2	\$167.50





LEVERS												
MFG Pro#	Function	Finis	h							Case Qty.	Keying	Price
Balboa Lever		3	L03	5	11P	15	26	26D	514			
92001-526	200BL - Hall/Closet				•					6		\$38.70
93001-883	300BL - Bed/Bath				•					6		\$40.90
94050-674	405BL - SMT Keyed Entry				•					6	K6	\$67.10
94880-518	488BL LH - Inactive				•					4		\$17.30
94880-519	488BL RH - Inactive				•					4		\$17.30
92001-525	200BL - Hall/Closet					•				6		\$36.60
93001-882	300BL - Bed/Bath					•				6		\$38.70
94050-673	405BL - SMT Keyed Entry					•				6	K6	\$64.90
94880-495	488BL LH - Inactive					•				4		\$16.20
94880-496	488BL RH - Inactive					•				4		\$16.20
Delta® Lever		3	L03	5	11P	15	26	26D	514			
92001-522	200DL - Hall/Closet							•		6		\$35.50
93001-879	300DL - Bed/Bath							•		6		\$37.70
94050-675	405DL - SMT Keyed Entry							•		6	K6	\$60.20
94880-435	488DL - Inactive							•		4		\$15.50
Ladera <sup>®</sup> Lever		3	L03	5	11P	15	26	26D	514			
92001-578	200LRL RDT - Hall/Closet					•				6		\$38.70
93001-973	300LRL RDT - Bed/Bath					•				6		\$40.90
94880-580	488LRL RDT LH - Inactive					•				4		\$17.30
94880-581	488LRL RDT RH - Inactive					•				4		\$17.30
94050-615	405LRL RDT - SMT Keyed Entry					•				4	K6	\$64.60
92001-587	200LRL RDT - Hall/Closet								•	6		\$41.80
93002-015	300LRL RDT - Bed/Bath								•	6		\$44.00
94050-616	405LRL RDT - RDT SMT Keyed Entry								•	6	K6	\$67.70
94880-597	488LRL RDT - Inactive LH								•	4		\$19.30
94880-598	488LRL RDT - Inactive RH								•	4		\$19.30
Henley Lever		3	L03	5	11P	15	26	26D	514			
92001-627	200HYL - Hall/Closet								•	6		\$41.80
93002-941	300HYL - Bed/Bath	Î							•	6		\$44.00
94050-705	405HYL - SMT Keyed Entry								•	6	K6	\$67.70
94880-637	488HYL - Inactive								•	4		\$19.30







```
POLO<sup>®</sup>
```

KNOBS												
MFG Pro#	Function	Finis	h							Case Qty.	Keying	Price
Cove™ Knob		3	L03	5	11P	15	26	26D	514			
92001-511	200CV - Hall/Closet				•					6		\$24.40
93001-868	300CV - Bed/Bath				•					6		\$25.90
94002-956	400CV - SMT Keyed Entry				*					6	K6	\$34.60
94880-488	488CV - Inactive				•					4		\$11.40
92001-509	200CV - Hall/Closet					•				6		\$22.20
93001-866	300CV - Bed/Bath					•				6		\$23.80
94002-954	400CV - SMT Keyed Entry					•				6	K6	\$32.50
94880-490	488CV - Inactive					•				4		\$10.40
Polo <sup>®</sup> Knob		3	L03	5	11P	15	26	26D	514			
92001-516	200P - Hall/Closet	•								6		\$18.40
93001-873	300P - Bed/Bath	•								6		\$20.20
94002-831	400P - Entry	•								6	K6	\$27.00
94880-367	488P - Inactive	•								4		\$8.30
92001-510	200P - Hall/Closet				•					6		\$21.70
93001-867	300P - Bed/Bath				•					6		\$23.70
94002-822	400P - Entry				•					6	K6	\$30.10
94880-489	488P - Inactive				•					4		\$10.80
92001-518	200P - Hall/Closet					•				6		\$20.70
93001-875	300P - Bed/Bath					•				6		\$22.50
94002-826	400P - Entry					•				6	K6	\$28.80
94880-399	488P - Inactive					•				4		\$10.20
92001-516	200P - Hall/Closet								•	6		\$21.70
93001-873	300P - Bed/Bath								•	6		\$23.70
94002-831	400P - Keyed Entry SMT								•	6	K6	\$32.60







TYLO<sup>®</sup>

MOBILE HOME LOCKS

KNOBS												
MFG Pro#	Function	Finis	h							Case Qty.	Keying	Price
Tylo® Knobs		3	L03	5	11P	15	26	26D	514			
92001-513	200T - Hall/Closet	•								6		\$16.20
93001-870	300T - Bed/Bath	•								6		\$18.00
94002-828	400T - Keyed Entry	•								6	K6	\$23.50
94880-363	488T - Inactive	•								4		\$7.40
92001-512	200T - Hall/Closet			•						6		\$18.10
93001-869	300T - Bed/Bath			•						6		\$19.60
94002-827	400T - Keyed Entry			•						6	K6	\$26.30
94880-364	488T - Inactive			•						4		\$8.50
92001-508	200T - Hall/Closet					•				6		\$18.30
93001-865	300T - Bed/Bath					•				6		\$20.40
94002-820	400T - Keyed Entry					•				6	K6	\$26.90
94880-520	488T - Inactive					•				4		\$9.20
92001-514	200T - Hall/Closet							•		6		\$16.50
93001-871	300T - Bed/Bath							•		6		\$18.20
94002-829	400T - Keyed Entry							•		6	K6	\$25.20
94880-365	488T - Inactive							•		4		\$7.50
MFG Pro#	Function	Finis	h							Case Qty.	Keying	Price
Mobile Home L	ocks	3	L03	5	11P	15	26	26D	514	Case Qty.	Keying	Price
92001-519	200M - Hall/Closet	•								6		\$15.10
93001-876	300M - Bed/Bath	•								6		\$16.70
94002-825	400M - Entry	•								6	K6	\$22.80
92001-520	200M - Hall/Closet							•		6		\$15.30
93001-877	300M - Bed/Bath							•		6		\$17.00
94002-824	400M - Entry							•		6	K6	\$23.20













660 SINGLE CYLINDER

663 ONE SIDED DEADBOLT

665 DOUBLE CYLINDER

660 RDT CONTEMPORARY

DEADBOLT	ſS									
MFG Pro#	Function	Finis	h					Case Qty.	Keying	Price
Single Cylinde	r Deadbolt with SmartKey	3	5	11P	15	26D	514			
96600-747	660 - SMT Single Cylinder	•						6	K6	\$29.10
96600-749	660 - SMT Single Cylinder		•					6	K6	\$31.30
96600-751	660 - SMT Single Cylinder			•				6	K6	\$32.60
96600-750	660 - SMT Single Cylinder			1	•			6	K6	\$31.30
96600-748	660 - SMT Single Cylinder					•		6	K6	\$29.60
96600-710	660 - SMT Single Cylinder						•	6	K6	\$31.90
One-Sided De	adbolt	3	5	11P	15	26D	514	Case Qty.	Keying	
96630-059	663 - One Sided Deadbolt - RCL RCS	•						4		\$12.70
96630-061	663 - One Sided Deadbolt - RCL RCS		•					4		\$13.50
96630-065	663 - One Sided Deadbolt RCL RCS				•			4		\$12.50
Double Cylind	er Deadbolt with SmartKey	3	5	11P	15	26D	514	Case Qty.	Keying	
96650-509	665 SMT - Double Cylinder	•						6	K6	\$36.60
96650-510	665 SMT - Double Cylinder		•					6	K6	\$38.90
96650-516	665 SMT - Double Cylinder				•			6	K6	\$38.90
96650-511	665 SMT - Double Cylinder					•		6	K6	\$37.40
Mobile Home	Locks with SmartKey Cylinder	3	5	11P	15	26D	514	Case Qty.	Keying	
96600-768	660M SMT - Mobile Home	•						6	K6	\$27.60
96600-767	660M SMT - Mobile Home					•		6	K6	\$28.00
RDT Contemp	orary Single Cylinder Deadbolt	3	5	11P	15	26D	514	Case Qty.	Keying	
96600-761	660 RDT - Single Cylinder						•	6	K6	\$35.09
96600-766	660 RDT - Single Cylinder				•			6	K6	\$33.09





COMBO PACK ENTRY KNOB/LEVER WITH DEADBOLT

	CKS - all combo packs include 660 or 665 deadbolt & k	_	-							
MFG Pro#	Function	Finis						Case Qty.	Keying	Price
690 Combo Pa	ck - Cove™ Knob with Smartkey Single Cylinder Deadbolt	3	5	11P	15	26D	514			
96900-421	690CV - SMT Single Cylinder			•				6	K6	\$65.30
96900-424	690CV - SMT Single Cylinder				•			6	K6	\$65.30
690 Combo Pa	ck - Balboa™ Lever with Smartkey Single Cylinder Deadbolt	3	5	11P	15	26D	514			
96900-425	690BL - SMT Single Cylinder			•				6	K6	\$94.40
96900-420	690BL - SMT Single Cylinder				•			6	K6	\$94.40
690 Combo Pa	ck - Polo® Knob with Single Cylinder Deadbolt	3	5	11P	15	26D	514			
96900-250	690P - Single Cylinder	•						6	K6	\$55.60
96900-251	690P - Single Cylinder		•					6	K6	\$59.90
96900-333	690P - Single Cylinder			•				6	K6	\$57.80
96900-320	690P - Single Cylinder				•			6	K6	\$57.80
96900-449	690P - Single Cylinder SMT						•	6	K6	\$62.80
690 Combo Pa	ck - Tylo® Knob with Single Cylinder Deadbolt	3	5	11P	15	26D	514			
96900-252	690T - Single Cylinder					•		6	K6	\$54.40
96900-253	690T - Single Cylinder	•						6	K6	\$51.00
96900-254	690T - Single Cylinder		•	Ì				6	K6	\$57.40
96900-376	690T - Single Cylinder				•			6	K6	\$56.00
690 Combo Pa	ck - Delta® Lever with Smartkey Single Cylinder Deadbolt	3	5	11P	15	26D	514			
96900-427	690DL - SMT Single Cylinder					•		6	K6	\$88.50
690 Combo Pa	ck - Henley Lever with Single Cylinder Deadbolt	3	5	11P	15	26D	514			
96900-451	690HYL - SMT Single Cylinder					1	•	6	K6	\$84.80
695 Combo Pa	ck - Tylo® Knob with Double Cylinder Deadbolt	3	5	11P	15	26D	514			
96950-163	695T - Double Cylinder	•				1		6	K6	\$60.90
96950-164	695T - Double Cylinder		•					6	K6	\$65.30
96950-162	695T - Double Cylinder		1			•		6	K6	\$61.90

# Clear Pack May 2024





242 PROJECT PACK




243 PROJECT PACK

PROJECT I	PACKS - all 242 project packs include 660 deadbolt & keyed e	ntry							
MFG Pro#	Function	Finis	h				Case Qty.	Keying	Price
Project Pack -	2 Keyed Tylo® Knobs with 2 Single Cylinder Deadbolts	3	5	11P	15	26D			
92420-031	242T - 2 Keyed Knobs with 2 Single Cylinder Deadbolts	•					6	K2	\$106.00
92420-032	242T - 2 Keyed Knobs with 2 Single Cylinder Deadbolts		•				6	K2	\$114.60
92420-036	242T - 2 Keyed Knobs with 2 Single Cylinder Deadbolts					•	6	K2	\$108.70
92420-051	242T - 2 Keyed Knobs with 2 Single Cylinder Deadbolts				•		6	K2	\$112.00
Project Pack -	2 Keyed Tylo® Knobs	3	5	11P	15	26D			
92430-022	243T - 2 Keyed Knobs	•					6	K2	\$49.00
92430-035	243T - 2 Keyed Knobs					•	6	K2	\$49.70
Project Pack -	2 Keyed Cove Knobs with 2 Smartkey Single Cylinder Deadbolts	3	5	11P	15	26D			
92420-063	242CV SMT - 2 Keyed Knobs with 2 Single Cylinder Deadbolts			•			6	K2	\$119.60
92420-059	242CV SMT - 2 Keyed Knobs with 2 Single Cylinder Deadbolts				•		6	K2	\$117.90





# Control your lock from your smartphone



# #1 SELLING U.S. LOCK BRAND\*

Numerator TruView, Unit Share Report, 2023

# **Specifications**

Function	Single cylinder deadbolt
Door Prep	2 ½" diameter bore hole & 1" diameter latch hole
Backset	Adjustable 2 $\%$ " or 2 $\%$ "
Door Thickness	1¾" - 2" automatic adjustment
Faceplates	1" x 2 ¼" round corner standard
Strikes	Round corner, 4 hole strike, 2 ¾" x 1 ½"
Latch	Round corner adjustable 2 ¾" x 2 ¾"
Bolt	1" throw, steel deadbolt
Door Handing	Reversible
Cylinder	SmartKey Security™

# Innovative Security

- 250 customizable access codes with • optional schedules
- BHMA Grade AAA certified •
- 20 Minute fire rating UL certified
- Full 128-bit encryption security ٠
- Featuring SmartKey Security<sup>™</sup> protecting • against advanced break-in techniques
- SecureScreen<sup>™</sup> patented security feature prevents on-screen fingerprint user code identification (Touchscreen only)

# Easy Installation

- No hub required by connecting directly to your home Wi-Fi network
- Operates on (4) AA batteries .
- Installs in minutes using a screwdriver


## Warranty

- Lifetime mechanical and finish warranty
- 1 year electronic warranty





# Dimensions



Touchscreen	Α	В	с	D
Interior	2 ³/4" (70 mm)	5 <sup>13</sup> /16″ (147 mm)	<b>2</b> ¼ " (53 mm)	<b>4 <sup>9</sup>/16''</b> (116 mm)
Exterior	<b>2</b> <sup>28</sup> / <sub>32</sub> " (73 mm)	5 ⁵⁄8 ″ (143 mm)	1 ³/16 ″ (30 mm)	

Keypad	Α	В	с	D
Interior	2 ³/4" (70 mm)	5 <sup>13</sup> /16″ (147 mm)	<b>2</b> ¼ ″ (53 mm)	4 <sup>9</sup> /16″ (116 mm)
Exterior	<b>2</b> <sup>28</sup> / <sub>32</sub> " (73 mm)	5 <sup>13</sup> / <sub>32</sub> " (137 mm)	1 ³/16 " (30 mm)	

# **Finishes**









Touchscreen Satin Nickel <sup>15</sup> 99390-001

Touchscreen Venetian Bronze<sup>11P</sup> 99390-002

Touchscreen Polished Chrome <sup>26</sup> 99390-003

Touchscreen Matte Black <sup>514</sup> 99390-004







Keypad Venetian Bronze<sup>11F</sup> 99380-002

# How it Works



19701 DaVinci • Lake Forest, CA 92610 • www.kwikset.com • 1-800-327-LOCK







# UCH

FINGERPRINT SMART LOCK

The Halo Touch Wi-Fi enabled smart lock with fingerprint access technology allows you to simply use your unique fingerprint to lock and unlock your door.


Wi Fi Wi-Fi Enabled

Works with the Kwikset **Kwikset** App

works alexa with



# Control your lock from your smartphone




# **#1 SELLING U.S. LOCK BRAND\***

Numerator TruView, Unit Share Report, 2023

# **Specifications**

Function	Single cylinder deadbolt
Door Prep	2 ‰" diameter bore hole & 1″ diameter latch hole
Backset	Adjustable 2 $\frac{3}{6}$ " or 2 $\frac{3}{4}$ "
Door Thickness	1 <sup>3</sup> / <sub>4</sub> " - 2" automatic adjustment
Faceplates	1" x 2 $\frac{1}{2}$ " round corner standard
Strikes	Round corner, 4 hole strike, 2 $\frac{3}{4}$ " x 1 $\frac{1}{6}$ "
Latch	Round corner adjustable 2 $3\%'' \times 2 3\%''$
Bolt	1" throw, steel deadbolt
Door Handing	Reversible
Cylinder	SmartKey Security™
Temp Range	Temperature Range: Exterior: -40F to 150F Interior: 32F to 130F
& Humidity	Humidity: Exterior: 100% condensing Interior: 30% - 95% non-condensing

# Dimensions



Traditional	Α	В	с	D
Interior	<b>2</b> <sup>23</sup> / <sub>32</sub> " (69 mm)	5 <sup>25</sup> / <sub>32</sub> " (147 mm)	1 <sup>15</sup> /16 " (49 mm)	1 <sup>7</sup> /16″ (35 mm)
Exterior	<b>2</b> <sup>13</sup> /16″ (72 mm)	<b>3</b> <sup>31</sup> / <sub>32</sub> " (101 mm)	7/8 " (22 mm)	
Contempoary	Α	В	с	D
<b>Contempoary</b> Interior	<b>A</b> 2 <sup>23</sup> / <sub>32</sub> " (69 mm)	<b>B</b> 5 <sup>25</sup> / <sub>32</sub> " (147 mm)	<b>C</b> 2 <sup>2</sup> / <sub>32</sub> " (53 mm)	<b>D</b> 1 <sup>13</sup> /32″ (36 mm)



Satin Nickel <sup>15</sup>

99590-001



Venetian Bronze<sup>11P</sup>



Matte Black 514 99590-004



Finishes
----------

# Innovative Security

- . Up to 100 fingerprints/50 users
- BHMA Grade AAA certified ٠
- 256-bit AES encryption encryption security •
- Featuring SmartKey Security<sup>™</sup> protecting • against advanced break-in techniques

# Easy Installation

- No hub required by connecting directly to your • home Wi-Fi network
- Operates on (4) AA batteries
- Installs in minutes using a screwdriver •

# Warranty

- Lifetime mechanical and finish warranty
- 1 year electronic warranty •

# How it Works





99590-002



Satin Nickel 15 99590-003

WHISH AND LIFETIME

WARRANTY

4 ECHANICP

Staffers!



# BLUETOOTH KEYPAD SMART LOCK

## Smarter Living

Aura<sup>™</sup> Bluetooth<sup>™</sup> smart lock gives you control of your door with your smartphone — it's as simple as that.



Bluetooth Enabled Kwikset W

Works with the Kwikset App

# Control your lock from your phone

Kuyikset




# #1 SELLING U.S. LOCK BRAND\*

Numerator TruView, Unit Share Report, 2023

Function	Single cylinder deadbolt			
Door Prep	2 ‰" diameter bore hole & 1″ diameter latch hole			
Backset	Adjustable 2 $\%^{\prime\prime}$ or 2 $\%^{\prime\prime}$			
Door Thickness	1 ¾″ - 2″ automatic adjustment			
Faceplates	1" x 2 $\frac{1}{4}$ " round corner standard			
Strikes	Round corner, 4 hole strike, 2 $\frac{3}{4}'' \times 1\frac{1}{6}''$			
Latch	Round corner adjustable 2 $\%^{\prime\prime}$ x 2 $\%^{\prime\prime}$			
Bolt	1" throw, steel deadbolt			
Door Handing	Reversible			
Cylinder	SmartKey Security™			

### **Dimensions**





Design	Α	В	с	D
Interior	2 ³/4" (70 mm)	5 <sup>13</sup> /16″ (147 mm)	<b>2</b> <sup>1</sup> / <sub>8</sub> " (53 mm)	4 <sup>9</sup> /16″ (116 mm)
Exterior	<b>2</b> <sup>23</sup> / <sub>32</sub> " (69 mm)	<b>4 ⁵⁄8″</b> (117 mm)	1 <sup>3</sup> /16 " (30 mm)	

## Innovative Security

- 250 customizable access codes with optional schedules
- BHMA Grade AAA certified
- 20 Minute fire rating UL certified •
- Full 128-bit encryption security
- Featuring SmartKey Security<sup>™</sup> protecting • against advanced break-in techniques

# Easy Installation

- . Installs in minutes with just a screwdriver
- No hard wiring needed
- Operates on 4 AA batteries

## Warranty

- Lifetime mechanical and finish warranty •
- 1 year electronic warranty





# **Finishes**







Satin Nickel <sup>15</sup> 99420-001

Venetian Bronze<sup>11P</sup> 99420-002

Matte Black <sup>514</sup> 99420-003

# How it Works





19701 DaVinci • Lake Forest, CA 92610 • www.kwikset.com • 1-800-327-LOCK

Kwikset





# **Powerbolt** 240 Keypad Electronic Lock




# Simple and easy access control that you can depend on.

- **KEYLESS ENTRY:** Makes coming and going secure and convenient.
- EASY CODE MANAGEMENT: 12 user codes and 2 one-time user codes.
- **AUTO LOCK:** Peace of mind with customizable, automatic locking.
- **INTRUSION ALERT:** 3 wrong codes disable keypad and sound alarm.
- EASY LOW LIGHT CODE ENTRY: Bright LED light up keypad.


Battery	6V, 4 x AA alkaline batteries, 12-month battery life (batteries not included)					
Door Prep	1½" (38mm) or 2½" (54mm) diameter cross bore hole and 1" diameter edge bore hole					
Backset	Adjustable 2 <sup>3</sup> /8" (60mm) or 2 <sup>3</sup> /4" (70mm)					
Door Thickness	1³⁄8″ (35mm) to 1³⁄4″ (44mm) standard. Thick door service part available for 2-1/4" (57mm) thick doors.					
Faceplates	1″ (25 mm) x 2 ¼″ (57 mm) round corner faceplate with drive-in collar standard					
Strikes	2 <sup>3</sup> /4" (70mm) x 1 <sup>1</sup> /8" (29mm) round corner 2-hole strike					
Bolt	1" (25mm) throw, steel bolt					
Door Handing	Reversible for right or left-hand doors					
Cylinder	KW1 P&T cylinder					
-						
Security	Deadbolt: A156.36 Grade 3 Certified					
Security Temperature Range	Deadbolt: A156.36 Grade 3 Certified Exterior: -40F to 150F, Interior: 32F to 130F					
Temperature	Exterior: -40F to 150F,					
Temperature Range	Exterior: -40F to 150F, Interior: 32F to 130F Exterior: 100% condensing,					

# **Dimensions**

Traditional









œ`

Design	А	В	с	D	E
CNT	2 <sup>25</sup> / <sub>32</sub> "	4 <sup>7</sup> /32"	1 <sup>1</sup> /32″	5 <sup>1</sup> /2"	1 <sup>11</sup> /16″
	(71 mm)	(107 mm)	(26 mm)	(140 mm)	(43 mm)
TRL	<b>2</b> <sup>11</sup> / <sub>16</sub> "	<b>4</b> <sup>7</sup> /16 "	1 <sup>1</sup> /32"	5 <sup>1</sup> /2"	1 <sup>11</sup> /16"
	(71 mm)	(107 mm)	(26 mm)	(140 mm)	(43 mm)

# **Features**

- VACATION MODE: Disable the keypad when you're out of town.
- **ONE-TOUCH LOCKING:** Lock the door with the touch of a button.
- 12-MONTH BATTERY LIFE: 4x AA alkaline batteries (not included).
- EASY INSTALL and BILT App: Installs with just a screwdriver. BILT 3D interactive instructions provide voice, text and animation guidance for an easy installation.
- **CERTIFIED SECURITY:** BHMA Grade 3. Security, Durability and Finish.

# **Finishes**













Polished Brass Los

Satin Nickel 15

Venetian Bronze 11P

P Satin Nickel 15

Matte Black 514



\*See kwikset.com/support/warranty for the lifetime limited mechanical and finish warranties and one-year limited electronics warranty.

 Consulte kwikset.com/support/warranty para ver las garantías mecánicas y de acabado limitadas de por vida y la garantía limitada de un año de los electrónicos.

# Kwikset



# **Powerbolt** 250 Keypad electronic lock





# Keyless entry solution providing more freedom and more value

- **KEYLESS ENTRY:** Makes coming and going secure and convenient.
- **EASY CODE MANAGEMENT:** 25 user codes and 5 one-time user codes.
- **AUTO LOCK:** Peace of mind with customizable, automatic locking.
- **INTRUSION ALERT:** 3 wrong codes disable keypad and sound alarm.
- EASY LOW LIGHT CODE ENTRY: Bright LED light up keypad.

Battery	6V, 4 x AA alkaline batteries, 12-month battery life (batteries not included)					
Door Prep	1½" (38mm) or 2½" (54mm) diameter cross bore hole and 1" diameter edge bore hole					
Backset	Adjustable 2 <sup>3</sup> /8" (60mm) or 2 <sup>3</sup> /4" (70mm)					
Door Thickness	1 <sup>3</sup> /8″ (35mm) to 1 <sup>3</sup> /4″ (44mm) standard. Thick door service part available for 2-1/4" (57mm) thick doors.					
Faceplates	1″ (25 mm) x 2 ¼″ (57 mm) round corner faceplate with drive-in collar standard					
Strikes	2 ³/4" (70mm) x 1 ¹/в" (29mm) round corner 2-hole strike					
Bolt	1" (25mm) throw, steel bolt					
Door Handing	Reversible for right or left-hand doors					
Cylinder	SmartKey Security™ KW1 cylinder					
Security	Deadbolt: A156.36 Grade 3 Certified					
Temperature Range	Exterior: -40F to 150F, Interior: 32F to 130F					
Humidity	Exterior: 100% condensing, Interior: 30% to 95% non-condensing					
Warranty	Lifetime Limited Mechanical and Finish Warranty; One Year Limited Electronics Warranty					
Codes	Up to 25 user codes and 5 one-time user codes with optional programming code					

# **Dimensions**





Design	Α	В	с	D	E
250 TRS	2 <sup>13</sup> /16″	4 <sup>19</sup> / <sub>32</sub> "	<sup>31</sup> / <sub>32</sub> "	5 <sup>1</sup> /2"	1 <sup>11</sup> /16″
	(71 mm)	(117 mm)	(24 mm)	(140 mm)	(43 mm)

# **Features**

- VACATION MODE: Disable the keypad when you're out of town.
- **FEATURING SMARTKEY SECURITY:** Re-key the lock yourself in seconds.
- 12-MONTH BATTERY LIFE: 4x AA alkaline batteries (not included).
- **EASY INSTALL and BILT App:** Installs with just a screwdriver. BILT 3D interactive instructions provide voice, text and animation guidance for an easy installation.
- **CERTIFIED SECURITY:** BHMA Grade 3. Security, Durability and Finish.

# **Finishes**









Satin Nickel 15 Venetian Bronze 11P

Bronze 11P Matte Black 514

DIdCK 514 LIFE Polishar

Lifetime Polished Brass Lo3



ELECTRONIC WARRANTY\*

\*See kwikset.com/support/warranty for the lifetime limited mechanical and finish warranties and one-year limited electronics warranty.

 Consulte kwikset.com/support/warranty para ver las garantías mecánicas y de acabado limitadas de por vida y la garantía limitada de un año de los electrónicos.







# **SMARTCODE** 260 KEYPAD ELECTRONIC LOCK



The SmartCode<sup>™</sup> 260 Keypad Electronic Deadbolt offers a sleek 10-button design, Microban<sup>®</sup> Antimicrobial Technology protection and the convenience of one-touch locking. This keyless deadbolt comes in a traditional or contemporary design, which perfectly complements the Kwikset Prescott and San Clemente handlesets.

# Features

- The responsive keypad provides bright LED illumination for easy code access
- Fast motorized deadbolt with one-touch locking
- Auto-locking after 30 seconds or select custom auto-lock time delay
- Protected with Microban<sup>®</sup> Antimicrobial Technology built into the keypad and finish


# User Codes


- Up to 50 user codes for family, guests and service professionals
- Programming code for improved access code management



Battery	Uses 4 x AA 6V alkaline cell batteries with approximately 1 year battery life				
Function	Single cylinder deadbolt				
Door Prep	$1{}^{1}\!/_{2}{}^{\prime\prime}$ (38mm) or 2 ${}^{1}\!/_{8}{}^{\prime\prime}$ (54mm) diameter cross bore hole and 1" diameter edge bore hole				
Backset	Adjustable 2 ³⁄₀″ (60mm) or 2 ³/₄″ (70mm)				
Door Thickness	1 ³/8" (35mm) to 1 ³/4" (44mm) standard. Thick door service part available for 2-1/4" (57mm) thick doors				
Faceplates	1" (25 mm) x 2 ½" (57 mm) round corner faceplate with drive-in collar standard				
Strikes	2 <sup>3</sup> /4" (70mm) x 1 <sup>1</sup> /8" (29mm) round corner 4 hole strike				
Bolt	1″ (25mm) throw, steel bolt with anti-saw security pin				
Door Handing	Reversible				
Cylinder	SmartKey Security <sup>™</sup> with 2 KW1 keys				
Temperature Range	Exterior: -40°F to 150°F (-40°C to 66°C) Interior: 32°F to 130°F (0°C to 54°C)				
Humidity	Exterior: 100% condensing Interior: 30% to 95% non-condensing				
Codes	Up to 50 user codes and 10 one-time user codes with optional programming code				

# Dimensions







#### Traditional

Design	Α	В	с	D
Exterior	2 <sup>13</sup> /16" (71 mm)	<b>5″</b> (127 mm)	<b>1 ''</b> (25 mm)	
Interior	<b>2 ³/₄''</b> (70 mm)	5 1/2" (140 mm)	1 1/8 " (29 mm)	1 "1/16" (43 mm)

Exterior





Contemporary						
Design	Α	в	с	D		
Exterior	<b>2 ³/4''</b> (70 mm)	<b>4</b> <sup>9</sup> /16″ (116 mm)	<b>1 ''</b> (25 mm)			
Interior	<b>2 ³/4"</b> (70 mm)	5 1/2" (140 mm)	1 ¹ <b>/</b> ₅ ″ (29 mm)	1 <sup>11</sup> /16″ (43 mm)		

В

# **Easy Installation**

- Replaces existing door hardware with just a Phillips screwdriver
- No hard wiring needed and fits all standard doors
- Download the free **BILL** app featuring 3D instructions for quick and easy installation

# **Innovative Security**

- BHMA Grade 2 certified
- 20 Minute fire rating UL certified
- Featuring SmartKey Security<sup>™</sup>

# **Finishes**



**992600-001** Polished Brass L03 260 TRL L03



**992600-002** Satin Nickel 15 260 TRL 15



**992600-003** Venetian Bronze 11P 260 TRL 11P



992600-004 Satin Nickel 15 260 CNT 15



**992600-005** Polished Chrome **26** 260 CNT 26



**992600-006** Matte Black **514** 260 CNT 514



ONE YEAR ELECTRONIC WARRANTY\*

\*See kwikset.com/support/warranty for the lifetime limited mechanical and finish warranties and one-year limited electronics warranty.

 Consulte kwikset.com/support/warranty para ver las garantías mecánicas y de acabado limitadas de por vida y la garantía limitada de un año de los electrónicos.





# SMARTCODE 270 TOUCHPAD ELECTRONIC LOCK



The SmartCode<sup>™</sup> 270 Touchpad Electronic Deadbolt combines touchpad tactile feedback with bright LED illumination for easy code access. This keyless deadbolt comes in a traditional or contemporary design, which perfectly complements the Kwikset Prescott and San Clemente handlesets.

# Features

- The responsive touchpad offers sleek style with a large and bright LED to communicate lock status
- Fast motorized deadbolt with one-touch locking
- Auto-locking after 30 seconds or select custom auto-lock time delay


# User Codes


- Up to 50 user codes for family, guests and service professionals
- Programming code for improved access code management



Battery	Uses 4 x AA 6V alkaline cell batteries with approximately 1 year battery life					
Function	Single cylinder deadbolt					
Door Prep	1 ½" (38mm) or 2 ⅛" (54mm) diameter cross bore hole and 1" diameter edge bore hole					
Backset	Adjustable 2 ¾" (60mm) or 2 ¾" (70mm)					
Door Thickness	1 ³/8" (35mm) to 1 ³/4" (44mm) standard. Thick door service part available for 2-1/4" (57mm) thick doors.					
Faceplates	1" (25 mm) x 2 ½" (57 mm) round corner faceplate with drive-in collar standard					
Strikes	2 ³/4" (70mm) x 1 ¹/8" (29mm) round corner 4 hole strike					
Bolt	1″ (25mm) throw, steel bolt with anti-saw security pin					
Door Handing	Reversible					
Cylinder	SmartKey Security <sup>™</sup> with 2 KW1 keys					
Temperature Range	Exterior: -40°F to 150°F (-40°C to 66°C) Interior: 32°F to 130°F (0°C to 54°C)					
Humidity	Exterior: 100% condensing Interior: 30% to 95% non-condensing					
Codes	Up to 50 user codes and 10 one-time user codes with optional programming code					


# Dimensions






Traditional

Design	А	В	с	D
Exterior	2 <sup>13</sup> /16″ (71 mm)	<b>5 ³/</b> 8" (137 mm)	<b>1 ''</b> (25 mm)	
Interior	<b>2 ³/₄''</b> (70 mm)	<b>5</b> 1/2" (140 mm)	1¹/в " (29 mm)	1 <sup>11</sup> /16″ (43 mm)





Contemporary

Design	A	В	с	D
Exterior	<b>2 ³/₄''</b> (70 mm)	<b>5</b> <sup>3</sup> /16″ (132 mm)	<b>1 ''</b> (25 mm)	
Interior	<b>2 ³/₄"</b> (70 mm)	5 1/2" (140 mm)	1 <sup>1</sup> /8 " (29 mm)	1 <sup>11</sup> /16″ (43 mm)

# **Easy Installation**

- Replace existing door hardware with just a Phillips screwdriver
- No hard wiring needed and fits all standard doors
- Download the free **BILT** app featuring 3D instructions for quick and easy installation

# **Innovative Security**

- BHMA Grade 2 certified
- 20 Minute fire rating UL certified
- Featuring SmartKey Security<sup>™</sup>

# **Finishes**



**992700-002** Satin Nickel 15 270 TRL 15



**992700-003** Venetian Bronze 11P 270 TRL 11P



**992700-004** Satin Nickel 15 270 CNT 15



**992700-005** Matte Black 514 270 CNT 514



ONE YEAR ELECTRONIC WARRANTY\*

\*See kwikset.com/support/warranty for the lifetime limited mechanical and finish warranties and one-year limited electronics warranty.

 Consulte kwikset.com/support/warranty para ver las garantías mecánicas y de acabado limitadas de por vida y la garantía limitada de un año de los electrónicos. Kwikset

Clear Pack May 2024

# HomeConnect 620

KEYPAD CONNECTED SMART LOCK

With Z-Wave® 700 Chipset







# Features

- 10-Button keypad with one-touch locking
- Featuring Smartkey® Security Technology
- Sleek, all metal design
- Z-Wave® 700 for enhanced network security, network pre-enrollment, and extended wireless range and battery life
- Backward compatible with existing Z-Wave panels and hubs
- S2 Secure Network Enrollment
- SmartStart Network
   Pre-Enrollment

# User Codes

- 250 user codes
- Control when people have access with customizable user code schedules
- MasterCode security for improved feature management

# Connected Benefits

- Lock/Unlock your doors from anywhere
- View lock status and receive notifications of your lock's activity
- Connect to other devices in the home and create scenes driven by the door lock

Input Power	6V (4 x AA alkaline batteries)
Door Prep	1 <sup>1</sup> / <sub>2</sub> " & 2 <sup>1</sup> / <sub>8</sub> " diameter bore hole & 1" deep latch hole
Backset	Adjustable 2 $\frac{3}{8}$ or 2 $\frac{3}{4}$
Door Thickness	1³/8" - 2 " automatic adjustment
Faceplates	1" x 2 $^{1}/_{4}$ " round corner standard
Strikes	Round corner strike 1 1/8" x 2 3/4"
Latch	Round corner adjustable 2 <sup>3</sup> /8" x 2 <sup>3</sup> /4"
Bolt	1" throw, steel deadbolt
Door Handing	Reversible
Cylinder	SmartKey® Keyway

•	Exterior: -40°F to 150°F Interior: 32°F to 140°F
Humidity	Exterior: 100% condensing Interior: 30% – 95% non-condensing

#### **Finishes**









Venetian Bronze 11P







#### Polished Chrome 26



#### Matte Black 514





Dimensions

Traditional

	Interior	Exterior
A	<b>2</b> <sup>23</sup> / <sub>32</sub> " (69.1 mm)	<b>2</b> <sup>25</sup> / <sub>32</sub> " (70.64 mm)
в	<b>5 <sup>25</sup>/</b> <sub>32</sub> " (146.6 mm)	4⁵/16" (109.53 mm)
с	<b>2 <sup>1</sup>/</b> 8" (53.97 mm)	1 <sup>1</sup> /4" (31.75 mm)
D	4 <sup>1</sup> /2" (114.3 mm)	

### Easy Installation

- Replaces existing door hardware with just a screwdriver
- No hard wiring needed
- Operates on 4 x AA alkaline batteries

#### Innovative Security

- BHMA Grade 2 certified
- Full 128-bit encryption security
- Features SmartKey<sup>®</sup> Security Re-Key Technology with BumpGuard<sup>™</sup> Protection
- Revolutionary tapered deadbolt design—enables misaligned doors to lock without pulling and pushing your door shut
- Supports S2 Secure Network Enrollment



# Kwikset

19701 DaVinci, Lake Forest, CA 92610 • Kwikset.com • 1-800-327-LOCK



1 2 3 4 5

7

Satin Nickel 15

8 9 0







2 3 4 5

6


## ELECTRONICS

Kwikset

#### Clear Pack May 2024

# **Electronic Locks**

Kwikset's electronic door locks offer users the convenience of keyless entry, virtually eliminating the need for keys. All of our electronic locks are easy to install and program while complementing any Kwikset knob, lever or handleset.





ELECTRONIC	LOCKS										
SmartCode™ 9	17	3	L03	5	11P	15	26	26D	514		
99170-001	917TNL 15 SMT CP RCALFD					•				2	\$262.00
99170-002	917TNL 11P SMT CP RCALFD				•					2	\$262.00
99170-003	917HFL 15 SMT CP RCALFD					•				2	\$262.00
99170-004	917HFL 514 SMT CP RCALFD	Î							٠	2	\$262.00
99170-005	917HFL 26 SMT CP RCALFD						•			2	\$262.00



Halo Wi-Fi Touc	hscreen	3	L03	5	11P	15	26	26D	514		
99390-001	939 WIFI TSCR 15 SMT TPR RCALFD					•				1	\$504.00
99390-002	939 WIFI TSCR 11P SMT TPR RCALFD				•					1	\$504.00
99390-003	939 WIFI TSCR 26 SMT TPR RCALFD						•			1	\$504.00
99390-004	939 WIFI TSCR 514 SMT TPR RCALFD								•	1	\$504.00

0000 0000 0000	Halo Wi-Fi Keyp	ad	3	L03	5	11P	15	26	26D	514		
000	99380-001	938 WIFI KYPD 15 SMT TPR RCALFD					•				1	\$438.00
6	99380-002	938 WIFI KYPD 11P SMT TPR RCALFD				•					1	\$438.00

	Halo Touch Wi-	Fi	3	L03	5	11P	15	26	26D	514		
	99590-001	959 TRL FPRT WIFI 15 RCAL RCS					•				1	\$517.00
2	99590-002	959 TRL FPRT WIFI 11P RCAL RCS				•					1	\$517.00
	99590-003	959 CNT FPRT WIFI 15 RCAL RCS					•				1	\$517.00
ŵ	99590-004	959 CNT FPRT WIFI 514 RCAL RCS								•	1	\$517.00

L.C.	SmartCode <sup>™</sup> 92	60 Traditional	3	L03	5	11P	15	26	26D	514		
CORRECT OF THE PARTY OF THE PAR	992600-001	SmartCode 9260 Keypad Deadbolt		•							2	\$231.00
100	992600-002	SmartCode 9260 Keypad Deadbolt					•				2	\$231.00
1 Car	992600-003	SmartCode 9260 Keypad Deadbolt				•					2	\$231.00



F

SmartCode <sup>™</sup> 92	60 Contemporary	3	L03	5	11P	15	26	26D	514		
992600-004	SmartCode 9260 Keypad Deadbolt					•				2	\$231.00
992600-005	SmartCode 9260 Keypad Deadbolt						•			2	\$231.00
992600-006	SmartCode 9260 Keypad Deadbolt								•	2	\$231.00

1000												
100	SmartCode <sup>™</sup> 92	70 Traditional	3	L03	5	11P	15	26	26D	514		
1	992700-002	SmartCode 9270 Touchpad Deadbolt					•				2	\$275.00
100	992700-003	SmartCode 9270 Touchpad Deadbolt				•					2	\$275.00

-												
123	SmartCode <sup>™</sup> 92	70 Contemporary	3	L03	5	11P	15	26	26D	514		
20.	992700-004	SmartCode 9270 Touchpad Deadbolt					•				2	\$275.00
•	992700-005	SmartCode 9270 Touchpad Deadbolt								•	2	\$275.00

# Kwikset

R.		٩
H		1
19		ł
14	0	

ELECTRONIC I	LOCKS										
Aura™ Bluetoo	th	3	L03	5	11P	15	26	26D	514		
99420-001	942 BLE DB 15 SMT TPR RCALFD					٠				1	\$328.00
99420-002	942 BLE DB 11P SMT TPR RCALFD				٠					1	\$328.00
99420-003	942 BLE DB 514 SMT TPR RCALFD								•	1	\$328.00

	Powerbolt 240 T	raditional	3	L03	5	11P	15	26	26D	514	
c	992400-001	9240 TRL L03 RBP 4AL RCS		•							\$100.00
	992400-002	9240 TRL 15 RBP 4AL RCS					•				\$100.00
2	992400-003	9240 TRL 11P RBP 4AL RCS				•					\$100.00



(a

C. C

Powerbolt 240	) Contemporary	3	L03	5	11P	15	26	26D	514		
992400-004	9240 CNT 15 RBP 4AL RCS					•					\$100.00
992400-005	9240 CNT 514 RBP 4AL RCS								•		\$100.00
Powerbolt 250	) Transitional	3	L03	5	11P	15	26	26D	514		
992500-001	9250 TRS L03 SMT RBP 4AL RCS	3	•	<u> </u>		15	20	200	514		\$143.0
992500-002	9250 TRS 15 SMT RBP 4AL RCS					•					\$143.0
992500-003	9250 TRS 11P SMT RBP 4AL RCS				•						\$143.0
992500-004	9250 TRS 514 SMT RBP 4AL RCS								•		\$143.0
Commercial E	lectronic Lever	3	L03	5	11P	15	26	26D	514		
99550-001	955PML 26D SMT CP							•		1	\$237.0
99550-002	955PML 15 SMT CP					٠				1	\$237.0
99550-003	955PML 11P SMT CP				•					1	\$237.0
99550-004	955PML 514 SMT CP								•	1	\$237.0

# Kwikset





Control your lock from anywhere on your smart phone, tablet, or internet connected device and never worry about forgetting to lock your door again.

- Remotely lock and unlock your door from anywhere
- Receive notifications of your lock's activity
- Control when others have access to your home
- Arm or disarm your security panel
- Wirelessly communicate to other devices in your home

1.1		
		٠
	-	
74	0	
-64	18	8.1

Electronic Loc	ks with Home Connect (Z-Wave)								
Item Number	Function	Finish						Case Qty.	Price
SmartCode <sup>™</sup> 916	Contemporary with Home Connect	L03	11P	15	26	26D	514		
99160-041	916CNT 500 15 SMT CP TPR RCALFD V2			•				1	\$506.00
99160-043	916CNT 500 26 SMT CP TPR RCALFD V2				•			1	\$506.00
99160-044	916CNT 500 514 SMT CP TPR RCALFD V2						•	1	\$506.00
99160-042	916CNT 500 11P SMT CP TPR RCALFD V2		•					1	\$506.00

\*Product must be ordered by item number and not description

	SmartCode™ 91	6 Traditional with Home Connect	L03	11P	15	26	26D	514		
~	99160-039	916TRL 500 11P SMT CP TPR RCALFD V2		•					1	\$506.00
9)	99160-038	916TRL 500 15 SMT CP TPR RCALFD V2			•				1	\$506.00

\*Product must be ordered by item number and not description





#### Features 5

- Full 128-Bit Encryption Security
- Motorized locking mechanism enables true remote locking & unlocking
- SmartKey Security providing superior security against advanced break-in techniques.
- Easy Integration
- Z-Wave Wireless Protocol
- Fits Standard Doors (1 3/8"-2") with No Screw Holes Required
- 4 AA Alkaline Batteries (no hard wiring) - batteries last for approximately 1 year



SmartCode™ 91	2 with Home Connect	L03	11P	15	26	26D	Case Qty.	
99120-037	912TNL ZW500 15 RCALFD			•			1	\$413.00
99120-038	912TNL ZW500 11P RCALFD		•				1	\$413.00
*Product must he	ordered by item number and not description							

\*Product must be ordered by item number and not description



Home Connect	Traditional 620	L03	11P	15	26	26D	514	Case Qty.	
98930-001	HC620 TRL ZW700 15 SMT RCALFD RCS BP			•				1	\$297.00
98930-002	HC620 TRL ZW700 11P SMT RCALFD RCS BP		•					1	\$297.00
98930-003	HC620 TRL ZW700 L03 SMT RCALFD RCS BP	•						1	\$297.00

\*Product must be ordered by item number and not description

E			l
Π		e	l
		8	I
P			I
			l
	51		L
			l

Home Connect	620 Contemporary	L03	11P	15	26	26D	514	Case Qty.	
98930-004	HC620 CNT ZW700 15 SMT RCALFD RCS BP			•				1	\$297.00
98930-005	HC620 CNT ZW700 11P SMT RCALFD RCS BP		•					1	\$297.00
98930-006	HC620 CNT ZW700 26 SMT RCALFD RCS BP				•			1	\$297.00
98930-007	HC620 CNT ZW700 514 SMT RCALFD RCS BP						•	1	\$297.00

\*Product must be ordered by item number and not description



# KEY CONTROL™ D E A D B O L T



Easily access the Key Control cylinder: (1) Insert the SmartKey Tool into the slot at bottom of cylinder cover (2) Rotate cover clockwise to expose the Key Control cylinder. (3) Now you have access to the Key Control cylinder. Use tool to rotate counter-clockwise back to user's keyway when appropriate.

#### Features 5

- Two Separate Cylinders, Tenant & Property Manager, Allow for More Tenant Key Cuts Than a Traditional Master Key System
- New Proprietary Keyway Adds Security
- Property Manager Cylinder is Concealed When Not in Use to Avoid Tenant Confusion
- With Smartkey<sup>®</sup>, Re-Key the Lock Without Removing From the Door

	LIGHT COM	MERCIAL							
	MFG Pro#	Function	Finis	h				Case Qty.	Price
and a second	Key Control Dea	adbolt	3	11P	15	26D	514		
$\square$	98160-007	816 - Key Control Deadbolt	•					6	\$65.70
$(\Omega)$	98160-009	816 - Key Control Deadbolt			•			6	\$74.30
	Key Control Dea	adbolt CNT	3	11P	15	26D	514		
KEY CONTROL	98160-012	816 SQT 15 SMT RCAL RCS RBP			•			6	\$74.30
DEADBOLT	98160-013	816 SQT 514 SMT RCAL RCS RBP					٠	6	\$77.40







RESISTANT

**KICK-IN** RESISTANT





RESISTANT


HOW TO RE-KEY YOUR LOCK IN SECONDS

Current Key SmartKey Tool New Key

Make sure you have your current key and SmartKey tool




Insert the key that currently operates your lock,and rotate it 90° clockwise.



A Insert the SmartKey tool fully and firmly into the SmartKey hole.

(B) *Remove* the SmartKey tool and the current key.



RESISTANT

3

(A) Fully insert your new key into the lock, and rotate it 180°.

 $(\mathbf{B})$  Rotate the new key 90° back to the starting position, and remove it. Your lock is now re-keyed to your new key, and your old key will no longer operate the lock.



### PARTS AND ACCESSORIES

																	STYL	E COM	IPATIE	BILITY				
LEVER		EA. Qty	SKU No.	3	4	5	15	26	26D	11P	514	N Fin	0 ISH	BL	DL	DNL	HFL	u	LRL	MIL	SAL	TNI	TPL	LIST Price
LATCHES: 6WAY PLAIN & D	EADLATCH																							
	Plain Latch 6AL	1	81826	-001		-002	-004	-003	-003					•	•	•	•	•	•	•	•	•	•	\$21.8
	Deadlatch 6AL	1	81825	-001		-002	-004	-003						•	•	•	•	•	•	•	•	•	•	\$21.8
LATCHES: 5″backset																								
	Square Corner 5" Deadlatch	1	83014	-015										•		•	•	•	•	•		•	•	\$21.80
												-0	01		_	_		_						\$16.8
	Privacy Emergency Tool	5	84285									-0	101	•	•	•	•	•	•	· ·				\$10.C
<del>-</del> J	Privacy Emergency Tool	5	84285									-0		•	•	-	•	•			Ompa			.910.0
-	Privacy Emergency Tool	5	84285			EA. QTY	SKU	No.	3	4	5	-0			11P		• N FIN	0						LIST
KNOB		5	84285			EA. QTY	SKU	No.	3	4	5						N	0	S	TYLE (	COMPA	TIBIL	ITY	LIST
KNOB Latches: 6Way plain & d		5	84285			EA. QTY	SKU 818		3	4		15		26D			N	0	S	TYLE (	COMPA	TIBIL	ITY	LIST PRICI
KNOB LATCHES: 6WAY PLAIN & D	EAD LATCH	5	84285			QTY		26		4	-002	15	26	26D			N	0	cv	TYLE (	T	TIBIL	TY PSK	LIST
KNOB LATCHES: 6WAY PLAIN & D	EAD LATCH Plain Latch 6AL	5	84285			QTY 1	818	26	-001	4	-002	15	26	26D			N	0	۲ ۲ ۲	TYLE ( J	COMPA T	TIBIL P	TY PSK	LIST PRICE \$21.80
KNOB LATCHES: GWAY PLAIN & D	EAD LATCH Plain Latch 6AL	5	84285			QTY 1	818	26	-001	4	-002	15	26	26D			N	0	۲ ۲ ۲	TYLE ( J	COMPA T	TIBIL P	TY PSK	LIST PRICE \$21.80

			1									STY	LE COMPATIBI	LITY	
DEADBOLTS		EA. Qty	SKU No.	3	4	15	26	26D	11P	514	NO Finish	660	665	663	LIST Price
LATCHES															
	Deadbolt Round Corner Adjustable Latch	1	83146	-001								•	·		\$21.80
	Mobile Home Conversion Kit	1	80340								-001	•	•		\$21.80



### **REKEYING KIT & PARTS**

													687	
KWIKSET MECHAN	CAL HANDLESETS	EA. QTY	SKU No.	3	4	5	15	26	26D	11P	514	NO Finish	AMD,DA, BW, Hyh	LIST Price
Strike														
	Deadbolt Square Corner Strike, 4-Hole Offset, 1-1/4" x 3-5/8"	1	83222	-026									•	\$10.80
Latches														
	Plain Latch 6AL	1	81826	-001		-002	-004	-003	-003				•	\$21.80

KWIKSET MECHANICA Signature Series	AL HANDLESETS	EA. QTY	SKU No.	3	4	5	15	26	26D	11P	514	FINISH	800 CE, AN, AT, HE, SE, AVH, ADH, SO, TVH, AUH	818 CMH, SCE, VNH, PTH, PGH	LIST PRICE
Strike															
=	Deadbolt Square Corner Strike, 4-Hole Offset, 1-1/4" x 3-5/8"	1	83222	-026									•	•	\$10.80
Latches															
	Plain Latch 6AL	1	81826	-001		-002	-004	-003	-003				•	•	\$21.80

KWIKSET MECHANICAL	KEYS	PART #	EA. QTY	SKU No.	NO FINISH	list Price
Strike						
-	SMT Rekey Kit: 4 Silver & 2 Brass Keys, Red Plastic Learn Tool w/Instructions	5083262	1	83262	-001	\$32.80

Style Abbreviations available on page 60

SERVICE PARTS KEYS, REKEYING KITS & MISC.



KEYS, RE-KEYING KITS & M	SC.	EA. QTY	SKU No.	List Price
MISCELLANEOUS PARTS				
	272 P& T Keying Kit	1	92720-001	\$420.80
う	Knob Plug Retainer Clip	1	84345-001	\$4.80
	Spring for Control Lug Locking Bar, 100CT	1	87632-001	\$20.80
Ì	Deadbolt Control Lug Locking Bar	1	87809-001	\$6.80
3	Deadbolt Plug Retainer Clip	1	84215-001	\$4.80
	PK/Construction Balls, 100CT	1	82208-001	\$20.80
	5 Pin Spring Cover, 50CT	1	85757-001	\$40.00
	Tumbler Spring, 100CT	1	81777-001	\$20.80
C. BERRY	6 Pin Spring Cover	1	83561-001	\$4.80
	Cylinder Removal Tool	1	81467-003	\$8.80
	Key Gauge	1	80049-001	\$16.80
P&T KEYING KIT 236				
<i>(</i>	#3 Bottom Pin Silver .218", 100CT	1	83103-001	\$20.80
	#2 Bottom Pin Purple .195", 100CT	1	83101-001	\$20.80
<b>(</b>	#1 Bottom Pin Gold .172", 100CT	1	83100-001	\$20.80
<i>_</i>	#6 Bottom Pin Gold .287", 100CT	1	83107-001	\$20.80
<b>\$</b>	#5 Bottom Pin Red .264", 100CT	1	83106-001	\$20.80
<b>\$</b>	#4 Bottom Pin Green .241", 100CT	1	83105-001	\$20.80



#### SERVICE PARTS KEYS, REKEYING KITS & MISC.

KEYS, RE-KEYING KITS & M	ISC.	EA. QTY	SKU No.	List Price				
	#6 Master Pin Gold .138", 100CT	1	83125-001	\$20.80				
	#5 Master Pin Red .115", 100CT	1	83114-001	\$20.80				
6	#4 Master Pin Green .092", 100CT	1	83113-001	\$20.80				
6	#3 Master Pin Silver .069", 100CT	1	83112-001	\$20.80				
6	#2 Master Pin Purple .046", 100CT	1	83110-001	\$20.80				
	#1 Master Pin Gold .023", 100CT	1	83108-001	\$20.80				
	Regular Top Pin Gold .180", 100CT	1	81858-001	\$20.80				
	PK Top Pin Red .160", 100CT	1	83117-001	\$20.80				
	Plug Follower	1	80152-001	\$16.80				
SMARTKEY KEYING								
🛩 🥮	Reset Cradle SMT	1	83260-001	\$64.20				

### ROUND POCKET DOOR LOCKS & PADLOCKS



ROUND POCKET DOOR LOCK	SKU No.	3	4	5	15	26	26D	11P	514	NO Finish	LIST PRICE
Round Pocket Door Lock											
335 - Privacy	93350-024				•						\$27.20

## Clear Pack May 2024

# Kwikset

## STYLE ABBREVIATIONS

	KNOBS
AYK	Arroyo
CV	Cove
Р	Polo
PSK	Pismo
T	Tylo

KNOBS								
BL	Balboa							
CSL	Casey							
DL	Delta							
HFL	Halifax							
HYL	Henley							
KAL	Katella							
LRL	Ladera							
MIL	Milan							
PTH	Perth							
SEL	Sedona							
SAL	Singapore							
TDL	Trafford							
TPL	Tripoli							
TNL	Tustin							

AMDAmadorADHAshfieldAUHAustin HS	
AUH Austin HS	
AVH Avalon	
BW Belleview	
CE Chelsea	
DA Dakota	
HE Hawthorne	
MNH Montara	
PGH Prague	
PTH Prescott	
SCE San Clemente	
SE Shelburne	
TVH Tavaris	
VNH Vancouver	

I	DEADBOLT	
KCDB	Key Control	