



SAMSUNG Display MSRP Price List - EFFECTIVE August 1st 2012

Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
17" TFT LCD Displays:									
B1740R	17" LED Monitor; Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms; Brightness: 250 cd/m ² ; Display Resolution: 1280x1024; Viewing Angle: 170/160; Input: VGA/DVI; Bezel Color: Matte Black; Pixel Pitch: 0.3 x 0.3; Special Features: MagicBright 3, MagicEco, MagicAngle, MagicReturn, Off Timer, Image Size Color Effect, Customized Key, Windows Vista Basic, DVI with HDCP; Description: LED Panel, Includes VGA cable, Stand: Adjustable Stand, tilt, VESA 75 x 75 wall mount; Warranty: 3 Years (Parts/Labor)		\$190.60	1095	12.13	Yes	Silver	Yes	729507813462
18.5" TFT LCD Displays:									
S19A200NW	18.5"; Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms; Brightness: 250 cd/m ² ; Display Resolution: 1440x900; Viewing Angle: 170/160; Input: VGA; Bezel Color: Matte Black; Pixel Pitch: 0.3 x 0.3; Special Features: "Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carrying Handle"; Description: LED Panel, Includes VGA cable, Stand: Simple, Tilt, VESA 1000 x 100 wall mount; Warranty: 3 Years (Parts/Labor)		\$191.00	1095	9.3	Yes	Gold	Yes	729507816838
S19B420B	18.5"; Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms; Brightness: 250cd/m ² ; Display Resolution: 1366x768; Viewing Angle: 170/160; Input: VGA (D-SUB), DVI; Bezel Color: Matt Black; Pixel Pitch: 0.3 x 0.3; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright, Samsung MagicColor, Off Timer, Image Size, Key Repeat Time Supported, MagicTune, MultiScreen, Includes VGA/DVI Cables, Stand: 100x10mm VESA; Warranty: 3 Years (Parts/Labor/Backlight)	New	\$190.60	1095	11.22	Yes	Gold	Yes	729507819433
19" TFT LCD Displays:									
943BT-2	19" LED Monitor; Contrast Ratio: DC 8000:1(1000:1) (Typ.); Response Time: 5ms; Brightness: 3000 cd/ft ² ; Display Resolution: 1280x1024; Viewing Angle: 170/160 (CR>10); Input: Analog RGB, DVI; Bezel Color: Black; Pixel Pitch: 0.294mm; Special Features: MagicBright3, Off timer, Color Effect, Customized key, MagicWizard & MagicTune with AssetManagement, Windows Vista Premium, MagicRotation S/W(Pivot) Safe Mode(DownScaling in UXGA), DVI with HDCP, 130mm Height Adjustable Stand, Typical power consumption: 22W, TCO 5.0/03; Warranty: 3 Years (Parts/Labor)		\$242.00	1095	10.69	Yes	n/a	Yes	729507815732
B1940ER	19" LED Monitor; Contrast Ratio: DC 50000:1(1000:1) (Typ.); Response Time: 5ms; Brightness: 250 cd/ft ² ; Display Resolution: 1280x1024; Viewing Angle: 170c°/160c° (CR>10); Input: Analog RGB, DVI; Bezel Color: Black; Pixel Pitch: 0.294mm; Special Features: MagicBright3, MagicEco, MagicAngle, MagicReturn, Off timer, Image Size Color Effect, Customized key, Windows7, DVI with HDCP, 130mm Height Adjustable Stand, Typical power consumption: 22W, TCO 5.0/03; Warranty: 3 Years (Parts, Labor&Backlight)		\$285.93	1095	13.7	Yes	Gold	Yes	729507701738
B1940EW	19" LED Monitor; Contrast Ratio: DC 50000:1(1000:1) (Typ.); Response Time: 5ms; Brightness: 250 cd/ft ² ; Display Resolution: 1440*900; Viewing Angle: 170/160 (CR>10) Input: Analog RGB, DVI; Bezel Color: Black; Pixel Pitch: 0.285mm; Special Features: MagicBright3, MagicEco, MagicAngle, MagicReturn, Off timer, Image Size Color Effect, Customized key, Windows7, DVI with HDCP, 100mm Height Adjustable Stand, Typical Power Consumption: 20W, TCO 5.0/03; Warranty: 3 Years (Parts, Labor&Backlight)	EOL	\$264.00	1095	12.4	Yes	Gold	Backlight	729507813837
S19A450BR	19" LED Monitor - Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms; Brightness: 250 cd/m ² ; Display Resolution: 1280x1024 Viewing Angle: 170/160; Input: VGA/DVI; Bezel Color: Matte Black; Special Features: Eco Saving, Multi Screen Software, MagicAngle, MagicBright 3, MagicColor, Off Timer, Customized Key, Image Size Adjustment, 0-Watt Power On & Off Switch, Carrying Handle; Cable: includes VGA cable, Stand: 100mmHAS, Pivot Tilt, 100 x 100mm VESA; Warranty: 3 Years (Parts/Labor)	Decrease	\$293.25	1095	13	Yes	Gold	Yes	729507817613
S19A450BW	19" LED Monitor - Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms; Brightness: 250 cd/m ² ; Display Resolution: 1440x900 (16:9); Viewing Angle: 170/160; Input: VGA/DVI; Bezel Color: Matte Black; Special Features: Eco Saving, Multi Screen Software, MagicAngle, MagicBright 3, MagicColor, Off Timer, Customized Key, Image Size Adjustment, 0-Watt Power On & Off Switch, Carrying Handle; Cable: includes VGA cable, Stand: 100mmHAS, Pivot Tilt, 100 x 100mm VESA; Warranty: 3 Years (Parts/Labor)	EOL	\$249.25	1095	12.3	Yes	Gold	Yes	729507816852
S19A450BW-1	19" LED Monitor - Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms; Brightness: 250 cd/m ² ; Display Resolution: 1440x900 (16:9); Viewing Angle: 170/160; Input: VGA/DVI; Bezel Color: Matte Black; Special Features: Eco Saving, Multi Screen Software, MagicAngle, MagicBright 3, MagicColor, Off Timer, Customized Key, Image Size Adjustment, 0-Watt Power On & Off Switch, Carrying Handle; Cable: includes VGA cable, Stand: 100mmHAS, Pivot Tilt, 100 x 100mm VESA; Warranty: 3 Years (Parts/Labor)	Decrease	\$249.25	1095	12.3	Yes	Gold	Yes	729507816852
S19A450MW	19"; Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms; Brightness: 250cd/m ² ; Display Resolution: 1440x900; Viewing Angle: 170/160; Input: VGA (D-SUB), DVI; Bezel Color: Matt Black; Pixel Pitch: 0.3 x 0.3; Special Features: "Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carrying Handle" Description: LED Panel, Built in Speakers (2x1W), Includes VGA cable, Stand: 100mm HAS, Pivot, Tilt, VESA 100 x 100mm wall mount; Warranty: 3 Years	Decrease	\$256.58	1095	12.32	Yes	Gold	Yes	729507818184
S19B420BW	19"; Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms; Brightness: 250cd/m ² ; Display Resolution: 1440x900; Viewing Angle: 170/160; Input: VGA (D-SUB), DVI; Bezel Color: Matt Black; Pixel Pitch: 0.3 x 0.3; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright, Samsung MagicColor, Off Timer, Image Size, Key Repeat Time Supported, MagicTune, MultiScreen, Includes VGA/DVI Cables, Stand: 100x10mm VESA; Warranty: 3 Years (Parts/Labor/Backlight)	New	\$234.59	1095	11.44	Yes	Gold	Yes	729507819051
20" TFT LCD Displays:									



SAMSUNG Display MSRP Price List - EFFECTIVE August 1st 2012

Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC	
EX2020X	20" LED Monitor; Contrast Ratio: Mega DCR (Typical 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1600x900 (16:9); Viewing Angle: 170/160 (CR>10); Input: VGA (15 pin D-SUB), DVI-D; Bezel Color: High Glossy Black; Special Features: MagicBright3, MagicEco, Samsung MagicAngle, MagicReturn, Off timer, Image Size Color Effect, Customized key, Windows 7, DVI with HDCP Description: 20" Wide LED, Tilt Stand, 75x75mm VESA; Warranty: 3 Years (Parts/Labor)	MSRP	\$205.27	1095	9.9	Yes	Silver	Yes	729507817682	
S20B350H	20" LED Monitor; Contrast Ratio: MDCR (1000:1 Static) ; Response Time: 2ms; Brightness: 250cd/m2; Display Resolution: 1600x900 (16:9); Viewing Angle: 170/160; Input: VGA, HDMI; Bezel Color: Transparent Red; Special Features: Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, MagicTune, Customized Key, Image Size; Warranty: 1 Year (Parts/Labor)		\$234.59	365	7.48	Yes	Gold	Yes	729507818986	
<u>21.5" TFT LCD Displays:</u>										
S22A200B	21.5"; Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms; Brightness: 250 cd/m ² ; Display Resolution: 1920x1080; Viewing Angle: 170/160; Input: DVI, VGA; Bezel Color: Matt Black; Pixel Pitch: 0.24825 x 0.24825; Special Features: "Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle"; Description: LED Panel, Includes VGA cable, Stand: simple, til, VESA 100 x 100mm wall mount; Warranty: 3 Years (Parts/Labor)		\$249.00	1095	11	Yes	Gold	Yes	729507816845	
S22A460B	21.5" LED Display; Contrast Ratio: Mega DCR (Typical 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1080 (16:9); Viewing Angle: 170/160 (CR>10); Input: VGA (D-SUB 15 pin), DVI; Bezel Color: Matt Black; Special Features: Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle Description: LED Panel, Includes VGA cable, Stand: 150mm HAS, Pivot, Tilt, Swivel, VESA 100 x 100mm wall mount; Warranty: 3 Years (Parts/Labor)	EOL	\$293.00	1095	13.2	Yes	Gold	Yes	729507817859	
S22A460B-1	21.5" LED Monitor - TAA; Contrast Ratio: Mega DCR (Typical 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1080 (16:9); Viewing Angle: 170/160 (CR>10); Input: VGA (D-SUB 15 pin), DVI; Bezel Color: Matt Black; Special Features: Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle Description: LED Panel, Includes VGA cable, Stand: 150mm HAS, Pivot, Tilt, Swivel, VESA 100 x 100mm wall mount; Warranty: 3 Years (Parts/Labor)		\$293.25	1095	13.2	Yes	Gold	Yes	729507817859	
S22A650D	21.5 in; Contrast Ratio: MEGA DCR(Static 3000:1); Response Time: 8 ms; Brightness: 250cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178 / 178; Input: DVI, VGA, Displayport; Bezel Color: Matt Black; Pixel Pitch: 0.24825 x 0.24825; Special Features: "Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle"; Description: LED Panel, Includes VGA cables, Stand: 150mm HAS, Pivot, Tilt, Swivel, VESA 100 x 100mm wall mount; Warranty: 3 yr		\$352.00	1095	13.4	Yes	Gold	Yes	729507816715	
S22A650S	21.5" LED Monitor; Contrast Ratio: Mega DCR (Typical 3000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178/168; Input: VGA (D-SUB 15 pin), DVI, Displayport; Bezel Color: Matt Black; Special Features: Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle; Description: LED Panel, Includes VGA cables, Stand: 150mm HAS, Pivot, Tilt, Swivel, VESA 100 x 100mm wall mount, 1Wx2 Speakers, 2xUSB 2.0; Warranty: 3 Years (Parts/Labor)		\$366.56	1095	13.64	Yes	Gold	Yes	729507817354	
S22B350H	21.5" LED Monitor; Contrast Ratio: MDCR (1000:1 Static) ; Response Time: 2ms; Brightness: 250cd/m2; Display Resolution: 19020x1080; Viewing Angle: 170/160 (CR>10); Input:VGA (D-SUB 15 pin), HDMI; Bezel Color: Transparent Red; Special Features: Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, MagicTune, Customized Key, Image Size; Warranty: 1 Year (Parts/Labor)	MSRP	\$278.58	365	9.02	Yes	Gold	Yes	729507818283	
T22A350	Syncmaster 21.5"; Contrast Ratio: Mega∞Dynamic Contrast Ratio; Response Time: 5ms(GTG); Brightness: 250cd/m2; Display Resolution: 1920x1080; Viewing Angle: 170/160; Input: HDMI x 2, Antenna, Component Video, Composite Video, VGA, Audio in, USB. OUTPUTS: Headphone out, Optical Audio Out; Bezel Color: Touch of Color Red; Pixel Pitch: 0.24825 x 0.24825; Special Features: (1) 2 in 1: HDTV Monitor Combo; (2) Breakthrough image quality with LED Backlight; (3) Multitask PC-TV with Picture-in-Picture; (4) 2 HDMI inputs for cable box, Blu-ray, etc. Description: Includes VGA cable; Warranty: 1 Year	EOL	\$383.32	365	11.9	Yes	Gold	Yes	729507816210	
<u>22" TFT LCD Displays:</u>										
B2240EW	22" LED Monitor - TAA Compliant; Contrast Ratio: DC 70000:1(1000:1) (Typ.); Response Time: 5ms; Brightness: 300 cd/\$ ² ; Display Resolution: 1680x1050; Viewing Angle: 170/160 (CR>10); Input: Analog RGB, DVI; Bezel Color: Black; Pixel Pitch: 0.285mm; Special Features: MagicBright3, MagicEco, MagicAngle, MagicReturn,Off timer, Image Size Color Effect,Customized key, Windows7, DVI with HDCP, 130mm Height Adjustable Stand; Warranty: 3 Years (Parts, Labor&Backlight)	EOL	\$301.00	1095	15.98	Yes	Gold	Yes	729507813851	
B2240W	22" LED Monitor; Contrast Ratio: DC 70000:1(1000:1) (Typ.); Response Time: 5ms; Brightness: 300 cd/\$ ² ; Display Resolution: 1680x1050; Viewing Angle: 170C°/160C° (CR>10); Input: Analog RGB, DVI; Bezel Color: Black; Pixel Pitch: 0.285mm; Special Features: MagicBright3, MagicEco, MagicAngle, MagicReturn,Off timer, Image Size Color Effect,Customized key, Windows7, DVI with HDCP, 130mm Height Adjustable Stand; Warranty: 3 Years (Parts, Labor&Backlight)		\$300.58	1095	16	n/a	n/a	Yes	729507811659	



SAMSUNG Display MSRP Price List - EFFECTIVE August 1st 2012

Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
S22A450BW	22" LED Monitor; Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1680x1050 (16:10); Viewing Angle: 170 / 160; Input: VGA (D-SUB 15 pin), DVI; Bezel Color: Matte Black; Pixel Pitch: 0.24825 x 0.24825; Special Features: "Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle" Description: LED Panel, Embedded Speakers, Includes VGA cable, Stand: 100mm HAS, Pivot, Tilt, VESA 100 x 100mm wall moun; Warranty: 3 Years (Parts/Labor)	EOL	\$323.00	1095	13.4	Yes	Gold	Yes	729507817316
S22A450BW-1	22" LED Monitor - TAA; Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1680x1050 (16:10); Viewing Angle: 170 / 160; Input: VGA (D-SUB 15 pin), DVI; Bezel Color: Matte Black; Pixel Pitch: 0.24825 x 0.24825; Special Features: "Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle" Description: LED Panel, Embedded Speakers, Includes VGA cable, Stand: 100mm HAS, Pivot, Tilt, VESA 100 x 100mm wall moun; Warranty: 3 Years (Parts/Labor)	Increase	\$307.92	1095	13.4	Yes	Gold	Yes	729507817286
S22A450MW	22" LED Monitor; Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms Brightness: 250cd/m2; Display Resolution: 1680x1050 (16:10); Viewing Angle: 170 / 160; Input: VGA (D-SUB 15 pin), DVI; Bezel Color: Matte Black; Pixel Pitch: 0.24825 x 0.24825; Special Features: "Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle"; Warranty: 3 Years (Parts/Labor)	New	\$315.23	1095	13.42	Yes	Gold	Yes	729507818191
S22B420BW	22" LED Monitor - TAA; Contrast Ratio: Mega Dynamic Contrast Ratio (Static 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1680x1050 (16:10); Viewing Angle: 170 / 160; Input: VGA (D-SUB 15 pin), DVI; Bezel Color: Matte Black; Pixel Pitch: 0.24825 x 0.24825; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright, Samsung MagicColor, Off Timer, Image Size, Key Repeat Time Supported, MagicTune, MultiScreen, Includes VGA/DVI Cables, 100x100mm VESA; Warranty: 3 Years (Parts/Labor/Backlight)	New	\$293.25	1095	12.21	Yes	Gols	Yes	729507818863
<u>24" TFT LCD Displays:</u>									
2443BWT-1	24" LED Monitor; Contrast Ratio: 1000:1, 20,000:1 Dynamic Contrast; Response Time: 5ms; Brightness: 300cd/m2; Display Resolution: 1920x1200; Viewing Angle: 170° /160°; Input: Analog RGB,DVI (with HDCP); Bezel Color: Matte Black; Pixel Pitch: 0.270mm; Special Features: MagicColor, MagicBright 3, MagicTune; Bezel Color: Matte Black; Description: Includes VGA Cable, 100mm x 100mm VESA, 100M Height Adjustable Stand with Tilt, Pivot, Swivel; Warranty: 3 Years (Parts/Labor)		\$484.00	1095	16.31	Yes	Silver	Yes	729507812168
C24A650X	24" Central Station w/wireless docking; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 250cd/m2; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178/178; Input: VGA (D-SUB 15 pin), HDMI; Bezel Color: Matte Black; Special Features: Wiress Detection, Eco Saving, Multi Screen Software, Magic Bright, Magic Color, Off Timer, Customized Key, Image Size Adjustment, 0W Power On&Off Switch, Cable Arrangement, Tilt, Swivel, Pivot, HAS, USB Powered Hub Option (2xUSB2.0, 2xUSB3.0); Warranty: 3 Years (Parts/Labor)		\$557.18	1095	15.84	Yes	Gold	Yes	729507817156
S24A450BW	24" LED Monitor; Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1200 (16:10); Viewing Angle: 170 / 160; Input: DVI, VGA; Bezel Color: Matt Black; Pixel Pitch: 0.27675 x 0.27675; Special Features:Eco Saving, Multi Screen Software, MagicAngle, MagicBright 3, MagicColor, Off Timer, Customized Key, Image Size Adjustment, 0-Watt Power On & Off Switch, Carrying Handle; Description: LED Panel, Includes VGA cables, Stand: 100mm HAS, Pivot, Tilt, VESA 100 x 200mm wallmount; Warranty: 3 Year (Parts/Labor)	Decrease	\$425.22	1095	14.7	Yes	Gold	Yes	729507817316
S24A450BW-1	24" LED Monitor; Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1200 (16:10); Viewing Angle: 170 / 160; Input: DVI, VGA; Bezel Color: Matt Black; Pixel Pitch: 0.27675 x 0.27675; Special Features:Eco Saving, Multi Screen Software, MagicAngle, MagicBright 3, MagicColor, Off Timer, Customized Key, Image Size Adjustment, 0-Watt Power On & Off Switch, Carrying Handle; Description: LED Panel, Includes VGA cables, Stand: 100mm HAS, Pivot, Tilt, VESA 100 x 200mm wallmount; Warranty: 3 Year (Parts/Labor)	Decrease	\$425.22	1095	14.7	Yes	Gold	Yes	729507816951
S24A450MW	24" (16:10); Contrast Ratio: MEGA DCR (Static 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1200; Viewing Angle: 170 / 160; Input: VGA (D-SUB), DVI; Bezel Color: Matt Black; Pixel Pitch: 0.27675 x 0.27675; Special Features: "Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle" Description: LED Panel, Built in Speakers (2x1W), Includes VGA cable, Stand: 100mm HAS, Pivot, Tilt, VESA 100 x 200mm wallmount; Warranty: 3 Years	Decrease	\$432.55	1095	14.74	Yes	Gold	Yes	729507818207
S24A460B-1	24" LED Display - TAA; Contrast Ratio: Mega DCR (Typical 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1080 (16:9); Viewing Angle: 170/160 (CR>10); Input: VGA (D-SUB 15 pin), DVI; Bezel Color: Matt Black; Special Features: Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle Description: LED Panel, Includes VGA cable, Stand: 150mm HAS, Pivot, Tilt, Swivel, VESA 100 x 200 mm wall mount; Warranty: 3 Years (Parts/Labor)		\$366.57	1095	15.4	Yes	Gold	Yes	729507817842



SAMSUNG Display MSRP Price List - EFFECTIVE August 1st 2012

Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC	
S24A650D	24"; Contrast Ratio: MEGA DCR(Static 3000:1); Response Time: 8ms; Brightness: 250 cd/m ² ; Display Resolution: 1920x1080; Viewing Angle: 178 / 178; Input: DVI, VGA, Displayport; Bezel Color: Matt Black; Pixel Pitch: 0.27675 x 0.27675; Special Features: "Eco Saving, Multi Screen S/W,Samsung Magic Bright, Samsung Magic Color, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle, Cable Arrangement" Description: LED Panel,Includes VGA cable, Stand: 150mm HAS, Pivot, Tilt, Swivel, VESA 100 x 200mm wallmount; Warranty: 3 Years		\$425.00	1095	15.2	Yes	Gold	Yes	729507817125	
S24A650S	24" LED Monitor; Contrast Ratio: MEGA DCR(Static 3000:1); Response Time: 8ms; Brightness: 250 cd/m ² ; Display Resolution: 1920x1080; Viewing Angle: 178 / 178; Input: DVI, VGA, Displayport; Bezel Color: Matt Black; Pixel Pitch: 0.27675 x 0.27675; Special Features: Eco Saving, Multi Screen S/W,Samsung Magic Bright, Samsung Magic Color, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carrying Handle, Cable Arrangement; Description: LED Panel,Includes VGA cable, Stand: 150mm HAS, Pivot, Tilt, Swivel, VESA 100 x 200mm wallmount, 1Wx2 Speaker, 2xUSB 2.0; Warranty: 3 Years		\$439.88	1095	15.84	Yes	Gold	Yes	729507817361	
S24A850DW	24"; Contrast Ratio: 1000:1; Response Time: 5 ms; Brightness: 300 cd/m ² ; Display Resolution: 1920x1200; Viewing Angle: 178 / 178; Input: Displayport, Dual Link DVI x2, USB 3.0 x 4; Bezel Color: Matt Black; Pixel Pitch: 0.27675 x 0.27675; Special Features: "Eco Saving, Multi Screen S/W,Samsung Magic Bright, Samsung Magic Color, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle, Cable Arrangement" Description: LED PLS panel, Includes VGA cable, USB 3.0 Cable, Stand: 150mm HAS, Pivot, Tilt, Swivel, VESA 100 x 200 wall mount; Warranty: 3 yr		\$659.82	1095	17.2	Yes	Gold	Yes	729507816722	
S24B350HL	23.6" LED Monitor; Contrast Ratio: MDCR (1000:1 Static) ; Response Time: 2ms; Brightness: 250cd/m ² ; Display Resolution: 19020x1080; Viewing Angle: 170/160 (CR>10); Input:VGA (D-SUB 15 pin), HDMI; Bezel Color: Transparent Red; Special Features: Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, MagicTune, Customized Key, Image Size; Warranty: 1 Year (Parts/Labor)		\$366.56	365	11.44	Yes	Gold	Yes	729507818313	
<u>27" TFT LCD Displays:</u>										
C27A650X	27" Central Station w/ wireless docking; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 300cd/m ² ; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178/178; Input: VGA (D-SUB 15 pin), HDMI; Bezel Color: Matte Black; Special Features: Wireless Detection, Eco Saving, Multi Screen S/W, Samsung Magic Bright, Samsung Magic Color, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Cable Arrangement, Tilt, Swivel, Pivot, HAS, (2xUSB2.0, 2xUSB3.0); Warranty: 3 Years (Parts/Labor)		\$805.62	1095	20.24	Yes	Gold	Yes	729507817163	
S27A650D	27 "; Contrast Ratio: MEGA DCR(Static 3000:1); Response Time: 8 ms; Brightness: 300 cd/m ² ; Display Resolution: 1920x1080; Viewing Angle: 178 / 178; Input: DVI, VGA, Displayport; Bezel Color: Matt Black; Pixel Pitch: 0.3113 x 0.3113; Special Features: "Eco Saving, Multi Screen S/W,Samsung Magic Bright, Samsung Magic Color, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle, Cable Arrangement"; Description: LED Panel, Includes VGA cable, Stand: 150mm HAS, Pivot, Tilt, Swivel, VESA 100 x 200mm wallmount; Warranty: 3 Years		\$586.50	1095	19.8	Yes	Gold	Yes	729507817132	
S27A850D	27" LED Monitor; Contrast Ratio: 1000:1; Response Time: 5 ms; Brightness: 300 cd/m ² ; Display Resolution: 2560 x 1440; Viewing Angle: 178 / 178; Input: Displayport, Dual Link DVI x2, USB 3.0 x 3; Bezel Color: Matt Black Pixel Pitch: 0.3113 x 0.3113; Special Features: "Eco Saving, Multi Screen S/W,Samsung Magic Bright, Samsung Magic Color, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle, Cable Arrangement" Description: LED PLS panel, Includes DVI cable, USB 3.0 Cable, Stand: 150mm HAS, Pivot, Tilt, Swivel, VESA 100 x 200 wall mount; Warranty: 3 Years		\$1,246.33	1095	21.6	Yes	Gold	Yes	729507817149	
S27B350H	27" LED Monitor; Contrast Ratio: Mega Dynamic Contrast Ratio (Static 1000:1) ; Response Time: 2 ms; Brightness: 300 cd/m ² ; Display Resolution: 1920 x 1080; Viewing Angle: 170/160 (CR>10) ; Input: VGA (D-SUB 15 pin), HDMI ; Bezel Color: Transparent Red; Special Features: Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, MagicTune, Customized Key, Image Size; Warranty: 1 Year		\$483.86	365	14.08	Yes	Gold	Yes	729507818320	
<u>Specialty Displays:</u>										
MD230	23"; Contrast Ratio: DC150,000:1(Static 3000:1); Response Time: 8ms (GTG); Brightness: 300 lumen; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: D-sub, DVI-D, DP; Bezel Color: Black; Pixel 0.265; Multi Control Pad,DVI-D cable(2m),DP(Display Port) Cable(2.5m), USB Cable(1m, Daisy chain),Control Keypad(1m),Power cable(1.5m), Power in/out cable(0.7m),Manual; Warranty: Warranty: 3 Year Parts/Labor		\$659.82	1095	16.53	n/a	n/a	Yes	729507811420	
MD230X3	23" - 3 screen Multi-Display Solution; Contrast Ratio: DC150,000:1(Static 3000:1); Response Time: 8ms (GTG); Brightness: 300 lumen; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: D-sub, DVI-D, DP; Bezel Color: Black; Pixel 0.265; Multi Control Pad,DVI-D cable(2m),DP(Display Port) Cable(2.5m), USB Cable(1m, Daisy chain),Control Keypad(1m),Power cable(1.5m), Power in/out cable(0.7m),Manual, 100mm Height adjustable stand; Warranty: Warranty: 3 Year Parts/Labor		\$2,199.43	1095	66.36	n/a	n/a	Yes	729507813486	



SAMSUNG Display MSRP Price List - EFFECTIVE August 1st 2012

Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
MD230X6	23" - 6 screen Multi-Display Solution; Contrast Ratio: DC150,000:1(Static 3000:1); Response Time: 8ms (GTG); Brightness: 300 lumen; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: D-sub, DVI-D, DP; Bezel Color: Black; Pixel 0.265; Multi Control Pad, DVI-D cable(2m), DP(Display Port) Cable(2.5m), USB Cable(1m, Daisy chain), Control Keypad(1m), Power cable(1.5m), Power in/out cable(0.7m), Manual, 100mm Height adjustable stand; Warranty: Warranty: 3 Year Parts/Labor		\$4,399.98	1095	110.67	n/a	n/a	Yes	729507813493
<u>Thin Client Displays:</u>									
TB-CH	TB-CH Thin Client Embedded-Citrix Cloud Stand; Input: USB 2.0 x 6, VGA Out (D-Sub 15 Pin) for Dual Display, DVI-D Out for connection to integrated display, Audio Out, Headphone Out, Mic In, RJ45; Bezel Color: Matte Black; Special Features: [OS] LINUX, [Client SW] Citrix Receiver 11.1"; Description: AMD Ontario 1.6GHz Dual, AMD Radeon HD6310, Realtek ALC269, Marvell 88E8055 Gigabit LAN, DDR3 1GB, SSD 8GB, Gigabit Ethernet , Fan, MagicRMS Pro; Warranty: 3 Years	New	\$484.00	1095	7.7	TBA	n/a	Yes	729507819723
TB-WH	TB-WH Thin Client Embedded-Windows Cloud Stand; Input: USB 2.0 x 6, VGA Out (D-Sub 15 Pin) for Dual Display, DVI-D Out for connection to integrated display, Audio Out, Headphone Out, Mic In, RJ45; Bezel Color: Matte Black; Special Features: [OS] Windows Embedded Standard 7 (WES 7), [Client SW] Microsoft RDP, Citrix Online Plug-in, VMWare, [Others] Enhanced Write Filter (EWF), Internet Explorer, Media Player; Description: AMD Ontario 1.6GHz Dual, AMD Radeon HD6310, Realtek ALC269, Marvell 88E8055 Gigabit LAN, DDR3 1GB, SSD 8GB, Gigabit Ethernet , Fan, MagicRMS Pro; Warranty: 3 Years	New	\$650.00	1095	7.7	TBA	n/a	Yes	729507819716
WS-STAND	WS-STAND Thin Client Embedded Cloud Stand; Input: USB 2.0 x 6, VGA Out (D-Sub 15 Pin) for Dual Display, DVI-D Out for connection to integrated display, Audio Out, Headphone Out, Mic In, RJ45; Bezel Color: Matte Black; Special Features: [OS] Windows Embedded Standard 2009(WES 2009), Client SW] Microsoft RDP(7.1), Citrix Online Plug-in (12.1), VMWare (View 4.6), [Others] Enhanced Write Filter (EWF), Internet Explorer 8.0, Media Player 11" Description: AMD Ontario 1.0GHz Dual, AMD Radeon HD6250, Realtek ALC262, Marvell 88E8055 Gigabit LAN, DDR3 2GB, SSD 8GB, Gigabit Ethernet , Fan, MagicRMS Pro Warranty: 3 Years	New	\$433.00	1095	6.8	Yes	n/a	Yes	729507819297
TC190-1	19" Widescreen Thin Client Integrated LCD Monitor; Contrast Ratio: 1,000:1; Response Time: 5; Brightness: 250cd/m2; Display Resolution: 1280 x 1024; Viewing Angle: 170/160deg; Input: Analog RGB, Separate H/V, Composite, 15pin DSUB; Bezel Color: Black; Pixel Pitch: 0.294; Special Features: "[System] - CPU : AMD 210U (1.5G Hz) - OS : Windows Embedded Standard - Extra video memory(64MB) - DDR2 1G/2G (optional) - Flash 1G/2G/4G/8G (optional) [S/W] - Windows XP Service Pack 3 - Internet Explorer 7.0 - Microsoft RDP 6.1 - Citrix XenApp - 2X software - Altiris Deployment Software (Optional) [Connectivity] - Serial Port - Parallel Port - Headphone/Line out port, Microphone in port - USB2.0 * 4 - 1 Giga Ethernet - VGA in(for PC monitor), VGA out(for Dual Video); Warranty: 3 Year Parts/Labor		\$915.00	1095	14.22	Yes	n/a	Yes	729507812649
TC190-2/4	19" Widescreen Thin Client Integrated LCD Monitor with 2GB RAM / 4GB Flash Drive; Contrast Ratio: 1,000:1; Response Time: 5ms (GTG); Brightness: 250cd/m2; Display Resolution: 1280 x 1024; Viewing Angle: 170/160; Input: Analog RGB, Separate H/V, Composite, 15pin DSUB; Bezel Color: Black Pixel Pitch: 0.294 x 0.294; Special Features: "[System] - CPU : AMD 210U (1.5G Hz) w/ 2GB RAM + 4GB FDM - OS : Windows Embedded Standard - Extra video memory(64MB) - DDR2 1G/2G (optional) - Flash 1G/2G/4G/8G (optional) [S/W] - Windows XP Service Pack 3 - Internet Explorer 7.0 - Microsoft RDP 6.1 - Citrix XenApp - 2X software - Altiris Deployment Software (Optional) [Connectivity] - Serial Port - Parallel Port - Headphone/Line out port, Microphone in port - USB2.0 * 4 - 1 Giga Ethernet - VGA in(for PC monitor), VGA out(for Dual Video); Warranty: 3 Year Parts/Labor		\$1,065.00	1095	14.2	Yes	n/a	Yes	729507812649
TC240	23.6" Widescreen Thin Client Integrated LCD Monitor; Contrast Ratio: 1,000:1; Response Time: 5ms; Brightness: 300cd/m2; Display Resolution: 1920 x 1080; Viewing Angle: 170/160; Input: Analog RGB, Separate H/V, Composite, 15pin D-Sub; Bezel Color: Black; Pixel Pitch: 0.272; Special Features: [System] - CPU : AMD 210U (1.5G Hz) - OS : Windows Embedded Standard - Extra video memory(64MB) - DDR2 2G - Flash 8G, [S/W] - Windows XP Service Pack 3 - Internet Explorer 7.0 - Microsoft RDP 6.1 - Citrix XenApp[Connectivity] - Serial Port - Headphone/Line out, Microphone in - USB2.0 * 4 - 1 Giga Ethernet - VGA in(for PC monitor), VGA out(for Dual Video); - OS : Windows, Embedded Standard: - Extra video memory(64MB); Software: - Windows XP Service Pack 3, - Internet Explorer 7.0, - Microsoft RDP 6.1, - Citrix XenApp, - 2X software, - Altiris Deployment Software (Optional); Connectivity: Serial Port, Parallel Port, Headphone/Line out port, Microphone in port, USB2.0 * 4, 1 Giga Ethernet, VGA in(for PC monitor), VGA out(for Dual Video)"; Warranty: 3 Year Parts/Labor		\$1,032.00	1095	19.51	Yes	n/a	Yes	729507812656
TC240-2/8	23.6" Widescreen Thin Client Integrated LCD Monitor with 2GB RAM / 4GB Flash Drive; Contrast Ratio: 1,000:1; Response Time: 5ms (GTG); Brightness: 250cd/m2; Display Resolution: 1280 x 1024; Viewing Angle: 170/160; Input: Analog RGB, Separate H/V, Composite, 15pin DSUB; Bezel Color: Black Pixel Pitch: 0.294 x 0.294; Special Features: "[System] - CPU : AMD 210U (1.5G Hz) w/ 2GB RAM + 4GB FDM - OS : Windows Embedded Standard - Extra video memory(64MB) - DDR2 1G/2G (optional) - Flash 1G/2G/4G/8G (optional) [S/W] - Windows XP Service Pack 3 - Internet Explorer 7.0 - Microsoft RDP 6.1 - Citrix XenApp - 2X software - Altiris Deployment Software (Optional) [Connectivity] - Serial Port - Parallel Port - Headphone/Line out port, Microphone in port - USB2.0 * 4 - 1 Giga Ethernet - VGA in(for PC monitor), VGA out(for Dual Video); Description: TC240 with 2GB RAM, 8GB FDM; Warranty: 3 Year Parts/Labor		\$1,200.00	1095	22.5	Yes	n/a	Yes	729507817811



SAMSUNG Display MSRP Price List - EFFECTIVE August 1st 2012

Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
TS190C	19" Thin Client Embedded-Citrix LED LCD Cloud Station Display; Contrast Ratio: 1,000:1 (Typical); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1440x900; Viewing Angle: 170/160; Input: VGA (D-Sub 15 Pin), USB 2.0 x 6, DVI, Audio In, Mic In, RJ45; Bezel Color: Matte Black; Special Features: [OS] LINUX, [Client SW] Citrix Receiver 11.1; Description: AMD Ontario 1.0GHz Dual, AMD Radeon HD6250, Realtek ALC262, Marvell 88E8055 Gigabit LAN, DDR3 1GB, SSD 8GB, Gigabit Ethernet, Fan, MagicRMS Pro; Warranty: 3 Years	New	\$850.00	1095	13.7	TBA	n/a	Yes	729507818177
TS190W	19" Thin Client Embedded-Windows LED LCD Cloud Station Display; Contrast Ratio: 1,000:1; Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1440x900; Viewing Angle: 170/160; Input: DVI in, VGA in, DVI out, VGA out, Mic in, Headphone out, Audio out, RJ45 LAN, USBx6 (2.0), Audio In, Mic In, Headphone Out, RJ45; Bezel Color: Matte Black; Pixel Pitch: 0.2835x0.2715; Special Features: OS: Windows Embedded Standard 7 Client SW: Microsoft RDP/RemoteFX, Citrix Online Plug-in, VMware, Enhanced Write Filter, Internet Explorer, Media Player Citrix XenApp/Citrix Presentation Server, XenDesktop, VMware View, MS Windows TS2003 2008 RT, MagicRMS Pro; Description: AMD Ontario 1.0GHz Dual Core Processor, AMD Radeon HD6290, 2GB DDR3, 8GB SSD, Gigabit Ethernet, MagicRMS Pro; Warranty: 3 Years	New	\$963.00	1095	13.7	Yes	n/a	Yes	729507818665
TS220C	21.5" Thin Client Embedded-Citrix LED LCD Cloud Station Display; Contrast Ratio: 1,000:1 (Typical); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1080; Viewing Angle: 170/160; Input: VGA (D-Sub 15 Pin - In/Out), DVI-D (In/Out) USB 2.0 x 6, Audio In, Mic In, Headphone Out, RJ45; Bezel Color: Matte Black; Special Features: [OS] LINUX, [Client SW] Citrix Receiver 11.1; Description: AMD Ontario 1.0GHz Dual, AMD Radeon HD6250, Realtek ALC262, Marvell 88E8055 Gigabit LAN, DDR3 1GB, SSD 8GB, Gigabit Ethernet, Fan, MagicRMS Pro; Warranty: 3 Years	New	\$883.00	1095	14.8	TBA	n/a	Yes	729507818696
TS220W	21.5" Thin Client Embedded-Windows LED LCD Cloud Station Display; Contrast Ratio: 1,000:1 (Typical); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1080; Viewing Angle: 170/160; Input: VGA (D-Sub 15 Pin - In/Out), DVI-D (In/Out), USB 2.0 x 6, Audio In, Mic In, Headphone Out, RJ45; Bezel Color: Matte Black; Special Features: "[OS] Windows Embedded Standard 7 (WES 7), [Client SW] Microsoft RDP(7.1), Citrix Online Plug-in (12.1), VMWare (View 4.6) [Others] Enhanced Write Filter (EWF), Internet Explorer 8.0, Media Player 12"; Description: AMD Ontario 1.0GHz Dual, AMD Radeon HD6250, Realtek ALC262, Marvell 88E8055 Gigabit LAN, DDR3 2GB, SSD 8GB, Gigabit Ethernet, Fan, MagicRMS Pro; Warranty: 3 Years	New	\$1,033.00	1095	14.8	Yes	n/a	Yes	729507818672
TC220W	22" Thin Client Embedded LED LCD Display; Contrast Ratio: 1,000:1 (Typical); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1680x1050; Viewing Angle: 170/160; Input: VGA (D-Sub 15 Pin), Audio In, Mic In, USB 2.0 x 4; Bezel Color: Matte Black; Special Features: AMD Ontario 1.0GHz Dual Core, AMD Radeon HD6290, Realtek ALC262, Marvell 88E8055 Gigabit LAN, 2GB DDR3, SSD 8GB, Gigabit Ethernet, Fanless, [OS] Windows Embedded Standard 7 (WES 7), [Client SW] Microsoft RDP(7.1), Citrix Online Plug-in (12.1), VMWare (View 4.6), [Others] Enhanced Write Filter (EWF), Internet Explorer 8.0, Media Player 12"; Description: VGA Out, Stereo Mini Jack Out, External Power Adaptor, Tilt/Swivel/Pivot/HAS Stand, RJ45, RS232C (Out); Warranty: 3 Year	New	\$1,058.00	1095	16.3	TBA	n/a	Yes	729507819952
TS240C	24" Thin Client Embedded-Citrix LED LCD Cloud Station Display; Contrast Ratio: 1,000:1 (Typical); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1200; Viewing Angle: 170/160; Input: VGA (D-Sub 15 Pin - In/Out), DVI-D (In/Out), USB 2.0 x 6, Audio In, Mic In, Headphone Out, RJ45; Bezel Color: Matte Black; Special Features: [OS] LINUX, [Client SW] Citrix Receiver 11.1; Description: AMD Ontario 1.0GHz Dual, AMD Radeon HD6250, Realtek ALC262, Marvell 88E8055 Gigabit LAN, DDR3 2GB, SSD 8GB, Gigabit Ethernet, Fan, MagicRMS Pro; Warranty: 3 Years	New	\$1,134.00	1095	16.5	TBA	n/a	Yes	729507818702
TS240W	24" Thin Client Embedded-Windows LED LCD Cloud Station Display; Contrast Ratio: 1,000:1 (Typical); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1200; Viewing Angle: 170/160; Input: VGA (D-Sub 15 Pin - In/Out), DVI-D (In/Out), USB 2.0 x 6, Audio In, Mic In, Headphone Out, RJ45; Bezel Color: Matte Black; Special Features: [OS] Windows Embedded Standard 7 (WES 7), [Client SW] Microsoft RDP(7.1), Citrix Online Plug-in (12.1), VMWare (View 4.6) [Others] Enhanced Write Filter (EWF), Internet Explorer 8.0, Media Player 12"; Description: AMD Ontario 1.0GHz Dual, AMD Radeon HD6250, Realtek ALC262, Marvell 88E8055 Gigabit LAN, DDR3 2GB, SSD 8GB, Gigabit Ethernet, Fan, MagicRMS Pro; Warranty: 3 Years	New	\$1,284.00	1095	16.5	Yes	n/a	Yes	729507818689
PCoIP Products:									
NC190-1	19" PCoIP Integrated LCD Network Monitor; Contrast Ratio: 1,000:1; Response Time: 5; Brightness: 250cd/m2; Display Resolution: 1280x1024; Viewing Angle: 19; Input: Analog RGB, Separate H/V, Composite, 15pin DSub; Bezel Color: Black; Pixel Pitch: 0.294; Special Features: PCoIP Processor : Tera1100 - Memory : XDR 64MB - Operating System : None - HD Audio : ALC883 - Ethernet : Gigabit Switching Hub; [Connectivity] - VGA in(for PC monitor), DVI out(for Dual Video) - 10/100/1000 RJ45 Ethernet - Headphone out port - Microphone in port - Line in port- USB1.1x4 (2Xrear, 2Xside); Warranty: 3 Year Parts/Labor		\$698.00	1095	22.5	Yes	n/a	Yes	729507817811
NC190-T	19" PCoIP Integrated LCD Network Monitor; Contrast Ratio: 1,000:1; Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1280x1024; Viewing Angle: 160/170; Input: Analog RGB, Separate H/V, Composite, 15pin DSub; Bezel Color: Black; Pixel Pitch: 0.294; Special Features: PCoIP Processor : Tera1100 - Memory : XDR 64MB - Operating System : None - HD Audio : ALC883 - Ethernet : Gigabit Switching Hub; [Connectivity] - VGA in(for PC monitor), DVI out(for Dual Video) - 10/100/1000 RJ45 Ethernet - Headphone out port - Microphone in port - Line in port- USB1.1x4 (2Xrear, 2Xside); Warranty: 3 Year Parts/Labor	New	\$698.00	1095	13.67	TBA	n/a	Yes	729507819969



SAMSUNG Display MSRP Price List - EFFECTIVE August 1st 2012

Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC	
NC220	22" PCoIP Integrated LED Network Monitor; Contrast Ratio: Dynamic 10,000:1 (Typical 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1680x1050 (16:10); Viewing Angle: 178/178deg; Input: VGA (D-SUB 15 pin) Bezel Color: Matt Black; Pixel Pitch: 0.282(H)x0.282(V)mm; Special Features: TeradiciTera1100, (1) Video Out (DVI, for dual) (2) LAN 2EA (RJ 45, Giga) (function: LAN hub) (3) Audio (HeadPhone) (4) Serial Port Description: LED PCoIP Enabled Display, Stand: 130mm HAS, Tilt, Swivel; Warranty: 3 Year Parts/Labor		\$775.00	1095	13.42	Yes	n/a	Yes	729507817477	
NC220P	22" PCoIP CLOUD Display (UPOE Power over Ethernet); Contrast Ratio: Dynamic 10,000:1 (Typical 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1680x1050 (16:10); Viewing Angle: 178/178deg; Input: VGA (D-SUB 15 pin) Bezel Color: Matt Black; Pixel Pitch: 0.282(H)x0.282(V)mm; Special Features: Samsung Cloud display model NC220P is the first integrated zero-client display in the world to take advantage of Cisco's Universal Power Over Ethernet (UPOE). When connected to a UPOE enabled switch, the NC220P is powered directly from the LAN cable. Power the display directly from the Ethernet cable with Cloud Display NC220P which works with Cisco's Universal Power Over Ethernet technology. Requires connection to Cisco Catalyst 4500E Switch; Description: DVI Out, 2xRJ45 (Giga), Audio (HeadPhone), Serial Port, MagicRMS Pro Remote Management Software, Power over Ethernet; Warranty: 3 Year Parts/Labor	EPEAT	\$1,091.00	1095	13.42	Yes	Gold	Yes	729507818092	
NC240	23.6" PCoIP Integrated LCD Network Monitor; Contrast Ratio: 1,000:1; Response Time: 5; Brightness: 300cd/m2; Display Resolution: 1920 x 1080; Viewing Angle: 170/160deg; Input: Analog RGB, Separate H/V, Composite, 15pin DSub; Bezel Color: Black; Pixel Pitch: 0.272; Special Features: "[System] - PCoIP Processor : Tera1100 - Memory : XDR 128MB - Operating System : None - HD Audio : ALC883 - Ethernet : Gigabit Switching Hub [Connectivity] - VGA in(for PC monitor), DVI out(for Dual Video) - 10/100/1000 RJ45 Ethernet - Internal Speaker(1WX2)- optional - Headphone out port - Microphone in port - Line in port - USB1.1X4 (2Xrear, 2XSide); Warranty: 3 Year Parts/Labor		\$815.00	1095	19.07	Yes	n/a	Yes	729507809700	
NC240M	23.6" PCoIP Integrated LCD Network Monitor with Speakers; Contrast Ratio: 1,000:1; Response Time: 5ms(GTG); Brightness: 300 cd/㎡ Display Resolution: 1920 x 1080; Viewing Angle: 170 / 160; Input: Analog RGB; Bezel Color: Black / Black; Pixel Pitch: 0.2715 x 0.2715; Special Features: "[System] - PCoIP Processor : Tera1100- Memory : XDR 128MB- Operating System : None - HD Audio : ALC883 - Ethernet : Gigabit Switching Hub [Connectivity] - VGA in(for PC monitor), DVI out(for Dual Video) - 10/100/1000 RJ45 Ethernet - Internal Speaker (1WX2)-optional - Headphone out port - Microphone in port - Line in port - USB1.1X4 (2Xrear, 2XSide); Warranty: 3 Year Parts/Labor		\$848.00	1095	22.49	Yes	n/a	Yes	729507816883	
NS190	19" Zero Client LED Cloudstation Display - Contrast Ratio: 1,000:1; Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1440x900; Bezel Color: Matte Black; Viewing Angle: 170/160; Input: VGA In, USB 1.1 x 4, Mic In, VGA Out (MirroredDisplay), DVI Out (Connect to integrated display), Headphone Out, Audio Out, RJ45, RS232C; Bezel Color: Black; Special Features: PCoIP Processor : Terra1100, VMware View 5, XDR 128MB, Realtek ALC886, VMware-Ready(4.6), Gigabit Ethernet, Fan, Adjustable Stand (Tilt/Swivel /Pivot/HAS); Warranty: 3 Year Parts/Labor/Backlight	New	\$759.00	1095	13.7	TBA	n/a	Yes	729507817446	
NS220	21.5" Zero Client LED Cloudstation Display - Contrast Ratio: 1,000:1; Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1080; Bezel Color: Matte Black; Viewing Angle: 170/160; Input: VGA In, USB 1.1 x 4, Mic In, VGA Out (MirroredDisplay), DVI Out (Connect to integrated display), Headphone Out, Audio Out, RJ45, RS232C; Bezel Color: Black; Special Features: PCoIP Processor : Terra1100, VMware View 5, XDR 128MB, Realtek ALC886, VMware-Ready(4.6), Gigabit Ethernet, Fan, Adjustable Stand (Tilt/Swivel /Pivot/HAS); Warranty: 3 Year Parts/Labor/Backlight	New	\$833.00	1095	14.8	TBA	n/a	Yes	729507817453	
NS240	24" Zero Client LED Cloudstation Display - Contrast Ratio: 1,000:1; Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1200; Bezel Color: Matte Black; Viewing Angle: 170/160; Input: VGA In, USB 1.1 x 4, Mic In, VGA Out (MirroredDisplay), DVI Out (Connect to integrated display), Headphone Out, Audio Out, RJ45, RS232C; Bezel Color: Black; Special Features: PCoIP Processor : Terra1100, VMware View 5, XDR 128MB, Realtek ALC886, VMware-Ready(4.6), Gigabit Ethernet, Fan, Adjustable Stand (Tilt/Swivel /Pivot/HAS); Warranty: 3 Year Parts/Labor/Backlight	New	\$959.00	1095	16.5	TBA	n/a	Yes	729507817460	
Plasma Displays:										
P50HP	50" Professional Plasma Display - TAA Compliant; Contrast Ratio: 10,000:1; Brightness: 1300 cd/m2; Resolution: 1366 x 768; Viewing Angle: N/A; Color: Black / Black; Pixel Pitch: 0.81(H) x 0.81(V); Input: VGA/DVI/BNC/ CVBS/HDMI; Special Features: DNLe; Burn-in protection (6-Options); Burn-in protection timing; Built-In Speakers; Digital zoom (4x); Key lock & IR lock; Video Wall Processing; RS-232 control; On/off timer; Vertical display, Set Back Box Option; NO FEET; Warranty: 2 Years Onsite(Parts/Labor)		\$1,460.00	730	85.8	Yes	n/a	Yes	729507806327	
P64FP	64" Professional Plasma Display - TAA Compliant; Contrast Ratio: 40,000:1; Brightness: 610 cd/m2; Resolution: 1920 x 1080; Viewing Angle: over 160/160; Color: Black / Black; Pixel Pitch: 0.738(H) x 0.738(V); Input: VGA (D-SUB), DVI-D (In/Out), Composite Video, Component Video, BNC, HDMI, RS232C (In/Out), RCA(L/R), Stereo mini Jack; Special Features: Temperature Sensor, Built-In Fan Control, RS232C MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B, DDC/CI), Video Wall(5x5), Portrait Orientation support, Button Lock, Digital Daisy Chain; Warranty: 2 Years Onsite (Parts/Labor)		\$3,998.00	730	134.2	n/a	n/a	Yes	729507817217	

32" & 40" TFT LCD Displays:



SAMSUNG Display MSRP Price List - EFFECTIVE August 1st 2012

Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
320MP-3	32" Professional LCD Display - TAA; Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 450 cd/m2; Display Resolution: 1366x768; Viewing Angle: 178 / 178; Input: VGA (D-SUB), DVI-D, DisplayPort, CVBS, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo mini Jack,RJ45, RS232C(in/out); Bezel Color: Black; Pixel Pitch: 0.51075(H) x 0.51075(W); Special Features: Lamp Error Detection, Anti Retention, Temperature Sensor, RS232C/RJ45 MDC,Built in Speaker (5W + 5W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Button Lock, Smart Scheduling, Smart F/W update, Energy Start 5.0 Compliant; Warranty: 3 Year Onsite Parts/Labor		\$798.00	1095	36.7	Yes	n/a	Yes	729507815756
320Mxn-3	32" Professional LCD Display with MagicInfo S/W - TAA; Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 450 cd/m2; Display Resolution: 1366x768; Viewing Angle: 178/178; Input: VGA (D-Sub), DVI-D, Display Port, CVBS, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo Mini Jack, RJ45, RS232C(in/out); Black Color: Black; Pixel Pitch: 0.51075(H) x 0.51075(W); Special Features: Lamp Error Detection, Anti Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (5W+5W), Plug Play (DDC2B), PIP/PBP, Video Wall (10x10), Pivot Display, Button Lock, Smart Scheduling, Smart F/W update, MagicInfo S/W, Windows embedded 2010; Warranty: 3 Year Onsite Parts/Labor		\$1,568.00	1095	39.8	n/a	n/a	Yes	729507814797
320TSn-3	32" Professional LCD Touch Display with MagicInfo S/W - TAA; Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 450cd/m2; Display Resolution: 1366x768; Viewing Angle: 178/178; Input: VGA (D-Sub 15-pin), DVI-D, DisplayPort, Composite, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo mini Jack(in/out), RJ45 LAN, RS232C(in/out); Bezel Color: Black; Pixel Pitch: 0.51075(H) x 0.51075(W); Special Features: Embedded Touch (IR), Lamp Error Detection, Brightness Sensor, Anti Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (5W + 5W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Button Lock, Smart Scheduling, MagicInfo S/W, Smart F/W update, Windows embedded 2009; Warranty: 3 Year Onsite Parts/Labor		\$3,385.00	1095	52.6	n/a	n/a	Yes	729507814902
400BX	40" LCD Professional Display - TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 450cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-SUB), DVI-D, Composite Video, Component; (thru VGA input), RS232C in, Stereo mini Jack Bezel Color: Black Pixel Pitch: 0.461(H)x0.461(V); Special Features: Lamp Error Detection, Anti-Image Retention, Temperature Sensor, RS232C MDC, Built in Speaker (5W + 5W), Plug and Play (DDC2B,DDC/Ct), Video Wall(10x10), Portrait Display support, NO STAND; Warranty: 3 Year Onsite Parts/Labor		\$1,075.00	1095	33	Yes	n/a	Yes	729507815886
400DX-3	40" Professional LCD Display-TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 500cd/m2 / 700 cd/m2 (typ/max); Display Resolution: 1920 x 1080; Viewing Angle: 178°/178°; Input: VGA (D-SUB), DVI-D(in/out), DisplayPort, Composite, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo mini Jack, RS232C(in/out), RJ45; Bezel Color: Black; Pixel Pitch: 0.46125(H) x 0.46125(V); Special Features: Lamp Error Detection, Brightness Sensor, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Portrait/Landscape Display, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update, High brightness DID Panel with advanced cooling technology providing 24/7 continuous operation, Energy Star 5.0 Compliant, Compatible with optional SIM-NT PC Module; Warranty: 3 Year Onsite Parts/Labor		\$1,614.00	1095	48.4	Yes	n/a	Yes	729507815244
400FP-3	40" Professional LCD Display-TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 450 cd/m2; Display Resolution: 1920 x 1080; Viewing Angle: 178 / 178; Input: VGA (D-SUB), DVI-D, DisplayPort, Composite, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo mini Jack, RJ45, RS232C(in/out); Bezel Color: Black; Pixel Pitch: 0.46125(H)x0.46125(V); Special Features: Lamp Error Detection, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Portrait/Landscape Display, Button Lock, Smart Scheduling, Smart F/W update, Energy Star 5.0 Compliant, Compatible with optional SIM-NT PC Module; Warranty: 3 Year Onsite Parts/Labor		\$1,152.00	1095	52.4	Yes	n/a	Yes	729507814780
400TS-3	46" Professional LCD Touch Display-TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 450cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA(D-SUB), DVI-D, DisplayPort, Composite, HDMI1, HDMI2, Component(D-sub 15pin), RJ45, RS232C(in/out) , USB B type (touch screen), RCA(L/R), Stereo mini Jack; Bezel Color: Black; Pixel Pitch: 0.46125(H)x0.46125(V); Special Features: Embedded Touch (IR), Lamp Error Detection, Brightness Sensor, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Built-in Video Wall processor (10x10), Portrait/Landscape Orientation, Button Lock, Smart Scheduling, Smart F/W update, Compatible with optional SIM-NT PC Module; Warranty: 3 Year Onsite Parts/Labor		\$3,152.00	1095	64.2	Yes	n/a	Yes	729507815046
400UX-3	40" Professional LCD Display-TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 500cd/m2 / 700 cd/m2 (typ/max); Display Resolution: 1920 x 1080; Viewing Angle: 178°/178°; Input: VGA (D-SUB), DVI-D(in/out), DisplayPort, Composite, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo mini Jack, RS232C(in/out), RJ45; Bezel Color: Black; Pixel Pitch: 0.46125(H) x 0.46125(V); Special Features: Lamp Error Detection, Brightness Sensor, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Portrait/Landscape Display, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update, High brightness DID Panel with advanced cooling technology providing 24/7 continuous operation, Energy Star 5.0 Compliant; Warranty: 3 Year Onsite Parts/Labor		\$1,768.00	1095	49.5	Yes	n/a	Yes	729507815824



SAMSUNG Display MSRP Price List - EFFECTIVE August 1st 2012

Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
400UXn-3	40" Professional LCD Display with MagicInfo S/W-TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 500cd/m2 / 700 cd/m2 (typ/max); Display Resolution: 1920 x 1080; Viewing Angle: 178°/178°; Input: VGA (D-SUB), DVI-D(in/out), DisplayPort, Composite, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo mini Jack, RS232C(in/out), RJ45; Bezel Color: Black; Pixel Pitch: 0.46125(H) x 0.46125(V); Special Features: Lamp Error Detection, Anti Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update, High brightness DID Panel with advanced cooling technology providing 24/7 continuous operation, MagicInfo S/W, Windows Embedded Standard 2009; Warranty: 3 Year Onsite Parts/Labor		\$2,537.00	1095	52.8	n/a	n/a	Yes	729507815268
DE40A	40" Professional LED LCD Display - TAA; Contrast Ratio: 5000:1; Response Time: 10ms; Brightness: 600cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178:178; Input: VGA (D-Sub 15 pin), DVI-D, DisplayPort, Component (CVBS common), HDMI, USB, Stereo Mini Jack Bezel Color: Glossy Black Pixel Pitch: 0.15375(H) X 0.46125(V); Special Features: Anti Reflection, Non Glossy Design, Built in MagicInfo Lite, Built in Speaker (10W + 10W), Plug and Play (through USB), Narrow Bezel (15.1mm, bottom 16.6mm), Slim Depth (29.9mm), External Media Player Option (SBB-A), DVI-D (digital loop out), RS232C (in/out), RJ45, 24/7 Continuous Operation Description: 40" Professional Edge-Lit LED LCD; Warranty: 3 Year Onsite Parts/Labor		\$1,998.00	1095	28.4	Yes	n/a	Yes	729507817903
H32B	32" Hybrid LED Display - TAA; Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 300cd/m2; Display Resolution: 1366x768; Viewing Angle: 170/160; Input: HDMIx3 (1 supports DVI), Component, AV2, Antenna, USB, PC/DVI Audio In, Component Audio In, AV Audio In; Bezel Color: Glossy Black; Special Features: Built in Speaker, RS232, Plug and Play (through USB), PIP/PBP, Narrow Bezel, Light Weight, Built in Button Lock; Warranty: 3 Years Onsite Parts/Labor/Backlight; Warrant: 2 Years On-Site (Parts/Labor/Backlight)	New	\$613.00	730	17.9	n/a	n/a	Yes	8806085179356
H40B	46" Hybrid LED Display - TAA; Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 300cd/m2; Display Resolution: 1920x1080; Viewing Angle: 170/160; Input: HDMIx3 (1 supports DVI), Component, AV2, Antenna, USB, PC/DVI Audio In, Component Audio In, AV Audio In; Bezel Color: Glossy Black; Special Features: Built in Speaker, RS232, Plug and Play (through USB), PIP/PBP, Narrow Bezel, Light Weight, Built in Button Lock; Warranty: 3 Years Onsite Parts/Labor/Backlight; Warrant: 2 Years On-Site (Parts/Labor/Backlight)	New	\$962.00	730	29.5	n/a	n/a	Yes	8806085179387
HE40A	40" LED HDTV LCD Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 300cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-SUB), Component Video, Composite Video(thru VGA input), HDMI(x4), USB(x3), Stereo mini Jack, TV Tuner input, RJ45; Bezel Color: Black; Pixel Pitch: 0.46125(H) x 0.15375(V); Special Features: Built-in TV tuner, Built-in Speaker (10W + 10W), Simple Plug & Play media player (thru USB), Narrow 14mm bezel, Slim chassis depth (1.18"); Warranty: 3 Year Onsite Parts/Labor		\$1,346.00	1095	28.38	Yes	n/a	Yes	729507816937
MD32B	32 inch LED LCD Commercial Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350nits; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: Analog D-SUB, DVI-D(Dual Link), Component, CVBS, HDMI; Bezel Color: Black; Special Features: Built in MagicInfo Lite, Built in Speaker, (10W + 10W), Plug and Play (through USB), PIP/PBP, Narrow Bezel, Light Weight, Built in DTV Tuner (ATSC); Bezel Color: Glossy Black; Warranty: 3 Year Onsite Parts/Labor		\$768.00	1095	17.6	Yes	n/a	Yes	729507818757
MD40B	40" LED LCD Commercial Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350nits; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: Analog D-SUB, DVI-D(Dual Link), Component, CVBS, HDMI; Bezel Color: Glossy Black; Special Features: Built in MagicInfo Lite, Built in Speaker, (10W + 10W), Plug and Play (through USB), PIP/PBP, Narrow Bezel, Light Weight, Built in DTV Tuner (ATSC); Warranty: 3 Year Onsite Parts/Labor		\$1,152.00	1095	25.74	Yes	n/a	Yes	729507818733
ME40A	40" Professional LED LCD Display; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 300cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178:178; Input: VGA (D-Sub 15 Pin), DVI-D, HDMI, DisplayPort, Component (CVBS Common), USB, Stereo mini jack, TV in; Bezel Color: Black; Pixel Pitch: 0.46125(H) x 0.15375(V); Special Features: Built-in TV tuner, Built-in Speaker (10W + 10W), Simple Plug & Play media player (thru USB), Built-in MagicInfo Lite signage software, Narrow bezel, Slim chassis depth (1.18"), DVI -D (Digital loop-out), RS232C (in/out), RJ45 Description: 40" Professional Edge-Lit LED LCD; Warranty: 3 Year Onsite Parts/Labor		\$1,577.00	1095	17.6	Yes	n/a	Yes	729507818757
ME40B	40" Professional LED LCD Display; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350nit; Display Resolution: 1920x1080; Viewing Angle: 178:178; Input: Analog D-SUB, DVI-D(in/out), Display Port, Component(CVBS Common), HDMI, Stereo mini Jack, RS232(in/out) thru stereo jack, RJ45; Bezel Color: Black; Pixel Pitch: 0.15375(H) x 0.46125(V); Special Features: Built in MagicInfo Lite, Built in Speaker(10W + 10W), Plug and Play (through USB), PIP/PBP, Narrow Bezel, Slim Depth (29.9mm), Tuner, ADA compliant form factor; Warranty: 3 Year Onsite Parts/Labor	Decrease	\$1,423.00	1095	28.4	Yes	n/a	Yes	729507819303



SAMSUNG Display MSRP Price List - EFFECTIVE August 1st 2012

Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
SUR40	Samsung SUR40 for Microsoft Surface Touch Table' Contrast Ratio: 2000:1; Response Time: 8ms; Brightness: 300nits; Display Resolution: 1920 x 1080; Viewing Angle: 178 / 178; Input: HDMI (in/out), USB (4), Audio Out, SPDIF, RJ45; LAN/802.11 Wireless LAN/Bluetooth, MIC, SD Card Slot; Bezel Color: N/A; Special Features: AMD Athlon X2 Dual-Core 245e Processor (2.9GHz), DDR3 SODIMM 4GB, 320GB HDD, AMD Mobility Radeon HD6700 Series Graphics Processor, Embedded Windows 7 Professional 64-bit OS, PixelSense Multi-Touch Technology supporting up to 50 points of contact and Optical Tag Recognition, Gorilla Glass protection panel, Supports VESA mounting in horizontal orientation or table-top format with optional SUR40 Leg accessory. Description: The Samsung SUR40 for Microsoft Surface brings people together to connect, learn, and decide. This experience comes to life in this next generation device of interactive touch displays. Warranty: 1 Year Onsite Parts/Labor		\$11,046.00	365	79.2	n/a	n/a	Yes	729507816180
46" TFT LCD Displays:									
460DR	460DR 46 High Brightness Professional LCD Panel Kit-TAA; 46" Contrast Ratio: 3,500:1; Response Time: 8ms; Brightness: 1500 cd/m2; Display Resolution: 1366*768; Viewing Angle: 178/178; Input: D-Sub,DVI-D, S-Video, CVBS, BNC(Component, PC), Analog RGB, DVI -D, Composite S-video, component Video, HDMI; Bezel Color: Unfinished Pixel Pitch: 0.7455(H) * 0.7455(V); Special Features: High Brightness DID Panel, Video Wall Processor, RS232C,Anti-image retention, NO FEET, High Brightness pane; Description: Samsung brings the best to outdoor venues with professional displays that offer industry leading screen brightness, a wide viewing angle, and other features optimized for outdoor viewing conditions. INTEGRATOR NEEDS TO ADD ENCLOSURE & COOLING SYSTEM WITH THIS PRODUCT; Warranty: 3 Year Onsite Parts/Labor		\$4,922.00	1095	57.76	n/a	n/a	Yes	729507806709
460DR-2	46 inch High Bright Commercial LCD Display (Panel Kit Only) - TAA; Contrast Ratio: 4,000:1 (Typical); Response Time: 8ms; Brightness: 1,500 cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-Sub 15 Pin), DVI-D, DisplayPort, Composite, Component (D-Sub 15 Pin), HDMIx2, Stereo Mini Jack (In/Out), RJ45, RS232C (In/Out); Special Features: Panel Kit Only, Air Conditioning Guide, Lamp Error Detection, Anti Retention, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Button Lock, Smart Scheduling, Smart F/W update; Description: Panel Kit Only (Requires 3rd Party Enclosure); Warranty: 3 Years On-Site (Parts/Labor/Backlight)	New	\$4,306.00	1095	66	n/a	n/a	Yes	729507819082
460DR-S	460DR-S 46 High Brightness Professional LCD Window Display (PORTRAIT)-TAA; 46"; Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 1500 cd/m2; Display Resolution: 1366 x 768; Viewing Angle: 178/178 Input: VGA/DVI/HDMI/Composite; Bezel Color: Black; Pixel Pitch: 0.7455(H) * 0.7455(V); Special Features: Built-in Cross Flow Fans (2) for enhanced cooling; DID panel; Protection glass; Portrait mode only; Description: High brightness LCD Window Display solution utilizing Samsung Cooling Technology and durable DID Panel; Portrait mode only; Warranty: 3 Year Onsite Parts/Labor		\$6,614.00	1095	116.6	n/a	n/a	Yes	729507807928
460DRn	46" High Brightness Professional LCD Panel Kit with MagicInfo S/W-TAA; Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 1500 cd/m2; Display Resolution: 1366 x 768; Viewing Angle: 178/178; Input: D-Sub,DVI-D, S-Video, CVBS, BNC(Component, PC), Analog RGB, DVI -D, Composite S-video, component Video, HDMI; Bezel Color: Unfinished; Pixel Pitch: 0.7455(H) * 0.7455(V); Special Features: High Brightness DID Panel, Anti-image retention, NO FEET, Content Management Software: MagicInfo PRO, Built-In PC, Operating System: Win XPe ,CPU: Athlon X2 Dual-Core 4450e (2.3GHz), Memory (Flash / RAM): 4GB / 1GB, Network: Marvell 88E8055 Gigabit LAN; Description: Samsung brings the best to outdoor venues with professional displays that offer industry leading screen brightness, a wide viewing angle, and other features optimized for outdoor viewing conditions. INTEGRATOR NEEDS TO ADD ENCLOSURE & COOLING SYSTEM WITH THIS PRODUCT; Warranty: 3 Year Onsite Parts/Labor		\$5,537.00	1095	57.76	n/a	n/a	yes	729507806716
460DRn-S	46" High Brightness Professional LCD Window Display with MagicInfo S/W (PORTRAIT)-TAA; Contrast Ratio: 3,500:1; Response Time: 8ms; Brightness: 1500 cd/m2; Display Resolution: 1366*768; Viewing Angle: 178/178; Input: D-Sub,DVI-D, S-Video, CVBS, BNC(Component, PC), Analog RGB, DVI -D, Composite S-video, component Video, HDMI Bezel Color: Unfinished Pixel Pitch: 0.7455(H) * 0.7455(V); Special Features: High Brightness DID Panel, Anti-image retention, NO FEET, Content Management Software: MagicInfo PRO, Built-In PC, Operating System: Win XPe ,CPU: Athlon X2 Dual-Core 4450e (2.3GHz), Memory (Flash / RAM): 4GB / 1GB, Network: Marvell 88E8055 Gigabit LAN; Description: Samsung brings the best to outdoor venues with professional displays that offer industry leading screen brightness, a wide viewing angle, and other features optimized for outdoor viewing conditions. INTEGRATOR NEEDS TO ADD ENCLOSURE & COOLING SYSTEM WITH THIS PRODUCT; Warranty: 3 Year Onsite Parts/Labor		\$7,537.00	1095	116.6	n/a	n/a	Yes	729507807942
460DX-3	46" Professional LCD Display-TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 500cd/m2 / 700 cd/m2 (typ/max); Display Resolution: 1920 x 1080; Viewing Angle: 178°/178°; Input: VGA (D-SUB), DVI-D(in/out), DisplayPort, Composite, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo mini Jack, RS232C(in/out), RJ45; Bezel Color: Black; Pixel Pitch: 0.53025(H) * 0.53025(V); Special Features: Lamp Error Detection, Brightness Sensor, Anti- Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Portrait/Landscape Display, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update, High brightness DID Panel with advanced cooling technology providing 24/7 continuous operation, Energy Star 5.0 Compliant, Compatible with optional SIM-NT PC Module; Warranty: 3 Year Onsite Parts/Labor		\$2,229.00	1095	56.5	Yes	n/a	Yes	729507814872



SAMSUNG Display MSRP Price List - EFFECTIVE August 1st 2012

Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
460FP-3	46" Professional LCD Display-TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 450 cd/m2; Display Resolution: 1920 x 1080; Viewing Angle: 178 / 178; Input: VGA (D-SUB), DVI-D, DisplayPort, Composite, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo mini Jack, RJ45, RS232C(in/out); Bezel Color: Black; Pixel Pitch: 0.53025(H) * 0.53025(V); Special Features: Lamp Error Detection, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Portrait/Landscape Display, Button Lock, Smart Scheduling, Smart F/W update, Energy Star 5.0 Compliant, Compatible with optional SIM-NT PC Module; Warranty: 3 Year Onsite Parts/Labor		\$1,460.00	1095	65.6	Yes	n/a	Yes	729507814810
460TS-3	46" Professional LCD Touch Display-TAA; Contrast Ratio: 3000:1 (typ) / 6000:1 (dynamic); Response Time: 8ms; Brightness: 450cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA(D-SUB), DVI-D, DisplayPort, Composite, HDMI1, HDMI2, Component(D-sub 15pin), RJ45, RS232C(in/out), USB B type (touch screen), RCA(L/R), Stereo mini Jack; Bezel Color: Black; Pixel Pitch: 0.53025(H) * 0.53025(V); Special Features: Embedded Touch (IR), Lamp Error Detection, Brightness Sensor, Anti-Image Retention, Temperature Sensor, S232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Built-in Video Wall processor (10x10), Portrait/Landscape Orientation, Button Lock, Smart Scheduling, Smart F/W update, Compatible with optional SIM-NT PC Module Description: The Samsung 460TS-3 46" LCD Touch Screen display is a simple, integrated solution featuring fast and accurate touch-sensitive infrared (IR) technology. Add the optional SIM-NT PC module with MagicInfo Software and you have a full digital signage solution.; Warranty: 3 Year Onsite Parts/Labor		\$4,306.00	1095	79.6	Yes	n/a	Yes	729507815053
460UT-2	46" Professional LCD Display with Super Narrow Bezel - TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 500 cd/m2 (typical) / 700 cd/m2 (max); Display Resolution: 1366x768; Viewing Angle: 178/178; Input: Analog D-SUB, DVI-D(in/out), Display Port, CVBS, HDMI(2), RJ45, RS232; Bezel Color: Black; Pixel Pitch: 0.7455(H) * 0.7455(V); Special Features: 24/7 rated continuous run time, Lamp Error Detection, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall processor (10x10), Portrait/Landscape, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update Description: Samsung's new 460UT-2 series of ultra-thin bezel professional displays add new features to the existing UT series like DisplayPort, DVI loop-out functionality for digital daisy chain and RJ45 LAN control. Warranty: 3 Year Onsite Parts/Labor		\$5,306.00	1095	69.7	Yes	n/a	Yes	729507813288
460UT-B	46" Professional LCD Display with Super Narrow Bezel - TAA; Contrast Ratio: 4500:1; Response Time: 8ms; Brightness: 450 cd/m2; Display Resolution: 1366x768; Viewing Angle: 178/178; Input: Analog D-SUB, DVI-D(in/out), Display Port, CVBS, HDMI(2), RJ45, RS232; Bezel Color: Black; Pixel Pitch: 0.7455(H) * 0.7455(V); Special Features: Lamp Error Detection, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall processor (10x10), Portrait/Landscape, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update Description: Samsung's new 460UT-B series of ultra-thin bezel professional displays now allow you to create affordable videowalls for hotel lobby and retail environments or create tiled displays to achieve larger screen sizes more cost effectively. Warranty: 3 Year Onsite Parts/Labor		\$3,768.00	1095	54.1	Yes	n/a	Yes	729507814339
460UTn-2	46" Professional LCD Display with Super Narrow Bezel and MagicInfo S/W - TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 500 cd/m2 (typical) / 700 cd/m2 (max); Display Resolution: 1366x768; Viewing Angle: 178/178; Input: Analog D-SUB, DVI-D(in/out), Display Port, CVBS, HDMI(2), RJ45, RS232; Bezel Color: Black; Pixel Pitch: 0.7455(H) * 0.7455(V); Special Features: 24/7 rated continuous run time, Lamp Error Detection, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall processor (10x10), Portrait/Landscape, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update, MagicInfo S/W, Windows Embedded Standard 2009; Description: Samsung's new 460UT-2 series of ultra-thin bezel professional displays add new features to the existing UT series like DisplayPort, DVI loop-out functionality for digital daisy chain and RJ45 LAN control. Warranty: 3 Year Onsite Parts/Labor		\$6,229.00	1095	73	n/a	n/a	Yes	729507813271
460UTn-B	46" Professional LCD Display with Super Narrow Bezel and MagicInfo S/W - TAA; Contrast Ratio: 4500:1; Response Time: 8ms; Brightness: 450 cd/m2; Display Resolution: 1366x768; Viewing Angle: 178/178; Input: Analog D-SUB, DVI-D(in/out), Display Port, CVBS, HDMI(2), RJ45, RS232; Bezel Color: Black; Pixel Pitch: 0.7455(H) * 0.7455(V); Special Features: Lamp Error Detection, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall processor (10x10), Portrait/Landscape, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update, MagicInfo S/W, Windows Embedded Standard 2009; Description: Samsung's new 460UT-B series of ultra-thin bezel professional displays now allow you to create affordable videowalls for hotel lobby and retail environments or create tiled displays to achieve larger screen sizes more cost effectively. Warranty: 3 Year Onsite Parts/Labor		\$4,921.00	1095	57.4	n/a	n/a	Yes	729507814322
460UX-3	46" Professional LCD Display-TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 500cd/m2 / 700 cd/m2 (typ/max); Display Resolution: 1920 x 1080; Viewing Angle: 178°/178°; Input: VGA (D-SUB), DVI-D(in/out), DisplayPort, Composite, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo mini Jack, RS232C(in/out), RJ45; Bezel Color: Black; Pixel Pitch: 0.53025(H) * 0.53025(V); Special Features: Lamp Error Detection, Brightness Sensor, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Portrait/Landscape Display, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update, High brightness DID Panel with advanced cooling technology providing 24/7 continuous operation, Energy Star 5.0 Compliant; Warranty: 3 Year Onsite Parts/Labor		\$2,460.00	1095	64.9	Yes	n/a	Yes	729507815831



SAMSUNG Display MSRP Price List - EFFECTIVE August 1st 2012

Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
460UXn-3	46" Professional LCD Display with MagicInfo S/W-TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 500cd/m2 / 700 cd/m2 (typ/max); Display Resolution: 1920 x 1080; Viewing Angle: 178°/178°; Input: VGA (D-SUB), DVI-D(in/out), DisplayPort, Composite, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo mini Jack, RS232C(in/out), RJ45; Bezel Color: Black; Pixel Pitch: 0.53025(H) * 0.53025(V); Special Features: Lamp Error Detection, Anti Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update, High brightness DID Panel with advanced cooling technology providing 24/7 continuous operation, MagicInfo S/W, Windows Embedded Standard 2009; Warranty: 3 Year Onsite Parts/Labor		\$3,229.00	1095	68.2	n/a	n/a	Yes	729507815282
DE46A	46" Professional LED LCD Display - TAA; Contrast Ratio: 5000:1; Response Time: 10ms; Brightness: 600cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178:178; Input: VGA (D-Sub 15 pin), DVI-D, DisplayPort, Component (CVBS common), HDMI, USB, Stereo Mini Jack Bezel Color: Glossy Black; Pixel Pitch: 0.17675(H) X 0.53025(V); Special Features: Anti Reflection, Non Glossy Design, Built in MagicInfo Lite, Built in Speaker (10W + 10W), Plug and Play (through USB), Narrow Bezel (15.1mm, bottom 16.6mm), Slim Depth (29.9mm), External Media Player Option (SBB-A), DVI-D (digital loop out), RS232C (in/out), RJ45, 24/7 Continuous Operation Description: 46" Professional Edge-Lit LED LCD; Warranty: 3 Year Onsite Parts/Labor		\$2,691.00	1095	36.5	Yes	n/a	Yes	729507817958
H46B	46" Hybrid LED Display - TAA; Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 300cd/m2; Display Resolution: 1920x1080; Viewing Angle: 170/160; Input: HDMIx3 (1 supports DVI), Component, AV2, Antenna, USB, PC/DVI Audio In, Component Audio In, AV Audio In; Bezel Color: Glossy Black; Special Features: Built in Speaker, RS232, Plug and Play (through USB), PIP/PBP, Narrow Bezel, Light Weight, Built in Button Lock; Warranty: 3 Years Onsite Parts/Labor/Backlight; Warrant: 2 Years On-Site (Parts/Labor/Backlight)	New	\$1,268.00	730	35.4	n/a	n/a	Yes	8806085179417
HE46A	46" LED HDTV LCD Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 300cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-SUB), Component Video(thru VGA input), HDMI(x4), USB(x3), Stereo mini Jack, TV Tuner input, RJ45; Bezel Color: Black; Pixel Pitch: 0.36375(H) x 0.36375(V); Special Features: Built-in TV tuner, Built-in Speaker (10W + 10W), Simple Plug & Play media player (thru USB), Narrow 14mm bezel, Slim chassis depth (1.18"); Warranty: 3 Year Onsite Parts/Labor		\$1,800.00	1095	36.52	Yes	n/a	Yes	729507816975
MD46B	46" inch LED LCD Commercial Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350nits; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: Analog D-SUB, DVI-D(Dual Link), Component, CVBS, HDMI; Bezel Color:Glossy Black; Special Features: Built in MagicInfo Lite, Built in Speaker, (10W + 10W), Plug and Play (through USB), PIP/PBP, Narrow Bezel, Light Weight, Built in DTV Tuner (ATSC); Warranty: 3 Year Onsite Parts/Labor		\$1,460.00	1095	32.34	Yes	n/a	Yes	729507818764
ME46A	46" Professional LED LCD Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 300cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-sub 15 pin), DVI-D, HDMI, DisplayPort, Component (CVBS common), USB, Stereo mini jack, TV In; Bezel Color: Black; Pixel Pitch: 0.36375(H) x 0.36375(V); Special Features: Built-in TV tuner, Built-in Speaker (10W + 10W), Simple Plug & Play media player (thru USB), Built-in MagicInfo Lite signage software, Narrow bezel, Slim chassis depth (1.18"), DVI-D (Digital loop-out), RS232C (in/out), RJ45; Description: 46" Professional Edge-lit LED LCD; Warranty: 3 Year Onsite Parts/Labor		\$2,031.00	1095	36.5	Yes	n/a	Yes	729507816982
ME46B	46" LED LCD Commercial Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350nits; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: Analog D-SUB, DVI-D(Dual Link), Component, CVBS, HDMI; Bezel Color:Glossy Black; Special Features: Built in MagicInfo Lite, Built in Speaker, (10W + 10W), Plug and Play (through USB), PIP/PBP, Narrow Bezel, Light Weight, Built in DTV Tuner (ATSC); Warranty: 3 Year Onsite Parts/Labor	Decrease	\$1,800.00	1095	36.52	Yes	n/a	Yes	729507819310
OL46B	46 inch High Brightness Commercial LCD Display with Outdoor Enclosure - TAA; Contrast Ratio: 4,000:1 (Typical); Response Time: 8ms; Brightness: 1,500 cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-Sub 15 Pin), DVI-D, DisplayPort, Composite, HDMIx2, Component (D-Sub 15 Pin), RCA (L/R), Stereo Mini Jack (In/Out), RJ45, RS232C (In/Out); Bezel Color: Matte Black; Special Features: All in one Outdoor, IP56 Proof Certified, High Brightness, Low Power Consumption, Full HD Resolution, Sunglasses Free, Protective Glass, SBB -A Option, Ambient Sensor, Slim Bezel, Lamp Error Detection, Anti image Retention, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Smart Scheduling, Smart F/W Update; Description: High brightness all in one outdoor display with enclosure; Warranty: 3 Years On-Site (Parts/Labor/Backlight)	New	\$9,998.00	1095	237.6	n/a	n/a	Yes	8806085179448
SL46B	46 inch High Brightness Professional LCD Display - TAA; Contrast Ratio: 4,000:1 (Typical); Response Time: 8ms; Brightness: 1,500 cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-Sub 15 Pin), DVI-D (In/Out), USB, HDMI, Composite, Component (D-Sub 15 Pin), RCA (L/R), Stereo Mini Jack (In/Out), RJ45, RS232C (In/Out); Bezel Color: Matte Black; Special Features: Plug and Play, Built in Media Player with MagicInfo Lite Software, Slide in Module, Digital Daisy Chains, Built in Speakers, Lamp Error Detection, Anti Image Retention, Temperature Sensor, RS232C/RJ45 MDC, PIP/PBP, Video Wall(10x10), Pivot Display, Button Lock, Smart Scheduling; Description: Semi Outdoor High Bright Commercial Display; Warranty: 3 Years On-Site	New	\$4,460.00	1095	71.7	Yes	n/a	Yes	729507819174



SAMSUNG Display MSRP Price List - EFFECTIVE August 1st 2012

Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC	
UD46A	46" Ultra Narrow Bezel Professional LED LCD Display - TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 700cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-SUB 15 pin), DVI-D, Display Port, Composite, HDMIX2, Component (thru VGA port, requires optional adaptor), RCA (L/R), Stereo Mini Jack; Bezel Color: Glossy Black; Pixel Pitch: 0.53025mm(H)*0.53025mm(V); Special Features: Lamp Error Detection, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Built-in Video Wall processor (10x10), Portrait Orientation, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update, 24/7 Continuous Operation; Description: 46" Ultra Narrow Bezel, Video Wall Direct-lit LED LCD; Warranty: 3 Year Onsite Parts/Labor	Decrease	\$5,998.00	1095	39.6	Yes	n/a	Yes	729507817866	
UE46A	46" Slim Bezel Professional LED LCD Display - TAA; contrast Ratio: 5000:1; Response Time: 4ms; Brightness: 420cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-sub 15 pin), DVI-D, HDMI, DisplayPort, Component (CVBS common), USB, Stereo mini jack; Bezel Color: Black; Pixel Pitch: 0.46125(H) X 0.15375(V); Special Features: Built-in Speaker (10W + 10W), Simple Plug & Play media player (thru USB), Built-in MagicInfo Lite signage software, Ultra-Narrow bezel, Slim chassis depth (1.18"), 3D Ready (requires optional 3D glasses), DVI-D (Digital loop-out), RJ45; Description: 46" Professional Ultra Narrow Bezel Edge-lit LED LCD; Warranty: 3 Year Onsite Parts/Labor		\$3,229.00	1095	35	Yes	n/a	Yes	729507816920	
52", 57", 70" & 82" TFT LCD Displays:										
550DX	55" Professional LCD Display-TAA; Contrast Ratio: 4000:1; Response Time: 8ms; Brightness: 700 cd/m2; Display Resolution: 1920 x 1080; Viewing Angle: 178/178; Input: VGA, DVI-D(in/out), DisplayPort, Composite, HDMI(2), Component(D-sub 15pin), RS232C(in/out), RJ45; Bezel Color: Black; Pixel Pitch: 0.21(H) x 0.63(V); Special Features: 24/7 Continuous run-time reliability, Lamp Error Detection, Brightness Sensor, Anti-Image Retention functions, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Portrait Orientation support, Button Lock, Digital Daisy Chain (DVI-out), Smart Scheduling, Smart F/W update, Compatible with optional SIM-NT module accessory (embedded PC w/MagicInfo Software), Energy Star 5.0 compliant. Warranty: 3 Year Onsite Parts/Labor	Decrease	\$3,306.00	1095	92.4	Yes	n/a	Yes	729507813950	
650FP-2	65" Professional LCD Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 500cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-Sub), DVI-D (in/out), HDMI, BNC; (Component, PC), Composite Video, RS-232C (in/out), RCA(L/R), Stereo mini Jack Bezel Color: Black; Pixel Pitch: .744(H)x.744(V); Special Features: Lamp Error Detection, Anti Retention, Brightness Sensor, Temperature Sensor, Built-In Fan Control, RS232C MDC, Built in Speaker (15W + 15W), Plug and Play (DDC2B, DDC/CI), PIP/PBP, Video Wall(5x5), Button Lock, Digital Daisy Chain, Landscape orientation only Description: Samsungs 650FP-2 Professional LCD Display now makes it affordable to install large displays, maximizing your digital signage message. Warranty: 3 Year Onsite Parts/Labor		\$7,229.00	1095	148.28	n/a	n/a	Yes	729507817057	
650TS-2	65" Professional LCD Touch Display-TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 500cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-Sub), DVI-D (in/out), HDMI, Composite; Video, RS-232C (in/out), RCA(L/R), Stereo mini jack; Bezel Color: Black; Pixel Pitch: 0.744(H) x 0.744(V); Special Features: Embedded Touch (Optical), Lamp Error Detection, Anti-Image Retention, Brightness Sensor, Temperature Sensor, Built-In Fan Control, RS232C MDC, Built in Speaker (15W + 15W), Plug and Play (DDC2B, DDC/CI), PIP/PBP, Video Wall(5x5), Button Lock, Digital Daisy Chain, Landscape orientation only Description: Samsungs 650TS-2 professional LCD Touch Display takes interactivity to the next level with the included Interactive Whiteboard software; Warranty: 3 Year Onsite Parts/Labor		\$10,460.00	1095	176.88	n/a	n/a	Yes	729507817064	
700DX-2	70" Professional LCD Display-TAA; contrast Ratio: 2000:1; Response Time: 8ms; Brightness: 600cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178°/178°; Input: VGA, DVI (in/out), BNC/Component (in/out), Composite, HDMI Bezel Color: Matte Black; Pixel Pitch: 0.807(H) x 0.807(V); Special Features: Lamp Error Detection, Anti Retention, Brightness Sensor, Temperature Sensor, Built-In Fan Control, RS232C MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B, DDC/CI), PIP/PBP, Video Wall(5x5), Pivot Display, Button Lock, Digital Daisy Chain, Stand included; Warranty: 3 Year Onsite Parts/Labor		\$14,383.00	1095	225.9	n/a	n/a	Yes	729507810409	
700DXn-2	70" Professional LCD Display with MagicInfo S/W-TAA; Contrast Ratio: 2000:1 (typical) / 2500:1 (dynamic); Response Time: 8ms; Brightness: 600 cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178°/178°; Input: VGA, DVI (in/out), BNC/Component (in/out), Composite (in/out), HDMI; Bezel Color: Matte Black; Pixel Pitch: 0.807(H) x 0.807(V); Special Features: Lamp Error Detection, Brightness Sensor, Temperature Sensor, Built-in Fan, IR in/Out, Video Wall Processor, RS232C, High brightness DID Panel with advanced cooling technology providing 24/7 continuous operation, Picture-in-Picture, Built-in speakers and stand; Warranty: 3 Year Onsite Parts/Labor		\$15,229.00	1095	228.8	n/a	n/a	Yes	729507810416	
700DX-3	70 inch Professional LCD Display - TAA; Contrast Ratio: 2,500:1 (Typical); Response Time: 8ms; Brightness: 600 cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-Sub 15 Pin), DVI-D (In/Out), DisplayPort, Composite, Component (D-Sub 15 Pin), HDMIX2, RCA (L/R), Stereo Mini Jack (In/Out), RJ45, RS232C (In/Out); Bezel Color: Matte Black; Special Features: Lamp Error Detection, Anti Retention, Brightness Sensor, Temperature Sensor, Built-In Fan Control, RS232C MDC, Built in Speaker (15W + 15W), Plug and Play (DDC2B, DDC/CI), PIP/PBP, Video Wall(5x5), Pivot Display, Button Lock, Digital Daisy Chain;Warranty: 3 Years On-Site (Parts/Labor/Backlight); Warranty: 3 Years On-Site (Parts/Labor/Backlight)	New	\$12,306.00	1095	228.8	n/a	n/a	Yes	729507819792	



SAMSUNG Display MSRP Price List - EFFECTIVE August 1st 2012

Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
700TSn-2	70" Professional LCD Touch Display with MagicInfo S/W-TAA; Contrast Ratio: 2000:1; Response Time: 8ms; Brightness: 600cd/m2; Display Resolution: 1920x1080; Viewing Angle: 600cd/m2; Input: VGA (D-SUB), DVI-D (in/out), CVBS, Component, BNC, HDMI, RS232C(in/out) Bezel Color: Black (brushed metal); Pixel Pitch: 0.807(H) x 0.807(V); Special Features: Infrared touch screen module, Lamp Error Detection, Anti Image Retention, Brightness Sensor, Temperature Sensor, Built-In Fan Control, RS232C MDC, Built in Speaker (15W + 15W), Plug and Play (DDC2B, DDC/CI), PIP/PBP, Video Wall(5x5), Portrait/Landscape function, Button Lock, Digital Daisy Chain, MagicInfo S/W, Windows Embedded Standard 2009 with embedded PC, Stand Included. Description: The Samsung 700TSn-2 70" LCD Touch Display is a simple, integrated solution featuring fast and accurate touch-sensitive infrared (IR) technology; Warranty: 3 Year Onsite Parts/Labor		\$22,614.00	1095	325.6	n/a	n/a	Yes	729507810737
820DXn-2	82" Professional LCD Display with MagicInfo S/W-TAA; Contrast Ratio: 2000:1; Response Time: 8ms; Brightness: 600 cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178°/178°; Input: VGA, DVI (in/out), BNC/Component (in/out), Composite, HDMI, RS232C(in/out); Bezel Color: Matte Black; Pixel Pitch: 0.9405(H) x 0.9405(V); Special Features: Lamp Error Detection, Anti Image Retention, Brightness Sensor, Temperature Sensor, Built-In Fan Control, RS232C MDC, Built in Speaker (15W + 15W), Plug and Play (DDC2B, DDC/CI), PIP/PBP, Video Wall(5x5), Portrait/Landscape function, Button Lock, Digital Daisy Chain, MagicInfo S/W, Windows Embedded Standard 2009 with embedded PC, Stand Included. Warranty: 3 Year Onsite Parts/Labor		\$67,691.00	1095	338.8	n/a	n/a	Yes	729507810799
820DXn-P-2	82" Professional LCD Display with MagicInfo S/W and Protective Glass -TAA; Contrast Ratio: 2000:1; Response Time: 8ms; Brightness: 600 cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178°/178°; Input: VGA, DVI (in/out), BNC/Component (in/out), Composite, HDMI, RS232C(in/out); Bezel Color: Matte Black; Pixel Pitch: 0.9405(H) x 0.9405(V); Special Features: Lamp Error Detection, Anti Image Retention, Brightness Sensor, Temperature Sensor, Built-In Fan Control, RS232C MDC, Built in Speaker (15W + 15W), Plug and Play (DDC2B, DDC/CI), PIP/PBP, Video Wall(5x5), Portrait/Landscape function, Button Lock, Digital Daisy Chain, MagicInfo S/W, Windows Embedded Standard 2009 with embedded PC, Stand Included, Protection Glass installed; Warranty: 3 Year Onsite Parts/Labor		\$67,691.00	1095	338.8	n/a	n/a	Yes	729507816456
820TSn-2	82" Professional LCD Touch Display with MagicInfo S/W-TAA; Contrast Ratio: 2000:1; Response Time: 8ms; Brightness: 600cd/m2; Display Resolution: 1920x1080; Viewing Angle: 600cd/m2; Input: VGA (D-SUB), DVI-D (in/out), CVBS, Component, BNC, HDMI, RS232C(in/out); Bezel Color: Black (brushed metal); Pixel Pitch: 0.9405(H) x 0.9405(V); Special Features: Infrared touch screen module, Lamp Error Detection, Anti Image Retention, Brightness Sensor, Temperature Sensor, Built-In Fan Control, RS232C MDC, Built in Speaker (15W + 15W), Plug and Play (DDC2B, DDC/CI), PIP/PBP, Video Wall(5x5), Portrait/Landscape function, Button Lock, Digital Daisy Chain, MagicInfo S/W, Windows Embedded Standard 2009 with embedded PC, Stand Included. Description: The Samsung 820TSn-2 82" LCD Touch Display is a simple, integrated solution featuring fast and accurate touch-sensitive infrared (IR) technology. Warranty: 3 Year Onsite Parts/Labor		\$84,614.00	1095	385	n/a	n/a	Yes	729507810744
DE55A	55" Professional LED LCD Display - TAA; Contrast Ratio: 4000:1; Response Time: 10ms; Brightness: 600cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178:178; Input: VGA (D-Sub 15 pin), DVI-D, DisplayPort, Component (CVBS common), HDMI, USB, Stereo Mini Jack Bezel Color: Glossy Black Pixel Pitch: 0.21(H) X 0.63(V); Special Features: Anti Reflection, Non Glossy Design, Built in MagicInfo Lite, Built in Speaker (10W + 10W), Plug and Play (through USB), Narrow Bezel (15.1mm, bottom 16.6mm), Slim Depth (29.9,mm), External Media Player Option (SBB-A), DVI-D (digital loop out), RS232C (in/out), RJ45, 24/7 Continuous Operation Description: 55" Professional Edge-Lit LED LCD; Warranty: 3 Year Onsite Parts/Labor		\$4,229.00	1095	48.8	Yes	n/a	Yes	729507817965
MD55B	55" inch LED LCD Commercial Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 380cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-sub 15 pin), DVI-D, HDMI, DisplayPort, Component (CVBS common), USB, Stereo mini jack, TV In; Bezel Color: Black; Pixel Pitch: 0.21(H) x 0.63(V); Special Features: Built-in TV tuner, Built-in Speaker (10W + 10W), Simple Plug & Play media player (thru USB), Built-in MagicInfo Lite signage software, Narrow bezel, Slim chassis depth (1.18"), DVI-D (Digital loop-out), RS232C (in/out); Description: 55" Professional Edge-lit LED LCD; Warranty: 3 Year Onsite Parts/Labor		\$2,075.00	1095	48.8	Yes	n/a	Yes	729507816999
ME55A	55" Professional LED LCD Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 380cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-sub 15 pin), DVI-D, HDMI, DisplayPort, Component (CVBS common), USB, Stereo mini jack, TV In; Bezel Color: Black; Pixel Pitch: 0.21(H) x 0.63(V); Special Features: Built-in TV tuner, Built-in Speaker (10W + 10W), Simple Plug & Play media player (thru USB), Built-in MagicInfo Lite signage software, Narrow bezel, Slim chassis depth (1.18"), DVI-D (Digital loop-out), RS232C (in/out); Description: 55" Professional Edge-lit LED LCD; Warranty: 3 Year Onsite Parts/Labor		\$2,998.00	1095	48.8	Yes	n/a	Yes	729507816999
ME55B	55" LED LCD Professional Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 389nit; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: Analog D-SUB, DVI-D(in/out), Display Port, Component(CVBS Common), HDMI, Stereo mini Jack, RS232(in/out) thru stereo jack, RJ45; Bezel Color: Black; Pixel Pitch: 0.21(H) x 0.63(V); Special Features: Built in MagicInfo Lite, Built in Speaker(10W + 10W), Plug and Play (through USB), PIP/PBP, Narrow Bezel, Slim Depth (29.9mm), Tuner, ADA compliant form factor; Warranty: 3 Year Onsite Parts/Labor	Decrease	\$2,768.00	1095	48.84	Yes	n/a	Yes	729507819327



SAMSUNG Display MSRP Price List - EFFECTIVE August 1st 2012

Mfg Part Number	Product Description	Change	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
ME65B	65" LED LCD Professional Display - TAA; Contrast Ratio: 4000:1; Response Time: 8ms; Brightness: 450cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA, DVI-D (In/Out), HDMI, DisplayPort, Component, Composite, USB, Stereo Mini Jack, RJ45, RS232C (In/Out); Bezel Color: Matte Black; Special Features: Narrow Bezel, Slim Depth, PIM Module, Digital Daisy Chain, Lamp Error Detection, Temperature Sensor, RS232C/RJ45 MDC, Video Wall (10x10), Pivot Display, Smart Scheduling, Built in MagicInfo Lite, Built in Speaker(15W + 15W), Plug and Play (through USB); Warranty: 3 Year Onsite Parts/Labor	New	\$4,998.00	1095	70.8	Yes	n/a	Yes	8806085179516
UD55A	55" Ultra-Narrow Bezel Professional LED LCD Display - TAA; Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 700cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-SUB 15 pin), DVI-D, Display Port, Composite, HDMIx2, Component (thru VGA port, requires optional adaptor), RCA (L/R), Stereo Mini Jack Bezel Color: Black Pixel Pitch: 0.63x0.63 Special Features: Lamp Error Detection, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Built-in Video Wall processor (10x10), Portrait Orientation, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update, 24/7 Continuous Operation Description: 55" Ultra Narrow Bezel, Video Wall Direct-lit LED LCD; Warranty: 3 Year Onsite Parts/Labor	Decrease	\$8,460.00	1095	72.6	Yes	n/a	Yes	729507816784
UE55A	55" Slim Bezel Professional LED LCD Display - TAA; Contrast Ratio: 5000:1; Response Time: 4ms; Brightness: 380cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-sub 15 pin), DVI-D, HDMI, DisplayPort, Component (CVBS common), USB, Stereo mini jack; Bezel Color: Black; Pixel Pitch: 0.210(H) X 0.630(V); Special Features: Built-in Speaker (10W + 10W), Simple Plug & Play media player (thru USB), Built-in MagicInfo Lite signage software, Ultra-Narrow bezel, Slim chassis depth (1.18"), 3D Ready (requires optional 3D glasses), DVI-D (Digital loop-out), RS232C (in/out), RJ45; Description: 55" Professional Ultra Narrow Bezel Edge-lit LED LCD; Warranty: 3 Year Onsite Parts/Labor		\$4,614.00	1095	46.2	Yes	n/a	Yes	729507817002
Options and Accessories:									
CY-AC46	Samsung A/C Kit for 460DR & 460DRn Outdoor Panel Kits		\$1,075.00	365	48.4	n/a	n/a	n/a	729507807430
CY-EBIS	External Brightness & IR Sensor for 400UX(n)-2, 460UX(n)-2, 460UT(n)-2, 460UT(n)-B Series		\$44.00	1095	0.5	n/a	n/a	n/a	729507815862
MID-UD46FS	Samsung MID Video Wall Stand Kit for UD46A LED Series		\$1,460.00	1095	88	n/a	n/a	n/a	729507818818
MID-UD46MB	MID Kit Bar Brackets for UD46A LED Series		\$108.00	1095	4.4	n/a	n/a	n/a	729507818016
MID-UD55FS	Samsung MID Video Wall Stand Kit for UD55A LED Series		\$1,691.00	1095	99	n/a	n/a	n/a	729507817996
MID-UD55MB	MID Kit Bar Brackets for UD55A LED Series		\$131.00	1095	4.4	n/a	n/a	n/a	729507818009
MID-UX40MB	MID Kit Bar Brackets for 400UX(n)-3 Series		\$108.00	1095	4.4	n/a	n/a	n/a	729507818122
MID-UX46MB	MID Kit Bar Brackets for 460UX(n)-3 Series \$ 70.00 \$ 82.00 \$ 108.00		\$108.00	1095	4.4	n/a	n/a	n/a	729507818115
MID40-UX3	Samsung MID Interlocking Display Kit for 400UX(n)-3 Series		\$1,383.00	1095	92	n/a	n/a	n/a	729507814698
MID4046K	MID Accessory Kit without Base Stand for 400UX(n)-2, 460UX(n)-2 Series		\$306.00	1095	4.9	n/a	n/a	n/a	729507810300
MID40DS	Samsung MID Interlocking Dummy Stand Kit for 400UX(n)-2 Series		\$306.00	1095	20.4	n/a	n/a	n/a	729507815916
MID46-UX3	Samsung MID Interlocking Display Kit for 460UX(n)-3 Series		\$1,460.00	1095	110	n/a	n/a	n/a	729507814704
MID462-UT2	Samsung MID Interlocking Display Kit for 460UT(n)-2, 460UT(n)-B Series		\$1,460.00	1095	103	n/a	n/a	n/a	729507814711
MID462DS	Samsung MID Interlocking Dummy Stand Kit for 460UT(n)-2, 460UT(n)-B Series		\$306.00	1095	21.5	n/a	n/a	n/a	729507815923
MID462K	MID Accessory Kit without Base Stand for 460UT(n)-2 and 460UT(n)-B Series		\$306.00	1095	5.1	n/a	n/a	n/a	729507810317
MID462MB	MID Kit Bar Brackets for 460UT(n)-2 and 460UT(n)-B models		\$108.00	1095	4.4	n/a	n/a	n/a	729507816678
MID46DS	Samsung MID Interlocking Dummy Stand Kit for 460UX(n)-2 Series		\$306.00	1095	22.6	n/a	n/a	n/a	729507815879
SBB-A	Slim Setback Box Media Player for ME / UE / UD / DE LED Series (16G SSD / 2G RAM)		\$885.00	1095	3.9	n/a	n/a	n/a	729507817927
SBB-DT3	Tuner Set Back Box for MP/MXn-3, FP-3, DX-3, UX(n)-3, UT(n)-2, UT(n)-B, TS(n)-3, 550DX Models		\$138.00	1095	1.4	n/a	n/a	n/a	729507816876
SBB-NT	Network PC Set Back Box for 320MP-2, 400FP-2, 460FP-2, 520DX and 650FP Models		\$1,075.00	1095	6	n/a	n/a	Yes	729507806150
SIM-NT	Slide-In-Module Media Player w/MagicInfo SW for FP-3, DX-3, TS-3 and 550DX Series		\$845.00	1095	7.5	n/a	n/a	Yes	729507815367
SIM-NT64	Slide in Network Module compatible with FP-3, DX-3, TS-3, and 550DX Models	New	\$845.00	1095	7.5	n/a	n/a	Yes	729507818306
SMM6330D	Stand for 63M7F, P63F, P63FP Plasma Models		\$385.00	1095	34	n/a	n/a	n/a	729507800219
STN-520WE	STN-520WE Samsung Large Format Display Welcome Board for 40-52 LCD and 42-50 Plasma Models		\$691.00	1095	101.2	n/a	n/a	n/a	729507809519
STN-L325SD	Stand for FP-3, DX-3, UX(n)-3, UT(n)-2, UT(n)-B, TS-3 and 550DX LCD Series		\$45.00	1095	2.8	n/a	n/a	n/a	729507815725
STN-L3257D	Stand for MX(n), MP(n), CX(n), FX(n), FP(n), UX(n), UT(n), 400TSn, 460TSn, 520DX(n) LCD Series		\$45.00	1095	3.75	n/a	n/a	n/a	729507806174
STN-L32D	Stand for 320MP-3, 320MXn-3 and 320TSn-3 Series		\$62.00	1095	6.6	n/a	n/a	n/a	729507816906
STN-L4055AD	Stand for HE / ME / UE Series LED Models		\$62.00	1095	6.6	n/a	n/a	n/a	729507818023
STN-L65D	Stand for 650FP, 650TS LCD Models		\$185.00	1095	9.7	n/a	n/a	n/a	729507814230
STN-LE4055D	Stand Accessory for LED EX Series - 400EX(n) / 460EX(n) / 550EX(n) - Requires STNL3257D Stand		\$62.00	1095	6.6	n/a	n/a	n/a	729507814933
STN-P4063D	Stand for P42H, P42HP, P50H, P50HP, P50F, P50FP Plasma Models		\$45.00	1095	4	n/a	n/a	n/a	729507806167
STN-SF40	SUR40 Table Leg Accessory Kit		\$854.00	1095	43.8	n/a	n/a	n/a	729507818214
WMB1900T	T Wall Mount Bracket 19"~22"		\$31.00	1095	6.61	n/a	n/a	n/a	729507805436
WMB2400T	TOC Wall Mount Bracket for 24"~25.5 VESA 100X100		\$31.00	1095	6.61	n/a	n/a	n/a	729507805443
WMN-2000AD	Picture Wire Type Wall Mount for HE40A / ME40A LED Models		\$246.00	1095	2.2	n/a	n/a	n/a	729507818054
WMN-2000BD	Picture Wire Type Wall Mount for HE46A / ME46A / ME55A / UE46A / UE55A LED Models		\$269.00	1095	2.2	n/a	n/a	n/a	729507818061
WMN-4070SD	Wall Mount for HE40A / ME40A LED Models		\$169.00	1095	5.9	n/a	n/a	n/a	729507818030
WMN-4270SD	Wall Mount for EX / HE46A / ME46A / ME55A / UE46A / UE55A LED Models		\$92.00	1095	13.6	n/a	n/a	n/a	729507814841
WMN-460UTD	Videowall Wall Mount for 460UT Series (UPPER SIDE OPEN TYPE)		\$369.00	1095	15	n/a	n/a	n/a	729507813110
WMN-4655MD	Video Wall Mount for UE46A / UE55A / UD55A LED Models		\$346.00	1095	9	n/a	n/a	n/a	729507818047
WMN5770D	Wall Mount for 40-57" LCD Models and 42-63" Plasma Models		\$199.00	1095	43	n/a	n/a	n/a	729507802855
WMN7070D	70 Wall Mount for 700DXn (LANDSCAPE)		\$998.00	1095	44.1	n/a	n/a	n/a	729507804668

