



SAMSUNG Display MSRP Price List - EFFECTIVE November 2014

| Mfg Part Number | Product Description | Change | MSRP | Warranty | Shipping Weight (lbs.) | Energy Star | EPEAT | UL Certified | UPC |
|--------------------------------|---|--------|----------|----------|------------------------|-------------|-------|--------------|--------------|
| 18.5" TFT LCD Displays: | | | | | | | | | |
| S19B420B | 18.5"; Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1366x768; Viewing Angle: 170/160; Input: VGA (D-SUB), DVI; Bezel Color: Matt Black; Pixel Pitch: 0.3 x 0.3; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright, Samsung MagicColor, Off Timer, Image Size, Key Repeat Time Supported, MagicTune, MultiScreen, Includes VGA/DVI Cables, Stand: 100x10mm VESA; Warranty: 3 Years (Parts/Labor/Backlight) | | \$190.60 | 1095 | 11.22 | 6.0 | Gold | Yes | 729507819433 |
| 19" TFT LCD Displays: | | | | | | | | | |
| S19C200BR | 19"; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off) Response Time; Brightness: 250cd/m2 Brightness; Display Resolution: 1280x1024 Resolution (5:4) Aspect Ratio; Viewing Angle: 170/160; Input: VGA, D-Sub, DVI; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Key Repeat Time supported, LED Panel, Includes VGA & DVI Cable, Tilt Function, Energy Star /TCO/ Epeat Gold, 100x100 Wall mount supported; Warranty: 3 Years (Parts/Labor/Backlight) | | \$254.63 | 1095 | 10 | 6.0 | Gold | Yes | 887276007571 |
| S19C450BR | 19"; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off); Brightness: 250cd/m2 Display Resolution: 1280x1024 (5:4) Aspect Ratio; Viewing Angle: 170/160; Input: VGA, DVI Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Key Repeat Time supported,LED Panel, Includes VGA, DVI Cable, HAS (Pivot, Tilt, Swivel), VESA 100x100 Wall Mount Supported; Warranty: 3 Years (Parts/Labor/Backlight) | | \$278.58 | 1095 | 13 | 6.0 | Gold | Yes | 887276007601 |
| 21.5" TFT LCD Displays: | | | | | | | | | |
| S22C200B | 21.5" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off); Brightness: 250cd/m2; Display Resolution: 1920x1080 (16:9) Aspect Ratio; Viewing Angle: 170/160; Input: VGA, DVI; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported; Warranty: 3 Years (Parts/Labor) | | \$249.26 | 1095 | 10 | 6.0 | Gold | Yes | 887276007748 |
| S22C650D | 21.5" LED Monitor; Contrast Ratio Mega DCR (Static 1000:1); Response Time 5MS; Brightness 250cd/m2; Display Resolution 1920x1080; Viewing Angle 178/178; Input VGA, DVI,Display Port; Bezel Color Matt Black; Special Features Eco Saving, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported, magic Tune, Multi Screen, Magic Rotation Description 21.5, (16:9) Aspect Ratio, 1920x1080, HAS (Tilt, Pivot, Swivel) Stand, AD-PLS LED 3yr Warranty, VGA, DVI,Display Port; Warranty 3 year Warranty | | \$337.23 | 1095 | 13 | 6.0 | Gold | Yes | 887276017808 |
| S22C650P | 21.5" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5MS; Brightness: 250cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input VGA, Display Port, HDMI, Audio In/Out; Bezel Color: Matt Black; Special Features; Eco Saving, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported, magic Tune, Multi Screen, Magic Rotation; Warranty; 3 Years (Parts/Labor) | | \$351.90 | 1095 | 13.6 | 6.0 | Gold | Yes | 887276014999 |
| 22" TFT LCD Displays: | | | | | | | | | |
| S22B420BW | 22" LED Monitor - TAA; Contrast Ratio: Mega Dynamic Contrast Ratio (Static 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1680x1050 (16:10); Viewing Angle: 170 / 160; Input: VGA (D-SUB 15 pin), DVI; Bezel Color: Matte Black; Pixel Pitch: 0.24825 x 0.24825; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright, Samsung MagicColor, Off Timer, Image Size, Key Repeat Time Supported, MagicTune, MultiScreen, Includes VGA/DVI Cables, 100x100mm VESA; Warranty: 3 Years (Parts/Labor/Backlight) | | \$293.25 | 1095 | 12.21 | 6.0 | Gold | Yes | 729507818863 |
| DB22D-P | 22" Commercial LED LCD Display - TAA; Contrast Ratio: 1000:1; Response Time: 5ms; Brightness: 250 nits; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178:178; Input: VGA D-SUB, HDMI, Stereo Mini Jack; Bezel Color: Black; Special Features: Temperature Sensor, Pivot Display, Image Rotation, Button Lock, Clock Battery(80hrs Clock Keeping), Built in Speaker, WiFi Module Embedded, Magic Clone(to USB), Auto Source Switching & Recovery, RS232C/RJ45 MDC,Plug and Play (DDC2B), PIP/PBP, Smart Scheduling, Smart F/W update, Built In MagicInfo Player S2; Warranty: 3 Years On-Site (Parts / Labor / Backlight) | | \$460.00 | 1095 | 10.8 | n/a | n/a | Yes | 887276039541 |
| DB22D-T | 22" Commercial LED LCD Touch Display - TAA; Contrast Ratio: 1000:1; Response Time: 5ms; Brightness: 250 nits; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178:178; Input: VGA D-SUB, HDMI, Stereo Mini Jack; Bezel Color: Black; Special Features: Temperature Sensor, Pivot Display, Image Rotation, Button Lock, Clock Battery(80hrs Clock Keeping), Built in Speaker, WiFi Module Embedded, Magic Clone(to USB), Auto Source Switching & Recovery, RS232C/RJ45 MDC,Plug and Play (DDC2B), PIP/PBP, Smart Scheduling, Smart F/W update, Built In MagicInfo Player S2; Warranty: 3 Years On-Site (Parts / Labor / Backlight) | | \$808.00 | 1095 | 12.5 | n/a | n/a | Yes | 887276039558 |



SAMSUNG Display MSRP Price List - EFFECTIVE November 2014

| Mfg Part Number | Product Description | Change | MSRP | Warranty | Shipping Weight (lbs.) | Energy Star | EPEAT | UL Certified | UPC |
|--|---|--------|------------|----------|------------------------|-------------|-------|--------------|---------------|
| UD22B | 22" Ultra Narrow Bezel Professional LED LCD Display with Square Aspect Ratio - TAA; Contrast Ratio: 4000:1; Response Time: 8ms; Brightness: 450nit; Display Resolution: 960x960; Viewing Angle: 178/178; Input: DVI-D (in/out), DisplayPort, HDMI, Stereo Mini Jack (out), RS232C (in/out), RJ45; Bezel Color: Matte Black; Special Features: Square ratio, super narrow bezel, SBB-A, digital daisy chains, lamp error detection, anti-image retention, RS-232C/RJ45 MDC, video wall (up to 10 x 10), button lock and Smart Scheduling; Warranty: 3 Years On-Site (Parts/Labor/Backlight) | | \$2,767.00 | 1095 | 16.9 | n/a | n/a | Yes | 8806085204966 |
| <u>23" TFT LCD Displays:</u> | | | | | | | | | |
| S23C200B | 23" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off); Brightness: 250cd/m2; Display Resolution: 1920x1080 (16:9) Aspect Ratio; Viewing Angle: 170/160; Input: VGA, DVI; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported; Warranty: 3 Years (Parts/Labor) | | \$263.92 | 1095 | 10 | 6.0 | Gold | Yes | 887276007625 |
| S23C450D | 23" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off); Brightness: 250cd/m2; Display Resolution: 1920x1080; Viewing Angle: 170/160; Input: VGA, DVI, Display Port; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported; Warranty: 3 Years (Parts/Labor) | | \$307.91 | 1095 | 13 | 6.0 | Gold | Yes | 887276013497 |
| <u>24" to 33" TFT LCD Displays:</u> | | | | | | | | | |
| S24C650PL | 23.6" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5MS; Brightness: 250cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA, Display Port, HDMI, Audio In/Out; Bezel Color: Matt Black Color; Special Features: Eco Saving, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported, magic Tune, Multi Screen, Magic Rotation; Warranty 3 Year Warranty | | \$410.55 | 1095 | 15.2 | 6.0 | Gold | Yes | 887276015606 |
| S24A850DW | 24"; Contrast Ratio: 1000:1; Response Time: 5 ms; Brightness: 300 cd/m ² ; Display Resolution: 1920x1200; Viewing Angle: 178 / 178; Input: Displayport, Dual Link DVI x2, USB 3.0 x 4; Bezel Color: Matt Black; Pixel Pitch: 0.27675 x 0.27675; Special Features: "Eco Saving, Multi Screen S/W,Samsung Magic Bright, Samsung Magic Color, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle, Cable Arrangement" Description: LED PLS panel, Includes VGA cable, USB 3.0 Cable, Stand: 150mm HAS, Pivot, Tilt, Swivel, VESA 100 x 200 wall mount; Warranty: 3 yr | | \$659.82 | 1095 | 17.2 | 6.0 | Gold | Yes | 729507816722 |
| S24C200BL | 23.6" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off); Brightness: 250cd/m2; Display Resolution: 1920x1080; Viewing Angle: 170/160; Input: VGA, DVI; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported; Warranty: 3 Years (Parts/Labor) | | \$278.58 | 1095 | 12 | 6.0 | Gold | Yes | 887276007649 |
| S24C450D | 24" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off); Brightness: 250cd/m2; Display Resolution: 1920x1080 (16:9) Aspect Ratio; Viewing Angle: 170/160; Input: VGA, DVI, Display Port; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported, Magic Tune, MultiScreen, Magic Rotation; Warranty: 3 Years (Parts/Labor) | | \$351.90 | 1095 | 14 | 6.0 | Gold | Yes | 887276013510 |
| S24C650BW | 24" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off); Brightness: 250cd/m2; Display Resolution: 1920x1200, (16:10) Aspect Ratio; Viewing Angle: 170/160; Input: VGA, DVI; Bezel Color: Matt Black; Special Features Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported; Description: LED Panel, Includes VGA, DVI Cables, HAS (Pivot, Tilt, Swivel), VESA 100x100 Wallmount; Warranty: 3 Years | | \$410.55 | 1095 | 14 | 6.0 | Gold | Yes | 887276960180 |
| S24C650DW | 24" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off); Brightness: 250cd/m2; Display Resolution: 1920x1200, (16:10) Aspect Ratio; Viewing Angle: 170/160; Input: VGA, DVI, Display Port, 2xUSB 2.0; Bezel Color: Matt Black; Special Features Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported, MagicTune, MultiScreen,MagicRotation,DVI Cable; Warranty: 3 Years | | \$425.21 | 1095 | 11.2 | 6.0 | Gold | Yes | 887276960197 |
| S24C450DL | 23.6" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off); Brightness: 250cd/m2; Display Resolution: 1920x1080 (16:9) Aspect Ratio; Viewing Angle: 170/160; Input: VGA,DVI,Display Port; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported; Warranty: 3 Years (Parts/Labor) | | \$322.57 | 1095 | 15 | 6.0 | Gold | Yes | 887276013503 |

| Mfg Part Number | Product Description | Change | MSRP | Warranty | Shipping Weight (lbs.) | Energy Star | EPEAT | UL Certified | UPC |
|--|---|-----------------------------|------------|----------|------------------------|-------------|-------|--------------|---------------|
| U32D970Q | Contrast Ratio: Mega DCR (Typical 1000:1); Response: Time 8ms; Brightness: 350 cd/m2; Display Resolution: UHD (3840 x 2160); Viewing Angle: 178° / 178°; Input: DVI, Display Port, HDMI, USB Hub; Special Features: Quad & Dual Windows PBP, PIP 2.0, Eco Saving, Off Timer, Image Size, USB Super-charging, UHD Up-scaling, OSD Auto Rotate, Easy Setting Box, Magic Rotation Auto (Win7/Win8-32bit/64bit), OS Compatibility (Windows, MAC); Warranty: 3 year | Energy Star & EPEAT ratings | \$2,932.59 | 1095 | 37.5 | TBA | No | Yes | 887276056623 |
| <u>27" to 32" TFT LED Displays:</u> | | | | | | | | | |
| S27C450D | 27" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off) Brightness: 300cd/m2; Display Resolution: 1920x1080, (16:9); Viewing Angle: 170/160; Input: VGA, DVI, Display Port; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported; Warranty: 3 Years (Parts/Labor) | | \$513.19 | 1095 | 17 | 6.0 | Gold | Yes | 887276007304 |
| S27D850T | 27" LED Monitor; Contrast Ratio: 1000:1; Response Time: 5 ms; Brightness: 350 cd/m ² ; Display Resolution: 2560 x 1440; Viewing Angle: 178 / 178; Input Displayport 1.2, Dual Link DVIx2, USB 3.0 x 3, HDMI 1.4; Bezel Color: Matt Black & Titanium Silver; Pixel Pitch: 0.3113 x 0.3113; Special Features Eco Saving, Samsung MagicBright3, Off Timer, Image Size, PIP 2.0, PBP, USB Super-charging, Magic Up-scaling, Eco Light Sensor, OSD Auto Rotate,game mode; Warranty: 3 Years (Parts/Labor) | | \$879.77 | 1095 | 21.6 | 6.0 | Gold | Yes | 887276057521 |
| S27C650P | 27" LED Monitor; Contrast Ratio: Mega DCR (Static 5000:1); Response Time: 4MS; Brightness: 300cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA, Display Port, HDMI, Audio In/Out; Bezel Color: Matte Black Color; Special Features: Eco Saving, Samsung MagicBright 3, Off Timer, image Size, Key Repeat Time supported, magic Tune, Multi Screen, Magic Rotation; Warranty: 3 Year Warranty | | \$586.51 | 1095 | 17.8 | 6.0 | Gold | Yes | 887276015705 |
| S32D850T | 32" LED Monitor; Contrast Ratio: 3000:1 (Typ); Response Time: 5ms; Brightness: 300cd/m2; Display Resolution: WQHD(2560x1440); Viewing Angle: 178°/178°; Input: Dual link DVI, HDMI 1.4, Display Port 1.2, Audio In, USB 3.0 x 3; Bezel Color: Matt Black & Titanium Silver; Pixel Pitch: 0.27675mmx0.27675mm; Special Features: Eco Saving, Samsung MagicBright3, Off Timer, Image Size, PIP 2.0, PBP, USB Super-charging, Magic Up-scaling, Eco Light Sensor, OSD Auto Rotate,game mode, Easy Setting Box, Magic Rotation Auto; Warranty 3 Years (Parts/Labor/backlight) | | \$1,026.40 | 1095 | 38 | 6.0 | Gold | Yes | 887276057651 |
| <u>Zero Client Displays:</u> | | | | | | | | | |
| NX-N2-T | Zero Client Desktop; PCOIP (Tera2) TAA Compliant; Zero Client Desktop; PCOIP (Tera2) TAA Compliant Teradici Tera2321 (Tera2); VMware View;DDR3 512MB;Realtek ALC886;VMware View 5.1 Pending;Fanless;Single Display Port: 2560 x 1600, Single DVI: 1920x1200 (2560 x 1600 w/Splitter), Dual Display Port + DVI: 1920 x 1200;10/100/1000 Ethernet (RJ45), USB 2.0 x 6 (4 Back, 2 Front), Headphone Out, MIC In, DisplayPort 1.2 Out, DVI-I Out;2W Speaker | added warranty | \$436.67 | 1095 | 2.9 | n/a | n/a | Yes | 887276053806 |
| NB-NH | Cloud Stand, (no display) Zero Client PCOIP (Tera 2); Input: USB 2.0 x 4, RS232C/VGA Out, DVI - D, Audio Out, Mic In, Headphone Out, Gigabit Ethernet; Bezel Color: Black; Special Features: Tera2321 / DDR3 (512MB) / Spk / Fanless, Gigabit Ethernet, Booting Speed of 13 Sec.; Description: Speaker:1W x 2EA(stereo), HAS (Pivot, Tilt); Warranty: 3 Years Parts/Labor | | \$436.67 | 1095 | 4 | n/a | n/a | Yes | 729507817309 |
| NC191-T | 19" Cloud Display 19, Zero Client (TAA Compliant); Contrast Ratio: 1000 : 1; Response Time: 5 ms Brightness: 250 cd/m2; Display Resolution: 1,280 x 1,024 (5:4) Aspect Ratio; Viewing Angle: 170 / 160 (CR over 10); Input: VGA, DVI, USB 2.0 x 4, MIC In, Audio In, Headphone Out; Bezel Color: Black; Special Features: Teradici TERA2321, DDR3 512MB, All-in-one Form factor; Description: LED Display, Gigabit Ethernet, 16.7 Million Color Support, Speaker(1W x 2ea); Warranty: 3 Years Parts/Labor | | \$698.33 | 1095 | 13 | n/a | n/a | Yes | 8806085435247 |
| NC221 | 22" Zero Client PCOIP (Tera 2) Cloud Display; Contrast Ratio: 1000:1; Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1200; Viewing Angle: 170/160; Input: VGA - IN, DVI - Out, USB 2.0; Bezel Color: Black; Pixel Pitch: 0.294 x 0.294mm; Special Features Teradici TERA2321,Graphic RAM DDR3 512MB,16.7 Million Color Support,1W x 2EA stereo; Warranty: 3 Years (Parts/Labor) | | \$658.33 | 1095 | 12.9 | n/a | n/a | Yes | 8806085641303 |
| NC241-T | Cloud Display 23.6, Zero Client; TAA Compliant, PCOIP (Tera 2); Contrast Ratio: 1000 : 1; Response Time: 5 ms; Brightness: 300 cd/m2; Display Resolution: 1,920 x 1,080 (16:9) Aspect Ratio; Viewing Angle: 170 / 160 deg (CR>10) / 178 / 170 deg (CR >5); Input: VGA, DVI, USB 2.0x4, MIC in, Audio In, Headphone Out; Bezel Color: Black; Special Features: Processor(TERA 2321) GPU(DDR3 512MB),All-inone Form Factor; Description: Gigabit Ethernet, 16.7million Color Support, HAS (Pivot, Tilt, Swivel), Speaker(1W x 2ea); Warranty: 3 Years Parts/Labor | | \$715.00 | 1095 | 16 | n/a | n/a | Yes | 8806085435254 |

10", 32" & 40" TFT LCD Displays:

| Mfg Part Number | Product Description | Change | MSRP | Warranty | Shipping Weight (lbs.) | Energy Star | EPEAT | UL Certified | UPC |
|-----------------|--|---------------------|------------|----------|------------------------|-------------|--------|--------------|---------------|
| DB10D | 10" Commercial LED Display - Contrast Ratio: 900:1; Response Time: 30ms; Brightness: 450 Cd/m2; Display Resolution: 1280 X 800; Viewing Angle: 178°/178°; Input: HDMI; Bezel Color: Black; Pixel Pitch: 0.1695(H) x 0.1695 (V); Special Features Magic Clone(to USB), Auto Source Switching & Recovery,RS232C/RJ45 MDC,Plug and Play (DDC2B), Image Rotation, Built In MagicInfo Player S2, Firmware Update by Network, LFD New Home Screen, Predefined Templates for Vertical Usage,Mobile Control, Event Schedule, Backup Player, Magic Info Support, Temperature Sensor, Portrait Installation Support, Button Lock, Clock Battery(80hrs Clock Keeping), Built in Speaker, WiFi Module Embedded, SD Card Slot; Warranty: 3 Years On-Site (Parts/Labor/Backlight) | New | \$385.00 | 1095 | 2.6 | n/a | n/a | Yes | 887276085951 |
| ED32D | 32" LED LCD Commercial Display - TAA; Contrast Ratio: 4000:1; Response Time: 8ms; Brightness: 330 nits; Display Resolution: 1366x768 (16:9); Viewing Angle: 178°/178°; Input: VGA (D-SUB), DVI-D, Component/Composite, HDMI, Stereo Mini Jack; Pixel Pitch: 0.17025(H) x 0.51075(V); Special Features: Built in Speaker(10W + 10W), PIP/PBP, Narrow Bezel, Light Weight, RS232 In/Out 1 D-Sub & 1 HDMI, No function key; Warranty: 3 Years On-Site (Parts/Labor/Backlight) | | \$654.00 | 1095 | 16.8 | Yes | n/a | Yes | 8806086012713 |
| DB32D | 32" LED LCD Commercial Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350 nits; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178°/178°; Input: VGA D-SUB, DVI-D, HDMI, Component/Composite, Stereo Mini Jack; Pixel Pitch: 0.12125(H) x 0.36375(V); Special Features: Slim & Light LFD with Built-in MagicInfo Player S2, SD Card Slot, Tuner,Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, Super Clear Coating, Temperature Sensor, RS232C/RJ45 MDC,Plug and Play (DDC2B), PIP/PBP, Pivot Display, Image Rotation, Button Lock, Smart Scheduling, Smart F/W update, Clock Battery(80hrs Clock Keeping), Built in Speaker; Warranty: 3 Years On-Site (Parts / Labor / Backlight) | Energy Star & EPEAT | \$752.00 | 1095 | 12.8 | 6.1 | Silver | Yes | 8806086012782 |
| DM32D | 32" LED LCD Commercial Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 420 nits; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178°/178°; Input: VGA D-SUB, DVI-D, HDMI, Component/Composite, Stereo Mini Jack; Pixel Pitch: 0.12125(H) x 0.36375(V); Special Features: Slim & Light LFD with Built-in MagicInfo Player S2, SSP Compliant, Super Clear Coating, Temperature Sensor, Video Wall(15x15), Pivot Display, Clock Battery(80hrs Clock Keeping), Built in Speaker, WiFi Module Embedded, Allshare Screen Mirroring, SD Card Slot, Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, RS232C/RJ45 MDC,Plug and Play (DDC2B), PIP/PBP, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain(Supporting 2x2 UHD Resolution, HDCP; Support), Smart Scheduling, Smart F/W update; Warranty: 3 Years On-Site (Parts / Labor / Backlight) | | \$846.00 | 1095 | 13 | 6.1 | Silver | Yes | 8806086026550 |
| ED40D | 40" LED LCD Commercial Display - TAA; Contrast Ratio: 5000:1; Response: Time 8ms; Brightness: 350 nits; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178°/178°; Input: VGA (D-SUB), DVI-D, Component/Composite, HDMI; Pixel Pitch: 0.15375(H) x 0.46125(V); Special Features: Built in Speaker(10W + 10W), PIP/PBP, Narrow Bezel, Light Weight, RS232 In/Out 1 D-Sub & 1 HDMI, No function key; Warranty: 3 Years On-Site (Parts / Labor / Backlight) | | \$998.00 | 1095 | 25.1 | Yes | n/a | Yes | 8806086012591 |
| DB40D | 40" LED LCD Commercial Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350 nits; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178°/178°; Input: VGA D-SUB, DVI-D, HDMI, Component/Composite; Pixel Pitch: 0.21(H) x 0.63(V); Special Features Slim & Light LFD with Built-in MagicInfo Player S2,Super Clear Coating, Temperature Sensor, Video Wall(15x15), Pivot Display, Clock Battery(80hrs Clock Keeping), Built in Speaker, SD Card Slot,Firmware Update by Network, LFD New Home Screen, PC-less VideoWall, Predefined Template for Vertical Usage, Multi Channel, Mobile Control, Event Schedule, Backup Player, PC-less Touch; Warranty: 3 Years On-Site (Parts / Labor / Backlight) | Energy Star & EPEAT | \$1,075.00 | 1095 | 19.6 | 6.1 | Silver | Yes | 8806086012799 |
| DM40D | 40" LED LCD Commercial Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 450 nits; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178°/178°; Input: VGA D-SUB, DVI-D, Display Port 1.2, HDMI, Component/Composite, Stereo Mini Jack; Pixel Pitch: 0.15375(H) x 0.46125(V); Special Features: Slim & Light LFD with Built-in MagicInfo Player S2, SSP Compliant, Super Clear Coating, Temperature Sensor, Video Wall(15x15), Pivot Display, Clock Battery(80hrs Clock Keeping), Built in Speaker, WiFi Module Embedded, Allshare Screen Mirroring, SD Card Slot,Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, RS232C/RJ45 MDC,Plug and Play (DDC2B), PIP/PBP, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain(Supporting 2x2 UHD Resolution, HDCP; Support), Smart Scheduling, Smart F/W update; Warranty: 3 Years On-Site (Parts / Labor / Backlight) | | \$1,177.00 | 1095 | 20.1 | 6.1 | Silver | Yes | 8806086012584 |

| Mfg Part Number | Product Description | Change | MSRP | Warranty | Shipping Weight (lbs.) | Energy Star | EPEAT | UL Certified | UPC |
|-----------------|---|--------|------------|----------|------------------------|-------------|--------|--------------|---------------|
| DH40D | 40" Commercial LED LCD Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 700 nits; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178°/178°; Input: VGA D-SUB, DVI-D, Display Port 1.2, HDMI; Component/Composite, Stereo Mini Jack; Special Features: Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain(Supporting 2x2 UHD Resolution, HDCP Support), Smart Scheduling, Smart F/W update, Built In MagicInfo Player S2, Firmware Update by Network, LFD New Home Screen, PC-less VideoWall, Predefined Template for Vertical Usage, Multi Channel, Mobile Control, Event Schedule, Backup Player, PC-less Touch, SMART Signage Platform Compliant; Warranty: 3 Years On-Site (Parts / Labor / Backlight) | | \$1,846.00 | 1095 | 20.1 | 6.1 | Silver | Yes | 8806086138703 |
| H32B | 32" Hybrid LED Display - TAA; Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 300cd/m2; Display Resolution: 1366x768; Viewing Angle: 170/160; Input: HDMIx3 (1 supports DVI), Component, AV2, Antenna, USB, PC/DVI Audio In, Component Audio In, AV Audio In; Bezel Color: Glossy Black; Special Features: Built in Speaker, RS232, Plug and Play (through USB), PIP/PBP, Narrow Bezel, Light Weight, Built in Button Lock; Warranty: 3 Years Onsite Parts/Labor/Backlight; Warrantyr: 2 Years On-Site (Parts/Labor/Backlight) | | \$613.00 | 730 | 17.9 | Yes | n/a | Yes | 8806085179356 |
| H40B | 46" Hybrid LED Display - TAA; Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 300cd/m2; Display Resolution: 1920x1080; Viewing Angle: 170/160; Input: HDMIx3 (1 supports DVI), Component, AV2, Antenna, USB, PC/DVI Audio In, Component Audio In, AV Audio In; Bezel Color: Glossy Black; Special Features: Built in Speaker, RS232, Plug and Play (through USB), PIP/PBP, Narrow Bezel, Light Weight, Built in Button Lock; Warranty: 3 Years Onsite Parts/Labor/Backlight; Warrantyr: 2 Years On-Site (Parts/Labor/Backlight) | | \$962.00 | 730 | 29.5 | n/a | n/a | Yes | 8806085179387 |
| MD32C | 32" Commercial LED LCD Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350nit; Display Resolution: 1920 x 1080 (16:9); Viewing Angle: 178:178; Input: VGA(D-SUB), DVI-D(Dual Link), Component, Composite, HDMI, Stereo Mini Jack; Bezel Color: Black; Pixel Pitch: 0.12125(H) x 0.36375(V); Special Features: Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, Super Clear Coating, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Image Rotation, Button Lock, Smart Scheduling, Smart F/W update, Clock Battery(80hrs Clock Keeping) Built In MagicInfo(Lite, Premium-S, Videowall-S); Warranty: 3yr Onsite Parts/Labor | | \$798.00 | 1095 | 17.6 | 5.0 | n/a | Yes | 8806085512092 |
| MD40C | 40" Commercial LED LCD Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350nits; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178/178; Input: Analog D-SUB, DVI-D(Dual Link), Component, CVBS, HDMI, Stereo Mini Jack; Bezel Color: Black; Pixel Pitch: 0.15375(H) x 0.46125(V); Special Features: Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, Super Clear Coating, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Image Rotation, Button Lock, Smart Scheduling, Smart F/W update, Clock Battery(80hrs Clock Keeping), Built In MagicInfo(Lite, Premium-S, Videowall-S); Warranty: 3 Years On-Site (Parts/Labor/Backlight) | | \$1,152.00 | 1095 | 26 | 5.0 | n/a | Yes | 8806085512108 |
| ME32C | 32" Commercial LED LCD Display - TAA; Contrast Ratio: 5,000:1; Response Time: 8ms; Brightness: 450nit; Display Resolution: 1920 x 1080(16:9); Viewing Angle: 178°/178°; Input: VGA (D-Sub 15 Pin), DVI-D (In/Out), 2 HDMI, DisplayPort 1.2, Component, Composite, USB, Stereo Mini Jack, TV in; Bezel Color: Black; Pixel Pitch: 0.12125(H) x 0.36375(V); Special Features: Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, Super Clear Coating, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain(Supporting 2x2 UHD Resolution, HDCP Support), Smart Scheduling, Smart F/W update, Clock Battery(80hrs Clock Keeping), Built In MagicInfo(Lite, Premium-S, Videowall-S); Warranty: 3 Years On-Site (Parts/Labor/Backlight) | | \$952.00 | 1095 | 18.3 | 6.0 | n/a | Yes | 8806085498389 |
| ME40C | 40" Commercial LED LCD Display - TAA; Contrast Ratio: 5,000:1; Response Time: 8ms; Brightness: 450nit; Display Resolution: 1920 x 1080 (16:9); Viewing Angle: 178°/178°; Input: VGA (D-Sub 15 Pin), DVI-D (In/Out), 2 HDMI, DisplayPort 1.2, Component, Composite, USB, Stereo Mini Jack, TV in Bezel Color: Black; Pixel Pitch: 0.15375(H) x 0.46125(V); Special Features: Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, Super Clear Coating, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain(Supporting 2x2 UHD Resolution, HDCP Support), Smart Scheduling, Smart F/W update, Clock Battery(80hrs Clock Keeping), Built In MagicInfo(Lite, Premium-S, Videowall-S); Warranty: 3 Years On-Site (Parts/Labor/Backlight) | | \$1,336.00 | 1095 | 27.8 | 6.0 | n/a | Yes | 8806085498396 |

| Mfg Part Number | Product Description | Change | MSRP | Warranty | Shipping Weight (lbs.) | Energy Star | EPEAT | UL Certified | UPC |
|---|---|--------|------------|----------|------------------------|-------------|-------|--------------|---------------|
| PE40C | 40" Commercial LED LCD Display - TAA; Contrast Ratio: 4000:1; Response Time: 8ms; Brightness: 700nit; Display Resolution: 1920 x 1080 (16:9); Viewing Angle: 178:178; Input: VGA (D-Sub 15 Pin), DVI-D (In/Out), DisplayPort, Composite, HDMI, Stereo Mini Jack (In/Out); Bezel Color: Black; Pixel Pitch: 0.15375(H) X 0.46125(V); Special Features: Anit Reflection, Non Glossy Design, Magic Clone(to USB), Auto Source Switching & Recovery, Built in Speaker, Image Rotation, (10W + 10W), Plug and Play (through USB), Narrow Bezel, Slim Depth (35.1mm), Video Wall(10x10), Built In MagicInfo(Lite, Premium-S, Videowall-S); Warranty: 3 Years On-Site (Parts/Labor/Backlight) | | \$2,275.00 | 1095 | 35.5 | 5.0 | n/a | Yes | 8806085649026 |
| <u>46" & 48" TFT LCD Displays:</u> | | | | | | | | | |
| 460DR-2 | 46 inch High Bright Commercial LCD Display (Panel Kit Only) - TAA; Contrast Ratio: 4,000:1 (Typical); Response Time: 8ms; Brightness: 1,500 cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-Sub 15 Pin), DVI-D, DisplayPort, Composite, Component (D-Sub 15 Pin), HDMlX2, Stereo Mini Jack (In/Out), RJ45, RS232C (In/Out); Special Features: Panel Kit Only, Air Conditioning Guide, Lamp Error Detection, Anti Retention, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Button Lock, Smart Scheduling, Smart F/W update; Description: Panel Kit Only (Requires 3rd Party Enclosure); Warranty: 3 Years On-Site (Parts/Labor/Backlight) | | \$4,306.00 | 1095 | 66 | n/a | n/a | Yes | 729507819082 |
| H46B | 46" Hybrid LED Display - TAA; Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 300cd/m2; Display Resolution: 1920x1080; Viewing Angle: 170/160; Input: HDMlX3 (1 supports DVI), Component, AV2, Antenna, USB, PC/DVI Audio In, Component Audio In, AV Audio In; Bezel Color: Glossy Black; Special Features: Built in Speaker, RS232, Plug and Play (through USB), PIP/PBP, Narrow Bezel, Light Weight, Built in Button Lock; Warranty: 3 Years Onsite Parts/Labor/Backlight; Warrantyr: 2 Years On-Site (Parts/Labor/Backlight) | | \$1,268.00 | 730 | 35.4 | n/a | n/a | Yes | 8806085179417 |
| MD46C | 46" Commercial LED LCD Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350nits; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178/178; Input: Analog D-SUB, DVI-D(Dual Link), Component, CVBS, HDMI, Stereo Mini Jack; Bezel Color: Black; Pixel Pitch: 0.17675(H) x 0.53025(V); Special Features: Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, Super Clear Coating, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Image Rotation, Button Lock, Smart Scheduling, Smart F/W update, Clock Battery(80hrs Clock Keeping), Built In MagicInfo(Lite, Premium-S, Videowall-S); Warranty: 3 Years On-Site (Parts/Labor/Backlight) | | \$1,423.00 | 1095 | 33 | 5.0 | n/a | Yes | 8806085513433 |
| ME46C | 46" Commercial LED LCD Display - TAA; Contrast Ratio: 5,000:1; Response Time: 8ms; Brightness: 450nit; Display Resolution: 1920 x 1080 (16:9); Viewing Angle: 178°/178°; Input: VGA (D-Sub 15 Pin), DVI-D (In/Out), 2 HDMI, DisplayPort 1.2, Component, Composite, USB, Stereo Mini Jack, TV in; Bezel Color: Black; Pixel Pitch: 0.17675(H) x 0.53025(V); Special Features: Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, Super Clear Coating, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain(Supporting 2x2 UHD Resolution, HDCP Support), Smart Scheduling, Smart F/W update, Clock Battery(80hrs Clock Keeping), Built In MagicInfo(Lite, Premium-S, Videowall-S); Warranty: 3 Years On-Site (Parts/Labor/Backlight) | | \$1,814.00 | 1095 | 36.8 | 6.0 | n/a | Yes | 8806085498402 |
| OL46B | 46" High Brightness Commercial LCD Display with Outdoor Enclosure - TAA; Contrast Ratio: 4,000:1 (Typical); Response Time: 8ms; Brightness: 1,500 cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-Sub 15 Pin), DVI-D, DisplayPort, Composite, HDMlX2, Component (D-Sub 15 Pin), RCA (L/R), Stereo Mini Jack (In/Out), RJ45, RS232C (In/Out); Bezel Color: Matte Black; Special Features: All in one Outdoor, IP56 Proof Certified, High Brightness, Low Power Consumption, Full HD Resolution, Sunglasses Free, Protective Glass, SBB -A Option, Ambient Sensor, Slim Bezel, Lamp Error Detection, Anti image Retention, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Smart Scheduling, Smart F/W Update; Description: High brightness all in one outdoor display with enclosure; Warranty: 3 Years On-Site (Parts/Labor/Backlight) | | \$9,998.00 | 1095 | 237.6 | n/a | n/a | Yes | 8806085179448 |

| Mfg Part Number | Product Description | Change | MSRP | Warranty | Shipping Weight (lbs.) | Energy Star | EPEAT | UL Certified | UPC |
|-----------------|--|--------|------------|----------|------------------------|-------------|-------|--------------|---------------|
| OM46D-K | 46-inch High Brightness Commercial LED Display (Open Frame Panel) - TAA; Contrast Ratio: 5000:1; Response Time: 6ms; Brightness: 2,500 cd/m2; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178°/178°; Input: Analog D-SUB, DVI-D, Display Port 1.2, HDMI x 2, Component CVBS Common, Stereo Mini Jack; Pixel Pitch: 1018.08(H) x 572.67(V); Special Features: Plug and Play, MagicInfo S2, Slide in Module, Digital Daisy Chains(100ea), Lamp Error Detection, Anti Image Retention, Temperature Sensor, RS232C/RJ45 MDC, PIP/PBP, Video Wall(10x10), Portrait Installation Support, Button Lock, Smart Scheduling, WiFi Embedded, Sunglasses Viewable; Warranty 3: Years On - Site (parts/Labor/Backlight) | New | \$4,077.00 | 1095 | 53.3 | TBA | TBA | Yes | 887276085050 |
| OM46D-W | 46-inch High Brightness Commercial LED Display - TAA; Contrast Ratio: 5000:1; Response Time: 6ms; Brightness: 2,500 cd/m2; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178°/178°; Input: Analog D-SUB, DVI-D, Display Port 1.2, HDMI x 2, Component CVBS Common, Stereo Mini Jack; Pixel Pitch: 1018.08(H) x 572.67(V); Special Features: Plug and Play, MagicInfo S2, Slide in Module, Digital Daisy Chains(100ea), Built in Speakers, Lamp Error Detection, Antialiasing Retention, Temperature Sensor, RS232C/RJ45 MDC, PIP/PBP, Video Wall(10x10), Portrait Installation Support, Button Lock, Smart Scheduling, WiFi Embedded, Sunglasses Viewable; Warranty: 3 Years On - Site (Parts/Labor/Backlight) | New | \$4,308.00 | 1095 | 55.3 | TBA | TBA | Yes | 887276085067 |
| PE46C | 46" Commercial LED LCD Display - TAA; Contrast Ratio: 4,000:1; Response Time: 8ms; Brightness: 700nit; Display Resolution: 1920 x 1080 (16:9); Viewing Angle: 178°/178°; Input: VGA (D-Sub 15 Pin), DVI-D (In/Out), DisplayPort, Composite, HDMI, Stereo Mini Jack (In/Out); Bezel Color: Black; Pixel Pitch: 0.17675(H) X 0.53025(V); Special Features: Anti Reflection, Non Glossy Design, Magic Clone(to USB), Auto Source Switching & Recovery, Built in Speaker, Image Rotation, (10W + 10W), Plug and Play (through USB), Narrow Bezel, Slim Depth (35.1mm), Video Wall(10x10), Built In MagicInfo(Lite, Premium-S, Videowall-S); Warranty: 3 Years On-Site (Parts/Labor/Backlight) | | \$2,859.00 | 1095 | 36.5 | 5.0 | n/a | Yes | 8806085649033 |
| SL46B | 46" High Brightness Professional LCD Display - TAA; Contrast Ratio: 4,000:1 (Typical); Response Time: 8ms; Brightness: 1,500 cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-Sub 15 Pin), DVI-D (In/Out), USB, HDMI, Composite, Component (D-Sub 15 Pin), RCA (L/R), Stereo Mini Jack (In/Out), RJ45, RS232C (In/Out); Bezel Color: Matte Black; Special Features: Plug and Play, Built in Media Player with MagicInfo Lite Software, Slide in Module, Digital Daisy Chains, Built in Speakers, Lamp Error Detection, Anti Image Retention, Temperature Sensor, RS232C/RJ45 MDC, PIP/PBP, Video Wall(10x10), Pivot Display, Button Lock, Smart Scheduling; Description: Semi Outdoor High Bright Commercial Display; Warranty: 3 Years On-Site | | \$4,460.00 | 1095 | 71.7 | Yes | n/a | Yes | 729507819174 |
| UD46C-B | 46" Ultra Narrow Bezel Commercial LED LCD Display - TAA; Contrast Ratio: 3,500:1; Response Time: 8ms; Brightness: 450nit; Display Resolution: 1920 x 1080 (16:9); Viewing Angle: 178/178; Input: VGA (D-sub 15 pin), DVI-D, Composite, HDMI (x2), Component (thru VGA port, adapter not included), RCA (L/R), Stereo Mini Jack; Bezel Color: Black; Pixel Pitch: 0.53025mm(H)*0.53025mm(V); Special Features: Auto Source Switching & Recovery, Lamp Error Detection, Anti Retention(Haze 11%), Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Button Lock, DVI Digital Daisy Chain, Smart Scheduling, Smart F/W update, Clock Battery(80hrs Clock Keeping); Warranty: 3 Years On-Site (Parts/Labor/Backlight) | | \$4,229.00 | 1095 | 68.8 | 6.0 | n/a | Yes | 8806085473966 |
| UD46D-P | 46" Ultra Narrow Bezel Commercial LED LCD Display - TAA; Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 700 nits; Display Resolution: 1920 x 1080 (16:9); Viewing Angle: 178/178; Input: VGA D Sub, DVI-D, Display Port 1.2, 2 HDMI, Component/Composite, Stereo Mini Jack; Bezel Color: Black; Special Features SD Card Slot, ACM Support(Advanced Color Management), Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, Anti Retention(Haze 44%), Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain(Supporting 2x2 UHD Resolution, HDCP Support), Smart Scheduling, Smart F/W update, Clock Battery(80hrs Clock Keeping), Built In MagicInfo, Internal Media Player: Cortex-A9 1GHz Dual Core, 1GB DDR3, 8GB FDM, USB 2.0, Linux OS; Warranty: 3 year onsite parts/labor | | \$5,845.00 | 1095 | 49.5 | 6.0 | n/a | Yes | 8806086426213 |
| ED46D | 46" LED LCD Commercial Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350 nits; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178°/178°; Input: VGA (D-SUB), DVI-D, Component/Composite, HDMI, Stereo Mini Jack; Pixel Pitch: 0.17675(H) x 0.53025(V); Special Features: Built in Speaker(10W + 10W), PIP/PBP, Narrow Bezel, Light Weight, RS232 In/Out 1 D-Sub & 1 HDMI, No function key; Warranty 3: Years On-Site (Parts/Labor/Backlight) | | \$1,275.00 | 1095 | 32.2 | Yes | n/a | Yes | 8806086012720 |

| Mfg Part Number | Product Description | Change | MSRP | Warranty | Shipping Weight (lbs.) | Energy Star | EPEAT | UL Certified | UPC |
|-------------------------------------|---|--------|------------|----------|------------------------|-------------|--------|--------------|---------------|
| UE46D | 46" Ultra Slim Bezel LED LCD Commercial Display - TAA; Contrast Ratio: 4000:1; Response Time: 8ms; Brightness: 450 nits; Display Resolution: 1920 x 1080 (16:9); Viewing Angle: 178°/178°; Input: VGA D-SUB, DVI-D, Display Port 1.2, HDMI, Component/Composite; Pixel Pitch: 0.15375(H) X 0.46125(V); Special Features LED Slim Video wall,WiFi Module Embedded, SD Card Slot, Super Clear Coating, Temperature Sensor, Pivot Display, Clock Battery(80hrs Clock Keeping), Built in Speaker (10W x 2ch)Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, RS232C/RJ45 MDC,Plug and Play (DDC2B), PIP/PBP, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain(Supporting 2x2 UHD Resolution, HDCP Support), Smart Scheduling, Smart F/W update, Built In MagicInfo Player S2, Video Wall (15X15), Firmware Update by Network, LFD New Home Screen, PC-less VideoWall, Predefined Template for Vertical Usage, Multi Channel, Mobile Control, Event Schedule, Backup Player; Warranty: 3 Years On-Site (Parts / Labor / Backlight) | | \$3,229.00 | 1095 | 28 | Yes | n/a | Yes | 8806086015462 |
| DB48D | 48" LED LCD Commercial Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350 nits; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178:178; Input: VGA, D-SUB, DVI-D, HDMI, Component/Composite; Pixel Pitch: 0.15375(H) x 0.46125(V); Special Features: Slim & Light LFD with Built-in MagicInfo Player S2, SSP Compliant,Super Clear Coating, Temperature Sensor, Video Wall(15x15), Pivot Display, Clock Battery(80hrs Clock Keeping), Built in Speaker, SD Card Slot,Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, RS232C/RJ45 MDC,Plug and Play (DDC2B), PIP/PBP, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain(Supporting 2x2 UHD Resolution, HDCP Support), Smart Scheduling, Smart F/W update; Warranty: 3 Years On-Site (Parts / Labor / Backlight) | | \$1,331.00 | 1095 | 30 | 6.1 | Silver | Yes | 8806086012805 |
| DH48D | 48" Commercial LED LCD Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 700nits; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178°/178°; Input: VGA D-SUB, DVI-D, Display Port 1.2, HDMI, Component/Composite, Stereo Mini Jack; Special Features: Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, RS232C/RJ45 MDC,Plug and Play (DDC2B), PIP/PBP, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain(Supporting 2x2 UHD Resolution, HDCP Support), Smart Scheduling, Smart F/W update, Built In MagicInfo Player S2, Firmware Update by Network, LFD New Home Screen, PC-less VideoWall, Predefined Template for Vertical Usage, Multi Channel, Mobile Control, Event Schedule, Backup Player, PC-less Touch, SMART Signage Platform Compliant; Warranty: 3 Years On-Site (Parts / Labor / Backlight) | | \$2,308.00 | 1095 | 30.9 | 6.1 | Silver | Yes | 8806086138710 |
| DM48D | 48" LED LCD Commercial Display - TAA; Contrast: Ratio 5000:1; Response Time: 8ms; Brightness: 450 nits; Display Resolution: 1920 x 1080 (16:9); Viewing Angle: 178°/178°; Contrast Ratio 5000:1; Input: VGA D-SUB, DVI - D, Display Port 1.2, HDMI, Component/Composite, Stereo Mini Jack; Pixel Pitch: 0.183(H) x 0.549(V); Special Features: Slim & Light LFD with Built-in MagicInfo Player S2, SSP Compliant, Super Clear Coating, Temperature Sensor, Video Wall(15x15), Pivot Display, Clock Battery(80hrs Clock Keeping), Built in Speaker, WiFi Module Embedded, Allshare Screen Mirroring, SD Card Slot,Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, RS232C/RJ45 MDC,Plug and Play (DDC2B), PIP/PBP, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain(Supporting 2x2 UHD Resolution, HDCP Support), Smart Scheduling, Smart F/W update;Warranty: 3 Years On-Site (Parts / Labor / Backlight) | | \$1,600.00 | 1095 | 30.9 | 6.1 | Silver | Yes | 8806086012607 |
| 55" to 95" TFT LCD Displays: | | | | | | | | | |
| MD55C | 55" Commercial LED LCD Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350nit; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178:178; Input: VGA (D-SUB), DVI-D, HDMI, Component (CVBS Common) Stereo Mini Jack; Bezel Color: Black; Pixel Pitch: 0.21(H) x 0.63(V); Special Features: Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, Super Clear Coating, Temperature Sensor, RS232C/RJ45 MDC,Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Image Rotation, Button Lock, Smart Scheduling, Smart F/W update, Clock Battery(80hrs Clock Keeping) ,Built In MagicInfo(Lite, Premium-S, Videowall-S); Warranty: 3 Years On-Site (Parts/Labor/Backlight) | | \$2,115.00 | 1095 | 53 | 5.0 | n/a | Yes | 8806085512382 |

| Mfg Part Number | Product Description | Change | MSRP | Warranty | Shipping Weight (lbs.) | Energy Star | EPEAT | UL Certified | UPC |
|-----------------|--|--------|------------|----------|------------------------|-------------|-------|--------------|---------------|
| ME55C | 55" Commercial LED LCD Display - TAA; Contrast Ratio: 5,000:1; Response Time: 8ms; Brightness: 450nit; Display Resolution: 1920 x 1080 (16:9); Viewing Angle: 178°/178°; Input: VGA (D-Sub 15 Pin), DVI-D (In/Out), 2 HDMI, DisplayPort 1.2, Component, Composite, USB, Stereo Mini Jack, TV in; Bezel Color: Black; Pixel Pitch: 0.21(H) x 0.63(V); Special Features: Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, Super Clear Coating, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain(Supporting 2x2 UHD Resolution, HDCP Support), Smart Scheduling, Smart F/W update, Clock Battery(80hrs Clock Keeping), Built In MagicInfo(Lite, Premium-S, Videowall-S); Warranty: 3 Years On-Site (Parts/Labor/Backlight) | | \$2,813.00 | 1095 | 48.5 | 6.0 | n/a | Yes | 8806085498433 |
| OM55D-K | 55" High Brightness Commercial LED Display (Open Frame Panel) - TAA Contrast Ratio: 5000:1; Response Time: 6ms; Brightness: 2,500 cd/m2; Display Resolution: 1920 x 1080 (16:9); Viewing Angle: 178°/178°; Input: Analog D-SUB, DVI-D, Display Port 1.2, HDMI x 2, Component CVBS Common, Stereo Mini Jack; Pixel Pitch: 1209.6(H) x 680.4(V); Special Features: Plug and Play, MagicInfo S2, Slide in Module, Digital Daisy Chains(100ea), Lamp Error Detection, Anti Image Retention, Temperature Sensor, RS232C/RJ45 MDC, PIP/PBP, Video Wall(10x10), Portrait Installation Support, Button Lock, Smart Scheduling, WiFi Embedded, Sunglasses Viewable; Warranty: 3 Years On - Site (Parts/Labor/Backlight) | New | \$5,846.00 | 1095 | 62.6 | n/a | n/a | Yes | 887276085074 |
| OM55D-W | 55" High Brightness Commercial LED Display - TAA; Contrast Ratio: 5000:1; Response Time: 6ms; Brightness: 2,500 cd/m2; Display Resolution: 1920 x 1080 (16:9); Viewing Angle: 178°/178°; Input: Analog D-SUB, DVI-D, Display Port 1.2, HDMI x 2, Component CVBS Common, Stereo Mini Jack; Pixel Pitch: 1209.6(H) x 680.4(V); Special Features: Plug and Play, MagicInfo S2, Slide in Module, Digital; Daisy Chains(100ea), Built in Speakers, Lamp Error Detection, Anti Image Retention, Temperature Sensor, RS232C/RJ45 MDC, PIP/PBP, Video Wall(10x10), Portrait Installation Support, Button Lock, Smart Scheduling, WiFi Embedded, Sunglasses Viewable; Warranty: 3 Years On - Site (Parts/Labor/Backlight) | New | \$6,154.00 | 1095 | 66.3 | n/a | n/a | Yes | 887276085081 |
| PE55C | 55" Commercial LED LCD Display - TAA; Contrast Ratio: 4,000:1; Response Time: 8ms; Brightness: 700nit; Display Resolution: 1920 x 1080 (16:9); Viewing Angle: 178°/178°; Input: VGA (D-Sub 15 Pin), DVI-D (In/Out), DisplayPort, Composite, HDMI, Stereo Mini Jack (In/Out); Bezel Color: Black; Pixel Pitch: 0.21(H) X 0.63(V); Special Features: Anit Reflection, Non Glossy Design, Magic Clone(to USB), Auto Source Switching & Recovery, Built in Speaker, Image Rotation, (10W + 10W), Plug and Play (through USB), Narrow Bezel, Slim Depth (35.1mm), Video Wall(10x10), Built In MagicInfo(Lite, Premium-S, Videowall-S); Warranty: 3 Years On-Site (Parts/Labor/Backlight) | | \$4,260.00 | 1095 | 56.9 | 5.0 | n/a | Yes | 8806085649040 |
| UD55C-B | 55" Ultra Narrow Bezel Commercial LED LCD Display - TAA; Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 500nits; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-sub 15 pin), DVI-D, Composite, HDMI (x2), Component, Stereo Mini Jack, RS232C (in/out), RJ45, Detachable Type (IR, Ambient); Bezel Color: Black; Pixel Pitch: 0.63mm(H) x 0.63mm (V); Special Features: ACM Support (Advanced Color Management), Auto Source Switching & Recovery, Lamp Error Detection, Anti Retention, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Videowall (10x10), Pivot Display, Button Lock, DP 1.2 Digital Daisy Chain (Supporting 2x2 UHD Resolution, HDCP Support), Smart Scheduling, Smart F/W update; Warranty 3 Years On - Site (Parts/Labor/Backlight) | | \$7,075.00 | 1095 | 77.2 | Yes | n/a | Yes | 8806085842465 |
| UD55D | 55" Ultra Narrow Bezel Commercial LED LCD Display - TAA; Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 700nits; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: Analog D-Sub, DVI-D, Display Port 1.2, HDMI (2); Component (CVBS Common), Stereo Mini Jack, DP1.2 Loop Out, RS232C (in/out), RJ45; Bezel Color: Black; Pixel Pitch: 0.63mm (h) x 0.63mm (v); Special Features: ACM Support(Advanced Color Management), Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, Anti Retention(Haze 44%), Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain(Supporting 2x2 UHD Resolution, HDCP Support), Smart Scheduling, Smart F/W update, Clock Battery(80hrs Clock Keeping)Built In MagicInfo(Lite, Premium-S, Videowall-S); Warranty: 3 Years On - Site (Parts/Labor/Backlight) | | \$8,614.00 | 1095 | 51.3 | Yes | n/a | Yes | 8806085954779 |

| Mfg Part Number | Product Description | Change | MSRP | Warranty | Shipping Weight (lbs.) | Energy Star | EPEAT | UL Certified | UPC |
|-----------------|--|--------|------------|----------|------------------------|-------------|--------|--------------|---------------|
| DB55D | 55" LED LCD Commercial Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350 nits; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178°/178°; Input: VGA, DVI-D, Component/Composite, HDMI, Stereo Mini Jack; Pixel Pitch: 0.21(H) x 0.63(V); Special Features: Slim & Light LFD with Built-in MagicInfo Player S2, SSP Compliant, Super Clear Coating, Temperature Sensor, Video Wall(15x15), Pivot Display, Clock Battery(80hrs Clock Keeping), Built in Speaker, SD Card Slot, Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain(Supporting 2x2 UHD Resolution, HDCP Support), Smart Scheduling, Smart F/W update; Warranty: 3 Years On-Site (Parts / Labor / Backlight) | | \$2,023.00 | 1095 | 42.5 | 6.1 | Silver | Yes | 8806086012812 |
| DH55D | 55" Commercial LED LCD Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 700nits; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178°/178°; Input: VGA D-SUB, DVI-D, Display Port 1.2, HDMI, Component/Composite, Stereo Mini Jack; Special Features: Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, RS232C/RJ45MDC, Plug and Play (DDC2B), PIP/PBP, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain(Supporting 2x2 UHD Resolution, HDCP Support), Smart Scheduling, Smart F/W update, Built In MagicInfo Player S2, Firmware Update by Network, LFD New Home Screen, PC-less VideoWall, Predefined Template for Vertical Usage, Multi Channel, Mobile Control, Event Schedule, Backup Player, PC-less Touch, SMART Signage Platform Compliant; Warranty: 3 Years On-Site (Parts / Labor / Backlight) | | \$3,537.00 | 1095 | 43 | 6.1 | Silver | Yes | 8806086138727 |
| DM55D | 55" LED LCD Commercial Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 450 nits; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178°/178°; Input: VGA D-SUB, DVI-D, Display Port 1.2, HDMI, Component/Composite, Stereo Mini Jack; Pixel Pitch: 0.21(H) x 0.63(V); Special Features: Slim & Light LFD with Built-in MagicInfo Player S2, SSP Compliant, Super Clear Coating, Temperature Sensor, Video Wall(15x15), Pivot; Display, Clock Battery(80hrs Clock Keeping), Built in Speaker, WiFi Module Embedded, Allshare Screen Mirroring, SD Card Slot, Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Image; Rotation, Button Lock, DP 1.2 Digital Daisy; Chain(Supporting 2x2 UHD Resolution, HDCP; Support), Smart Scheduling, Smart F/W update; Warranty: 3 Years On-Site (Parts / Labor / Backlight) | | \$2,485.00 | 1095 | 43 | 6.1 | Silver | Yes | 8806086012614 |
| ED55D | 55" LED LCD Commercial Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350 nits; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178°/178°; Input: VGA (D-SUB), DVI-D, Component/Composite, HDMI, Stereo Mini Jack; Pixel Pitch: 0.21(H) x 0.63(V); Special Features: Built in Speaker(10W + 10W), PIP/PBP, Narrow Bezel, Light Weight, RS232 In/Out 1 D-Sub & 1 HDMI, No function key; Warranty: 3 Years On-Site (Parts / Labor / Backlight) | | \$1,962.00 | 1095 | 51.6 | Yes | n/a | Yes | 8806086012829 |
| ED65D | 65" LED LCD Commercial Display - TAA; Contrast Ratio: 4000:1; Response Time: 6.5ms; Brightness: 400 nits; Display Resolution: 1920 x 1080 (16:9); Viewing Angle: 178°/178°; Input: VGA, DVI-D, Component/Composite, HDMI; Pixel Pitch: 0.248(H) x 0.744(V); Special Features: Built in Speaker(10W + 10W), PIP/PBP, Narrow Bezel, Light Weight, RS232 In/Out 1 D-Sub & 1 HDMI; Warranty: 3 Years On-Site (Parts / Labor / Backlight) | | \$3,846.00 | 1095 | 74.1 | n/a | n/a | Yes | 8806086012836 |
| UE55D | 55" Ultra Slim Bezel LED LCD Commercial Display - TAA; Contrast Ratio: 4000:1; Response Time: 8ms; Brightness: 450 nits; Display Resolution: 1920 x 1080 (16:9); Viewing Angle: 178°/178°; Input: VGA D-SUB, DVI-D, Display Port 1.2, HDMI, Component/Composite; Pixel Pitch: 0.210(H) X 0.630(V); Special Features: LED Slim Video wall, WiFi Module Embedded, SD Card Slot, Super Clear Coating, Temperature Sensor, Pivot Display, Clock Battery(80hrs Clock Keeping), Built in Speaker (10W x 2ch), Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain(Supporting 2x2 UHD Resolution, HDCP Support), Smart Scheduling, Smart F/W update, Built In MagicInfo Player S2, Video Wall (15X15), Firmware Update by Network, LFD New Home Screen, PC-less VideoWall, Predefined Template for Vertical Usage, Multi Channel, Mobile Control, Event Schedule, Backup Player; Warranty: 3 Years On-Site (Parts / Labor / Backlight) | | \$4,614.00 | 1095 | 38.6 | Yes | n/a | Yes | 8806086015615 |
| DM65D | 65" Commercial LED LCD Display - TAA; Contrast Ratio: 4000:1; Response Time: 6.5ms; Brightness: 450nit; Display Resolution 1920x1080 (16:9); Viewing Angle: 178:178; Input: Analog D-SUB, DVI-D, Display Port 1.2, HDMI1, CVBS Common, Stereo Mini Jack CVBS Common, Stereo Mini Jack: Bezel: Color Black; Pixel Pitch: 0.248(H) x 0.744(V); Special Features: Super Clear Coating, Temperature Sensor, Video Wall(15x15), Pivot Display, Clock Battery(80hrs Clock Keeping), Built in Speaker(10W x 2), WiFi Module Embedded, SD Card Slot, Magic Clone(to USB), Auto Source Switching & Recovery, RS232C/RJ45 MDC, Plug and Play, PIP/PBP, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain(HDCP Support) Warranty: 3 Years On-Site (Parts / Labor / Backlight) | | \$3,998.00 | 1095 | 40.3 | n/a | n/a | Yes | 8806086101288 |

| Mfg Part Number | Product Description | Change | MSRP | Warranty | Shipping Weight (lbs.) | Energy Star | EPEAT | UL Certified | UPC |
|-----------------|---|--------|-------------|----------|------------------------|-------------|-------|--------------|---------------|
| MD65C | 65 inch Commercial LED LCD Display - TAA; Contrast Ratio: 4000:1; Response Time: 6.5ms; Brightness: 450nits; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178°/178°; Input: VGA (D-SUB), DVI-D, Display Port 1.2, HDMI; Component: (CVBS Common), Stereo Mini Jack; Pixel Pitch: 0.248(H) x 0.744(V) mm; Special Features: Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, Super Clear Coating, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain(Supporting 2x2 UHD Resolution, HDCP Support), Smart Scheduling, Smart F/W update, Clock Battery(80hrs Clock Keeping), Built In MagicInfo(Lite, Premium-S, Videowall-S), WiFi Embedded, WiDi 2.0; Warranty: 3 Years On-Site (Parts/Labor/Backlight) | | \$4,614.00 | 1095 | 86 | n/a | n/a | Yes | 8806085756014 |
| DM75D | 75 inch Commercial LED LCD Display - TAA; Contrast Ratio: 5000:1; Response Time: 4ms; Brightness: 450nit; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178°/178°; Input: Analog D-SUB, DVI-D, Display Port 1.2, HDMI1, CVBS Common, Stereo Mini Jack; Bezel: Color Black; Pixel Pitch: 0.248(H) x 0.744(V); Special Features: Super Clear Coating, Temperature Sensor, Video Wall(15x15), Pivot Display, Clock Battery(80hrs Clock Keeping), Built in Speaker(10W x 2), WiFi Module Embedded, SD Card Slot, Magic Clone(to USB), Auto Source Switching & Recovery, RS232C/RJ45 MDC, Plug and Play, PIP/PBP, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain(HDCP Support); Warranty: 3 Years On-Site (Parts / Labor / Backlight) | | \$7,075.00 | 1095 | 44.1 | n/a | n/a | Yes | 8806086101295 |
| ED75D | 75" LED LCD Commercial Display - TAA; Contrast Ratio 4000:1; Response Time: 4ms; Brightness: 320 nits; Display Resolution: 1920 x 1080 (16:9); Viewing Angle: 178°/178°; Input: VGA, DVI-D, Component/Composite, HDMI; Pixel Pitch: 0.2865(H) x 0.8595(V); Special Features Built in Speaker(10W + 10W), PIP/PBP, Narrow Bezel, Light Weight, RS232 In/Out 1 D-Sub & 1 HDMI; Warranty: 3 Years On-Site (Parts / Labor / Backlight) | | \$6,152.00 | 1095 | 107.6 | n/a | n/a | Yes | 8806086012737 |
| ME75C | 75" LED LCD Commercial Display - TAA; Contrast Ratio: 5000:1; Response Time: 4ms; Brightness: 550nit; Display Resolution: 1920x1080; Viewing Angle: 178°/178°; Input: VGA (D-Sub 15 Pin), DVI-D, Display Port 1.2, 2; HDMI, Component (CVBS Common), Stereo Mini Jack; Bezel Color: Black; Pixel Pitch: 0.2865(H) x 0.8595(V); Special Features Magic Clone(to USB), Auto Source Switching & Recovery, Lamp Error Detection, Super Clear Coating, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain(Supporting 2x2 UHD Resolution, HDCP Support), Smart Scheduling, Smart F/W update, Clock Battery(80hrs Clock Keeping) Built In MagicInfo(Lite, Premium-S, Videowall-S), WiFi Embedded, WiDi 2.0; Warranty: 3 Years On - Site (Parts/Labor/Backlight) | | \$9,229.00 | 1095 | 144 | n/a | n/a | Yes | 8806085701526 |
| OM75D-K | 75-inch High Brightness Commercial LED Display (Open Frame Panel) - TAA; Contrast Ratio: 5,000:1; Response Time: 6ms; Brightness: 2,500 cd/m2; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178°/178°; Input: Analog D-SUB, DVI-D, Display Port 1.2, HDMIx2, Component (CVBS Common); Pixel Pitch: 1650.24(H) x 928.26(V); Special Features: Plug and Play, MagicInfo S2, Slide in Module, Digital Daisy Chains(100ea), Lamp Error Detection, Anti Image Retention, Temperature Sensor, RS232C/RJ45 MDC, PIP/PBP, Video Wall(10x10), Portrait Installation Support, Button Lock, Smart Scheduling, WiFi Embedded, Sunglasses Viewable; Warranty: 3 Years On - Site (Parts/Labor/Backlight) | New | \$14,538.00 | 1095 | 119 | n/a | n/a | Yes | 887276085098 |
| OM75D-W | 75-inch High Brightness Commercial LED Display - TAA; Contrast Ratio: 5,000:1; Response Time: 6ms; Brightness: 2,500 cd/m2; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178°/178°; Input: Analog D-SUB, DVI-D, Display Port 1.2, HDMIx2, Component (CVBS Common); Pixel Pitch: 1650.24(H) x 928.26(V); Special Features: Plug and Play, MagicInfo S2, Slide in Module, Digital Daisy Chains(100ea), Built in Speakers, Lamp Error Detection, Anti Image Retention, Temperature Sensor, RS232C/RJ45 MDC, PIP/PBP, Video Wall(10x10), Portrait Installation Support, Button Lock, Smart Scheduling, WiFi Embedded, Sunglasses Viewable; Warranty: 3 Years On - Site (Parts/Labor/Backlight) | New | \$15,385.00 | 1095 | 132 | n/a | n/a | Yes | 887276085104 |
| DM82D | 82-inch Commercial LED Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 500nit; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178°/178°; Input: VGA, DVI-D, Display Port 1.2, HDMI(3), Component/Composite, Stereo Mini Jack; Bezel Color: Black; Special Features Super Clear Coating, Temperature Sensor, Video Wall(15x15), Pivot Display, Clock Battery(80hrs Clock Keeping), Built in Speaker(10W x 2), WiFi Module Embedded, SD Card Slot Magic Clone(to USB), Auto Source Switching & Recovery, RS232C/RJ45 MDC, Plug and Play, PIP/PBP, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain(HDCP Support), Built In MagicInfo Player S2, Firmware Update by Network, LFD New Home Screen, PC-less VideoWall, Predefined Template for Vertical Usage, Multi Channel, Mobile Control, Event Schedule, Backup Player, MagicPresenter; Warranty: 3 Years On-Site (Parts/Labor/Backlight) | New | \$9,229.00 | 1095 | 137 | n/a | n/a | Yes | 887276073330 |

| Mfg Part Number | Product Description | Change | MSRP | Warranty | Shipping Weight (lbs.) | Energy Star | EPEAT | UL Certified | UPC |
|---------------------------------|--|----------|-------------|----------|------------------------|-------------|-------|--------------|---------------|
| ME95C-N | 95" Commercial LED Display (Matte Panel) - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 600nits; Display Resolution: 1920x1080; Viewing Angle: 178°/178°; Input: VGA (D-Sub), DVI-D, Display Port 1.2, HDMI (3), Component (CVBS Common), Audio (Stereo Mini Jack); Bezel Color: Black; Pixel Pitch: 0.364(H) x 1.092(V); Special Features Built in Speaker, Magic Clone (to USB), Auto Source Switching & Recovery, Lamp Error Detection, Super Clear Coating, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Videowall (10x10), Pivot Display, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain (Supporting 2x2 UHD Resolution, HDCP Support), Smart Scheduling, Smart F/W update, Clock Battery (80hrs Clock Keeping), Built In MagicInfo (Lite, Premium-S, VideoWall-S), WiFi Embedded, WiDi 2.0, Conference Audio, 3-PIP; Warranty: 3 Years On - Site (Parts/Labor/Backlight); | New | \$44,614.00 | 1095 | 267.1 | n/a | n/a | Yes | 887276049861 |
| QM85D | 85" Commercial UHD LED LCD Display - TAA; Contrast Ratio: TBD; Response Time: 6ms; Brightness: 450nits; Display Resolution: 3840 x 2160 (16:9); Viewing Angle: 178°/178°; Input: VGA (D-Sub 15 pin), DVI-D, Display Port 1.2 (2), Display Port 1.1 (1), HDMI 1.4 (3), Stereo Mini Jack Pixel Pitch 0.1625 x 0.1625 (mm); Special Features: Temperature Sensor, Pivot Display, Clock Battery (80hrs Clock Keeping), Built in Speaker (10W 2ch), FHD 4 PBP Support (2/3/4 PBP), Auto Source Switching & Recovery, LFD Home UI, Remote F/W update (MDC, MagicInfo Server) Button Lock, DDC CI, DHCP with RJ45 MDC, Urgent Message by MDC, Hot key option, Plug&Play (Initial Setting); Warranty: 3 Years On - Site (Parts/Labor/Backlight) | | \$16,922.00 | 1095 | 139.2 | n/a | n/a | Yes | 8806086287173 |
| ME95C | 95" LED LCD Commercial Display- TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 600nits; Display Resolution: 1920x1080; Viewing Angle: 178°/178°; Input: VGA (D-Sub), DVI-D, Display Port 1.2, HDMI (3), Component (CVBS Common), Audio (Stereo Mini Jack); Bezel Color: Black; Pixel Pitch: 0.364(H) x 1.092(V); Special Features: Built in Speaker, Magic Clone (to USB), Auto Source Switching & Recovery, Lamp Error Detection, Super Clear Coating, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Videowall (10x10), Pivot Display, Image Rotation, Button Lock, DP 1.2 Digital Daisy Chain (Supporting 2x2 UHD Resolution, HDCP Support), Smart Scheduling, Smart F/W update, Clock Battery (80hrs Clock Keeping), Built In MagicInfo (Lite, Premium-S, VideoWall-S), WiFi Embedded, WiDi 2.0, Conference Audio, 3-PIP; Warranty: 3 Years On - Site (Parts/Labor/Backlight) | Decrease | \$29,229.00 | 1095 | 267 | n/a | n/a | Yes | 8806085937116 |
| UD55A | 55" Ultra-Narrow Bezel Professional LED LCD Display - TAA; Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 700cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-SUB 15 pin), DVI-D, Display Port, Composite, HDMIx2, Component (thru VGA port, requires optional adaptor), RCA (L/R), Stereo Mini Jack Bezel Color: Black Pixel Pitch: 0.63x0.63 Special Features: Lamp Error Detection, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Built-in Video Wall processor (10x10), Portrait Orientation, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update, 24/7 Continuous Operation Description: 55" Ultra Narrow Bezel, Video Wall Direct-lit LED LCD; Warranty: 3 Year Onsite Parts/Labor | | \$8,460.00 | 1095 | 72.6 | Yes | n/a | Yes | 729507816784 |
| Options and Accessories: | | | | | | | | | |
| CY-BD32BD | Matte Black Bezel Trim Accessory for 32in DB/DM/DH Models | | \$99.00 | 365 | 1.1 | n/a | n/a | n/a | 8806086329880 |
| CY-BD32WD | White Bezel Trim Accessory for 32in DB/DM/DH Models | | \$99.00 | 365 | 1.1 | n/a | n/a | n/a | 8806086325578 |
| CY-BD40BD | Matte Black Bezel Trim Accessory for 40in DB/DM/DH Models | | \$116.00 | 365 | 1.4 | n/a | n/a | n/a | 8806086329897 |
| CY-BD40WD | White Bezel Trim Accessory for 40in DB/DM/DH Models | | \$116.00 | 365 | 1.4 | n/a | n/a | n/a | 8806086329903 |
| CY-BD48BD | Matte Black Bezel Trim Accessory for 48in DB/DM/DH Models | | \$130.00 | 365 | 1.6 | n/a | n/a | n/a | 8806086329910 |
| CY-BD48WD | White Bezel Trim Accessory for 48in DB/DM/DH Models | | \$130.00 | 365 | 1.6 | n/a | n/a | n/a | 8806086329927 |
| CY-BD55BD | Matte Black Bezel Trim Accessory for 55in DB/DM/DH Models | | \$154.00 | 365 | 1.85 | n/a | n/a | n/a | 8806086339001 |
| CY-BD55WD | White Bezel Trim Accessory for 55in DB/DM/DH Models | | \$154.00 | 365 | 1.85 | n/a | n/a | n/a | 8806086329934 |
| CY-EBIS | External Brightness & IR Sensor for 400UX(n)-2, 460UX(n)-2, 460UT(n)-2, 460UT(n)-B Series | | \$44.00 | 1095 | 0.5 | n/a | n/a | n/a | 729507815862 |
| CY-EBISA | LED LFD ME, DE, UE, UD EXTERNAL BRIGHTNESS SENSOR | | \$44.00 | 1095 | 1 | n/a | n/a | n/a | 729507819341 |
| TE65LCC | 65-inch Infrared Touch Overlay for ED65C & MD65C | | \$1,998.00 | 1095 | 33 | n/a | n/a | n/a | 8806085676299 |
| TE75LCC | 75-inch Infrared Touch Overlay for ED75C | | \$3,306.00 | 1095 | 47 | n/a | n/a | n/a | 8806085676305 |
| TM32LBC | 32-inch Infrared Touch Overlay for ME32B | | \$1,229.00 | 1095 | 11.9 | n/a | n/a | n/a | 729507819525 |
| CY-TM55 | Infrared Touch Overlay for ME55B with 6 touch points | | \$1,613.00 | 1095 | 26.8 | n/a | n/a | n/a | 729507819549 |
| CY-TQ85LDAH | 85 inch Touch Overlay for QM85D | | \$4,614.00 | 1095 | 89 | n/a | n/a | n/a | 8806086283922 |
| TM75LBC | 75-inch Infrared Touch Overlay for ME75B, ME75C | | \$3,306.00 | 1095 | 70.8 | n/a | n/a | n/a | 8806085430617 |
| TP40LCA | 40-inch Infrared Touch Overlay for PE40C | | \$1,383.00 | 1095 | 12 | n/a | n/a | n/a | 8806085911017 |
| TP46LCA | 46-inch Infrared Touch Overlay for PE46C | | \$1,460.00 | 1095 | 16 | n/a | n/a | n/a | 8806085910393 |
| TP55LCC | 55-inch Infrared Touch Overlay for PE55C | | \$1,614.00 | 1095 | 20 | n/a | n/a | n/a | 8806085910416 |
| TM32LCA | 32-inch Infrared Touch Overlay for ME32B, ME32C | | \$1,229.00 | 1095 | 11.9 | n/a | n/a | n/a | 8806085675902 |

| Mfg Part Number | Product Description | Change | MSRP | Warranty | Shipping Weight (lbs.) | Energy Star | EPEAT | UL Certified | UPC |
|-----------------------------|---|--------|------------|----------|------------------------|-------------|-------|--------------|---------------|
| TM40LCA | 40-inch Infrared Touch Overlay for ME40B, ME40C | | \$1,383.00 | 1095 | 15.6 | n/a | n/a | n/a | 8806085675940 |
| TM46LCA | 46-inch Infrared Touch Overlay for ME46B, ME46C | | \$1,460.00 | 1095 | 20.2 | n/a | n/a | n/a | 8806085675957 |
| TM55LCC | 55-inch Infrared Touch Overlay for ME55B, ME55C | | \$1,613.00 | 1095 | 26.8 | n/a | n/a | n/a | 8806085675919 |
| CY-TD32LDAH | 32-inch Infrared Touch Overlay for 'DB' / 'DM' / 'DH' Series | | \$1,229.00 | 1095 | 13 | n/a | n/a | n/a | 8806086202251 |
| CY-TD40LDAH | 40-inch Infrared Touch Overlay for 'DB' / 'DM' / 'DH' Series | | \$1,383.00 | 1095 | 16 | n/a | n/a | n/a | 8806086202268 |
| CY-TD48LDAH | 48-inch Infrared Touch Overlay for 'DB' / 'DM' / 'DH' Series | | \$1,460.00 | 1095 | 24 | n/a | n/a | n/a | 8806086202275 |
| CY-TD55LDAH | 55-inch Infrared Touch Overlay for 'DB' / 'DM' / 'DH' Series | | \$1,614.00 | 1095 | 28 | n/a | n/a | n/a | 8806086202282 |
| CY-TD75LDAF | 75 inch Touch Overlay for DM75D | | \$1,769.00 | 1095 | 29.6 | n/a | n/a | n/a | 8806086300193 |
| MID-UD46DS | Samsung MID Video Wall Stand Kit for UD46D-P | | \$1,460.00 | 1095 | 88 | n/a | n/a | n/a | 8806086401401 |
| MID-UD46FS | Samsung MID Video Wall Stand Kit for UD46A LED Series | | \$1,460.00 | 1095 | 88 | n/a | n/a | n/a | 729507818818 |
| MID-UD46MB | MID Kit Bar Brackets for UD46A LED Series | | \$108.00 | 1095 | 4.4 | n/a | n/a | n/a | 729507818016 |
| MID-UD55FS | Samsung MID Video Wall Stand Kit for UD55A LED Series | | \$1,691.00 | 1095 | 99 | n/a | n/a | n/a | 729507817996 |
| MID-UD55DS | Samsung MID Video Wall Stand Kit for UD55D | | \$1,691.00 | 1095 | 99 | n/a | n/a | n/a | 8806086144162 |
| MID-UD55MB | MID Kit Bar Brackets for UD55A LED Series | | \$131.00 | 1095 | 4.4 | n/a | n/a | n/a | 729507818009 |
| PIM-B | OPS Plug-In Media Player for ME65B / ME75B Series (32G SSD / 2G RAM / Win7) | | \$977.00 | 1095 | 4.2 | n/a | n/a | Yes | 8806085199194 |
| PIM-BF7 | OPS Plug-In Media Player (Quad Core 1.6Ghz / 32GB SSD / 4GB DDR / Win7e) | | \$1,000.00 | 1095 | 1.9 | n/a | n/a | Yes | 8806086423816 |
| PIM-BF7P | OPS Plug-In Media Player (Quad Core 1.6Ghz / 128GB SSD / 4GB DDR / Win7e) | | \$1,615.00 | 1095 | 4.2 | n/a | n/a | Yes | 8806086423809 |
| PIM-BQ7P | OPS Plug-In Media Player for ME65B IWB Function (Quad Core / 128G SSD / 4G RAM / Win7 Pro) | | \$1,692.00 | 1095 | 4.2 | n/a | n/a | Yes | 8806085227217 |
| SBB-C | Slim Setback Box Media Player for MD'C' / ME'C' / UE'C' / UD'C' / UD'C'-B Series | | \$885.00 | 1095 | 4 | n/a | n/a | n/a | 8806085713567 |
| SBB-CD7 | Slim Setback Box Media Player for MD'C' / ME'C' / UE'C' / UD'C' / UD'C'-B Series | | \$977.00 | 1095 | 4 | n/a | n/a | Yes | 8806085742611 |
| SBB-CF7 | Setback Box Media Player (Quad Core 1.6Ghz / 32GB SSD / 4GB DDR / Win7e) | | \$1,000.00 | 1095 | 4.3 | n/a | n/a | Yes | 8806086423793 |
| SBB-DA | Setback Box Media Player (Quad Core 2.5Ghz / 32GB SSD / 4GB DDR / Win7e) | | \$1,385.00 | 1095 | 5.5 | n/a | n/a | Yes | 8806086371025 |
| PIM-HDBT | HD Base-T Receiver PIM Module for PE'C/LE'C/MD65/ED65C/ED75C/ME95C Models | | \$208.00 | 1095 | 4.2 | n/a | n/a | Yes | 8806086095075 |
| SBB-CQ7 | Slim Setback Box Media Player for MD'C' / ME'C' / UE'C' / UD'C' / UD'C'-B Series | | \$1,306.00 | 1095 | 4 | n/a | n/a | Yes | 8806085742628 |
| STN-L32D | Stand for 320MP-3, 320MXn-3 and 320TSn-3 Series | | \$62.00 | 1095 | 6.6 | n/a | n/a | n/a | 729507816906 |
| STN-L4055AD | Stand for HE / ME / UE Series LED Models | | \$62.00 | 1095 | 6.6 | n/a | n/a | n/a | 729507818023 |
| STN-L75D | Stand for ME75B | | \$269.00 | 1095 | 12.5 | n/a | n/a | n/a | 8806085494466 |
| STN-L75E | Stand for ED75C | | \$269.00 | 1095 | 2.8 | n/a | n/a | n/a | 8806085749337 |
| STN-L4655E | Stand for ED46/55D, DB48/55D, DM48/55D, DH48/55D | | \$92.00 | 1095 | 4.4 | n/a | n/a | n/a | 8806085939196 |
| STN-L6500E | Y-Type Stand for ED65C, ED65D, MD65C | | \$85.00 | 1095 | 4.7 | n/a | n/a | n/a | 8806085939202 |
| STN-L7585F | Y-Type Stand for DM75D and QM85D | | \$308.00 | 1095 | 50 | n/a | n/a | n/a | 8806086371018 |
| STN-L3240E | Stand for ED32/40D, DB32/40D, DM32/40D, DH40D | | \$46.00 | 1095 | 2.7 | n/a | n/a | n/a | 8806085939189 |
| WMB1900T | T Wall Mount Bracket 19"~22" | | \$31.00 | 1095 | 6.61 | n/a | n/a | n/a | 729507805436 |
| WMB2400T | TOC Wall Mount Bracket for 24"~25.5 VESA 100X100 | | \$31.00 | 1095 | 6.61 | n/a | n/a | n/a | 729507805443 |
| WMN250MD | Wall Mount for ME32/40/46/55C, UE46/55C, DE40/46/55C, PE40/46/55C | | \$85.00 | 1095 | 3 | n/a | n/a | n/a | 8806085324442 |
| WMN22UDPD | Wall Mount for UD22B Series | | \$385.00 | 1095 | 14 | n/a | n/a | n/a | 887276017365 |
| WMN4070SD | Wall Mount for H32/40, MD32/40, ED32/40, ME32/40, DE40, PE40, LE32/40 | | \$169.00 | 1095 | 5.9 | n/a | n/a | n/a | 729507818030 |
| WMN4270SD | Wall Mount for H46, MD46/55/65, ED46/55/65, ME46/55/65, PE46/55, LE46/55, UE46/55 | | \$92.00 | 1095 | 13.6 | n/a | n/a | n/a | 729507814841 |
| WMN5770D | Wall Mount for 40-57" LCD Models and 42-63" Plasma Models | | \$199.00 | 1095 | 43 | n/a | n/a | n/a | 729507802855 |
| WMN6575SD | Wall Mount for ED65C/D, ED75C/D, MD65C, ME75C | | \$306.00 | 1095 | n/a | n/a | n/a | n/a | 8806085962743 |
| WMN4675MD | Wall Mount for ED65/75C, MD65C, ME75C, UE46/55C, UD46/55C, UD46C-B | | \$346.00 | 1095 | 9 | n/a | n/a | n/a | 8806085594258 |
| WMN9500SD | Wall Mount for ME95C | | \$615.00 | 1095 | 11 | n/a | n/a | n/a | 8806085962750 |
| SBB-DI | Setback Box Media Player (Intel Dual Core i5 2.7Ghz / 64GB SSD / 4GB DDR3 / Win7e) - Intel Core i5-4400E (2.7Ghz Dual, GT2) CPU, Integrated N/B, QM87 S/B, Intel HD Graphics 4600 GPU, SSD 64GB, 4GB (DDR3 SO-DIMM 2GB x 2) Memory, GbE Ethernet (RJ-45), USB 2.0 Port x 2, USB 3.0 Port x 2, RJ-45, RS232 (D-SUB 9P) | | \$1,923.00 | 1095 | 5.5 | n/a | n/a | n/a | 887276026770 |
| Extended Warranties: | | | | | | | | | |
| P-LM-1C3X23A | LCD Monitor: 1 Yr Extended Warranty (Limited to models with standard 3 yr warranty from 17-23 inch) | | \$38.00 | n/a | n/a | n/a | n/a | n/a | 729507813301 |
| P-LM-1C3X23C | LCD Monitor: 1 Yr Extended Warranty (Limited to models with standard 1 yr warranty from 17-23 inch) | | \$35.00 | n/a | n/a | n/a | n/a | n/a | 729507815060 |
| P-LM-1C3X26A | LCD Monitor: 1 Yr Extended Warranty (Limited to models with standard 3 yr warranty from 24-26 inch) | | \$45.00 | n/a | n/a | n/a | n/a | n/a | 729507813318 |
| P-LM-1C3X26C | LCD Monitor: 1 Yr Extended Warranty (Limited to models with standard 1 yr warranty from 24-26 inch) | | \$40.00 | n/a | n/a | n/a | n/a | n/a | 729507815107 |
| P-LM-1C3X30A | 1 Yr Extended Warranty (Limited to models with standard 3 yr warranty Network Monitor & 27-30 inch) | | \$48.00 | n/a | n/a | n/a | n/a | n/a | 729507813325 |
| P-LM-1C3X30C | LCD Monitor: 1 Yr Extended Warranty (Limited to models with standard 1 yr warranty for 27-30 inch) | | \$43.00 | n/a | n/a | n/a | n/a | n/a | 729507815145 |
| P-LM-1N2X32H | 1 Year Extended Warranty for 32 MP / MXn Series | | \$78.00 | n/a | n/a | n/a | n/a | n/a | 729507812366 |
| P-LM-1N2X40H | 1 Year Extended Warranty for 40 CX / FP / DX / UX / EX / BX / HE / ME Series | | \$111.00 | n/a | n/a | n/a | n/a | n/a | 729507812564 |

| Mfg Part Number | Product Description | Change | MSRP | Warranty | Shipping Weight (lbs.) | Energy Star | EPEAT | UL Certified | UPC |
|-----------------------------|---|--------|------------|----------|------------------------|-------------|-------|--------------|--------------|
| P-LM-1N2X46B | 1 Year Extended Warranty for 46 460DRn-A, 460DRn-A-NT | | \$437.00 | n/a | n/a | n/a | n/a | n/a | 729507812847 |
| P-LM-1N2X46D | 1 Year Extended Warranty for 46 DR / UT / UD, 55 UD Series | | \$238.00 | n/a | n/a | n/a | n/a | n/a | 729507812861 |
| P-LM-1N2X46H | 1 Year Extended Warranty for 46 CX / FP / DX / UX / EX / HE / ME / UE Series | | \$143.00 | n/a | n/a | n/a | n/a | n/a | 729507812359 |
| P-LM-1N2X52H | 1 Year Extended Warranty for 32, 40, 46 TS(n) / 52 DX / 55 DX / EX / ME / UE Series | | \$182.00 | n/a | n/a | n/a | n/a | n/a | 729507812618 |
| P-LM-1N2X57H | 1 Year Extended Warranty for 46 460I-C, 460I-K, 57 DX, 65 FP and 65 TS Series | | \$282.00 | n/a | n/a | n/a | n/a | n/a | 729507812410 |
| P-LM-1N2X70H | 1 Year Extended Warranty for 70 DX(n) / TS(n) Series | | \$437.00 | n/a | n/a | n/a | n/a | n/a | 729507812397 |
| P-LM-1N2X82H | 1 Year Extended Warranty for 82 DX(n) / TS(n) Series | | \$2,031.00 | n/a | n/a | n/a | n/a | n/a | 729507812533 |
| P-LM-2C3X23A | LCD Monitor: 2 Yr Extended Warranty (Limited to models with standard 3 yr warranty from 17-23 inch) | | \$88.00 | n/a | n/a | n/a | n/a | n/a | 729507813332 |
| P-LM-2C3X23C | LCD Monitor: 2 Yr Extended Warranty (Limited to models with standard 1 yr warranty from 17-23 inch) | | \$66.00 | n/a | n/a | n/a | n/a | n/a | 729507815077 |
| P-LM-2C3X26A | LCD Monitor: 2 Yr Extended Warranty (Limited to models with standard 3 yr warranty from 24-26 inch) | | \$103.00 | n/a | n/a | n/a | n/a | n/a | 729507813356 |
| P-LM-2C3X26C | LCD Monitor: 2 Yr Extended Warranty (Limited to models with standard 1 yr warranty from 24-26 inch) | | \$78.00 | n/a | n/a | n/a | n/a | n/a | 729507815114 |
| P-LM-2C3X30A | 2 Yr Extended Warranty (Limited to models with standard 3 yr warranty Network Monitor & 27-30 inch) | | \$110.00 | n/a | n/a | n/a | n/a | n/a | 729507813349 |
| P-LM-2C3X30C | LCD Monitor: 2 Yr Extended Warranty (Limited to models with standard 1 yr warranty for 27-30 inch) | | \$85.00 | n/a | n/a | n/a | n/a | n/a | 729507815152 |
| P-LM-2N2X32H | 2 Year Extended Warranty for 32 MP / MXn Series | | \$129.00 | n/a | n/a | n/a | n/a | n/a | 729507812526 |
| P-LM-2N2X40H | 2 Year Extended Warranty for 40 CX / FP / DX / UX / EX / BX / HE / ME Series | | \$182.00 | n/a | n/a | n/a | n/a | n/a | 729507812588 |
| P-LM-2N2X46B | 2 Year Extended Warranty for 46 460DRn-A, 460DRn-A-NT | | \$720.00 | n/a | n/a | n/a | n/a | n/a | 729507812908 |
| P-LM-2N2X46D | 2 Year Extended Warranty for 46 DR / UT / UD, 55 UD Series | | \$392.00 | n/a | n/a | n/a | n/a | n/a | 729507812885 |
| P-LM-2N2X46H | 2 Year Extended Warranty for 46 CX / FP / DX / UX / EX / HE / ME / UE Series | | \$234.00 | n/a | n/a | n/a | n/a | n/a | 729507812441 |
| P-LM-2N2X52H | 2 Year Extended Warranty for 32, 40, 46 TS(n) / 52 DX / 55 DX / EX / ME / UE Series | | \$300.00 | n/a | n/a | n/a | n/a | n/a | 729507812595 |
| P-LM-2N2X57H | 2 Year Extended Warranty for 46 460I-C, 460I-K, 57 DX, 65 FP and 65 TS Series | | \$463.00 | n/a | n/a | n/a | n/a | n/a | 729507812502 |
| P-LM-2N2X70H | 2 Year Extended Warranty for 70 DX(n) / TS(n) Series | | \$720.00 | n/a | n/a | n/a | n/a | n/a | 729507812489 |
| P-LM-2N2X82H | 2 Year Extended Warranty for 82 DX(n) / TS(n) Series | | \$3,528.00 | n/a | n/a | n/a | n/a | n/a | 729507812465 |
| P-LM-3C3X23C | LCD Monitor: 3 Yr Extended Warranty (Limited to models with standard 1 yr warranty from 17-23 inch) | | \$98.00 | n/a | n/a | n/a | n/a | n/a | 729507815084 |
| P-LM-3C3X26C | LCD Monitor: 3 Yr Extended Warranty (Limited to models with standard 1 yr warranty from 24-26 inch) | | \$115.00 | n/a | n/a | n/a | n/a | n/a | 729507815121 |
| P-LM-3C3X30C | LCD Monitor: 3 Yr Extended Warranty (Limited to models with standard 1 yr warranty for 27-30 inch) | | \$125.00 | n/a | n/a | n/a | n/a | n/a | 729507815169 |
| P-LM-4C3X23C | LCD Monitor: 4 Yr Extended Warranty (Limited to models with standard 1 yr warranty from 17-23 inch) | | \$140.00 | n/a | n/a | n/a | n/a | n/a | 729507815091 |
| P-LM-4C3X26C | LCD Monitor: 4 Yr Extended Warranty (Limited to models with standard 1 yr warranty from 24-26 inch) | | \$165.00 | n/a | n/a | n/a | n/a | n/a | 729507815138 |
| P-LM-4C3X30C | LCD Monitor: 4 Yr Extended Warranty (Limited to models with standard 1 yr warranty for 27-30 inch) | | \$177.00 | n/a | n/a | n/a | n/a | n/a | 729507815176 |
| P-PM-1N3X50O | 1 Year Extended Warranty for P50HP Plasma Display | | \$132.00 | n/a | n/a | n/a | n/a | n/a | 729507814285 |
| P-PM-1N3X63O | 1 Year Extended Warranty for P63FP / P64FP Plasma Display | | \$181.00 | n/a | n/a | n/a | n/a | n/a | 729507814278 |
| Enhanced Warranties: | | | | | | | | | |
| CY-INHAH1H | LFD Install SVC, Hourly Rate, Over 8 Ft Install Height, After Business Hrs., 5-Hour Min. Charge | | \$500.00 | n/a | n/a | n/a | n/a | n/a | not assigned |
| CY-INHWH1H | LFD Install SVC, Hourly Rate, Over 8 Ft Install Height, Normal Business Hrs., 5-Hour Min. Charge | | \$385.00 | n/a | n/a | n/a | n/a | n/a | not assigned |
| CY-INSAH1H | LFD Install SVC, Hourly Rate, Under 8 Ft Install Height, After Business Hrs., 3-Hour Min. Charge | | \$346.00 | n/a | n/a | n/a | n/a | n/a | not assigned |
| CY-INSWH1H | LFD Install SVC, Hourly Rate, Under 8 Ft Install Height, Normal Business Hrs., 3-Hour Min. Charge | | \$231.00 | n/a | n/a | n/a | n/a | n/a | not assigned |
| P-LM-1N1X32A | 4 Year Fast Track Service for 32-inch Large Format LCD Displays | | \$182.00 | n/a | n/a | n/a | n/a | n/a | 729507814377 |
| P-LM-1N1X32B | 4 Year White Glove / Fast Track Service for 32-inch Large Format LCD Displays | | \$323.00 | n/a | n/a | n/a | n/a | n/a | 729507814391 |
| P-LM-1N1X40A | 4 Year Fast Track Service for 40-inch Large Format LCD Displays | | \$201.00 | n/a | n/a | n/a | n/a | n/a | 729507814346 |
| P-LM-1N1X40B | 4 Year White Glove / Fast Track Service for 40-inch Large Format LCD Displays | | \$385.00 | n/a | n/a | n/a | n/a | n/a | 729507814414 |
| P-LM-1N1X46A | 4 Year Fast Track Service for 46-inch Large Format LCD Displays | | \$239.00 | n/a | n/a | n/a | n/a | n/a | 729507814353 |
| P-LM-1N1X46B | 4 Year White Glove / Fast Track Service for 46-inch Large Format LCD Displays | | \$422.00 | n/a | n/a | n/a | n/a | n/a | 729507814438 |
| P-LM-1N1X50A | 3 Year Fast Track Service for 50-inch Large Format Plasma Displays | | \$259.00 | n/a | n/a | n/a | n/a | n/a | 729507814667 |
| P-LM-1N1X50B | 3 Year White Glove / Fast Track Service for 50-inch Large Format Plasma Displays | | \$351.00 | n/a | n/a | n/a | n/a | n/a | 729507814674 |
| P-LM-1N1X57A | 4 Year Fast Track Service for 52 - 65-inch Large Format LCD Displays | | \$327.00 | n/a | n/a | n/a | n/a | n/a | 729507814490 |
| P-LM-1N1X57B | 4 Year White Glove / Fast Track Service for 52 - 65-inch Large Format LCD Displays | | \$484.00 | n/a | n/a | n/a | n/a | n/a | 729507814452 |
| P-LM-1N1X63A | 3 Year Fast Track Service for 63-64-inch Large Format Plasma Displays | | \$263.00 | n/a | n/a | n/a | n/a | n/a | 729507814650 |
| P-LM-1N1X63B | 3 Year White Glove / Fast Track Service for 63-64-inch Large Format Plasma Displays | | \$362.00 | n/a | n/a | n/a | n/a | n/a | 729507814643 |
| P-LM-2N1X32A | 5 Year Fast Track Service for 32-inch Large Format LCD Displays | | \$241.00 | n/a | n/a | n/a | n/a | n/a | 729507814384 |
| P-LM-2N1X32B | 5 Year White Glove / Fast Track Service for 32-inch Large Format LCD Displays | | \$429.00 | n/a | n/a | n/a | n/a | n/a | 729507814407 |
| P-LM-2N1X40A | 5 Year Fast Track Service for 40-inch Large Format LCD Displays | | \$268.00 | n/a | n/a | n/a | n/a | n/a | 729507814360 |
| P-LM-2N1X40B | 5 Year White Glove / Fast Track Service for 40-inch Large Format LCD Displays | | \$511.00 | n/a | n/a | n/a | n/a | n/a | 729507814421 |
| P-LM-2N1X46A | 5 Year Fast Track Service for 46-inch Large Format LCD Displays | | \$317.00 | n/a | n/a | n/a | n/a | n/a | 729507814520 |
| P-LM-2N1X46B | 5 Year White Glove / Fast Track Service for 46-inch Large Format LCD Displays | | \$560.00 | n/a | n/a | n/a | n/a | n/a | 729507814445 |



SAMSUNG Display MSRP Price List - EFFECTIVE November 2014

| Mfg Part Number | Product Description | Change | MSRP | Warranty | Shipping Weight (lbs.) | Energy Star | EPEAT | UL Certified | UPC |
|------------------|--|--------|------------|----------|------------------------|-------------|-------|--------------|---------------|
| P-LM-2N1X57A | 5 Year Fast Track Service for 52 - 65-inch Large Format LCD Displays | | \$433.00 | n/a | n/a | n/a | n/a | n/a | 729507814537 |
| P-LM-2N1X57B | 5 Year White Glove / Fast Track Service for 52 - 65-inch Large Format LCD Displays | | \$642.00 | n/a | n/a | n/a | n/a | n/a | 729507814469 |
| P-LM-NN1X32A | 3 Year Fast Track Service for 32-inch Large Format LCD Displays | | \$87.00 | n/a | n/a | n/a | n/a | n/a | 729507813592 |
| P-LM-NN1X32B | 3 Year White Glove / Fast Track Service for 32-inch Large Format LCD Displays | | \$215.00 | n/a | n/a | n/a | n/a | n/a | 729507813523 |
| P-LM-NN1X40A | 3 Year Fast Track Service for 40-inch Large Format LCD Displays | | \$121.00 | n/a | n/a | n/a | n/a | n/a | 729507813639 |
| P-LM-NN1X40B | 3 Year White Glove / Fast Track Service for 40-inch Large Format LCD Displays | | \$250.00 | n/a | n/a | n/a | n/a | n/a | 729507813530 |
| P-LM-NN1X46A | 3 Year Fast Track Service for 46-inch Large Format LCD Displays | | \$160.00 | n/a | n/a | n/a | n/a | n/a | 729507813660 |
| P-LM-NN1X46B | 3 Year White Glove / Fast Track Service for 46-inch Large Format LCD Displays | | \$298.00 | n/a | n/a | n/a | n/a | n/a | 729507813646 |
| P-LM-NN1X46W | Fast Track-White Glove Service-After Hours and Weekends-Up to 46 inch Displays | | \$269.00 | n/a | n/a | n/a | n/a | n/a | not assigned |
| P-LM-NN1X50A | 2 Year Fast Track Service for 50-inch Large Format Plasma Displays | | \$150.00 | n/a | n/a | n/a | n/a | n/a | 729507814247 |
| P-LM-NN1X50B | 2 Year White Glove / Fast Track Service for 50-inch Large Format Plasma Displays | | \$252.00 | n/a | n/a | n/a | n/a | n/a | 729507813509 |
| P-LM-NN1X57A | 3 Year Fast Track Service for 52 - 65-inch Large Format LCD Displays | | \$183.00 | n/a | n/a | n/a | n/a | n/a | 729507813516 |
| P-LM-NN1X57B | 3 Year White Glove / Fast Track Service for 52 - 65-inch Large Format LCD Displays | | \$308.00 | n/a | n/a | n/a | n/a | n/a | 729507813622 |
| P-LM-NN1X63A | 2 Year Fast Track Service for 63-64-inch Large Format Plasma Displays | | \$323.00 | n/a | n/a | n/a | n/a | n/a | 729507813578 |
| P-LM-NN1X63B | 2 Year White Glove / Fast Track Service for 63-64-inch Large Format Plasma Displays | | \$419.00 | n/a | n/a | n/a | n/a | n/a | 729507813547 |
| P-LM-NN1X46O | Next Business Day White Glove Service / Standard Business Hours - 46-inch LFD Models | | \$239.00 | n/a | n/a | n/a | n/a | n/a | 8808993943319 |
| P-LM-NN1X55O | Next Business Day White Glove Service / Standard Business Hours - 55 LFD Models | | \$239.00 | n/a | n/a | n/a | n/a | n/a | not assigned |
| P-LM-NN1X55W | Next Business Day White Glove Service / After Hours - 55-inch LFD Models | | \$269.00 | n/a | n/a | n/a | n/a | n/a | not assigned |
| P-LM-AE1X72O | 4 Year Fast Track Service for 75 Large Format Displays | | \$1,538.00 | n/a | n/a | n/a | n/a | n/a | 8806085315495 |
| P-LM-AI1X72O | 4 Year White Glove / Fast Track Service for 75 Large Format Displays | | \$1,808.00 | n/a | n/a | n/a | n/a | n/a | 8806085648661 |
| P-LM-BE1X72O | 5 Year Fast Track Service for 75 Large Format Disp | | \$2,000.00 | n/a | n/a | n/a | n/a | n/a | 8806085315594 |
| P-LM-BI1X72O | 5 Year White Glove / Fast Track Service for 75 Large Format Displays | | \$2,385.00 | n/a | n/a | n/a | n/a | n/a | 8806085648685 |
| P-LM-NE1X72O | 3 Year Fast Track Service for 75 Large Format Displays | | \$962.00 | n/a | n/a | n/a | n/a | n/a | 8806085648685 |
| P-LM-NI1X72O | 3 Year White Glove / Fast Track Service for 75 Large Format Displays | | \$1,154.00 | n/a | n/a | n/a | n/a | n/a | 8806085648708 |
| Software: | | | | | | | | | |
| MIWB | MagicWB - Interactive White Board Software License (USB key) | | \$846.00 | n/a | n/a | n/a | n/a | n/a | 8806085289895 |
| CY-MILSSTS | MagicInfo Lite S/W Server License (non-returnable item) | | \$154.00 | n/a | n/a | n/a | n/a | n/a | 8806071860749 |
| BW-MIP2OSS | MagicInfo Premium-S Digital Signage S/W - Server License (non-returnable item) | | \$614.00 | n/a | n/a | n/a | n/a | n/a | 8806085523128 |
| BW-MIV2OAS | MagicInfo Video Wall-S Software - Author License (non-returnable item) | | \$460.00 | n/a | n/a | n/a | n/a | n/a | 8806085523142 |
| BW-MIV2OSS | MagicInfo Video Wall-S Software - Server License (non-returnable item) | | \$460.00 | n/a | n/a | n/a | n/a | n/a | 8806085523111 |
| CY-MIESDLS | MagicInfo Data Link Server Software - Server License (non-returnable item) | | \$306.00 | n/a | n/a | n/a | n/a | n/a | 8806085308800 |
| BW-MIP2OSW | MagicInfo Premium-I Digital Signage S/W - Server License (non-returnable item) | | \$614.00 | n/a | n/a | n/a | n/a | n/a | 8806085523104 |
| BW-MIV2OAW | MagicInfo Video Wall-2 S/W - Author License (non-returnable item) | | \$654.00 | n/a | n/a | n/a | n/a | n/a | 8806085523159 |
| BW-MIV2OSW | MagicInfo Video Wall-2 S/W - Server License (non-returnable item) | | \$654.00 | n/a | n/a | n/a | n/a | n/a | 8806085523173 |