

FEATURES:

- Straight leg design for strength and space
- Durable powder coated paint rust resistant steel frame
- Truss cap and sleeve for added strength
- Double wall leg end cap 50% stronger
- 150D polyester top
- Perfect UV protection
- Water & fire resistant top fabric meets CPAI-84 & NFPA 701
- No ropes, tools, or assembly required
- Comes with new easy to operate handy roll away bag w/vertical zipper (Dust Cover: 20'x10' style) and stake kit
- Includes (2) two year limited warranty

POPULAR USES:

• Sporting Events • Street Fairs • Swap Meets • Community Events

AVAILABLE SIZES:

20'x10' 12'x12' 16'x8' 10'x10' 12'x8'









UPF 50+



Product Dimensions/Specifications


	EVEREST (Straight Leg)	
Size	12' x 12' (3.7m x 3.7m)	10' x 10' (3.05m x 3.05m)
Shade Area	144 Sq. Ft.	100 Sq. Ft.
Leg Height Adjustment	Three (3)	
Bag	Roll Away Bag	
Top Fabric	150 Denier Polyester w/Silver Coating (CPAI-84/NFPA 701)	
Frame Type	White - Powder Coated Steel	
Warranty	Two (2) Year Limited Warranty	
Carton Quantity	One (1)	
Carton Size	8.86" x 8.86" x 59.06"	8.86" x 8.86" x 50.79"
Qty per 40' Std. Cntr. (In Bound)	730	880
Qty per 40' High Cube Cntr. (In Bound)	730	880
Net Weight (LBS)	54.6 lbs.	45.8 lbs.
Carton Weight (LBS)	57.3 lbs.	47.8 lbs.
Carton Cube (Cubic Meters)	.076	.065



SHOWN: 10' x 10' Everest Specifications are subject to change without notice.

EVEREST (Straight Leg)

(0 0)	
20' x 10' (6.1m x 3.05m)	12' x 8' (3.7m x 2.4m)
200 Sq. Ft.	96 Sq. Ft.
Three (3)	
Dust Cover	Roll Away Bag
150 Denier Polyester w/Polyurethane Coating (CPAI-84/NFPA 701)	
White - Powder Coated Steel	
Two (2) Year Limited Warranty	
One (1)	
15.16" x 11.02" x 48.43"	8.86" x 8.86" x 58.66"
436	750
492	825
75.5 lbs.	47.8 lbs.
80.4 lbs.	49.8 lbs.
.133	.072
	200 Sq. Ft. Thre Dust Cover 150 Denier Polyester w/Polyureth White - Powde Two (2) Year Li One 15.16" x 11.02" x 48.43" 436 492 75.5 lbs. 80.4 lbs.




Product Dimensions/Specifications



EVEREST (Straight Leg)

150 Denier Polyester w/Silver Coating (CPAI-84/NFPA 701)





Specifications are subject to change without notice.



Toll-Free: (855) 497-4233 info@zshadeusa.com www.zshadeusa.com