









MANUAL TRAVERSE




FINIALS



END CAPS



HOLDBACKS





POLES & RINGS



**BRACKETS** 



**FINISHES** 





### R-TEC Automation® NEW




Our new R-TEC Automation® Traverse Systems are the smart solution for both residential and commercial environments.

The slim drapery motor installs seamlessly behind the drapery panel with quiet start / stop operation and the ability to easily charge without having to remove the motor, providing the ultimate integrated functionality and unrivaled design.

See pages 4 - 9.

Coordinates with all 2" or 3" diameter finials and end caps.

Available in all 25 custom finishes on page 35.



### R-TEC Smart Controls

The R-TEC Automation® Hub and App integration allow draperies to be controlled directly from a smartphone or integrated device while at home or away. Now available in the Apple<sup>®</sup> App store or Google Play™.

As an alternative, remotes and wall switches allow for individual, group and all control for a customized solution with 1, 5 and 15 channel options.



For more R-TEC Automation® window solution options, view our compatible shade systems at bit.ly/R-TEC-Automation-Shades



### UNRIVALED DESIGN

R-TEC Automation® products are meticulously designed to combine beauty, form and function with superior performance.

### INTUITIVE PROGRAMMING

R-TEC Smart Controls offer modern design and lifestyle options with easy programming and the ability to integrate with the latest smart home solutions.

### UNCOMPROMISING QUALITY & SERVICE

We proudly stand behind our products by providing expert services to support you along with a slim drapery motor backed by a 5 year warranty.

### UNSURPASSED VALUE

Provide your clients with innovative window treatment solutions that fit their budget expectations with R-TEC Automation® drapery and shade systems.







Stella **Finial** shown in Rubbed Gold

## MOTORIZED TRAVERSE SYSTEM INCLUDES:

track(s), fascia, slim drapery motor(s), power option(s), pulleys, brackets, master carriers, carriers, end hooks, end stops, drive belt & clips and a 5 channel handheld remote with wall mount. Finials and additional R-TEC Smart Controls sold separately.

Look for the bronze /BR icon for components available in bronze and add /BR to the order.

/BR



Reeded, Smooth or Square, 2" or 3" D, 3 1/2" - 41/2" return



Motorized, Reeded, Smooth or Square, 2" or 3" D, front fascia only,  $2\frac{1}{2}$ " -  $3\frac{1}{2}$ " rear return, 5 1/2" - 6 1/4" front return \*Fascia not available on the back track

# R-TEC AUTOMATION® TRAVERSE OPTIONS ©

- Length: 4' 16'. Spliced Length: up to 36'
- Custom cut to your exact specification
- Fascias: Smooth 2" and 3" D, Reeded 2" and 3" D or Square 2" only
- Motor Power: Li-ion Battery or 110v AC Power
- Compatible with R-TEC Smart Controls on page 7
- · Single or double track system
- · White or Bronze color: track, brackets, carriers
- · Ripplefold or Pinch Pleat
- · Center, left or right draw
- Tandem alternative option: see page 9 for details.
- 10 15 day lead time

custom solutions


\*Available in custom solutions fully assembled cut to measure systems or sold as individual components, see page 9 for easy ordering information. See price list for available systems and components. Ships in 10 - 15 business days.

### FASCIAS









# R-TEC AUTOMATION® TRACK

Track and components available in White or Bronze.

Maximum continuous track length: 19'

### Custom Decoratine Hardware TRAVERSE Fascia RIEC AUTOMATION® Final or End Cap (sold separately) Fascia Mount Clip Fascia Mount Clip → Drive Belt Drive Belt Clip Track (inside track) End Hook End Carrier Master Carrier Master Carrier **Bracket** Return Pulley Stop Body Arm System Requirements: Drive Pulley 1 Drive Pulley & 1 System Requirements: 1 Drive Pulley & 1 Return Pulley for One-Way Draw; 2 Drive Pulleys for Center Draw. Return Pulley for One-Way Draw; INCLUDED IN SYSTEM: R-TEC Automation® track(s), fascia, brackets, 2 Drive Pulleys for Slim Center Draw. components, motor(s), power option(s) and 5 channel handheld remote with wall mount Drapery Motor\* R-TEC AUTOMATION® SLIM DRAPERY MOTOR (can be top mounted) • Slim Drapery Motor, 1 per track • Maximum drapery weight for Slim Drapery Motor: 110 lbs; tandem motors may be used for increased weight capacity · Maximum track length for Slim Drapery Motor: 36' • Power option: Li-ion Battery (includes Battery Charger & USB Cable) or 110v AC Power Transformer (includes 10' cord with 3 Conductor Male Plug) • Motor can be mounted on right or left for center draw, or top mounted 0 • End Hooks/Snaps included; available in white or bronze · Available in white • 5 year warranty Li-ion Battery

R-TEC AUTOMATION® TRAVERSE SYSTEM • Custom cut to your exact measurement, 4' minimum

- Maximum continuous fascia length is 16'; spliced track lengths up to 36'
- Track and components available in white or bronze to complement fascia finish
- Fascia options shown on page 5

\*Tandem alternative option: see page 9 for details.

### HANDHELD REMOTE WITH WALL MOUNT

5 Channel, Off-White Included in all systems Range: 65' RTMHR5C

# MOTOR & POWER OPTIONS



SLIM DRAPERY MOTOR RTMLDSS50



BATTERY **RTMLDSSB** 



**BATTERY** CHARGER RTMLDSSBC



CHARGER CABLE **RTMLDSSUSB** 



110v AC POWER TRANSFORMER 10' (plug included) RTMDSSPT

# **FEATURES**



2-Way RF Communication

shown

(110v AC

Power

Transformer

option

available)

Integrated radio frequency control allows for easy programming of individual, group or all control across window treatments.



Adjustable Speed

Choose from three options to customize the open / close speed of the drapery treatment.



Preferred Open / Close Limit Settings

Electronic "autoset" limits accurately program preferred open and close limit settings.



Position

Allows a most used or favorite position to be set between open and close limit settings.



Obstruction Detection

If the drapery motion is obstructed while the motor is running, the motor stops automatically to prevent damage.



Manual Override

Permits the drapery to be adjusted manually without the use of a remote or in the event of a power outage.



Operation

Powerful, smooth and quiet operation suitable for both residential and commercial environments.





# R-TEC SMART CONTROLS













R-TEC HUB, 2-WAY RF, WI-FI BUILT IN

Range: 60' RTMHUB2

Pair the R-TEC Hub and App with these systems (not sold by Rowley):









### THESE ADDITIONAL ACCESSORIES ARE AVAILABLE FOR PURCHASE SEPARATELY



HANDHELD REMOTE WITH WALL MOUNT

1 Channel Range: 65' RTMHR1C



HANDHELD REMOTE WITH WALL MOUNT

5 Channel Included in all systems Range: 65' RTMHR5C



HANDHELD REMOTE WITH WALL MOUNT

15 Channel Range: 65' RTMHR15C



SURFACE MOUNT WALL SWITCH

5 Channel Range: 65' RTMWSR5C



WALL BOX MOUNT SWITCH

ECO S

15 Channel Range: 65' RTMWSR15C



INTERIOR SUN SENSOR

Range: 65' RTMISS



ARC USB SIGNAL REPEATER

Extends the wireless range of the R-TEC Hub and Remotes up to 60' Maximum 2 repeaters per system or network (color may vary) RTMUSR



WALL CHARGER FOR USB SIGNAL REPEATER

(color may vary) RTMLWCW



SOLAR PANEL BATTERY CHARGER

Includes L-Bracket, Cables & Fastener RTMSOLAR2



# Custom Decoratine Hardware TRAVERSE



Master carrier body, available in white or bronze, is required for each master carrier arm - sold separately.



### **RTMDTMCB**

Master Carrier Body

- · Pinch Pleat or Ripplefold
- · Select from different arms to assemble into one master carrier body
- · Order two if ordering center draw master carrier arms sold separately



### **RTMDTCD** Master Carrier Arms for Center Draw

### RTMDTCDTAN **Tandem Master Carrier** Arms for Center Draw

- · Pinch Pleat or Ripplefold
- · Stainless steel overlap arms, pair
- · Order two master carrier bodies - sold separately



### RTMDTOR RTMDTOL Master Carrier Arm for One-Way Draw

- · Pinch Pleat or Ripplefold
- · Stainless steel arm
- · Order one master carrier body - sold separately



### **RTMDTCDB** Ripplefold Butt Master Carrier Arms for Center Draw

- · Ripplefold
- · Stainless steel arms with snaps to accept Ripplefold tape, pair
- · Butt master carriers do not overlap, allowing some light to filter between draperies on center draw treatments
- · Order two master carrier bodies - sold separately



### RTMDTOB Ripplefold Butt Master Carrier Arm

for One-Way Draw

- · Ripplefold
- · Stainless steel arms, right and left
- Order one master carrier body - sold separately



**CP40 Pinch Pleat Carrier** 





R4060/ R4080/ R4100/ R4120/ Ripplefold Roller Carriers with **Detachable Pendants** 60%, 80%, 100% and 120% fullness available



BT4333 Track Stop Stainless steel only

\*Components are white. Look for the BR icon for components available in bronze and add /BR at the end of the item number to order.



# RIE AUTOMATION" BRACKETS 📾





### TB035

Wall Traverse Bracket, Single Adjustable 3 \frac{1}{2}" - 4 \frac{1}{2}" return,  $2^{11}/_{16}$ " H x  $1\frac{1}{2}$ " W backplate



### TB060

Wall Traverse Bracket, Single or Double Adjustable 5 \( \frac{1}{2} \)" - 6 \( \frac{1}{4} \)" front return, Adjustable 2 1/2" - 3 1/2" back return,  $3 \frac{3}{8}$ " H x  $1 \frac{9}{16}$ "W backplate



### TB100

Wall Traverse Bracket, Single or Double Adjustable up to 10",  $4\frac{1}{2}$ " H x  $1\frac{1}{2}$ " W backplate



**RTMDTBCM** Mount Clip for Wall Brackets 13/16" H x 2 1/4" Deep x 1" W



**RTMDTFC** Fascia Mount Clip Use to attach fascia to traverse systems; included, zinc only



CP500 Return Bracket  $1\frac{3}{4}$ " return,  $\frac{9}{16}$ " H x  $\frac{1}{2}$ " W backplate Allows for return on track hardware in traverse systems; included, zinc only



custom solutions

\*Ships to you fully assembled

business days.

and custom cut to your exact specification in 10 - 15

# RIEO AUTOMATION®

## ORDERING INFORMATION ®



SELECT YOUR SYSTEM Single or double system.



SELECT YOUR TRACK COLOR White or bronze.



SELECT YOUR MOTOR POWER
Pick from Li-ion Battery or 110v AC Power Transformer.



SELECT YOUR DRAPERY STYLE, DRAW & MASTER CARRIER

Pinch Pleat or Ripplefold. One-Way Draw Right or Left, or Center Draw. Overlap or Butt Master (RF only).



PINCH PI FAT

• Carriers available in White or Bronze.



### **RIPPLEFOLD**

- Carriers available in White or Bronze.
- 60%, 80%, 100% and 120% fullness available; please specify fullness on order.
- Overlap Master Carriers are standard.
- Butt Master Carriers available, allowing some light to filter between draperies on center draw treatments. Must be specified for substitution.



SELECT YOUR FINISH, FASCIA STYLE & FINIALS

25 custom finishes. Smooth, Reeded or Square Fascia. Finials and End Caps sold separately.



SELECT YOUR R-TEC SMART CONTROLS

System includes handheld 5 channel remote. Take your drapery control to the next level by upgrading to the R-TEC Hub to integrate your draperies with whole home and voice control systems.

## TANDEM ALTERNATIVE

Tandem alternative ARC™ motorized systems utilize two drapery motors and are used for draperies that exceed the maximum single motor capacity. Available with Butt Master One-Way Draw Arms RTMDTOB (recommended for Ripplefold draperies), Butt Master Center Draw Arms RTMDTCDB (Ripplefold only) or Overlap Tandem Center Draw Arms RTMDTCDTAN (recommended for pinch pleat draperies). Please contact Rowley for details.









Kingston Finial shown in Weathered Bronze

# MANUAL TRAVERSE SYSTEM

Baton Draw



Track and components available in White or Bronze.

Maximum continuous track length: 20'

- Fascia Length: 4' 16'. Spliced Length: up to 36'
- Custom cut to your exact specification
- Fascias: Smooth 2" and 3" D, Reeded 2" and 3" D or Square 2" only
- With or without "C" Rings
- Baton standard 36" fiberglass
- 3" or 6" return brackets
- · Single or double track system
- Tracks, Brackets, Master Carriers and Carriers are available in both white and bronze finishes to coordinate with the fascia and drapery treatment
- Ripplefold or Pinch Pleat
- · Center, left or right draw
- 10 day lead time

## custom solutions



\*Available in custom solutions fully assembled cut to measure systems or sold as individual components, see page 14 for easy ordering information. See price list for available systems and components. Ships in 10 business days.

### FINESTRA® FIBERGLASS BATONS



Available in all 25 custom finishes on page 35.

\*Shown in OWG

36" Fiberglass Baton FCH312A/ FCH312S/

48" Fiberglass Baton FCH314A/ FCH314S/

60" Fiberglass Baton FCH316A/ FCH316S/

### HANDICAP BATONS



Plastic - A Steel - S

Clear









48" - BA79A BA79S

60" - BA78A BA78S 72" - BA77A BA77S



**ADA Fiberglass Batons** 

48" - BA90A 60" - BA91A

72" - BA92A



\*Components are white. Look for the BR icon for components available in bronze and add /BR at the end of the item number to order.

### BATON DRAW SYSTEMS WITHOUT "C" RINGS



### SINGLE TRACK SYSTEM

no "C" Rings, Baton Draw, Reeded or Smooth in 2" or 3" D, Square in 2" D, 2 1/2" - 3 1/2" return



no "C" Rings, Baton Draw, Reeded or Smooth in 2" or 3" D, Square in 2" D, 2 1/4" - 3 1/2" rear return, 5" - 6 1/4" front return \*Fascia not available on the back track

### BATON DRAW SYSTEMS WITH "C" RINGS



### SINGLE TRACK SYSTEM

with "C" Rings, Baton Draw, Pinch Pleat, Reeded or Smooth in 2" or 3" D, Square in 2" D, 2 1/2" - 3 1/2" return



### DOUBLE TRACK SYSTEM

with "C" Rings, Baton Draw, Pinch Pleat, Reeded or Smooth in 2" or 3" D, Square in 2" D, 2 1/4" - 3 1/2" rear return, 5" - 6 1/4" front return \*Fascia not available on the back track

### BATON DRAW COMPONENTS

\*See price list for Exposed Baton Master Carrier options.



CP10 Pinch Pleat Carrier



R2060/ 60% fullness R2080/ 80% fullness

R2100/ 100% fullness R2120/ 120% fullness

Ripplefold Carrier



BT3005R BT3005L Pinch Pleat Master Carrier (Hidden Baton\*)



BT3501R BT3501L Pinch Pleat "C" Ring **Master Carrier** (Hidden Baton\*)



BT3125R BT3125L Ripplefold Master Carrier (Hidden Baton\*)



BT3600R BT3600L Ripplefold Butt Master Carrier



CP500 Return Bracket



BT4003NFC Fascia Mount Clip



BT5433 2 1/2" - 3 1/2" Wall Bracket, Single



BT5443 4" - 5 ½" Front. 2" - 3" Back Return Wall Bracket. Single or Double



BT5444 5" - 6 1/4" Front. 2 1/4" - 3 1/2" Back Return Wall Bracket, Single or Double



BT5333 Single Ceiling Mount Bracket



BT5343 Double Ceiling Mount Bracket

### "C" RINGS



2" FCHT200300R/ 3" FCHT300300R/

Available in all 25 custom finishes on page 35.

### FASCIAS



Smooth 2" and 3" D



Reeded 2" and 3" D



Square 2" D





# MANUAL TRAVERSE SYSTEM

Cord Draw



Track and components available in White or Bronze.

Maximum continuous track length: 16'

- Fascia Length: 4' 16'. Spliced Length: up to 36'
- Custom cut to your exact specification
- Fascias: Smooth 2" and 3" D, Reeded 2" and 3" D or Square 2" only
- With or without "C" Rings
- Cord standard 72" drop
- 3" or 6" return brackets
- Single or double track system
- Tracks, Brackets, Master Carriers and Carriers are available in both white and bronze finishes to coordinate with the fascia and drapery treatment
- · Ripplefold or Pinch Pleat
- · Center, left or right draw
- · Cord left or right
- 10 day lead time

## FASCIAS







Reeded 2" and 3" D



Square 2" D

### CORD COMPONENTS



SURE-SHADE™ UNIVERSAL DRIVE TENSION DEVICE

White - CT70/W Dark Brown - CT70/DB

Other colors available: Black (K) Pecan (P) Beige (B) Off-White (N) Gray (G) Clear (C)



TRAVERSE ROD CORDING

White - LC32/100

### custom solutions



<sup>\*</sup>Available in custom solutions fully assembled cut to measure systems or sold as individual components, see page 14 for easy ordering information. See price list for available systems and components. Ships in 10 business days.



/BR

\*Components are white. Look for the Bricon for components available in bronze and add /BR at the end of the item number to order.

### CORD DRAW SYSTEMS WITHOUT "C" RINGS



### SINGLE TRACK SYSTEM

Cord Draw, Ripplefold or Pinch Pleat, Reeded or Smooth, 2" or 3" D, 3 1/4" return



### DOUBLE TRACK SYSTEM

Cord Draw, Ripplefold or Pinch Pleat, Reeded or Smooth, 2" or 3" D, 2  $\frac{1}{2}$ " - 4  $\frac{1}{2}$ " rear return, 5  $\frac{1}{2}$ " - 7" front return \*Fascia not available on the back track

### CORD DRAW SYSTEMS WITH "C"



### SINGLE TRACK SYSTEM

with "C" Rings, Cord Draw, Pinch Pleat, Reeded or Smooth, 2" or 3" D, 3 1/4" return



### DOUBLE TRACK SYSTEM

with "C" Rings, Cord Draw, Pinch Pleat, Reeded or Smooth, 2" or 3" D, 2  $\frac{1}{2}$ " - 4  $\frac{1}{2}$ " rear return, 5  $\frac{1}{2}$ " - 7" front return \*Fascia not available on the back track

### CORD DRAW COMPONENTS



**CP10** Pinch Pleat Carrier



R2060/ 60% fullness R2080/ 80% fullness R2100/ 100% fullness R2120/ 120% fullness Ripplefold Carrier



CD3300R CD3300L Pinch Pleat Master Carrier



CD3500R CD3500L Pinch Pleat "C" Ring Master Carrier



CD3412R CD3412L Ripplefold Master Carrier



CD3600R CD3600L Ripplefold Butt Master Carrier



CP500 Return Bracket



CD4001FC Fascia Mount Clip



CD543 3 1/4" Return Wall Bracket, Single



CD544 5 ½" - 7" Front, 2 ½" -4 1/2" Back Return Wall Bracket, Single or Double



CD100 3 1/2" - 11" Return Wall Bracket, Single or Double



CD533 Single Ceiling Mount Bracket

### "C" RINGS



- 2" FCHT200300R/
- 3" FCHT300300R/

Available in all 25 custom finishes on page 35.



## MANUAL TRAVERSE ORDERING INFORMATION

SELECT YOUR SYSTEM
Single or double system. Baton Draw or Cord Draw.



SELECT YOUR TRACK COLOR White or bronze.

\*Ships to you fully assembled and custom cut to your exact specification in 10 business days.

- SELECT YOUR COMPONENTS
  Pick your Finestra® Fiberglass Baton or your Cord and Tension Devices colors.
- SELECT YOUR DRAPERY STYLE, DRAW & MASTER CARRIER

  Pinch Pleat or Ripplefold. One-Way Draw Right or Left, or Center Draw. Overlap or Butt Master (RF only).



PINCH PLEATCarriers available in White or Bronze.



### **RIPPLEFOLD**

- Carriers available in White or Bronze.
- 60%, 80%, 100% and 120% fullness available; please specify fullness on order.
- Overlap Master Carriers are standard.
- Butt Master Carriers available, allowing some light to filter between draperies on center draw treatments. Must be specified for substitution.
- SELECT YOUR FINISH, FASCIA STYLE & FINIALS
  25 custom finishes. Smooth, Reeded or Square Fascia. Finials and End Caps sold separately.

# Custom Decoratine Hardware

# FINIALS





## Ball

1 %" FCH138102R/ 2" FCH200102R/ 3" FCH300102R/



























































### Talia

1 %" FCH138101R/ 2" FCH200101R/ 3" FCH300101R/

























































# Custom Decoratine Hardware FINIALS






### Crown

1 %" FCH138106R/

2" FCH200106R/



























































## Kingston

1 %" FCH138107R/

FCH200107R/ 2"

3" FCH300107R/































































## Beauregard

1 %" FCH138108R/

FCH200108R/ 2"

3" FCH300108R/





























































# Wilshire

1 %" FCH138109R/ 2" FCH200109R/

FCH300109R/ 3"





























































# Custom Decoratine Hardware

# FINIALS



## Wellington

1 %" FCH138114R/

2" FCH200114R/

3" FCH300114R/

























































### Anthea

1 %" FCH138115R/

2" FCH200115R/

3" FCH300115R/

























































## Royal Crest

1 %" FCH138120R/ FCH200120R/ 2" 3" FCH300120R/



























































### Victoria

1 %" FCH138121R/ FCH200121R/ 2" FCH300121R/

























































# Custom Decoratine Hardware

# FINIALS



## Keystone

1 %" FCH138123R/ 2" FCH200123R/ 3" FCH300123R/



















### Crowned Acorn

1 3/8" FCH138129R/ 2" FCH200129R/ 3" FCH300129R/























































### Florentine

1 %" FCH138130R/

2" FCH200130R/

3" FCH300130R/





















































## Artichoke

1 %" FCH138131R/ 2" FCH200131R/

3" FCH300131R/





















































# Custom Decoratine Hardware FINIALS



## Basket Weave Egg

1 %" FCH138132R/ 2" FCH200132R/ 3" FCH300132R/



















### Swirl

1 %" FCH138133R/ 2" FCH200133R/ 3" FCH300133R/





















### Isabella

1 %" FCH138134R/ 2" FCH200134R/

3" FCH300134R/

























































## Martin

1 %" FCH138140R/ 2" FCH200140R/ 3" FCH300140R/

































































# Custom Decoratine Hardware

# FINIALS





# Alexa

1 %" FCH138147R/ 2" FCH200147R/ 3" FCH300147R/





















































shown in TAG

## Stella

1 %" FCH138148R/ 2" FCH200148R/ 3" FCH300148R/

























































# Custom Decoratine Hardware END CAPS







shown in OWG



shown in WB

Square

FCH200182R/ 2" 3" FCH300182R/

\*For use on a round pole.





Chadwick

FCH200180R/ 2" FCH300180R/ 3"

\*For use on a square pole.



























OWD



























































WH









shown in TK

## Royal Medallion

1 %" FCH138186R/ FCH200186R/ 2" 3" FCH300186R/















































26



shown in MS



Emperor

1 %" FCH138187R/ FCH200187R/ 2" FCH300187R/ 3"

































































shown in RG

Plain End Cap

1 %" FCH138192R/ 2" FCH200192R/

3" FCH300192R/



1 %"





Iron Scroll

1 %" FCH138193R/ 2" FCH200193R/ 3" FCH300193R/







SK























DC







































TAG























WEA





shown in IC











Beauregard 4 3/4" D FCH910R/











## Royal Medallion

2 %" D FCH915R/ 3 %" D FCH916R/







































WNT



shown in AS

## Chadwick

4 ½" D FCH920R/



4 ½" D



















































## Large Circle Bolt

7" D FCH930R/



WEA







shown in OWG

### Holdback Extensions

Each holdback order includes a 2" base (FCH999W/). Holdback extensions (FCH990W/) are also available in 2" increments.



## Tip: Mount holdbacks as decorative elements!









# POLES

\*Poles can be custom cut to your measurement for a cut charge. Please allow a 10 day lead time on all custom cut orders.





Smooth Pole 1 %" D - 4' up to 12' 2" D, 3" D - 4' up to 16'



(10 pieces per pack)

Use pole splice to create longer lengths. A support bracket is required at the splice.

~ddddddddddd - - 19344444444





Reeded Pole 1 3/8" D - 4' up to 12' 2" D, 3" D - 4' up to 16'





Square Pole 2" D and 3" D 4' up to 12'

# RINGS



## Smooth Rings

1 %" Pole 2 <sup>5</sup>/<sub>8</sub>" OD x 1 <sup>1</sup>/<sub>2</sub>" ID FCH138300W/

2" Pole 3 ½" OD x 2 ½" ID FCH200300W/

3" Pole 4 <sup>5</sup>/<sub>8</sub>" OD x 3 <sup>1</sup>/<sub>2</sub>" ID FCH300300W/



## Decorative Rings

1 %" Pole 2 3/4" OD x 2 1/8" ID FCH138305R/

2" Pole 3 ½" OD x 2 ½" ID FCH200305R/

3" Pole 4 3/4" OD x 3 1/2" ID FCH300305R/



## Square Rings


2" Square 3" OD x 2 3/8" ID FCH200311R/

3" Square 4" OD x 3 3/8" ID FCH300311R/



# BRACKETS

### Flushmount Brackets



Single Bracket


1 %" D, 3 ½" Return FCH138400W/ 2" D, 3 ½" Return FCH200400W/ 2" D, 7" Return FCH200401W/ 3" D, 4" Return FCH300400W/



Double Bracket 2" D Front Pole, 1 %" D Back Pole 3 1/4" and 7" Return FCH200402W/


## Square Brackets





2" D, 3  $\frac{1}{2}$ " Return 5  $\frac{5}{8}$ " W × 3  $\frac{1}{2}$ " L FCH200422R/

3" D, 3  $\frac{1}{2}$ " Return 6  $\frac{1}{2}$ " W × 4  $\frac{1}{2}$ " L FCH300422R/



2" D, 6" Return 8" W  $\times$  3  $\frac{1}{2}$ " L FCH200423R/

3" D, 6" Return 9" W × 4  $\frac{1}{2}$ " L FCH300423R/

## European Brackets




Adjustable Mounting Bracket



1 %" D, 3 ½" Return FCH138430W/

2" D, 4" Return FCH200430W/



1 %" D, 6 ½" Return FCH138431W/

2" D, 7" Return FCH200431W/

## Mounts and Sockets



Ceiling Mount Bracket 1 3/8" D pole - FCH138403W/ 2" D pole - FCH200403W/ 3" D pole - FCH300403W/





1 3/8" Swivel Socket FCH138405W/

2" Swivel Socket FCH200405W/



Iron Scroll Inside Mount Pair 1 3%" D FCH138408R/

2" D FCH200408R/



Plain Inside Mount Pair 1 3%" D FCH138404R/

2" D FCH200404R/



# Custom Decoratine Hardware



## Our Story

Balancing timeless beauty with functionality, Finestra Custom Decorative Hardware incorporates the look of old world elegance into modern day décor.

Inspired by the opulence and historical references of the Rococo, Renaissance and Baroque eras; the Finestra® Custom Decorative Hardware collection combines exquisite design details with hand crafted finishes evoking timeless luxury and elegance.

The Finestra Custom collection offers 26 beautiful finial designs that blend traditional styling with ornate details, 25 rich hand painted finishes with unique characteristics and a selection of pole designs custom-sized to fit any window.

All options are available in 1 3/8", 2" and 3" diameters and ship within a 10 business day lead time.

Decorative, coordinating traverse is also available in custom sizes for both residential and commercial applications:

- The new R-TEC Automation® Traverse Systems ship within a 10 - 15 business day lead time
- Manual Traverse Systems ship within a 10 business day lead time.



### Sales Tools

Experience Finestra® Custom Decorative Hardware, order a finish sample ring or wall display today.



Finish Sample Ring FCHFS/1



Floor Unit FCHDF/1

Wall Unit FCHDW/1

*R-TEC Automation*<sup>®</sup>

CSRTMFCHDW/1



# Custom Decoratine Hardware

## FINISHES





SATIN BLACK = SK



OLD WORLD GOLD = OWG



ANTIQUE GOLD = AG



PEWTER = PT



DARK CHOCOLATE = DC



TOBACCO = TB



RUBBED GOLD = RG



METALLIC SILVER = MS



OLD WORLD = OWD



CHINOISORIE = CHI



HARVEST GOLD = GLD



ANTIQUE PEWTER = AP





BRONZE = BZ



IRON COPPER = IC



STONE GOLD = STG



ANTIQUE SILVER = AS





WALNUT = WNT



COPPER PENNY = CP



TUSK = TK



RUSTIC TAUPE = RTA

Passionate about color and texture, our artisans hand finish every piece of Finestra® Custom Decorative Hardware with a touch of old world craftsmanship.



WEATHERED BRONZE = WB THEATRE ANTIQUE GOLD = TAG





STONE LINEN = SL



WEATHERED WOOD = WEA



WHITE = WH



Experience Finestra® Custom, order a finish sample ring today.



### **TO PLACE AN ORDER**

Phone 1-888-443-8182 - US & Canada

704-866-0650 - Outside US & Canada 1-866-985-3423 - R-TEC Automation®

1-800-554-0407 - US & Canada

704-868-9787 - Outside US & Canada

E-Mail Sales@FinestraDecorativeHardware.com

RTECAutomation@RowleyCompany.com

Web FinestraCustomHardware.com

230 Meek Road Gastonia, NC 28056

Offices are open Monday - Friday 8:00 AM - 6:00 PM ET

Proudly finished in the USA.

Fax