



2025 PRODUCT CATALOG

CLASSIC DESIGNS

The Finestra[®] Wood Hardware collection offers the perfect combination of classic finial designs in 2" and $1\frac{3}{8}$ " diameters and furniture-quality finishes that coordinate seamlessly with decorative elements throughout the home.

Style meets function by pairing our finials with our variety of traverse solutions, including Automated or Manual Baton and Cord Draw systems.

Look for systems with no physical operating cords, ensuring the ones we care about most are protected and safe.



FURNITURE-QUALITY FINISHES

Select from 6 quick ship finishes, or customize by adding a light shimmer of gold or silver.

QUICK SHIP FINISHES

Quick ship orders will ship the same day if ordered by 3 PM ET. Please allow a 5 day lead time on manual traverse system orders and a 10 - 15 day lead time on automated traverse system orders.



ESPRESSO

ES



MAHOGANY MA



WALNUT WA



ΡE

PECAN



ANTIQUE WHITE AW



UNFINISHED UF Not available for Traverse Systems

CUSTOM SHIMMER FINISHES

For a minimal 25% surcharge, we will add a light shimmer of gold or silver to accentuate your Finestra® Wood Hardware Finish. *Please allow a 5 day lead time on all custom shimmer finishes.



MA SHOWN WITH GOLD SHIMMER GS



MA SHOWN WITH SILVER SHIMMER SS



AW SHOWN WITH GOLD SHIMMER GS



AW SHOWN WITH SILVER SHIMMER SS

Download the PDF for more Shimmer Looks »



- 1. Select a Quick Ship Finish.
- 2. Select a Gold (GS) or Silver (SS) Shimmer Finish.
- 3. Contact us at 1.800.343.4542 to place your order.

Automated Track using Finestra[®] Wood Hardware offers the perfect combination of classic finial designs in 2" and $1.3/_8$ " diameters and furniturequality finishes that coordinate seamlessly with decorative elements throughout the home.

No physical operating cords, ensuring the ones we care about most are protected and safe. \bigcirc

UNRIVALED DESIGN

Automated products are meticulously designed to combine beauty, form and function with superior performance.

INTUITIVE PROGRAMMING

Controls offer modern design and lifestyle options with easy programming and the ability to integrate with the latest smart home solutions.

UNCOMPROMISING QUALITY & SERVICE

We proudly stand behind our products by providing expert services to support you along with a slim drapery motor backed by a 5 year warranty.

UNSURPASSED VALUE

Provide your clients with innovative window treatment solutions that fit their budget expectations with automated drapery and shade systems.

View compatible Automated Shade Systems »







OPTIONS

- Fascia length 4' 12'; spliced length up to 36'
- · Custom cut to your exact measurement
- Minimum system length is 37" excluding Finials
- Motor Power: Li-ion Battery or 110v AC/DC Power Transformer
- Compatible with Control & Integration on pages 9 -11
- Tandem alternative option see price list for details
- Single or Double Track Systems
- Smooth or Reeded Fascias in 1 %" and 2" diameters
- Select from 6 quick ship finishes: Espresso, Mahogany, Walnut, Pecan and Antique White
- · Customize by adding a light shimmer of gold or silver
- Ripplefold or Pinch Pleat
- Center, Left or Right Draw
- Track, Brackets, Master Carriers and Carriers are available in both White and Bronze finishes to coordinate with the Fascia and drapery treatment
- 10 15 day lead time
- See Custom Solutions* on pages 12 13 H

*Available in *Custom Solutions* fully assembled cut to measure systems or sold as individual components, see page 13 for How-To Order. See price list for available systems and components. Ships in 10 - 15 business days.

FASCIAS



REEDED FAS

SMOOTH FASCIA 1 %" D or 2" D 4' L, 6' L, 8' L or 12' L



AUTOMATED TRACK



Track and Components available in White or Bronze.

Maximum continuous Track length is 19'.

Minimum system length is 37".

Lengths over 8' will ship via truck and incur an oversized fee.



SYSTEM STYLES

Li-ion Battery or 110v AC/DC Power Transformer, Ripplefold or Pinch Pleat. Fascia lengths 4' - 12'; spliced length up to 36'. Lengths over 8' will ship via truck and incur an oversized (2) fee.



SINGLE TRACK SYSTEM Smooth or Reeded, 1 3%" or 2" D fascia, 3 1%" - 41/2" return



2 $\frac{1}{2}$ " - 3 $\frac{1}{2}$ " rear return, 5 $\frac{1}{2}$ " - 6 $\frac{1}{4}$ " front return *Fascia not available on the back track

CARRIERS

Automated Traverse Systems work with Pinch Pleat and Ripplefold Roller Carriers.





BRACKETS

Easy to install Brackets with snap-in Clips. Hardware matches Bracket finish.



*For more details on Pinch Pleat and Ripplefold carriers, please see the price list.

WHAT'S INCLUDED

AUTOMATE

Track(s), Fascia, Slim Drapery Motor(s), Power Option(s), Pulleys, Brackets, Master Carriers, Carriers, End Hooks, End Stops, Drive Belt & Clips. Finials and Control & Integration sold separately - see pages 14 - 15 for *Custom Solutions* details.



SLIM DRAPERY MOTOR

- Slim Drapery Motor, 1 per track
- Maximum drapery weight for Slim Drapery Motor: 110 lbs; tandem motors may be used for increased weight capacity
- Maximum track length for Slim Drapery Motor: 36'
- Power option: Li-ion Battery (includes Battery Charger & USB Cable) or 110v AC/DC Power Transformer (includes 10' cord with 3 Conductor Male Plug)
- · Motor can be mounted on right or left for center draw, or top mounted
- End Hooks/Snaps included; available in White or Bronze
- Available in white
- 5 year warranty

AUTOMATED TRAVERSE SYSTEM

- Custom cut to your exact measurement (see pages 12 13)
- Maximum continuous Fascia length is 12'; spliced Track lengths up to 36'
- Track and Components available in White or Bronze to complement Fascia finish
- Fascia options shown on page 5



MOTOR & POWER OPTIONS

The Slim Drapery Motor boasts interchangeable power sources and versatile mounting to ensure a luxurious and elegant finish for your drapes. Select from Li-ion Battery or 110v AC/DC powered.

SLIM DRAPERY MOTOR MT01-2101-069002





2-WAY RF COMMUNICATION

Integrated radio frequency control allows for easy programming of individual, group or all control across window treatments.



ADJUSTABLE SPEED

Choose from three options to customize the open / close speed of the drapery treatment.



FAVORITE POSITION

> Allows a most used or favorite position to be set between open and close limit settings.



OBSTRUCTION DETECTION

If the drapery motion is obstructed while the motor is running. the motor stops automatically to prevent damage.



MANUAL OVERRIDE

Permits the drapery to be adjusted manually without the use of a remote or in the event of a power outage.



OUIET OPERATION

Powerful, smooth and quiet operation suitable for both residential and commercial environments.

PREFERRED OPEN / CLOSE LIMIT SETTINGS

Electronic "autoset" limits accurately program preferred open and close limit settings.



8

AUTOMATE.

CONTROLS

Opt for Remote Controls or Wall Switches. Handheld Remotes offer modern features, including LCD displays, individual, group and all control and precision leveling, giving users complete control. Wall Switches come in both cut in and flush mount configurations and provide a sensible control option for room and whole home control.



PUSH1 HANDHELD REMOTE WITH WALL MOUNT, 1 CHANNEL

White or Black Range: 65' MT02-0101-067010 MT02-0101-050010



PUSH5 HANDHELD REMOTE WITH WALL MOUNT, 5 CHANNEL White or Black

Range: 65' MT02-0101-067004 MT02-0101-050004



PUSH15 HANDHELD REMOTE WITH WALL MOUNT, 15 CHANNEL White or Black Range: 65' MT02-0101-067008 MT02-0101-050008



SURFACE MOUNT WALL SWITCH, 5 CHANNEL White Range: 65' MTRF-WS5-FLUSH



INTERIOR SUN SENSOR Range: 65' MTRF-SUNSENS



CUT-IN WALL MOUNT SWITCH, 1, 2 OR 15 CHANNEL Requires RTMSMB/W for installation White Range: 65' MTRF-WS-1C MTRF-WS-2C MTRF-WS-15



ARC USB SIGNAL REPEATER Extends the wireless range of the Automate® Pulse 2 Hub and Remotes up to 60' Maximum 2 repeaters per system or network MT02-0401-069007



SURFACE MOUNT WALL BACK BOX FOR CUT-IN STYLE REMOTES White RTMSMB/W



WALL CHARGER FOR USB SIGNAL REPEATER MT03-0301-069008

SMART CONTROL

Experience the Automate[®] brand on the Bond Home App. The Bond Home App is the leading platform for remote-controlled motorized window treatments along with the below Bond Bridge Pro. Control your devices from anywhere, including when offline, so you can manage your home seamlessly, even when you're away.

Streamline your R-TEC Automation® and Automate® Motors in one App. View compatible Automated Shade Systems »



Bond Bridge Pro smart home functionality adds Wi-Fi to your draperies, enabling seamless control with various smart home platforms and home automation systems. Slider easily opens and closes your treatments to desired percentage.



For a full list of integration platforms and support, scan & learn »

SMART CONTROL

AUTOMATE.

The Automate® Pulse 2 Hub is the foundation of your smart drapery motorization system.

Alongside the Automate[®] Pulse 2 App, the hub enables operation and automation of all ARC (Automate Radio Communication) enabled motors so that you can experience convenient drapery control straight from your smart device.



ROOMS Group Automate® window treatments by room and conveniently control them accordingly.



SCENES Personalize window treatment control and organize how your window treatments operate by specific daily events.



TIMERS

Set and forget. Lower, raise and activate window treatment scenes automatically at the optimal time.



MULTIPLE TREATMENT TYPES Pinch pleat draperies, Ripplefold draperies, Roman shades and roller shades ... control every window treatment application from one screen.



The hub seamlessly integrates with a variety of smart home platforms and home automation systems, so that you can take full advantage of customized automation and voice-activation when operating your Automate[®] smart draperies.



NUTOMATE.

Let Rowley[®] do the work for you with *Custom* Solutions

- Our in-house experts will fully assemble your Finestra® Wood Automated Traverse System(s), custom cut to your exact specification.
- Attach with ease your system arrives, prepared for the seamless addition of your drapery.
- Includes Track(s), Fascia, Motor(s), Power Option(s), Pulleys, Brackets, Master Carriers, Carriers, End Hooks, End Stops, Drive Belt & Clips, labor & packaging.
- See pages 9 11 for remote options sold separately.
- Finestra® Wood Finials on pages 22 27 sold separately.
- Track lengths up to 19' continuous and 36' spliced. Fascia lengths up to 12' continuous and 36' spliced. Minimum System Length is 37" excluding Finials.
- Smooth or Reeded Fascias in 1 %" and 2" diameters.
- Pinch Pleat or Ripplefold.
- Wall Mount.
- Lengths over 8' will ship via truck and incur an oversized fee.







*Custom Solutions are final sale, non-returnable.

AUTOMATE.

how to order

1 - CHOOSE YOUR SYSTEM QUANTITY & LENGTH

Let our in-house experts know how many systems to assemble, custom cut to your exact specification. Minimum 37" excluding Finials. Track lengths up to 19' continuous and 36' spliced. Fascia lengths up to 12' continuous and 36' spliced.

2 - CHOOSE YOUR TRACK INFORMATION

Select from Single or Double Wall Mount with various projection options. If Double is selected, complete Back Track information if different from Front Track.

3 - CHOOSE YOUR TRACK COLOR

Select from White or Bronze. Components will match track color unless otherwise noted.

4 - CHOOSE YOUR MOTOR POWER

Select from Li-ion Battery or 110v AC/DC Power Transformer.

5 - CHOOSE YOUR DRAPERY STYLE, DRAW & MASTER CARRIER

Select from Pinch Pleat or Ripplefold; One-Way Draw Right or Left, or Center Draw; Overlap Master Carriers are standard, or Butt Master Carrier option can be substituted if Ripplefold Drapery Style is selected.

PINCH PLEAT

• Carriers available in White or Bronze. Please specify number of carriers.

RIPPLEFOLD

- Carriers available in White or Bronze. 60%, 80%, 100% and 120% fullness available; please specify fullness on order.
- Butt Master Carriers available, allowing some light to filter between draperies on center draw treatments.

6 - CHOOSE YOUR FINISH, FASCIA STYLE / SIZE & FINIALS

5 Quick Ship and 2 Custom Shimmer Finishes shown on **page 3**. 1 ³/₆" or 2" Smooth or Reeded Fascia shown on **page 5**. Finials or End Caps sold separately on **pages 22 - 27**.

7 - CHOOSE YOUR CONTROL & INTEGRATION

Controls sold separately - see **pages 9 - 11**. Select from remotes or wall switches, or take your drapery control to the next level by upgrading to the Bond Bridge Pro & Bond Home App, or the Automate[®] Pulse 2 Hub & App, to integrate your draperies with whole home and voice control systems.



MANUAL BATON DRAW TRAVERSE



AVERY FINIAL SHOWN IN PECAN



Track and Components available in White or Bronze

Maximum continuous Track length is 20'

- Fascia length 4' 12'; spliced length up to 36'
- Custom cut to your exact measurement
- Single or Double Track Systems
- Smooth or Reeded Fascias in 1 % and 2" diameters
- Furniture Quality Finishes Espresso, Mahogany, Walnut, Pecan and Antique White
- Ripplefold, Pinch Pleat
- Tracks, Brackets, Master Carriers and Carriers are available in both White and Bronze finishes to coordinate with the Fascia and drapery treatment
- · Heavy duty brackets and carriers for heavy weight draperies
- Snap on Fascia Mount Clips and Finial Mount Adapters for easy installation
- 36", 48" and 60" Fiberglass Batons for easy draw operation in coordinating finishes
- 5 day lead time
- Lengths over 8' will ship via truck and incur an oversized 🛞 fee
- No physical operating cords, ensuring the ones we care about most are protected and safe 🔬
- See Custom Solutions* on pages 16 17 H

DESIGN your WINDOW



*Available in *Custom Solutions* fully assembled cut to measure systems or sold as individual components, see price list for available systems and components. Ships in 5 business days. Order using the *Custom Solutions* order form linked on **page 16** or online using our DESIGN your WINDOW feature by scanning the QR code **above**!

FINESTRA® FIBERGLASS BATONS



Order from left to right: Espresso - ES Mahogany - MA Walnut - WA Pecan - PE Antique White - AW

36" Fiberglass Baton FSW312A/ FSW312S/

48" Fiberglass Baton FSW314A/ FSW314S/

60" Fiberglass Baton FSW316A/ FSW316S/



BATON DRAW SYSTEMS



Components are White. Look for the Bronze icon IBR for components available in Bronze and add /BR to the Item # to order.



SINGLE TRACK SYSTEM Baton Draw, Ripplefold or Pinch Pleat, Smooth or Reeded, 1 ³/₈" or 2" D, 2 ¹/₂" - 3 ¹/₂" return



DOUBLE TRACK SYSTEM

Baton Draw, Ripplefold or Pinch Pleat, Smooth or Reeded, $1 \frac{1}{2}$ or 2" D, 2 $\frac{1}{4}$ " - 3 $\frac{1}{2}$ " rear return, 5" - 6 $\frac{1}{4}$ " front return *Fascia not available on the back track

BATON DRAW COMPONENTS

Components are White. Look for the Bronze icon I for components available in Bronze and add /BR to the Item # to order.



Pinch Pleat Carrier CP10



R4120/ 120% fullness



Pinch Pleat Master Carrier (Hidden Baton*) BT3005R BT3005L

Ripplefold Master Carrier (Hidden Baton*) BT3125R BT3125L

/BR

3 1/2" - 11" Return

Single or Double

Wall Bracket,

TB100



Ripplefold Butt Master Carrier BT3600R BT3600L

Single Bracket

Clip

BT5333

Double Bracket

Clip

BT5343



•••

Return Fase Bracket Clip CP500 FSW

Fascia MountFinial MountClipAdapterFSWT4003NFSWT400

/BR

2 1/2" - 3 1/2"

Single

BT5433

Wall Bracket,



*See price list for Exposed Baton Master Carrier options.

5" - 6 ¼" Front, 2 ¼" - 3 ½" Back Return Wall Bracket, Single or Double BT5444





Let Rowley® do the work for you with Custom Solutions

- Our in-house experts will fully assemble your Finestra® Wood Manual 4003N Baton Draw Traverse System(s), custom cut to your exact specification.
- Attach with ease your system arrives, prepared for the seamless addition of your drapery.
- Includes Track(s), Fascia, Brackets, Carriers, Master Carriers, End Stops, labor & packaging.
- Finestra[®] Wood Finials on pages 22 27 and Batons on pages 14 15 sold separately.
- Track lengths up to 20' continuous and 36' spliced. Fascia lengths up to 12' continuous and 36' spliced. Minimum System Length is 18" excluding Finials.
- Smooth or Reeded Fascias in 1 %" and 2" diameters.
- Pinch Pleat or Ripplefold.
- Wall Mount.
- Lengths over 8' will ship via truck and incur an oversized fee.





how to order

1 - CHOOSE YOUR SYSTEM QUANTITY & LENGTH

Let our in-house experts know how many systems to assemble, custom cut to your exact specification. Minimum 18" excluding Finials. Track lengths up to 20' continuous and 36' spliced; Fascia lengths up to 12' continuous and 36' spliced.

2 - CHOOSE YOUR TRACK INFORMATION

Select from Single or Double Wall Mount. If ordering Double Track, complete Back Track information if different from Front Track.

3 - CHOOSE YOUR TRACK COLOR

Select from White or Bronze. Components will match Track Color unless otherwise noted.

4 - CHOOSE YOUR DRAW, DRAPERY STYLE & MASTER CARRIER

Select from One-Way Right or Left, Center or Stationary; Pinch Pleat or Ripplefold; Overlap Hidden or Exposed Baton Master Carriers are standard, or Butt Master Carrier option can be substituted if Ripplefold Drapery Style is selected.

PINCH PLEAT

• Carriers available in White or Bronze. Please specify number of carriers.



- Friction Carriers available in White. Roller Carriers available in White or Bronze. 60%, 80%, 100% or 120% fullness available; please specify on order.
- Butt Master Carriers available, allowing some light to filter between draperies on center draw treatments.

5 - CHOOSE YOUR FINISH & FASCIA STYLE / SIZE

5 Quick Ship and 2 Custom Shimmer Finishes shown on page 3. 1 %" or 2" Smooth or Reeded Fascia.

6 - CHOOSE YOUR DECORATIVE FINIALS & BATONS

Finials or End Caps sold separately on **pages 22 - 27**. Baton sold separately. Selection of Batons on **pages 14 - 15**, including Handicap options.

MANUAL CORD DRAW TRAVERSE



HAMPTON FINIAL SHOWN IN ESPRESSO



Track and Components available in White or Bronze

Maximum continuous Track length is 16'

- Fascia length 4' 12'; spliced length up to 36'
- Custom cut to your exact measurement
- Single or Double Track Systems
- Smooth or Reeded Fascias in 1 3/8" and 2" diameters
- Furniture Quality Finishes Espresso, Mahogany, Walnut, Pecan and Antique White
- Ripplefold, Pinch Pleat
- Tracks, Brackets, Master Carriers and Carriers are available in both White and Bronze finishes to coordinate with the Fascia and drapery treatment
- · Heavy duty brackets and carriers for heavy weight draperies
- Snap on Fascia Mount Clips and Finial Mount Adapters for easy installation
- 5 day lead time
- Lengths over 8' will ship via truck and incur an oversized fee
- See Custom Solutions* on pages 20 21

DESIGN your WINDOW



*Available in *Custom Solutions* fully assembled cut to measure systems or sold as individual components, see price list for available systems and components. Ships in 5 business days. Order using the *Custom Solutions* order form linked on page 20 or online using our DESIGN your WINDOW feature by scanning the QR code above!

CORD COMPONENTS

SURE-SHADE™

UNIVERSAL DRIVE



TENSION DEVICE Makes the system safety compliant.

Warning Tag ANS16 & Label ANS13 required.

White - CT70/W Black CT70/K Off-White CT70/N Clear CT70/C





*Slider Lock

removal from

the device. 😱

Slider (

Eliminates cord

TRAVERSE ROD CORD White - LC32/100



CORD DRAW SYSTEMS

Components are White. Look for the Bronze icon I for components available in Bronze and add /BR to the Item # to order.



SINGLE TRACK SYSTEM Cord Draw, Ripplefold or Pinch Pleat, Smooth or Reeded, 1 %" or 2" D, 3 ¼" return



DOUBLE TRACK SYSTEM

Cord Draw, Ripplefold or Pinch Pleat, Smooth or Reeded, 1 %" or 2" D, 2 $\frac{1}{2}$ " - 4 $\frac{1}{2}$ " rear return, 5 $\frac{1}{2}$ " - 7" front return *Fascia not available on the back track

CORD DRAW COMPONENTS

Components are White. Look for the Bronze icon IBR for components available in Bronze and add /BR to the Item # to order.





Window Blind Cord Strangulation Risk Adamaged, loose, or missing tension device poses a strangulation risk to children. Remove

Let Rowley® do the work for you with Custom Solutions

- Our in-house experts will fully assemble your Finestra® Wood Manual 4001 Cord Draw Traverse System(s), custom cut to your exact specification.
- Attach with ease your system arrives, prepared for the seamless addition of your drapery.
- Includes Track(s), Fascia, Brackets, Carriers, Master Carriers, End Stops, Corded Components (Drive Tension Device CT70/ makes the system safety compliant), Warning Tag & Label, labor and packaging.
- Finestra[®] Wood Finials on pages 22 27 sold separately.
- Track lengths up to 16' continuous and 36' spliced. Fascia lengths up to 12' continuous and 36' spliced. Minimum System Length is 18" excluding Finials.
- Smooth or Reeded Fascias in 1 %" and 2" diameters.
- Pinch Pleat or Ripplefold.
- Wall Mount.
- Lengths over 8' will ship via truck and incur an oversized fee.





how to order

1 - CHOOSE YOUR SYSTEM QUANTITY & LENGTH

Let our in-house experts know how many systems to assemble, custom cut to your exact specification. Minimum 18" excluding Finials. Track lengths up to 16' continuous and 36' spliced; Fascia lengths up to 12' continuous and 36' spliced.

2 - CHOOSE YOUR TRACK INFORMATION

Select from Single or Double Wall Mount. If ordering Double Track, complete Back Track information if different from Front Track.

3 - CHOOSE YOUR TRACK COLOR

Select from White or Bronze. Components will match Track Color unless otherwise noted.

4 - CHOOSE YOUR DRAW, DRAPERY STYLE & MASTER CARRIER

Select from One-Way Right or Left, Center or Stationary; Pinch Pleat or Ripplefold; Overlap Master Carriers are standard, or Butt Master Carrier option can be substituted if Ripplefold Drapery Style is selected.

PINCH PLEAT

• Carriers available in White or Bronze. Please specify number of carriers.

RIPPLEFOLD

- Friction Carriers available in White. Roller Carriers available in White or Bronze. 60%, 80%, 100% or 120% fullness available; please specify on order.
- Butt Master Carriers available, allowing some light to filter between draperies on center draw treatments.

5 - CHOOSE YOUR CORD DETAILS

Insert your Cord Drop Length in inches. Cord is White.

6 - CHOOSE YOUR FINISH, FASCIA STYLE / SIZE & FINIALS

5 Quick Ship and 2 Custom Shimmer Finishes shown on **page 3**. 1 ³/₈" or 2" Smooth or Reeded Fascia. Finials or End Caps sold separately on **pages 22 - 27**.



2" D 4 ¼" L x 3 ¾" W

3 ¼" L x 3" W

1 %" D



*CUSTOM SHIMMER FINISHES AVAILABLE.





HUDSON

2" D 5" L x 3 ¾" W



1 %" D FSW138100W/

1 %" D

FSW138101W/



2" D FSW200100W/

2" D

FSW200101W/

MA

AW

WA

UF

*CUSTOM SHIMMER FINISHES AVAILABLE.

BELMONT

ES

ΡE

1 %" D

4" L x 3" W

FINIALS





L

W





PRINCETON

2" D 4" L x 3 ¾" W

1 %" D

2" D

4" L x 2 ¾" W

5" L x 3 ¼" W

1 %" D 3 ¼" L x 3" W

ΡE

ES



UF

2" D FSW200102W/

1 %" D FSW138102W/



STRATFORD

MA

AW

*CUSTOM SHIMMER FINISHES AVAILABLE.





2" D FSW200103W/



1 %" D FSW138103W/

FINIALS

REID



* CUSTOM SHIMMER FINISHES AVAILABLE.



2" D



W



1 %" D FSW138104W/



2" D FSW200104W/

BELLAMY

5 ½" L x 3 ¼" W



L 1 ³/₈" D 3 ³/₄" L x 3" W 2" D 4 ³/₄" L x 4" W



1 %" D FSW138105R/



2" D FSW200105R/

FINIALS

PROVENCE



* CUSTOM SHIMMER FINISHES AVAILABLE.

2" D 7" L x 3 ½" W





2" D FSW200106R/ 1 3/8" D FSW138106R/

AVERY



* CUSTOM SHIMMER FINISHES AVAILABLE.

1 %" D 4 ½" L x 3" W 2" D

5 ½" L x 3 ½" W





2" D FSW200107R/



1 %" D FSW138107R/

FINIALS

ΗΑΜΡΤΟΝ

MORGAN



2" D

4 ¾" L x 3 ¾" W

W

KNOX END CAP





* CUSTOM SHIMMER FINISHES AVAILABLE.

W





2" D FSW200190W/



1 3/8" D FSW138190W/

POLES & RINGS

POLES

Poles can be sized to your specification for a \$5 cut fee FinestraCC. Please allow a 2 day lead time on all custom cut orders. Spliced up to longer lengths. Lengths over 8' will ship via truck and incur an oversized P fee.

Please see the price list for item #'s and latest pricing »







SMOOTH POLE 1 ³/₈" D or 2" D 4' L, 6' L, 8' L, 12' L



REEDED POLE 1 %" D or 2" D 4' L , 6' L, 8' L, 12' L



POLE SPLICE HH20 (10 pieces per pack)

EZ GLIDE TAPE

Allows curtain rings and grommets to slide effortlessly across drapery rod without glitches. Apply to the top of painted and wood poles to protect the finish.



GT34 ³⁄4" width

RINGS

Rings with eyelets; clips included.



1 3/8 " RING FSW138300W/



2 " R I N G FSW200300W/

BRACKETS

BRACKETS

All Wall Brackets include bracket clips so poles snap easily into place for easy installation and no visible set screws.

SINGLE WALL BRACKETS



CEILING BRACKETS



INSIDE MOUNT BRACKET



FSW138404W/ 1 %" D

DOUBLE WALL BRACKETS



FSW138402W/ 1¾" D Front, 1¾" D Back, 6 ½" Return



SWIVEL SOCKETS

FSW138405W/ 1 %" D

FSW200405W/ 2" D



FSW200402W/ 2" D Front, 1%" D Back, 6 ½" Return

HOLDBACKS

HOLDBACKS

Holdbacks available in 2 styles to match any finial, and can have extensions added in 2" increments up to 6".

BRETTON

ES

MA



FSW900W/ 3 ³⁄₄" D



AW

UF



STRATFORD



Front View

FSW901W/ 3 ½" D



*CUSTOM SHIMMER FINISHES AVAILABLE.

HOLDBACK EXTENSION

WA

*CUSTOM SHIMMER FINISHES AVAILABLE.

Holdbacks can have extensions added in 2" increments up to 6". FSW990W/

ΡE



SALES TOOLS

SALES TOOLS

Experience Finestra® Wood Hardware & Order a Quick Ship Finish Sample Ring or Portable Display Kit Today.



FINISH SAMPLE RING FSWFS/1



PORTABLE DISPLAY KIT FSWPDK/1



WALL UNIT FSW3000/W

AUTOMATED RETRO WALL UNIT DISPLAY CSRTMFSW3000/W



Shown with Track Module with Fascia (Motor + Battery Kit sold separately) & Controls (sold separately)

AUTOMATED DISPLAY KIT RTMDK (CASE & KIT*)

*Control & Integration not included; see pages 9 - 11 for selection.

DRAPERY MOTOR + BATTERY KIT RTMLDKIT

TO PLACE AN ORDER

Phone 1-800-343-4542 or 704-866-0650 1-866-985-3423 (Motorized Systems)

FinestraWoodHardware.com

230 Meek Road Gastonia, NC 28056

Offices are open Monday - Friday 8:00AM - 6:00PM ET

