

# R-TEC Hub RTMHUB2



# THE HEARTBEAT OF YOUR MOTORIZED WINDOW TREATMENTS

The R-TEC Hub connects to home networks to unlock the luxury of R-TEC Automation® window treatment control. Experience customization with scene and timer options as well as voice control via Google Assistant, Amazon Alexa, IFTTT (If This Then That) and Apple® HomeKit.



#### Voice Control

Intuitively control R-TEC Automation® window treatments with simple voice commands through Google Assistant, Amazon Alexa or Apple HomeKit.



#### R-TEC Automation® App Control

Control window treatments remotely, whether home or away. The R-TEC Automation® app is available for all Android phones, tablets and iOS devices, including Apple watches & iPads.



#### Sunrise & Sunset Detection

Utilizing time zone and location, the R-TEC Hub can automatically raise or lower R-TEC Automation® window treatments according to the position of the sun.



#### Live Feedback

ARC enables live communication between the hub and motors. Check motor battery levels and window treatment positions through the app or smart assistants.



#### Distinct Design

Designed in California, the R-TEC Hub embraces elements from modern architecture to ensure it complements the interior of any home.



#### Personalized Experience

Create custom rooms, scenes, routines and timers to enable efficient or automatic window treatment control based on time, weather or schedule.



#### **High-Speed Connection**

Built-in Wi-Fi or the option of Ethernet connection, ensures the R-TEC Hub can connect to any home network and provide swift, wireless control of R-TEC Automation® window treatments.




#### 3 Step Setup

No need to complicate things.

- 1. Power on.
- 2. Download the R-TEC Automation® App.
- 3. Connect & Enjoy.













#### Rooms

Group R-TEC Automation® window treatments by room and conveniently control them accordingly.







#### Scenes

Personalize window treatment control and organize how your window treatments operate by specific daily events.







#### Timers

Set and forget. Lower, raise and activate window treatment scenes automatically at the optimal time.







#### Multiple Window Treatment Types

Pinch pleat draperies, Ripplefold draperies, roller shades, external shades, cellular shades ... Control every window treatment application from one screen.








### **INTEGRATIONS**







+ MORE












+ MORE

# **SPECIFICATIONS**

Input Voltage	5V	Treatment Control Frequency	433.92 MHz
Input Power	1000 mA	Operation Temperature	32° F - 140° F (0° C - 60° C)
Protection Class	IP20	Connection	Ethernet and Wi-Fi
Range	60'	Wi-Fi Network	2.4 Ghz only
Accounts per Hub	5	IOT Integration	Apple HomeKit, Amazon Alexa, Google Assistant, IFTTT, SmartThings
Locations per Hub	5	Third Party Device Integration	Control4, ELAN, HomeSeer, Crestron, AMX, Savant
Hubs per Location	5	Apple IOS Version	Needs to be 10 or greater
Devices per Hub	30	Andriod Version	Needs to be 6.0 or greater
Rooms per Location	20	Devices	Compatible with smartphones, tablets and smart watches
Scenes per Hub	20	Ethernet Cable	39"
Timers per Hub	20	USB Cable Length	31"

# **DIMENSIONS**

# 4 1/2" RIEO AUTOMATION\* • 4 1/2"



# POWER PLUG

