




ARIA® R-TEC 1 3/8" H-RAIL TRAVERSE SYSTEMS



1 – CHOOSE YOUR SYSTEM QUANTITY & LENGTH

Let our in-house experts know how many systems to assemble, custom cut to your exact specification. Minimum 37" excluding Finials. Lengths up to 12' continuous (select finishes) and 24' spliced.

2 – CHOOSE YOUR SYSTEM STYLE

Select from Single or Double, Ceiling or Wall Mount, with various projection options.

3 – CHOOSE YOUR H-RAIL FINISH & FINIALS

Select from 8 finishes that coordinate with our Antiquities Finials (sold separately).

4 – CHOOSE YOUR MOTOR POWER

Select from Li-ion Battery or 110v AC/DC Power Transformer.

5 – CHOOSE YOUR DRAPERY STYLE, DRAW & MASTER CARRIER

Select from Pinch Pleat or Ripplefold; One-Way Draw Right or Left, or Center Draw; Overlap Master Carriers are standard, or Butt Master Carrier option can be substituted if Ripplefold Drapery Style is selected.

PINCH PLEAT

- Carriers available in White. Please specify number of carriers.



RIPPLEFOLD

- Carriers available in White. 60%, 80%, 100% or 120% fullness available; please specify fullness on order.
- Butt Master Carriers available, allowing some light to filter between draperies on center draw treatments.



6 – CHOOSE YOUR R-TEC SMART CONTROLS

System includes a Push 5 Channel Handheld Remote with Wall Mount. Take your drapery control to the next level by upgrading to the R-TEC Hub to integrate your draperies with whole home and voice control systems.



ARIA® METAL HARDWARE R-TEC 1 3/8" H-RAIL TRAVERSE SYSTEM

REV January 1, 2024

ACCOUNT # _____



Ceiling or Wall Mount
Pinch Pleat or Ripplefold

Company _____ Contact _____ Date _____
 Street Address _____ Person to contact with technical questions _____
 City _____ State _____ Zip _____ PO _____ Phone _____
 Email _____ (required for shipping confirmation)
 Ship to (if different from above) _____ Attn _____
 Street Address _____ City _____ State _____ Zip _____

PLEASE COMPLETE ITEMS 1 THROUGH 9.

For assistance, call Customer Service at 866.985.3423.
Email completed form to rtecautomation@RowleyCompany.com.

1 Total number of systems to be made to these specifications → (Use another order form for systems with different specifications)

2 FINISHED H-RAIL LENGTH ft. in. Minimum H-Rail length is 37" excluding Finials
 Maximum continuous length is 12' on all finishes except BZ, ORB and IC.
 Maximum continuous length for BZ, ORB and IC is 8'. Longer lengths will be spliced.

3 SYSTEM STYLE

<input type="checkbox"/> SINGLE ROD WALL MOUNT (3 1/2" PROJECTION) CSRTFMH138400	<input type="checkbox"/> SINGLE ROD CEILING CLIP CSRTFMH138406
<input type="checkbox"/> SINGLE ROD WALL MOUNT (6" PROJECTION) CSRTFMH138401	<input type="checkbox"/> DOUBLE ROD WALL MOUNT CSRTFMH138402
<input type="checkbox"/> SINGLE ROD CEILING MOUNT (2 3/8" DROP) CSRTFMH138403	<input type="checkbox"/> DOUBLE ROD CEILING MOUNT CSRTFMH138404

4 FINISH & FINIALS

<input type="checkbox"/> POLISHED NICKEL PN	<input type="checkbox"/> BRUSHED BRONZE BZ	Antiquities Finials sold separately.
<input type="checkbox"/> ANTIQUE PEWTER AP	<input type="checkbox"/> OIL RUBBED BRONZE ORB	
<input type="checkbox"/> IRON COPPER IC	<input type="checkbox"/> SATIN BLACK SK	
<input type="checkbox"/> ANTIQUE BRASS AB	<input type="checkbox"/> MATTE BLACK MK	

5 MOTOR & COMPONENTS

<input type="checkbox"/> Li-ion Battery (Includes Charger) <input type="checkbox"/> Solar Panel \$120.00	<input type="checkbox"/> 110v AC/DC Power Transformer 10' (Plug RTMP included)	<input type="checkbox"/> 110v AC/DC Power Transformer 20' \$75.00 <input type="checkbox"/> 3 Conductor Male Plug \$25.00
---	--	---

6 DRAPERY STYLE
Carrier Color: White

<input type="checkbox"/> PINCH PLEAT # _____ CP40 Carriers	<input type="checkbox"/> RIPPLEFOLD Roller Carriers	select fullness: <input type="checkbox"/> 60% <input type="checkbox"/> 100% <input type="checkbox"/> 80% <input type="checkbox"/> 120%
---	---	---

7 MASTER CARRIER & DRAW
Select Overlap or Butt Master option first, then select Draw.

<input type="checkbox"/> OVERLAP MASTER	<input type="checkbox"/> BUTT MASTER (Ripplefold Only)
<input type="checkbox"/> ONE-WAY RIGHT (Pinch Pleat Only, Motor right)	<input type="checkbox"/> ONE-WAY RIGHT (Ripplefold Only, Motor right)
<input type="checkbox"/> ONE-WAY LEFT (Pinch Pleat Only, Motor left)	<input type="checkbox"/> ONE-WAY LEFT (Ripplefold Only, Motor left)
<input type="checkbox"/> CENTER DRAW (Pinch Pleat or Ripplefold) <input type="checkbox"/> Motor right <input type="checkbox"/> Motor left	<input type="checkbox"/> CENTER DRAW (Ripplefold Only) <input type="checkbox"/> Motor right <input type="checkbox"/> Motor left

*R-TEC SMART CONTROLS BELOW IN ITEM 8 SOLD SEPARATELY.

8 R-TEC SMART CONTROLS*	1 control required for track system to function. Push 5 channel remote included, select alternative remote option for additional charge. HANDHELD REMOTE (Push 5 Channel, 65' Range)	HANDHELD REMOTE OPTIONS 65' Range <input type="checkbox"/> 1 Ch white \$65.00 <input type="checkbox"/> 15 Ch white \$75.00 <input type="checkbox"/> 15 Ch black \$75.00 <input type="checkbox"/> 15 Ch white \$85.00	CUT-IN MOUNT SWITCH OPTIONS 65' Range. Requires RTMSMB/W \$8.50 <input type="checkbox"/> 1 Ch white \$50.64 <input type="checkbox"/> 2 Ch white \$56.59 <input type="checkbox"/> 15 Ch white \$75.00
	Optional add-on controls	<input type="checkbox"/> WI-FI TO ARC BRIDGE HUB, 2-WAY RF \$255.00 (60' Range)	<input type="checkbox"/> ARC USB SIGNAL REPEATER \$120.00 (Extends the wireless range of the R-TEC Hub and Remotes up to 60') <input type="checkbox"/> WALL CHARGER \$8.49
		<input type="checkbox"/> INTERIOR SUN SENSOR \$45.00 (65' Range)	<input type="checkbox"/> SURFACE MOUNT WALL SWITCH \$70.00 (5 Channel, 65' Range)

9 READ THE TERMS OF SALE on the Custom Solutions Payment Form on **page 3**, sign and submit along with your signed forms.

SPECIAL INSTRUCTIONS (Please indicate on all double systems if back track specifications differ.)

*Includes H-Rail Track(s), Motor(s), Power Option(s), Pulleys, Drive Belt & Clips, Pendants, Brackets, Carriers, Master Carriers, Plain End Caps and a Push5 Channel Handheld Remote with Wall Mount. Antiquities Finials sold separately.

SHIPPING » [Flat Rate Shipping Program](#) Lengths over 8' will ship truck and incur an oversized fee. Splicing options for overlength sizes and alternative freight quotes available.



PRICING »

Rowley® Company
230 Meek Road / Gastonia / NC / 28056
Phone » R-TEC Automation® 866-985-3423
© 2024 Rowley® Company, LLC

Signature of purchaser / cardholder _____

Date _____

DESIGN your WINDOW ▶



PAYMENT FORM

ACCOUNT # _____

To place a Custom Solutions Shade System, Drapery Hardware System or Label order, you must complete and sign the Payment Form along with the applicable system build form. You may submit your completed forms via email to Sales@RowleyCompany.com.

For Order Forms, visit RowleyCompany.com/CustomSolutions

<input type="radio"/> OVERNIGHT SHIPPING (additional freight will apply)	SHIPPING » Flat Rate Shipping Program Lengths over 8' will ship truck and incur an oversized fee. Splicing options for overlength sizes and alternative freight quotes available.								
SELECT ONE <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>	EXPIRATION DATE <table border="1" style="width: 100%; height: 20px; border-collapse: collapse;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> </tr> </table>								
CREDIT CARD # - LAST 4 DIGITS <table border="1" style="width: 100%; height: 20px; border-collapse: collapse;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> </tr> </table>					SECURITY CODE <table border="1" style="width: 100%; height: 20px; border-collapse: collapse;"> <tr> <td style="width: 25%;"></td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> <td style="width: 25%;"></td> </tr> </table>				
I authorize Rowley® Company to charge the credit card above for all of my orders submitted to Rowley® Company. I have read, understood and agree to the Terms of Sale on this payment form.									
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center; padding: 5px;"> Credit Card Billing Address (if different than ship to address) </td> </tr> <tr> <td style="padding: 5px;"> Complete Name of Card Holder _____ </td> </tr> <tr> <td style="padding: 5px;"> Street Address _____ </td> </tr> <tr> <td style="padding: 5px;"> City _____ State _____ Zip _____ </td> </tr> <tr> <td style="padding: 5px;"> Phone _____ </td> </tr> <tr> <td style="padding: 5px;"> Email _____ </td> </tr> </table>	Credit Card Billing Address (if different than ship to address)	Complete Name of Card Holder _____	Street Address _____	City _____ State _____ Zip _____	Phone _____	Email _____	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30px; height: 30px; border: 1px solid black;"></td> <td style="padding: 5px;"> Ship and apply to my pre-approved Net 30 account. Account # _____ </td> </tr> </table> <p style="font-size: small; margin-top: 10px;"> The price of the custom build includes all parts, labor and packaging, but does not include sales tax where applicable or shipping charges, for which the receiver is responsible. All orders will ship within five business days from confirmation of order with satisfactory payment arrangements. R-TEC Automation® orders will ship within 10 - 15 business days. For commercial orders, request a quote with timeline. Terms: Net 30 days to pre-approved accounts only or credit card. Prices, design and availability are subject to change or withdrawal without notice. </p>		Ship and apply to my pre-approved Net 30 account. Account # _____
Credit Card Billing Address (if different than ship to address)									
Complete Name of Card Holder _____									
Street Address _____									
City _____ State _____ Zip _____									
Phone _____									
Email _____									
	Ship and apply to my pre-approved Net 30 account. Account # _____								
_____ Signature of purchaser / cardholder	_____ Date								

TERMS OF SALE WARRANTIES BY ROWLEY® COMPANY

Rowley® Company agrees to repair or replace, free of charge, any Custom Solutions Shade or Track System that due to faulty parts or workmanship in the assembled Shade or Track System is returned freight pre-paid to Rowley® Company within ninety (90) days of delivery. The parts in the system are covered by a ten year warranty. These warranties do not cover systems that have been subjected to abuse. The R-TEC Automation® Slim Drapery Motor is covered by a 5 year warranty.

Orders for Custom Solutions Label, Shade or Track Systems are not cancelable and cannot be altered. Custom Solution Label, Shade or Track Systems are not returnable for any reason except warranty repair, as described above. The buyer verifies that all sizes and other specifications are correct. A Custom Solutions Shade or Track System will be custom-built to the size and other specifications written on the system order form. Rowley® Company will repair or replace without charge any Custom Solutions Shade or Track System that is not made correctly to those specifications. **THE CUSTOMER WILL BE CHARGED FOR ANY REPAIRS OR REPLACEMENT NECESSITATED BY AN ERROR IN THE MEASUREMENT OR OTHER SPECIFICATIONS.**

OWNERSHIP: All selected shipping preferences are F.O.B. shipping point from any Rowley® location; the buyer owns the shipment as soon as it leaves the Rowley® Company loading dock. In the event of damaged shipment, the buyer must accept the shipment and place a claim with the carrier. Prices quoted include all parts, labor and packaging for all Custom Solutions Shade or Track Systems. The buyer is responsible for shipping costs.