

# SAFETY DATA SHEET

Issuing Date No data available

Revision Date 28-Dec-2017

Revision Number 2

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is ©2014 UL LLC. All rights reserved.

## 1. IDENTIFICATION

### Product identifier

**Product Name** Terro Reusable Dual Action Wasp & Fly Trap

### Other means of identification

**Product Code(s)** T516

### Recommended use of the chemical and restrictions on use

**Recommended Use** Trap and/or Bait Station

**Restrictions on use** No information available

### Details of the supplier of the safety data sheet

**Supplier Identification** Senoret Chemical Company, Inc.

**Address** 69 North Locust St.  
Lititz  
Pennsylvania  
17543  
United States

**Telephone** Phone:(800) 800-1819  
Fax:(800) 800-1819

**E-mail** aodonnell@woodstream.com

### Emergency telephone number

**Company Emergency Phone Number** (717) 626-2125

## 2. HAZARDS IDENTIFICATION

### Classification

|                                   |            |
|-----------------------------------|------------|
| Skin corrosion/irritation         | Category 2 |
| Serious eye damage/eye irritation | Category 1 |
| Flammable liquids                 | Category 3 |



**Appearance** Red

**Physical state** Liquid

**Odor** Vinegar-like

**GHS Label elements, including precautionary statements**

**Danger**

**Hazard statements**

Causes skin irritation  
Causes serious eye damage  
Flammable liquid and vapor



**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
Keep container tightly closed  
Ground/bond container and receiving equipment  
Use explosion-proof electrical/ ventilating/ lighting/ equipment  
Use only non-sparking tools  
Take precautionary measures against static discharge  
Wear protective gloves/eye protection/face protection

**Precautionary Statements - Response**

Specific treatment (see supplemental first aid instructions on this label)

**Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
Immediately call a POISON CENTER or doctor

**Skin**

If skin irritation occurs: Get medical advice/attention  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower  
Wash contaminated clothing before reuse

**Fire**

In case of fire: Use CO<sub>2</sub>, dry chemical, or foam to extinguish

**Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other information**

Harmful to aquatic life.

**Unknown acute toxicity** 17.2 % of the mixture consists of ingredient(s) of unknown toxicity  
0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity  
1 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity  
17.2 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)  
17.2 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

## T516 - Terro Reusable Dual Action Wasp & Fly Trap

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Not applicable.

#### Mixture

| Chemical name                          | CAS No. | Weight-% | Hazardous Material Information Review Act registry number (HMIRA registry #) | Date HMIRA filed and date exemption granted (if applicable) |
|--|---------|----------|--|---|
| Third Party Formulation (TP # 1425329) | -       | 50 - 60% | -  | -   |
| Third Party Formulation (TP # 1425329) | -       | 10 - 20% | -  | -   |
| Third Party Formulation (TP # 1425329) | -       | 0 - 10%  | -  | -   |

### 4. FIRST AID MEASURES

#### First aid measures

##### **General advice**

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

##### **Inhalation**

Remove to fresh air. Get medical attention immediately if symptoms occur.

##### **Eye contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical advice/attention. Remove contact lenses, if present and easy to do. Continue rinsing.

##### **Skin contact**

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.

##### **Ingestion**

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

##### **Self-protection of the first aider**

Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing.

#### Most important symptoms and effects, both acute and delayed

##### **Symptoms**

Burning sensation.

#### Indication of any immediate medical attention and special treatment needed

##### **Note to physicians**

Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES



## T516 - Terro Reusable Dual Action Wasp & Fly Trap

---

|   |   |
|---|---|
| <b>Suitable Extinguishing Media</b>                   | Dry chemical. Carbon dioxide (CO <sub>2</sub> ). Water spray. Alcohol resistant foam.   |
| <b>Unsuitable extinguishing media</b>                 | CAUTION: Use of water spray when fighting fire may be inefficient.  |
| <b>Specific hazards arising from the chemical</b>     | Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| <b>Hazardous Combustion Products</b>                  | Carbon oxides.  |
| <b>Explosion Data</b>                                 |   |
| <b>Sensitivity to Mechanical Impact</b>               | None.   |
| <b>Sensitivity to Static Discharge</b>                | Yes.  |
| <b>Special protective equipment for fire-fighters</b> | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.  |

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

|                             |  |
|-----------------------------|--|
| <b>Personal precautions</b> | Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. |
| <b>Other Information</b>    | Ventilate the area. Refer to protective measures listed in Sections 7 and 8.   |

### Methods and material for containment and cleaning up

|                                |   |
|--------------------------------|---|
| <b>Methods for containment</b> | Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. |
| <b>Methods for cleaning up</b> | Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.  |

## 7. HANDLING AND STORAGE

### Precautions for safe handling

|                                |   |
|--------------------------------|---|
| <b>Advice on safe handling</b> | Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. |
|--------------------------------|---|



**Conditions for safe storage, including any incompatibilities**

**Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

**Exposure Limits**

| Chemical name                          | ACGIH TLV  | OSHA PEL   | NIOSH IDLH   |  |
|--|--|--|--|--|
| Third Party Formulation (TP # 1425329) | TWA: 10 mg/m <sup>3</sup>  | TWA: 15 mg/m <sup>3</sup> total dust<br>TWA: 5 mg/m <sup>3</sup> respirable fraction<br>(vacated) TWA: 15 mg/m <sup>3</sup> total dust<br>(vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction | TWA: 10 mg/m <sup>3</sup> total dust<br>TWA: 5 mg/m <sup>3</sup> respirable dust                       |  |
| Third Party Formulation (TP # 1425329) | STEL = 15 ppm<br>TWA: 10 ppm   | TWA: 10 ppm<br>TWA: 25 mg/m <sup>3</sup><br>(vacated) TWA: 10 ppm<br>(vacated) TWA: 25 mg/m <sup>3</sup>   | IDLH: 50 ppm<br>TWA: 10 ppm<br>TWA: 25 mg/m <sup>3</sup><br>STEL: 15 ppm<br>STEL: 37 mg/m <sup>3</sup> |  |
| Third Party Formulation (TP # 1425329) | STEL: 1000 ppm   | TWA: 1000 ppm<br>TWA: 1900 mg/m <sup>3</sup><br>(vacated) TWA: 1000 ppm<br>(vacated) TWA: 1900 mg/m <sup>3</sup>   | IDLH: 3300 ppm 10% LEL<br>TWA: 1000 ppm<br>TWA: 1900 mg/m <sup>3</sup>                                 |  |
| Chemical name                          | Alberta  | British Columbia   | Ontario TWAEV  | Quebec   |
| Third Party Formulation (TP # 1425329) | TWA: 10 mg/m <sup>3</sup>  | TWA: 10 mg/m <sup>3</sup><br>TWA: 3 mg/m <sup>3</sup>  | TWA: 10 mg/m <sup>3</sup>  | TWA: 10 mg/m <sup>3</sup>  |
| Third Party Formulation (TP # 1425329) | TWA: 10 ppm<br>TWA: 25 mg/m <sup>3</sup><br>STEL: 15 ppm<br>STEL: 37 mg/m <sup>3</sup> | TWA: 10 ppm<br>STEL: 15 ppm  | TWA: 10 ppm<br>STEL: 15 ppm  | TWA: 10 ppm<br>TWA: 25 mg/m <sup>3</sup><br>STEL: 15 ppm<br>STEL: 37 mg/m <sup>3</sup> |
| Third Party Formulation (TP # 1425329) | TWA: 1000 ppm<br>TWA: 1880 mg/m <sup>3</sup>   | STEL: 1000 ppm   | STEL: 1000 ppm   | TWA: 1000 ppm<br>TWA: 1880 mg/m <sup>3</sup>   |

**Other Exposure Guidelines**

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for national exposure control parameters.

**Appropriate engineering controls**

**Engineering controls**

Showers  
Eyewash stations  
Ventilation systems.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

Tight sealing safety goggles.



## T516 - Terro Reusable Dual Action Wasp & Fly Trap

|                                       |   |
|---------------------------------------|---|
| <b>Hand protection</b>                | Wear suitable gloves. Impervious gloves.  |
| <b>Skin and body protection</b>       | Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.   |
| <b>Respiratory protection</b>         | No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.  |
| <b>General hygiene considerations</b> | Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. |

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Physical and Chemical Properties

|                       |                          |
|-----------------------|--------------------------|
| <b>Physical state</b> | Liquid                   |
| <b>Appearance</b>     | Red                      |
| <b>Odor</b>           | Vinegar-like             |
| <b>Color</b>          | No information available |
| <b>Odor Threshold</b> | No information available |

| <u>Property</u>                               | <u>Values</u>     | <u>Remarks Method</u> |
|---|-------------------|-----------------------|
| <b>pH</b>                                     | 3                 |                       |
| <b>Melting / freezing point</b>               | No data available | None known            |
| <b>Boiling point / boiling range</b>          | 223 °C / 434 °F   |                       |
| <b>Flash Point</b>                            | 49 C / 121 F      |                       |
| <b>Evaporation Rate</b>                       | No data available | None known            |
| <b>Flammability (solid, gas)</b>              | No data available | None known            |
| <b>Flammability Limit in Air</b>              |                   | None known            |
| <b>Upper flammability limit</b>               | No data available |                       |
| <b>Lower flammability limit</b>               | No data available |                       |
| <b>Vapor pressure</b>                         | No data available | None known            |
| <b>Vapor density</b>                          | No data available | None known            |
| <b>Relative density</b>                       | 21                |                       |
| <b>Water Solubility</b>                       | Miscible          |                       |
| <b>Solubility(ies)</b>                        | No data available | None known            |
| <b>Partition coefficient: n-octanol/water</b> | unknown           |                       |
| <b>Autoignition temperature</b>               | No data available | None known            |
| <b>Decomposition temperature</b>              | No data available | None known            |
| <b>Kinematic viscosity</b>                    | No data available | None known            |
| <b>Dynamic viscosity</b>                      | No data available | None known            |

### Other Information

|                                   |                          |
|-----------------------------------|--------------------------|
| <b>Explosive properties</b>       | No information available |
| <b>Oxidizing properties</b>       | No information available |
| <b>Softening Point</b>            | No information available |
| <b>Molecular Weight</b>           | No information available |
| <b>VOC Content (%)</b>            | No information available |
| <b>Liquid Density</b>             | No information available |
| <b>Bulk Density</b>               | No information available |
| <b>Particle Size</b>              | No information available |
| <b>Particle Size Distribution</b> | No information available |

## 10. STABILITY AND REACTIVITY



## T516 - Terro Reusable Dual Action Wasp & Fly Trap

|   |  |
|---|--|
| <b>Reactivity</b>                         | No information available.                            |
| <b>Chemical stability</b>                 | Stable under normal conditions.                      |
| <b>Possibility of Hazardous Reactions</b> | None under normal processing.                        |
| <b>Hazardous Polymerization</b>           | Hazardous polymerization does not occur.             |
| <b>Conditions to avoid</b>                | Heat, flames and sparks.                             |
| <b>Incompatible materials</b>             | Strong acids. Strong bases. Strong oxidizing agents. |
| <b>Hazardous Decomposition Products</b>   | Carbon oxides.                                       |

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

|                     |  |
|---------------------|--|
| <b>Inhalation</b>   | Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.   |
| <b>Eye contact</b>  | Specific test data for the substance or mixture is not available. Causes serious eye damage. (based on components). Severely irritating to eyes. May cause burns. May cause irreversible damage to eyes. |
| <b>Skin contact</b> | Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).   |
| <b>Ingestion</b>    | Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.  |

### Information on toxicological effects

**Symptoms** Redness. Burning. May cause blindness. May cause redness and tearing of the eyes.

### Numerical measures of toxicity

#### Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

|                                      |                 |
|--------------------------------------|-----------------|
| <b>ATEmix (oral)</b>                 | 19,857.00 mg/kg |
| <b>ATEmix (dermal)</b>               | 6,543.00 mg/kg  |
| <b>ATEmix (inhalation-dust/mist)</b> | 70.00 mg/L      |

**Unknown acute toxicity** 17.2 % of the mixture consists of ingredient(s) of unknown toxicity  
0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity  
1 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity  
17.2 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)  
17.2 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)  
0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

#### Component Information

| Chemical name                 | Oral LD50             | Dermal LD50 | Inhalation LC50 |
|-------------------------------|-----------------------|-------------|-----------------|
| Third Party Formulation (TP # | = 29700 mg/kg ( Rat ) | -           | -               |



## T516 - Terro Reusable Dual Action Wasp & Fly Trap

|  |                      |                         |                          |
|--|----------------------|-------------------------|--------------------------|
| 1425329)                               |                      |                         |                          |
| Third Party Formulation (TP # 1425329) | = 3310 mg/kg ( Rat ) | = 1060 mg/kg ( Rabbit ) | = 11.4 mg/L ( Rat ) 4 h  |
| Third Party Formulation (TP # 1425329) | = 7060 mg/kg ( Rat ) | -                       | = 124.7 mg/L ( Rat ) 4 h |

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

|  |   |
|--|---|
| <b>Skin corrosion/irritation</b>         | Classification based on data available for ingredients. Irritating to skin.                           |
| <b>Serious eye damage/eye irritation</b> | Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes. |
| <b>Respiratory or skin sensitization</b> | No information available.   |
| <b>Germ cell mutagenicity</b>            | No information available.   |
| <b>Carcinogenicity</b>                   | No information available.   |

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name                          | ACGIH | IARC    | NTP   | OSHA |
|--|-------|---------|-------|------|
| Third Party Formulation (TP # 1425329) | A3    | Group 1 | Known | X    |

#### Legend

**ACGIH (American Conference of Governmental Industrial Hygienists)**

A3 - Animal Carcinogen

**IARC (International Agency for Research on Cancer)**

Group 1 - Carcinogenic to Humans

**NTP (National Toxicology Program)**

Known - Known Carcinogen

**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**

X - Present

|                                 |                           |
|---------------------------------|---------------------------|
| <b>Reproductive toxicity</b>    | No information available. |
| <b>STOT - single exposure</b>   | No information available. |
| <b>STOT - repeated exposure</b> | No information available. |
| <b>Aspiration hazard</b>        | No information available. |

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** Harmful to aquatic life.

| Chemical name                          | Toxicity to Algae | Toxicity to Fish   | Toxicity to Microorganisms  | Daphnia Magna (Water Flea)   |
|--|-------------------|--|---|--|
| Third Party Formulation (TP # 1425329) | -                 | 96h LC50: = 79 mg/L (Pimephales promelas)<br>96h LC50: = 75 mg/L (Lepomis macrochirus) | EC50 = 8.8 mg/L 15 min<br>EC50 = 8.8 mg/L 25 min<br>EC50 = 8.8 mg/L 5 min | 48h EC50: = 65 mg/L 24h<br>EC50: = 47 mg/L                             |
| Third Party Formulation (TP # 1425329) | -                 | 96h LC50: 12.0 - 16.0 mL/L (Oncorhynchus mykiss) 96h LC50: > 100                       | EC50 = 34634 mg/L 30 min<br>EC50 = 35470 mg/L 5                           | 24h EC50: = 10800 mg/L<br>48h EC50: = 2 mg/L 48h<br>LC50: 9268 - 14221 |





## T516 - Terro Reusable Dual Action Wasp & Fly Trap

|  |  |   |     |      |
|--|--|---|-----|------|
|  |  | mg/L (Pimephales promelas) 96h LC50:<br>13400 - 15100 mg/L<br>(Pimephales promelas) | min | mg/L |
|--|--|---|-----|------|

**Persistence and Degradability** No information available.

### Bioaccumulation

| Chemical name                          | Log Pow |
|--|---------|
| Third Party Formulation (TP # 1425329) | -0.31   |
| Third Party Formulation (TP # 1425329) | -0.32   |

**Mobility** No information available.

**Other adverse effects** No information available.

## 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

**Waste from residues/unused products** Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

**US EPA Waste Number** D001

**California Waste Codes** 331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical name                          | California Hazardous Waste      |
|--|---------------------------------|
| Third Party Formulation (TP # 1425329) | Toxic<br>Corrosive<br>Ignitable |
| Third Party Formulation (TP # 1425329) | Toxic<br>Ignitable              |

## 14. TRANSPORT INFORMATION

### DOT

**Proper Shipping Name** CONSUMER COMMODITY  
**Hazard Class** ORM-D  
**Description** CONSUMER COMMODITY, ORM-D  
**Emergency Response Guide Number** 127

### TDG

**UN-No.** UN1170  
**Proper Shipping Name** ETHANOL SOLUTION  
**Hazard Class** 3



## T516 - Terro Reusable Dual Action Wasp & Fly Trap

---

**Packing Group** III  
**Description** UN1170, ETHANOL SOLUTION, 3, III

### MEX

**UN-No.** UN1170  
**Proper Shipping Name** ETHANOL SOLUTION  
**Hazard Class** 3  
**Packing Group** III  
**Description** UN1170, ETHANOL SOLUTION, 3, III

### ICAO

**UN-No.** UN1170  
**Proper Shipping Name** ETHANOL SOLUTION  
**Hazard Class** 3  
**Packing Group** III  
**Description** UN1170, ETHANOL SOLUTION, 3, III

### IATA

**UN-No.** UN1170  
**Proper Shipping Name** ETHANOL SOLUTION  
**Hazard Class** 3  
**Packing Group** III  
**ERG Code** 3L  
**Description** UN1170, ETHANOL SOLUTION, 3, III

### IMDG/IMO

**UN-No.** UN1170  
**Proper Shipping Name** ETHANOL SOLUTION  
**Hazard Class** 3  
**Packing Group** III  
**EmS-No.** F-E, S-D  
**Description** UN1170, ETHANOL SOLUTION, 3, III, (49°C C.C.)

### RID

**UN-No.** UN1170  
**Proper Shipping Name** ETHANOL SOLUTION  
**Hazard Class** 3  
**Packing Group** III  
**Classification code** F1  
**Description** UN1170, ETHANOL SOLUTION, 3, III  
**ADR/RID-Labels** 3

### ADR

**UN-No.** UN1170  
**Proper Shipping Name** ETHANOL SOLUTION  
**Hazard Class** 3  
**Packing Group** III  
**Classification code** F1  
**Tunnel restriction code** (D/E)  
**Description** UN1170, ETHANOL SOLUTION, 3, III, (D/E)

### ADN

**UN-No.** UN1170  
**Proper Shipping Name** ETHANOL SOLUTION  
**Hazard Class** 3  
**Packing Group** III  
**Classification code** F1  
**Special Provisions** 144, 601  
**Description** UN1170, ETHANOL SOLUTION, 3, III

---

## T512 - Terro Reusable Dual Action Wasp & Fly Trap

Hazard Labels 3  
Limited Quantity 5 L  
Ventilation VE01

### 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

##### International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

##### International Inventories

TSCA Contact supplier for inventory compliance status.  
DSL/NDSL Contact supplier for inventory compliance status.  
EINECS/ELINCS Contact supplier for inventory compliance status.  
ENCS Contact supplier for inventory compliance status.  
KECL Contact supplier for inventory compliance status.  
PICCS Contact supplier for inventory compliance status.  
AICS Contact supplier for inventory compliance status.

##### Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory  
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List  
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
ENCS - Japan Existing and New Chemical Substances  
KECL - Korean Existing and Evaluated Chemical Substances  
PICCS - Philippines Inventory of Chemicals and Chemical Substances  
AICS - Australian Inventory of Chemical Substances

##### US Federal Regulations

##### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

##### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

##### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical name                          | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|--|-----------------------------|------------------------|---------------------------|----------------------------|
| Third Party Formulation (TP # 1425329) | 5000 lb                     |                        |                           | X                          |

##### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive



## T516 - Terro Reusable Dual Action Wasp & Fly Trap

Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical name                          | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ   |
|--|--------------------------|------------------------------------|--|
| Third Party Formulation (TP # 1425329) | 5000 lb                  |                                    | RQ 5000 lb final RQ<br>RQ 2270 kg final RQ |

### US State Regulations

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals. Ethyl alcohol is only considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

| Chemical name                            | California Proposition 65   |
|--|-----------------------------|
| Third Party Formulation (TP # 1425329) - | Carcinogen<br>Developmental |

### U.S. State Right-to-Know Regulations

| Chemical name                          | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|--|------------|---------------|--------------|--------------|----------|
| Third Party Formulation (TP # 1425329) |            | X             | X            |              |          |
| Third Party Formulation (TP # 1425329) | X          | X             | X            | X            |          |
| Third Party Formulation (TP # 1425329) | X          | X             | X            |              | X        |

## 16. OTHER INFORMATION

|             |                         |                       |                           |   |
|-------------|-------------------------|-----------------------|---------------------------|---|
| <b>NFPA</b> | <b>Health hazards</b> 3 | <b>Flammability</b> 2 | <b>Instability</b> 0      | <b>Physical and Chemical Properties -</b> |
| <b>HMIS</b> | <b>Health hazards</b> 3 | <b>Flammability</b> 2 | <b>Physical hazards</b> 0 | <b>Personal Protection</b> X              |

**Prepared By** Product Stewardship  
23 British American Blvd.  
Latham, NY 12110  
1-800-572-6501

**Revision Date** 28-Dec-2017

**Revision Note** No information available

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**

